

NEW PACKAGING

Distinctive blue and red packaging ensures you can quickly find EXPERT accessories on the shelf.

BENEFIT

Clear benefit icons with proven claims, so you know exactly what advantages you are getting.



TECHNOLOGY BEHIND THE BENEFIT

Each EXPERT accessory is backed by an innovative Bosch Technology that ensures it is the best your tool can get.



MATERIAL PICTURES

Clear pictograms show you exactly what materials an EXPERT accessory is designed for.



EXPERT STRIPE

The EXPERT stripe of our best performing range makes it easy to pick the best accessory for every job.

EXPERT

*Bosch EXPERT products vs. Bosch standard products

TABLE OF CONTENTS

1 DRILLING

6	Metal Drill Bits
56	Wood Drill Bits
83	Concrete Drill Bits
138	Masonry Drill Bits
140	Multi-Material and Tile Drill Bits

2 ACCESSORIES FOR SCREWDRIVING

150	Impact Control
167	Impact Tough
176	Extra Hard
192	Universal holders
194	Adapters and Attachments
195	Depth stops

3 CHISELLING

198	Chisels with SDS plus Shank
205	Chisels with SDS max Shank
213	Chisels with Hex Shank
221	Accessories for Chiselling

4 DIAMOND CUTTING, GRINDING AND DRILLING

224	Diamond cutting discs for angle grinders
245	Diamond cutting discs for tile cutting machines
252	Diamond cutting discs for table and petrol saws
260	Diamond cutting discs for joint cutters
264	Diamond grinding heads
271	Dry drill bits for drills
273	Wet drill bits
276	Dry drill bits for angle grinders
280	Wet core cutters
285	Dry core cutters
289	Accessories for the Bosch diamond drilling systems

5 CUTTING, GRINDING AND BRUSHING

298	Carbide Cutting wheels
301	Diamond Cutting Wheels
305	Cutting discs
327	Grinding discs
333	Cutting and Grinding Sets
334	Bosch cordless angle grinders
335	Tungsten carbide grinding heads
336	Cup wheels and grinding rings
337	Grinding wheels
339	Wire brushes
353	Grinding points

6 CIRCULAR SAWING

360	Best for
367	Expert for
395	Standard for
414	AU and NZ Standard Range
421	Eco for
426	Accessories

7 ROUTING AND PLANING

430	Expert for Wood Router Bits
440	Standard for Wood Router Bits
460	Router Bit Sets
468	Accessories for Biscuit Joiners
470	Planer Knives

8 JIGSAWING

474	Single lug shank
511	Universal shank
515	Jigsaw blade sets
524	Accessories
525	Other saws

9 RECIPROCATING SAWING

535	Reciprocating Saw Blades
575	Other Saw Blades

10 HOLESAWÍNG

582	Hole Saws for Power Change Plus System
605	Power Change Hole Saw Accessories
614	Hole Saws with Thread
621	Arbored Hole Saws

11 ACCESSORIES FOR MULTI-CUTTERS

626	Sawing
657	Cutting and Scraping
660	Sanding and Polishing
670	Routing and Rasping
678	Sets
681	Depth stops
682	Fein Supercut

12 SANDING AND POLISHING

688	Abrasives for Random Orbital Sanders
705	Abrasives for Delta Sanders and Multi Sanders
713	Abrasives for Orbital Sanders
723	Abrasives for Belt Sanders
734	Abrasives for Handsanding
748	Abrasives for Angle Grinders
776	Abrasives for Straight Grinders
778	Accessories for Bosch Grinding Brushes
779	Accessories for Polishers

TABLE OF CONTENTS

13 MACHINE ACCESSORIES

782	Accessories for Rotary Hammers and Impact Drills
792	Accessories for Drills
802	Accessories for Angle Grinders
830	Accessories for Concrete Grinders
832	Accessories for Straight Grinders
836	Accessories for Random Orbital Sanders
844	Accessories for Orbital Sanders
847	Accessories for Delta Sanders
850	Accessories for Belt Sanders
852	Accessories for Compact Belt Sanders
853	Accessories for Circular Saws
856	Accessories for Jigsaws
858	Accessories for Routers
865	Accessories for Planers
867	Accessories for Electric Scrapers
869	Accessories for Chain Saws
870	Nibbling and Cutting
876	Joining
893	Hot Air, Painting and Stripping
896	Dust Extraction
942	Carrying Cases

14 CORDLESS WORKING

948	Battery Packs
953	Chargers
958	Accessories for GDS, PLI, GLI

15 GENERAL INFORMATION

960	Part number index
994	Overview
999	Pictogram



METAL DRILLING

Precise performance for every application

The best your tool can get. Bosch Professional Accessories.





METAL DRILL BITS

Complete range for hand-held applications.







	HSS PointTeQ	HSS Ground	HSS Impact	HSS Cobalt	HSS Titanium
Page number	10	19	33	36	42
Diameter mm	1.0 – 20.0	1.0 – 16.0	2.0 – 12.0	1.0 – 13.0	1.0 – 13.0
DIN standard	338	338 / 340	338	338	338
Shank type	Cylindrical	Cylindrical	¼" Hex	Cylindrical	Cylindrical
MATERIALS					
Non-alloyed structural steel	✓	✓	✓	–	✓
Sheet steel	✓	✓	✓	–	✓
Non-alloyed tool steel	✓	✓	✓	–	✓
Alloyed tool steel	–	✓	✓	✓	✓
Stainless steel	–	✓	✓	✓	✓
Fire proof steel, Spring steel	–	–	–	✓	–
Cast iron, cast steel	✓	✓	✓	✓	✓
Malleable cast iron	✓	✓	✓	✓	✓
Alloyed aluminium	–	✓	✓	–	–
Bronze	✓	✓	✓	–	✓
Brass	✓	✓	✓	–	–
PVC, polyamide	✓	✓	✓	–	–
Perspex, Bakelite	✓	✓	✓	–	✓
Pertinax, Formica, Hard rubber	✓	✓	✓	–	–







	HSS-R Stub	HSS Ground Double-ended	Step drill bits with spiral flute	Countersink bits	Sheet metal cone drill bits
	45	46	47	50	52
	2.0 – 10.0	2.0 – 6.5	4.0 – 39.0	M3 – M12	3.0 – 31.0
	1897	1897	–	335	335
	Cylindrical	Cylindrical	3-flat or ¼" Hex	Cylindrical or ¼" Hex	Cylindrical or ¼" Hex
	✓	✓	–	–	✓
	✓	✓	✓	–	✓
	✓	✓	–	✓	–
	–	✓	–	–	✓
	–	✓	–	✓	✓
	–	–	–	–	✓
	✓	✓	–	✓	–
	✓	✓	–	–	–
	–	✓	–	✓	✓
	✓	✓	–	✓	–
	–	–	–	✓	✓
	✓	✓	✓	–	✓
	✓	✓	✓	–	–
	✓	✓	✓	–	–

HSS POINTTEQ
Fast drilling in metal.





FAST AND EASY START
The self-centering PointTeQ tip design allows an easy and efficient start

FAST CHIP REMOVAL
Supported by the black-oxide coated flute

INCREASED LIFETIME
As a result of its fast drilling rate which leads to reduced wear

Metal drill bits HSS PointTeQ, DIN 338

- Twist drill bit made of high speed steel manufactured to DIN 338
- Right-hand cutting twist drill bit, Type N, 135° drill bit tip
- Shank equal to drill bit diameter
- Two-cutter, cylindrical, two flutes



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 2							
1	12	-	PC1a	2	5	906623	**2 608 577 153**
1.5	18	-	PC1a	2	5	906630	**2 608 577 154**
2	24	-	PC1a	2	5	906647	**2 608 577 155**
2.5	30	-	PC1a	2	5	906654	**2 608 577 156**
2.6	30	-	PC1a	2	5	906661	**2 608 577 157**
3	33	-	PC1a	2	5	906678	**2 608 577 158**
3.2	36	-	PC1a	2	5	906685	**2 608 577 159**
3.5	39	-	PC1a	2	5	906692	**2 608 577 160**
4	43	-	PC1a	2	5	906708	**2 608 577 161**
Pack of 1							
4.2	43	-	PC1d	1	5	906715	**2 608 577 162**
4.5	47	-	PC1d	1	5	906722	**2 608 577 163**
4.8	52	-	PC1d	1	5	906739	**2 608 577 164**

Metal drill bits HSS PointTeQ, DIN 338

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Diameter (D) inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5	52	-	PC1d	1	5	906746	**2 608 577 165**
5.5	57	-	PC1d	1	5	906753	**2 608 577 166**
6	57	-	PC1d	1	5	906760	**2 608 577 167**
6.5	63	-	PC1d	1	5	906777	**2 608 577 168**
7	69	-	PC1d	1	5	906784	**2 608 577 169**
7.5	69	-	PC1d	1	5	906791	**2 608 577 170**
8	75	-	PC1d	1	5	906807	**2 608 577 171**
8.5	75	-	PC1d	1	5	906814	**2 608 577 172**
9	81	-	PC1d	1	5	906821	**2 608 577 173**
10	87	-	PC1d	1	5	906838	**2 608 577 174**
11	94	-	PC1d	1	5	906845	**2 608 577 175**
12	101	-	PC1d	1	5	906852	**2 608 577 176**
13	101	-	PC1d	1	5	906869	**2 608 577 177**
Pack of 10							
1	12	-	P2a	10	1	906876	**2 608 577 178**
1.1	14	-	P2a	10	1	906883	**2 608 577 179**
1.2	16	-	P2a	10	1	906890	**2 608 577 180**
1.3	16	-	P2a	10	1	906906	**2 608 577 181**
1.4	18	-	P2a	10	1	906913	**2 608 577 182**
1.5	18	-	P2a	10	1	906920	**2 608 577 183**
1.6	20	-	P2a	10	1	906937	**2 608 577 184**
1.7	20	-	P2a	10	1	906944	**2 608 577 185**
1.8	22	-	P2a	10	1	906951	**2 608 577 186**
1.9	22	-	P2a	10	1	906968	**2 608 577 187**
2	24	-	P2a	10	1	906975	**2 608 577 188**
2.1	24	-	P2a	10	1	906982	**2 608 577 189**
2.2	27	-	P2a	10	1	906999	**2 608 577 190**
2.3	27	-	P2a	10	1	907002	**2 608 577 191**
2.4	30	-	P2a	10	1	907019	**2 608 577 192**
2.5	30	-	P2a	10	1	907026	**2 608 577 193**
2.6	30	-	P2a	10	1	907033	**2 608 577 194**
2.7	33	-	P2a	10	1	907040	**2 608 577 195**
2.8	33	-	P2a	10	1	907057	**2 608 577 196**
2.9	33	-	P2a	10	1	907064	**2 608 577 197**
3	33	-	P2a	10	1	907071	**2 608 577 198**
3.1	36	-	P2a	10	1	907088	**2 608 577 199**
3.2	36	-	P2a	10	1	907095	**2 608 577 200**
3.3	36	-	P2a	10	1	907101	**2 608 577 201**
3.4	39	-	P2a	10	1	907118	**2 608 577 202**
3.5	39	-	P2a	10	1	907125	**2 608 577 203**
3.6	39	-	P2a	10	1	907132	**2 608 577 204**
3.7	39	-	P2a	10	1	907149	**2 608 577 205**
3.8	43	-	P2a	10	1	907156	**2 608 577 206**
3.9	43	-	P2a	10	1	907163	**2 608 577 207**
4	43	-	P1a	10	1	907170	**2 608 577 208**
4.1	43	-	P1a	10	1	907187	**2 608 577 209**
4.2	43	-	P1a	10	1	907194	**2 608 577 210**
4.3	47	-	P1a	10	1	907200	**2 608 577 211**
4.4	47	-	P1a	10	1	907217	**2 608 577 212**
4.5	47	-	P1a	10	1	907224	**2 608 577 213**
4.6	47	-	P1a	10	1	907231	**2 608 577 214**
4.7	47	-	P1a	10	1	907248	**2 608 577 215**
4.8	52	-	P1a	10	1	907255	**2 608 577 216**
4.9	52	-	P1a	10	1	907262	**2 608 577 217**
5	52	-	P1a	10	1	907279	**2 608 577 218**

Metal drill bits HSS PointTeQ, DIN 338

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Diameter (D) inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5.1	52	-	P1a	10	1	907286	**2 608 577 219**
5.2	52	-	P1a	10	1	907293	**2 608 577 220**
5.3	52	-	P1a	10	1	907309	**2 608 577 221**
5.4	57	-	P1a	10	1	907316	**2 608 577 222**
5.5	57	-	P1a	10	1	907323	**2 608 577 223**
5.6	57	-	P1a	10	1	907330	**2 608 577 224**
5.7	57	-	P1a	10	1	907347	**2 608 577 225**
5.8	57	-	P1a	10	1	907354	**2 608 577 226**
5.9	57	-	P1a	10	1	907361	**2 608 577 227**
6	57	-	P1a	10	1	907378	**2 608 577 228**
6.1	63	-	P1a	10	1	907385	**2 608 577 229**
6.2	63	-	P1a	10	1	907392	**2 608 577 230**
6.3	63	-	P1a	10	1	907408	**2 608 577 231**
6.4	63	-	P1a	10	1	907415	**2 608 577 232**
6.5	63	-	P1a	10	1	907422	**2 608 577 233**
6.6	63	-	P1a	10	1	907439	**2 608 577 234**
6.7	63	-	P1a	10	1	907446	**2 608 577 235**
6.8	69	-	P1a	10	1	907453	**2 608 577 236**
6.9	69	-	P1a	10	1	907460	**2 608 577 237**
7	69	-	P1a	10	1	907477	**2 608 577 238**
7.1	69	-	P1a	10	1	907484	**2 608 577 239**
7.2	69	-	P1a	10	1	907491	**2 608 577 240**
7.3	69	-	P1a	10	1	907507	**2 608 577 241**
7.4	69	-	P1a	10	1	907514	**2 608 577 242**
7.5	69	-	P1a	10	1	907521	**2 608 577 243**
7.6	75	-	P1a	10	1	907538	**2 608 577 244**
7.7	75	-	P1a	10	1	907545	**2 608 577 245**
7.8	75	-	P1a	10	1	907552	**2 608 577 246**
7.9	75	-	P1a	10	1	907569	**2 608 577 247**
8	75	-	P1a	10	1	907576	**2 608 577 248**
8.1	75	-	P1a	10	1	907583	**2 608 577 249**
8.2	75	-	P1a	10	1	907590	**2 608 577 250**
8.3	75	-	P1a	10	1	907606	**2 608 577 251**
8.4	75	-	P1a	10	1	907613	**2 608 577 252**
8.5	75	-	P1a	10	1	907620	**2 608 577 253**
8.6	81	-	P1a	10	1	907637	**2 608 577 254**
8.7	81	-	P1a	10	1	907644	**2 608 577 255**
8.8	81	-	P1a	10	1	907651	**2 608 577 256**
8.9	81	-	P1a	10	1	907668	**2 608 577 257**
9	81	-	P1a	10	1	907675	**2 608 577 258**
9.1	81	-	P1a	10	1	907682	**2 608 577 259**
9.2	81	-	P1a	10	1	907699	**2 608 577 260**
9.3	81	-	P1a	10	1	907705	**2 608 577 261**
9.4	81	-	P1a	10	1	907712	**2 608 577 262**
9.5	81	-	P1a	10	1	907729	**2 608 577 263**
9.6	87	-	P1a	10	1	907736	**2 608 577 264**
9.7	87	-	P1a	10	1	907743	**2 608 577 265**
9.8	87	-	P1a	10	1	907750	**2 608 577 266**
9.9	87	-	P1a	10	1	907767	**2 608 577 267**
10	87	-	P1a	10	1	907774	**2 608 577 268**
-	23	1/16	P2a	10	1	908252	**2 608 577 316**
-	26	5/64	P2a	10	1	908269	**2 608 577 317**
-	33	3/32	P2a	10	1	908276	**2 608 577 318**
-	39	7/64	P2a	10	1	908283	**2 608 577 319**
-	42	1/8	P2a	10	1	908290	**2 608 577 320**
-	45	9/64	P2a	10	1	908306	**2 608 577 321**

Metal drill bits HSS PointTeQ, DIN 338

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Diameter (D) inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-	52	5/32	P1a	10	1	908313	**2 608 577 322**
-	55	11/64	P1a	10	1	908320	**2 608 577 323**
-	61	3/16	P1a	10	1	908337	**2 608 577 324**
-	64	13/64	P1a	10	1	908344	**2 608 577 325**
-	66	7/32	P1a	10	1	908351	**2 608 577 326**
-	69	15/64	P1a	10	1	908368	**2 608 577 327**
-	72	1/4	P1a	10	1	908375	**2 608 577 328**
-	75	17/64	P1a	10	1	908382	**2 608 577 329**
-	77	9/32	P1a	10	1	908399	**2 608 577 330**
-	80	19/64	P1a	10	1	908405	**2 608 577 331**
-	83	5/16	P1a	10	1	908412	**2 608 577 332**
-	87	21/64	P1a	10	1	908429	**2 608 577 333**
-	90	11/32	P1a	10	1	908436	**2 608 577 334**
-	92	23/64	P1a	10	1	908443	**2 608 577 335**
-	95	3/8	P1a	10	1	908450	**2 608 577 336**
-	98	25/64	P1a	10	1	908467	**2 608 577 337**
Pack of 5							
10.1	87	-	P1a	5	1	907781	**2 608 577 269**
10.2	87	-	P1a	5	1	907798	**2 608 577 270**
10.3	87	-	P1a	5	1	907804	**2 608 577 271**
10.4	87	-	P1a	5	1	907811	**2 608 577 272**
10.5	87	-	P1a	5	1	907828	**2 608 577 273**
10.6	87	-	P1a	5	1	907835	**2 608 577 274**
10.7	94	-	P1a	5	1	907842	**2 608 577 275**
10.8	94	-	P1a	5	1	907859	**2 608 577 276**
10.9	94	-	P1a	5	1	907866	**2 608 577 277**
11	94	-	P1a	5	1	907873	**2 608 577 278**
11.1	94	-	P1a	5	1	907880	**2 608 577 279**
11.2	94	-	P1a	5	1	907897	**2 608 577 280**
11.3	94	-	P1a	5	1	907903	**2 608 577 281**
11.4	94	-	P1a	5	1	907910	**2 608 577 282**
11.5	94	-	P1a	5	1	907927	**2 608 577 283**
11.6	94	-	P1a	5	1	907934	**2 608 577 284**
11.7	94	-	P1a	5	1	907941	**2 608 577 285**
11.8	94	-	P1a	5	1	907958	**2 608 577 286**
11.9	101	-	P1a	5	1	907965	**2 608 577 287**
12	101	-	P1a	5	1	907972	**2 608 577 288**
12.1	101	-	P1a	5	1	907989	**2 608 577 289**
12.2	101	-	P1a	5	1	907996	**2 608 577 290**
12.3	101	-	P1a	5	1	908009	**2 608 577 291**
12.4	101	-	P1a	5	1	908016	**2 608 577 292**
12.5	101	-	P1a	5	1	908023	**2 608 577 293**
12.6	101	-	P1a	5	1	908030	**2 608 577 294**
12.7	101	-	P1a	5	1	908047	**2 608 577 295**
12.8	101	-	P1a	5	1	908054	**2 608 577 296**
12.9	101	-	P1a	5	1	908061	**2 608 577 297**
13	101	-	P1a	5	1	908078	**2 608 577 298**
-	101	13/32	P1a	5	1	908474	**2 608 577 338**
-	103	27/64	P1a	5	1	908481	**2 608 577 339**
-	106	7/16	P1a	5	1	908498	**2 608 577 340**
-	109	29/64	P1a	5	1	908504	**2 608 577 341**
-	114	15/32	P1a	5	1	908511	**2 608 577 342**
-	115	31/64	P1a	5	1	908528	**2 608 577 343**
-	118	1/2	P1a	5	1	908535	**2 608 577 344**

Metal drill bits HSS PointTeQ, DIN 338 with reduced shank

- Twist drill bit made of high speed steel manufactured to DIN 338
- Right-hand cutting twist drill bit, Type N, 135° drill bit tip
- Shank is reduced to 10mm for drill bits with diameter ≤13mm and to 12mm for drill bits with diameter >13mm
- Two-cutter, cylindrical, two flutes



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1						
10.5	87	PC1d	1	5	908085	**2 608 577 299**
11	94	PC1d	1	5	908092	**2 608 577 300**
11.5	94	PC1d	1	5	908108	**2 608 577 301**
12	101	PC1d	1	1	908115	**2 608 577 302**
12.5	101	PC1d	1	1	908122	**2 608 577 303**
13	101	PC1d	1	1	908139	**2 608 577 304**
13.5	108	PC1d	1	1	908146	**2 608 577 305**
14	108	PC1d	1	1	908153	**2 608 577 306**
14.5	114	P1c	1	1	908160	**2 608 577 307**
15	114	P1c	1	1	908177	**2 608 577 308**
15.5	120	P1c	1	1	908184	**2 608 577 309**
16	120	P1c	1	1	908191	**2 608 577 310**
16.5	125	P1c	1	1	908207	**2 608 577 311**
17	125	P1c	1	1	908214	**2 608 577 312**
18	130	P1c	1	1	908221	**2 608 577 313**
19	135	P1c	1	1	908238	**2 608 577 314**
20	140	P1c	1	1	908245	**2 608 577 315**

Metal drill bit sets HSS PointTeQ, DIN 338

- Twist drill bit made of high speed steel manufactured to DIN 338
- Right-hand cutting twist drill bit, Type N, 135° drill bit tip
- Shank equal to drill bit diameter
- Two-cutter, cylindrical, two flutes



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece metal drill bit set, HSS PointTeQ						
2	24	P1c	5	1	917636	**2 608 577 345**
3	33					
4	43					
5	52					
6	57					

Metal drill bit sets HSS PointTeQ, DIN 338









PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6-piece metal drill bit set, HSS PointTeQ						
2	24	P1k	6	1	917643	**2 608 577 346**
3	33					
4	43					
5	52					
6	57					
8	75					
7-piece metal drill bit set, HSS PointTeQ						
2	24	P1k	7	1	917650	**2 608 577 347**
3	33					
4	43					
5	52					
6	57					
8	75					
10	87					
10-piece metal drill bit set, HSS PointTeQ						
1	12	P1k	10	1	917667	**2 608 577 348**
2	24					
3	33					
4	43					
5	52					
6	57					
7	69					
8	75					
9	81					
10	87					
13-piece metal drill bit set, HSS PointTeQ						
1.5	18	P1k	13	1	917674	**2 608 577 349**
2	24					
2.5	30					
3	33					
3.2	36					
3.5	39					
4	43					
4.5	47					
4.8	52					
5	52					
5.5	57					
6	57					
6.5	63					

Metal drill bit sets HSS PointTeQ, DIN 338







PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
side set, milled 18-piece ToughBox metal drill bit set, HSS PointTeQ						
1	34	P1k	18	1	917681	**2 608 577 350**
1.5	40					
2	49					
2	49					
2.5	57					
3	61					
3	61					
3.5	70					
4	75					
4	75					
4.5	80					
5	86					
5.5	93					
6	93					
7	109					
8	117					
9	125					
10	133					
19-piece ProBox metal drill bit set, HSS PointTeQ						
1	12	P1k	19	1	917698	**2 608 577 351**
1.5	18					
2	24					
2.5	30					
3	33					
3.5	39					
4	43					
4.5	47					
5	52					
5.5	57					
6	57					
6.5	63					
7	69					
7.5	69					
8	75					
8.5	75					
9	81					
9.5	81					
10	87					
25-piece ProBox metal drill bit set, HSS PointTeQ						
1	12	P1k	25	1	917704	**2 608 577 352**
1.5	18					
2	24					
2.5	30					
3	33					
3.5	39					
4	43					
4.5	47					
5	52					
5.5	57					
6	57					
6.5	63					
7	69					
7.5	69					
8	75					
8.5	75					
9	81					
9.5	81					
10	87					
10.5	87					
11	94					
11.5	94					
12	101					
12.5	101					
13	101					

Metal drill bits HSS PointTeQ, DIN 338 with hex shank

pointeQ high SPEED

- Twist drill bit made of high speed steel manufactured to DIN 338
- Right-hand cutting twist drill bit, Type N, 135° drill bit tip
- Two-cutter, hexagonal, two flutes



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
Pack of 1							
2	24	60	PC1a	1	5	231321	**2 608 577 517**
2.5	30	69	PC1a	1	5	231338	**2 608 577 518**
3	33	72	PC1a	1	5	231345	**2 608 577 519**
3.2	36	75	PC1a	1	5	231352	**2 608 577 520**
3.3	36	75	PC1a	1	5	231369	**2 608 577 521**
3.5	39	79	PC1a	1	5	231376	**2 608 577 522**
4	43	83	PC1d	1	5	231383	**2 608 577 523**
4.2	43	83	PC1d	1	5	231390	**2 608 577 524**
4.5	47	87	PC1d	1	5	231406	**2 608 577 525**
5	52	91	PC1d	1	5	231413	**2 608 577 526**
5.5	57	98	PC1d	1	5	231420	**2 608 577 527**
6	57	98	PC1d	1	5	231437	**2 608 577 528**
6.5	63	107	PC1d	1	5	231444	**2 608 577 529**
6.8	69	109	PC1d	1	5	231451	**2 608 577 530**
7	69	109	PC1d	1	5	231468	**2 608 577 531**
7.5	69	109	PC1d	1	5	231475	**2 608 577 532**
8	75	117	PC1d	1	5	231482	**2 608 577 533**
8.5	75	117	PC1d	1	5	231499	**2 608 577 534**
9	81	125	PC1d	1	5	231505	**2 608 577 535**
9.5	81	125	PC1d	1	5	231512	**2 608 577 536**
10	87	133	PC1d	1	5	231529	**2 608 577 537**
11	94	142	PC1d	1	5	231536	**2 608 577 538**
12	101	151	PC1d	1	5	231543	**2 608 577 539**
Pack of 10							
2	24	60	P1a	10	1	231550	**2 608 577 540**
3	33	72	P1a	10	1	231567	**2 608 577 541**
3.5	39	79	P1a	10	1	231574	**2 608 577 542**
4	43	83	P1a	10	1	231581	**2 608 577 543**
4.2	43	83	P1a	10	1	231598	**2 608 577 544**
5	52	91	P1a	10	1	231604	**2 608 577 545**
6	57	98	P1a	10	1	231611	**2 608 577 546**
Pack of 5							
8	75	117	P1a	5	1	231628	**2 608 577 547**
10	87	133	P1a	5	1	231635	**2 608 577 548**
12	101	151	P1a	5	1	231642	**2 608 577 549**

Metal drill bit sets HSS PointTeQ, DIN 338 with hex shank

- Twist drill bit made of high speed steel manufactured to DIN 338
- Right-hand cutting twist drill bit, Type N, 135° drill bit tip
- Two-cutter, hexagonal, two flutes







PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
5-piece metal drill bit set, HSS PointTeQ							
2	24	60	P1k	5	1	231659	**2 607 002 824**
3	33	72					
4	43	83					
5	52	91					
6	57	98					
9-piece metal drill bit set, HSS PointTeQ							
2	24	60	P1k	9	1	231673	**2 607 002 826**
2.5	30	69					
3	33	72					
3.5	39	79					
4	43	83					
5	52	91					
6	57	98					
7	69	109					
8	75	117					
5-piece metal drill bit set, HSS PointTeQ							
2	24	60	P1k	5	1	231666	**2 607 002 825**
3	33	72					
4	43	82					
5	52	91					
6	57	98					

HSS GROUND
Highest-precision holes.

Precise

EXCELLENT CUTTING FEATURES
135° tip design enables up to 40% faster drilling rate and up to 50% lower feed pressure than standard HSS drills with chisel edge



QUICK START AND PERFECT CENTERING
Self-centering split point drills precisely where it is positioned. No need to pre-punch up to 10 mm diameter

TIGHT TOLERANCES AND ACCURATE HOLES
As a result of its precision-ground drill bit body

Metal drill bits HSS-G

- Twist drill bit made of high speed steel manufactured to DIN 338
- Right-hand cutting twist drill bit, Type N, 135° drill bit tip, split point manufactured to DIN 1412 C, diameter tolerance h8
- Shank equal to drill bit diameter, drill bit colour: polished
- Two-cutter, cylindrical, two flutes
- **Note:** Use the universal cutting oil 2 607 001 409 when working with HSS-G metal drill bits



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 2								
1	12	34	-	PC1a	2	5	521413	**2 608 585 906**
1.5	18	40	-	PC1a	2	5	521420	**2 608 585 907**
2	24	49	-	PC1a	2	5	521437	**2 608 585 908**
2.5	30	57	-	PC1a	2	5	521444	**2 608 585 909**
2.6	30	57	-	PC1a	2	5	521451	**2 608 585 910**
3	33	61	-	PC1a	2	5	521468	**2 608 585 911**
3.2	36	65	-	PC1a	2	5	521475	**2 608 585 912**
3.3	36	65	-	PC1a	2	5	521482	**2 608 585 913**
3.5	39	70	-	PC1a	2	5	521499	**2 608 585 914**
3.8	43	75	-	PC1a	2	5	521505	**2 608 585 915**
4	43	75	-	PC1a	2	5	521512	**2 608 585 916**

Metal drill bits HSS-G



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
1	12	34	-	PC1d	1	5	694001	**2 608 588 265**
1.5	18	40	-	PC1d	1	5	694018	**2 608 588 266**
2	24	49	-	PC1d	1	5	694025	**2 608 588 267**
2.5	30	57	-	PC1d	1	5	694032	**2 608 588 268**
3	33	61	-	PC1d	1	5	694049	**2 608 588 269**
3.5	39	70	-	PC1d	1	5	694056	**2 608 588 270**
4	43	75	-	PC1d	1	5	694063	**2 608 588 271**
4.1	43	75	-	PC1d	1	5	521529	**2 608 585 917**
4.2	43	75	-	PC1d	1	5	521536	**2 608 585 918**
4.3	47	80	-	PC1d	1	5	521543	**2 608 585 919**
4.5	47	80	-	PC1d	1	5	521550	**2 608 585 920**
				PC1d	1	5	694070	**2 608 588 272**
4.8	52	86	-	PC1d	1	5	521567	**2 608 585 921**
5	52	86	-	PC1d	1	5	521574	**2 608 585 922**
				PC1d	1	5	694087	**2 608 588 273**
5.1	52	86	-	PC1d	1	5	521581	**2 608 585 923**
5.2	52	86	-	PC1d	1	5	521598	**2 608 585 924**
5.5	57	93	-	PC1d	1	5	521604	**2 608 585 925**
				PC1d	1	5	694094	**2 608 588 274**
6	57	93	-	PC1d	1	5	521611	**2 608 585 926**
				PC1d	1	5	694100	**2 608 588 275**
6.5	63	101	-	PC1d	1	5	521628	**2 608 585 927**
				PC1d	1	5	694117	**2 608 588 276**
6.8	69	109	-	PC1d	1	5	521635	**2 608 585 928**
7	69	109	-	PC1d	1	5	521642	**2 608 585 929**
				PC1d	1	5	694124	**2 608 588 277**
7.5	69	109	-	PC1d	1	5	521659	**2 608 585 930**
				PC1d	1	5	694131	**2 608 588 278**
7.8	75	117	-	PC1d	1	5	521666	**2 608 585 931**
8	75	117	-	PC1d	1	5	521673	**2 608 585 932**
				PC1d	1	5	694148	**2 608 588 279**
8.5	75	117	-	PC1d	1	5	521680	**2 608 585 933**
				PC1d	1	5	694155	**2 608 588 280**
9	81	125	-	PC1d	1	5	521697	**2 608 585 934**
				PC1d	1	5	694162	**2 608 588 281**
9.5	81	125	-	PC1d	1	5	521703	**2 608 585 935**
				PC1d	1	5	694179	**2 608 588 282**
10	87	133	-	PC1d	1	5	521710	**2 608 585 936**
				PC1d	1	5	694186	**2 608 588 283**
10.5	87	133	-	PC1d	1	5	521727	**2 608 585 937**
				PC1d	1	5	694193	**2 608 588 284**
11	94	142	-	PC1d	1	5	521734	**2 608 585 938**
				PC1d	1	5	694209	**2 608 588 285**
11.5	94	142	-	PC1d	1	5	521741	**2 608 585 939**
				PC1d	1	5	694216	**2 608 588 286**
12	101	151	-	PC1d	1	5	521758	**2 608 585 940**
				PC1d	1	5	694223	**2 608 588 287**
12.5	101	151	-	PC1d	1	5	521765	**2 608 585 941**
				PC1d	1	5	694230	**2 608 588 288**
13	101	151	-	PC1d	1	5	521772	**2 608 585 942**
				PC1d	1	5	694247	**2 608 588 289**
-	24	49	5/64	PC1d	1	5	693639	**2 608 588 228**
-	30	57	3/32	PC1d	1	5	693646	**2 608 588 229**
-	33	61	7/64	PC1d	1	5	693653	**2 608 588 230**
-	36	65	1/8	PC1d	1	5	693660	**2 608 588 231**

Metal drill bits HSS-G

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-	39	70	9/64	PC1d	1	5	693677	**2 608 588 232**
-	43	75	5/32	PC1d	1	5	693684	**2 608 588 233**
-	47	80	11/64	PC1d	1	5	693691	**2 608 588 234**
-	52	86	3/16	PC1d	1	5	693707	**2 608 588 235**
-	52	86	13/64	PC1d	1	5	693714	**2 608 588 236**
-	57	93	15/64	PC1d	1	5	693721	**2 608 588 237**
				PC1d	1	5	693738	**2 608 588 238**
-	63	101	1/4	PC1d	1	1	693745	**2 608 588 239**
-	69	109	17/64	PC1d	1	5	693752	**2 608 588 240**
-	69	109	9/32	PC1d	1	5	693769	**2 608 588 241**
-	75	117	19/64	PC1d	1	5	693776	**2 608 588 242**
-	75	117	15/16	PC1d	1	1	693783	**2 608 588 243**
-	75	117	21/64	PC1d	1	5	693790	**2 608 588 244**
-	81	125	11/32	PC1d	1	5	693806	**2 608 588 245**
-	81	125	23/64	PC1d	1	5	693813	**2 608 588 246**
-	87	133	3/8	PC1d	1	2	693820	**2 608 588 247**
-	87	133	25/64	PC1d	1	5	693837	**2 608 588 248**
-	87	133	13/32	PC1d	1	5	693844	**2 608 588 249**
-	94	142	27/64	PC1d	1	5	693851	**2 608 588 250**
-	94	142	7/16	PC1d	1	2	693868	**2 608 588 251**
-	94	142	29/64	PC1d	1	5	693875	**2 608 588 252**
-	101	151	15/32	PC1d	1	5	693882	**2 608 588 253**
-	101	151	31/64	PC1d	1	5	693899	**2 608 588 254**
-	101	151	1/2	PC1d	1	1	693905	**2 608 588 255**



Pack of 10

1	12	34	-	P2a	10	1	290494	**2 608 595 049**
1.1	14	36	-	P2a	10	1	474726	**2 608 585 467**
1.2	16	38	-	P2a	10	1	474733	**2 608 585 468**
1.3	16	38	-	P2a	10	1	474740	**2 608 585 469**
1.4	18	40	-	P2a	10	1	474757	**2 608 585 470**
1.5	18	40	-	P2a	10	1	290500	**2 608 595 050**
1.6	20	43	-	P2a	10	1	474764	**2 608 585 471**
1.7	20	43	-	P2a	10	1	474771	**2 608 585 472**
1.8	22	46	-	P2a	10	1	474788	**2 608 585 473**
1.9	22	46	-	P2a	10	1	474795	**2 608 585 474**
2	24	49	-	P2a	10	1	290517	**2 608 595 051**
2.1	24	49	-	P2a	10	1	474801	**2 608 585 475**
2.2	27	53	-	P2a	10	1	290524	**2 608 595 052**
2.3	27	53	-	P2a	10	1	474818	**2 608 585 476**
2.4	30	57	-	P2a	10	1	474825	**2 608 585 477**
2.5	30	57	-	P2a	10	1	290531	**2 608 595 053**
2.6	30	57	-	P2a	10	1	474832	**2 608 585 478**
2.7	33	61	-	P2a	10	1	474849	**2 608 585 479**
2.8	33	61	-	P2a	10	1	290548	**2 608 595 054**
2.9	33	61	-	P2a	10	1	474856	**2 608 585 480**
3	33	61	-	P2a	10	1	290555	**2 608 595 055**
3.1	36	65	-	P2a	10	1	474863	**2 608 585 481**
3.2	36	65	-	P2a	10	1	290562	**2 608 595 056**
3.3	36	65	-	P2a	10	1	290579	**2 608 595 057**
3.4	39	70	-	P2a	10	1	474870	**2 608 585 482**
3.5	39	70	-	P2a	10	1	290586	**2 608 595 058**
3.6	39	70	-	P2a	10	1	323499	**2 608 595 332**
3.7	39	70	-	P2a	10	1	474887	**2 608 585 483**
3.8	43	75	-	P2a	10	1	474894	**2 608 585 484**
3.9	43	75	-	P2a	10	1	474900	**2 608 585 485**

Metal drill bits HSS-G

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
4	43	75	-	P1a	10	1	290593	**2 608 595 059**
4.1	43	75	-	P1a	10	1	474917	**2 608 585 486**
4.2	43	75	-	P1a	10	1	290609	**2 608 595 060**
4.3	47	80	-	P1a	10	1	474924	**2 608 585 487**
4.4	47	80	-	P1a	10	1	323505	**2 608 595 333**
4.5	47	80	-	P1a	10	1	290616	**2 608 595 061**
4.6	47	80	-	P1a	10	1	474931	**2 608 585 488**
4.7	47	80	-	P1a	10	1	474948	**2 608 585 489**
4.8	52	86	-	P1a	10	1	323512	**2 608 595 334**
4.9	52	86	-	P1a	10	1	474955	**2 608 585 490**
5	52	86	-	P1a	10	1	290623	**2 608 595 062**
5.1	52	86	-	P1a	10	1	474962	**2 608 585 491**
5.2	52	86	-	P1a	10	1	290630	**2 608 595 063**
5.3	52	86	-	P1a	10	1	474979	**2 608 585 492**
5.4	57	93	-	P1a	10	1	474986	**2 608 585 493**
5.5	57	93	-	P1a	10	1	290647	**2 608 595 064**
5.6	57	93	-	P1a	10	1	474993	**2 608 585 494**
5.7	57	93	-	P1a	10	1	475006	**2 608 585 495**
5.8	57	93	-	P1a	10	1	290654	**2 608 595 065**
5.9	57	93	-	P1a	10	1	475013	**2 608 585 496**
6	57	93	-	P1a	10	1	290661	**2 608 595 066**
6.1	63	101	-	P1a	10	1	475020	**2 608 585 497**
6.2	63	101	-	P1a	10	1	290678	**2 608 595 067**
6.3	63	101	-	P1a	10	1	475037	**2 608 585 498**
6.4	63	101	-	P1a	10	1	323529	**2 608 595 335**
6.5	63	101	-	P1a	10	1	290685	**2 608 595 068**
6.6	63	101	-	P1a	10	1	475044	**2 608 585 499**
6.7	63	101	-	P1a	10	1	323536	**2 608 595 336**
6.8	69	109	-	P1a	10	1	290692	**2 608 595 069**
6.9	69	109	-	P1a	10	1	475051	**2 608 585 500**
7	69	109	-	P1a	10	1	290708	**2 608 595 070**
7.1	69	109	-	P1a	10	1	475068	**2 608 585 501**
7.2	69	109	-	P1a	10	1	323543	**2 608 595 337**
7.3	69	109	-	P1a	10	1	475075	**2 608 585 502**
7.4	69	109	-	P1a	10	1	475082	**2 608 585 503**
7.5	69	109	-	P1a	10	1	290715	**2 608 595 071**
7.6	75	117	-	P1a	10	1	475099	**2 608 585 504**
7.7	75	117	-	P1a	10	1	475105	**2 608 585 505**
7.8	75	117	-	P1a	10	1	475112	**2 608 585 506**
7.9	75	117	-	P1a	10	1	475129	**2 608 585 507**
-	5	20	1/64	P2a	10	1	474382	**2 608 585 433**
-	10	30	1/32	P2a	10	1	474399	**2 608 585 434**
-	16	38	3/64	P2a	10	1	474405	**2 608 585 435**
-	20	43	1/16	P2a	10	1	474412	**2 608 585 436**
-	24	49	5/64	P2a	10	1	474429	**2 608 585 437**
-	30	57	3/32	P2a	10	1	474436	**2 608 585 438**
-	33	61	7/64	P2a	10	1	474443	**2 608 585 439**
-	36	65	1/8	P2a	10	1	474450	**2 608 585 440**
-	39	70	9/64	P2a	10	1	474467	**2 608 585 441**
-	43	75	5/32	P2a	10	1	474474	**2 608 585 442**
-	47	80	11/64	P2a	10	1	474481	**2 608 585 443**
-	52	86	3/16	P2a	10	1	474498	**2 608 585 444**
-	52	86	13/64	P2a	10	1	474504	**2 608 585 445**
-	57	93	7/32	P2a	10	1	474511	**2 608 585 446**
-	57	93	15/64	P2a	10	1	474528	**2 608 585 447**
-	63	101	1/4	P2a	10	1	474535	**2 608 585 448**

Metal drill bits HSS-G



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-	69	109	17/64	P2a	10	1	474542	**2 608 585 449**
-	69	109	9/32	P2a	10	1	474559	**2 608 585 450**
-	75	117	19/64	P2a	10	1	474566	**2 608 585 451**
-	75	117	5/16	P2a	10	1	474573	**2 608 585 452**
Pack of 5								
8	75	117	-	P2a	5	1	290722	**2 608 595 072**
8.1	75	117	-	P2a	5	1	475136	**2 608 585 508**
8.2	75	117	-	P2a	5	1	475143	**2 608 585 509**
8.3	75	117	-	P2a	5	1	475150	**2 608 585 510**
8.4	75	117	-	P2a	5	1	475167	**2 608 585 511**
8.5	75	117	-	P2a	5	1	290739	**2 608 595 073**
8.6	81	125	-	P2a	5	1	475174	**2 608 585 512**
8.7	81	125	-	P2a	5	1	475181	**2 608 585 513**
8.8	81	125	-	P2a	5	1	290746	**2 608 595 074**
8.9	81	125	-	P2a	5	1	475198	**2 608 585 514**
9	81	125	-	P2a	5	1	290753	**2 608 595 075**
9.1	81	125	-	P2a	5	1	475204	**2 608 585 515**
9.2	81	125	-	P2a	5	1	475211	**2 608 585 516**
9.3	81	125	-	P2a	5	1	475228	**2 608 585 517**
9.4	81	125	-	P2a	5	1	475235	**2 608 585 518**
9.5	81	125	-	P2a	5	1	290760	**2 608 595 076**
9.6	87	133	-	P2a	5	1	475242	**2 608 585 519**
9.7	87	133	-	P2a	5	1	475259	**2 608 585 520**
9.8	87	133	-	P2a	5	1	323550	**2 608 595 338**
9.9	87	133	-	P2a	5	1	475266	**2 608 585 521**
10	87	133	-	P2a	5	1	290777	**2 608 595 077**
10.1	87	133	-	P2a	5	1	475273	**2 608 585 522**
10.2	87	133	-	P2a	5	1	475280	**2 608 585 523**
10.3	87	133	-	P2a	5	1	475297	**2 608 585 524**
10.4	87	133	-	P2a	5	1	475303	**2 608 585 525**
10.5	87	133	-	P2a	5	1	290784	**2 608 595 078**
10.6	87	133	-	P2a	5	1	475310	**2 608 585 526**
10.7	94	142	-	P2a	5	1	475327	**2 608 585 527**
10.8	94	142	-	P2a	5	1	475334	**2 608 585 528**
10.9	94	142	-	P2a	5	1	475341	**2 608 585 529**
11	94	142	-	P2a	5	1	290791	**2 608 595 079**
11.1	94	142	-	P2a	5	1	475358	**2 608 585 530**
11.2	94	142	-	P2a	5	1	475365	**2 608 585 531**
11.3	94	142	-	P2a	5	1	475372	**2 608 585 532**
11.4	94	142	-	P2a	5	1	475389	**2 608 585 533**
11.5	94	142	-	P2a	5	1	290807	**2 608 595 080**
11.6	94	142	-	P2a	5	1	475396	**2 608 585 534**
11.7	94	142	-	P2a	5	1	475402	**2 608 585 535**
11.8	94	142	-	P2a	5	1	475419	**2 608 585 536**
11.9	101	151	-	P2a	5	1	475426	**2 608 585 537**
12	101	151	-	P2a	5	1	290814	**2 608 595 081**
12.1	101	151	-	P2a	5	1	475433	**2 608 585 538**
12.2	101	151	-	P2a	5	1	475440	**2 608 585 539**
12.3	101	151	-	P2a	5	1	475457	**2 608 585 540**
12.4	101	151	-	P2a	5	1	475464	**2 608 585 541**
12.5	101	151	-	P2a	5	1	290821	**2 608 595 082**
12.6	101	151	-	P2a	5	1	475471	**2 608 585 542**
12.7	101	151	-	P2a	5	1	475488	**2 608 585 543**
12.8	101	151	-	P2a	5	1	475495	**2 608 585 544**
12.9	101	151	-	P2a	5	1	475501	**2 608 585 545**

Metal drill bits HSS-G



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
13	101	151	-	P2a	5	1	290838	**2 608 595 083**
-	75	117	21/64	P2a	5	1	474580	**2 608 585 453**
-	81	125	11/32	P2a	5	1	474597	**2 608 585 454**
-	81	125	23/64	P2a	5	1	474603	**2 608 585 455**
-	87	133	3/8	P2a	5	1	474610	**2 608 585 456**
-	87	133	25/64	P2a	5	1	474627	**2 608 585 457**
-	87	133	13/32	P2a	5	1	474634	**2 608 585 458**
-	94	142	27/64	P2a	5	1	474641	**2 608 585 459**
-	94	142	7/16	P2a	5	1	474658	**2 608 585 460**
-	94	142	29/64	P2a	5	1	474665	**2 608 585 461**
-	101	151	15/32	P2a	5	1	474672	**2 608 585 462**
-	101	151	31/64	P2a	5	1	474689	**2 608 585 463**
-	101	151	1/2	P2a	5	1	474696	**2 608 585 464**
Pack of 4 reduced shank to 13 mm								
14	108	160	-	P2a	4	1	478786	**2 608 585 593**
15	114	169	-	P2a	4	1	478793	**2 608 585 594**
16	120	178	-	P2a	4	1	478809	**2 608 585 595**
Pack of 4 reduced shank to 1/2-inch								
-	114	169	9/16	P2a	4	1	474702	**2 608 585 465**
-	120	178	5/8	P2a	4	1	474719	**2 608 585 466**

Robust Line metal drill bit sets HSS-G (ground), 135° drill bit tip



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6-piece Robust Line metal drill bit set HSS-G, DIN 338, 135°								
2 **3** **4** **5** **6** **8**	24 33 43 52 57 75	A	156.5 x 69.5 x 23	P1k	6	1	446136	**2 607 010 529**

Robust Line metal drill bit sets HSS-G (ground), 135° drill bit tip



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
10-piece Robust Line metal drill bit set HSS-G, DIN 338, 135°								
1	12	B	156.5 x 106.5 x 23	P1k	10	1	446198	**2 607 010 535**
2	24							
3	33							
4	43							
5	52							
6	57							
7	69							
8	75							
9	81							
10	87							



13-piece Robust Line metal drill bit set HSS-G, DIN 338, 135°								
1.5	18	C	124.0 x 106.5 x 23	P1k	13	1	446228	**2 607 010 538**
2	24							
2.5	30							
3	33							
3.2	36							
3.5	39							
4	43							
4.5	47							
4.8	52							
5	52							
5.5	57							
6	57							
6.5	63							

Metal drill bit sets HSS-G, DIN 338





PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter mm	Diameter inches	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece metal drill bit set HSS-G, 135° drill bit tip, 1/4" hex shank										
2	-	-	-	-	-	P1k	5	1	395427	**2 608 595 517**
3										
4										
5										
6										



7-Piece Metal Drill Bit Set HSS-G, 135° Drill Bit Tip, Cylindrical Shank										
-	1/16	20	43	B	-	P1k	7	5	695787	**2 608 588 398**
	3/32	30	57							
	1/8	36	65							
	5/32	43	75							
	3/16	52	86							
	7/32	57	93							
	1/4	63	101							

Metal drill bit sets HSS-G, DIN 338

PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter mm	Diameter inches	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
7-Piece Metal Drill Bit Set HSS-G, 135° Drill Bit Tip, Cylindrical Shank										
1.5	-	18	40	B	-	P1k	7	5	695848	**2 608 588 404**
2		24	49							
3		33	61							
4		43	75							
5		52	86							
5.5		57	93							
6		57	93							
7-piece HSS-G metal drill bit set, DIN 338, 135°										
2	-	24	49	-	141.0 x 80.0 x 20	P1k	7	1	784863	**2 608 589 295**
3		33	61							
4		43	75							
5		52	86							
6		57	93							
8		75	117							
10		87	133							
-	1/16	20	43	B	-	P1k	13	5	695794	**2 608 588 399**
	5/64	24	49							
	3/32	30	57							
	7/64	33	61							
	1/8	36	65							
	9/64	39	70							
	5/32	43	75							
	11/64	47	80							
	3/16	52	86							
	13/64	52	86							
	7/32	57	93							
	15/64	57	93							
	1/4	63	101							
1.5	-	18	40	B	-	P1k	13	5	695855	**2 608 588 405**
2		24	49							
2.5		30	57							
3		33	61							
3.2		36	65							
3.5		39	70							
4		43	75							
4.5		47	80							
4.8		52	86							
5		52	86							
5.5		57	93							
6		57	93							
6.5		63	101							









Metal drill bit sets HSS-G, DIN 338



PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter mm	Diameter inches	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Display with 10x18-piece Toughbox metal drill bit set HSS-G, DIN 338, 135°										
1	-	12	34	-	180.0 x	P1k	18	1	430210	**2 607 019 577**
1.5		18	40		85.0 x 45					
2		24	49							
2		24	49							
2.5		30	57							
3		33	61							
3		33	61							
3.5		39	70							
4		43	75							
4		43	75							
4.5		47	80							
5		52	86							
5.5		57	93							
6		57	93							
7		69	109							
8		75	117							
9		81	125							
10		87	133							



18-piece Toughbox metal drill bit set HSS-G, DIN 338, 135°										
1	-	12	34	-	180.0 x	P1k	18	1	430210	**2 607 019 578**
1.5		18	40		85.0 x 45					
2		24	49							
2		24	49							
2.5		30	57							
3		33	61							
3		33	61							
3.5		39	70							
4		43	75							
4		43	75							
4.5		47	80							
5		52	86							
5.5		57	93							
6		57	93							
7		69	109							
8		75	117							
9		81	125							
10		87	133							



19-piece metal drill bit set HSS-G, DIN 338, 135° in plastic tube										
1	-	12	34	-	-	P1k	19	1	061179	**2 607 018 361**
1.5		18	40							
2		24	49							
2.5		30	57							
3		33	61							
3.5		39	70							
4		43	75							
4.5		47	80							
5		52	86							
5.5		57	93							
6		57	93							
6.5		63	101							
7		69	109							
7.5		69	109							
8		75	117							
8.5		75	117							
9		81	125							
9.5		81	125							
10		87	133							

Metal drill bit sets HSS-G, DIN 338



19-piece metal drill bit set HSS-G, DIN 338, 135° in metal cassette

PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter mm	Diameter inches	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
1	-	12	-	-	-	M1a	19	1	145893	**2 607 018 726**
1.5		18								
2		24								
2.5		30								
3		33								
3.5		39								
4		43								
4.5		47								
5		52								
5.5		57								
6		57								
6.5		63								
7		69								
7.5		69								
8		75								
8.5		75								
9		81								
9.5		81								
10		87								



19-piece HSS-G ProBox metal drill bit set, DIN 338, 135°

1	-	12	-	-	172.0 x	P1k	19	1	689779	**2 608 587 013**
1.5		18			115.0 x					
2		24			42					
2.5		30								
3		33								
3.5		39								
4		43								
4.5		47								
5		52								
5.5		57								
6		57								
6.5		63								
7		69								
7.5		69								
8		75								
8.5		75								
9		81								
9.5		81								
10		87								



1	-	12	34	-	-	P1k	19	5	695824	**2 608 588 402**
1.5		18	40							
2		24	49							
2.5		30	57							
3		33	61							
3.5		39	70							
4		43	75							
4.5		47	80							
5		52	86							
5.5		57	93							
6		57	93							
6.5		63	101							
7		69	109							
7.5		69	109							
8		75	117							
8.5		75	117							
9		81	125							
9.5		81	125							
10		87	133							

Metal drill bit sets HSS-G, DIN 338



PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter mm	Diameter inches	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-	1/16	20	43	-	-	P1k	21	5	695763	**2 608 588 396**
	5/64	24	49							
	3/32	30	57							
	7/64	33	61							
	1/8	36	65							
	9/64	39	70							
	5/32	43	75							
	11/64	47	80							
	3/16	52	86							
	13/64	52	86							
	7/32	57	93							
	15/64	57	93							
	1/4	63	101							
	17/64	69	109							
	9/32	69	109							
	19/64	75	117							
	5/16	75	117							
	21/64	75	117							
	11/32	81	125							
	23/64	81	125							
	3/8	87	133							



25-piece metal drill bit set HSS-G, DIN 338, 135° in metal cassette

1	-	12	-	-	-	M1a	25	1	145909	**2 607 018 727**
1.5		18								
2		24								
2.5		30								
3		33								
3.5		39								
4		43								
4.5		47								
5		52								
5.5		57								
6		57								
6.5		63								
7		69								
7.5		69								
8		75								
8.5		75								
9		81								
9.5		81								
10		87								
10.5		87								
11		94								
11.5		94								
12		101								
12.5		101								
13		101								



25-piece HSS-G ProBox metal drill bit set, DIN 338, 135°

1	-	12	-	-	200.0 x	P1k	25	1	689816	**2 608 587 017**
1.5		18			115.0 x					
2		24			58					
2.5		30								
3		33								
3.5		39								
4		43								
4.5		47								
5		52								
5.5		57								
6		57								
6.5		63								
7		69								
7.5		69								
8		75								
8.5		75								
9		81								
9.5		81								
10		87								
10.5		87								
11		94								
11.5		94								
12		101								
12.5		101								
13		101								

Metal drill bit sets HSS-G, DIN 338



PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter mm	Diameter inches	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
1	-	12	34	-	-	P1k	25	2	695831	**2 608 588 403**
1.5		18	40							
2		24	49							
3		30	57							
3.5		33	61							
4		39	70							
4.5		43	75							
5		47	80							
5.5		52	86							
6		57	93							
6.5		57	93							
7		63	101							
7.5		69	109							
8		69	109							
8.5		75	117							
9		75	117							
9.5		81	125							
10		81	125							
11		87	133							
11.5		87	133							
12		94	142							
12.5		94	142							
13		101	151							
		101	151							
		101	151							



-	1/16	20	43	-	-	P1k	29	5	695770	**2 608 588 397**
	5/64	24	49							
	3/32	30	57							
	7/64	33	61							
	1/8	36	65							
	9/64	39	70							
	5/32	43	75							
	11/64	47	80							
	3/16	52	86							
	13/64	52	86							
	7/32	57	93							
	15/64	57	93							
	1/4	63	101							
	17/64	69	109							
	9/32	69	109							
	19/64	75	117							
	5/16	75	117							
	21/64	75	117							
	11/32	81	125							
	23/64	81	125							
	3/8	87	133							
	25/64	87	133							
	13/32	87	133							
	27/64	94	142							
	7/16	94	142							
	29/64	94	142							
	15/32	101	151							
	31/64	101	151							
	1/2	101	151							

Metal drill bits HSS-G, DIN 340

- Twist drill bit made of high speed steel manufactured to DIN 340
- Right-hand cutting twist drill bit, Type N, 135° drill bit tip, split point manufactured to DIN 1412 C, diameter tolerance h8
- Twist drill bit ground from solid metal
- Shank equal to drill bit diameter, drill bit colour: polished
- Two-cutter, cylindrical, two flutes





A-tip



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
3	66	100	-	PC1d	1	5	417952	**2 608 595 676**
				PC1c	1	5	694315	**2 608 588 296**
3.2	69	106	-	PC1d	1	5	417969	**2 608 595 677**
3.5	73	112	-	PC1d	1	5	417976	**2 608 595 678**
4	78	119	-	PC1d	1	5	417983	**2 608 595 679**
				PC1c	1	5	694322	**2 608 588 297**
4.2	78	119	-	PC1d	1	5	417990	**2 608 595 680**
4.5	82	126	-	PC1d	1	5	418003	**2 608 595 681**
4.8	87	132	-	PC1d	1	5	418010	**2 608 595 682**
5	87	132	-	PC1d	1	5	418027	**2 608 595 683**
5.5	91	139	-	PC1d	1	5	418034	**2 608 595 684**
6	91	139	-	PC1d	1	5	418041	**2 608 595 685**
				PC1c	1	5	694339	**2 608 588 298**
6.5	97	148	-	PC1d	1	5	418058	**2 608 595 686**
7	102	156	-	PC1d	1	5	418065	**2 608 595 687**
8	109	165	-	PC1d	1	5	418072	**2 608 595 688**
				PC1c	1	5	694346	**2 608 588 299**
9	115	175	-	PC1d	1	5	418089	**2 608 595 689**
10	121	184	-	PC1d	1	5	418096	**2 608 595 690**
				PC1c	1	5	694353	**2 608 588 300**
11	128	195	-	PC1d	1	5	418102	**2 608 595 691**
12	134	205	-	PC1d	1	5	418119	**2 608 595 692**
13	134	205	-	PC1d	1	5	418126	**2 608 595 693**
-	69	106	1/8	PC1d	1	5	694254	**2 608 588 290**
-	78	119	5/32	PC1d	1	5	694261	**2 608 588 291**
-	87	132	3/16	PC1d	1	5	694278	**2 608 588 292**
-	97	148	1/4	PC1d	1	5	694285	**2 608 588 293**
-	109	165	5/16	PC1d	1	5	694292	**2 608 588 294**
-	121	184	3/8	PC1d	1	5	694308	**2 608 588 295**



Pack of 5								
1.5	45	70	-	P0a	5	1	066983	**2 608 596 808**
2	56	85	-	P0a	5	1	066990	**2 608 596 809**
2.5	62	95	-	P0a	5	1	067003	**2 608 596 810**
3	66	100	-	P0a	5	1	067027	**2 608 596 812**
3.2	69	106	-	P0a	5	1	067034	**2 608 596 813**
3.5	73	112	-	P0a	5	1	067041	**2 608 596 814**
4	78	119	-	P0a	5	1	067065	**2 608 596 816**
4.2	78	119	-	P0a	5	1	067072	**2 608 596 817**
4.5	82	126	-	P0a	5	1	067089	**2 608 596 818**
4.8	87	132	-	P0a	5	1	067096	**2 608 596 819**
5	87	132	-	P0a	5	1	067102	**2 608 596 820**
5.5	91	139	-	P0a	5	1	067119	**2 608 596 821**
6	91	139	-	P0a	5	1	067126	**2 608 596 822**
6.5	97	148	-	P0a	5	1	067140	**2 608 596 824**
7	102	156	-	P0a	5	1	067157	**2 608 596 825**
7.5	102	156	-	P0a	5	1	067164	**2 608 596 826**

Metal drill bits HSS-G, DIN 340

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8	109	165	-	P0a	5	1	067171	**2 608 596 827**
8.5	109	165	-	P0a	5	1	067188	**2 608 596 828**
9	115	175	-	P0a	5	1	067195	**2 608 596 829**
9.5	115	175	-	P0a	5	1	067201	**2 608 596 830**
10	121	184	-	P0a	5	1	067225	**2 608 596 832**
11	128	195	-	P0a	5	1	067232	**2 608 596 833**
12	134	205	-	P0a	5	1	067249	**2 608 596 834**
13	134	205	-	P0a	5	1	067256	**2 608 596 835**

HSS IMPACT

Highly robust with impact drivers.



QUICK START AND PERFECT CENTERING

Self-centering split point drills precisely where it is positioned. No need to pre-punch up to 10 mm diameter



UNIVERSAL USE AND EXCELLENT FIXING

¼" hex-shank fitting all power tools. No spinning of the drill

highly ROBUST

EXTREME ROBUSTNESS

Due to high strength body. Drill bit designed to perform with impact drivers

Impact Control HSS twist drill bits

Impact Control

PICK CLICK | high-strength body | highly ROBUST | 1/4" | Precise

- Highly robust drilling in metal, especially with impact drivers
- Very strong body provides extreme robustness
- Precision-ground from solid metal with an oxide coated flute for slicing through materials with reduced Wear
- Manufactured to DIN 338, drill bit Type N (flute angle) with tip of 135 degrees
- Active cutting and perfect centering due to pointed split point tip. 1/4-inch hex shank for universal use





PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
2	24	60	6.35	PC1a	1	5	858731	**2 608 577 045**
2.5	30	69	6.35	PC1a	1	5	858755	**2 608 577 047**
3	33	72	6.35	PC1a	1	5	858786	**2 608 577 048**
3.2	36	75	6.35	PC1a	1	5	858762	**2 608 577 049**
3.3	36	75	6.35	PC1a	1	5	858779	**2 608 577 050**
3.5	39	79	6.35	PC1a	1	5	858793	**2 608 577 051**
4	43	83	6.35	PC1d	1	5	858809	**2 608 577 052**
4.2	43	83	6.35	PC1d	1	5	858823	**2 608 577 054**
4.5	47	87	6.35	PC1d	1	5	858830	**2 608 577 055**
5	52	91	6.35	PC1d	1	5	858847	**2 608 577 056**
5.5	57	98	6.35	PC1d	1	5	858854	**2 608 577 057**
6	57	98	6.35	PC1d	1	5	858861	**2 608 577 058**
6.5	63	107	6.35	PC1d	1	5	858878	**2 608 577 059**

Impact Control HSS twist drill bits

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6.8	69	109	6.35	PC1d	1	5	883603	**2 608 577 149**
7	69	109	6.35	PC1d	1	5	858885	**2 608 577 060**
7.5	69	109	6.35	PC1d	1	5	872157	**2 608 577 128**
8	75	117	6.35	PC1d	1	5	858892	**2 608 577 061**
8.5	75	117	6.35	PC1d	1	5	872164	**2 608 577 129**
9	81	125	6.35	PC1d	1	5	858908	**2 608 577 062**
9.5	81	125	6.35	PC1d	1	5	872171	**2 608 577 130**
10	87	133	6.35	PC1d	1	5	858915	**2 608 577 063**
11	94	142	6.35	PC1d	1	5	858922	**2 608 577 064**
12	101	151	6.35	PC1d	1	5	858939	**2 608 577 065**

Impact Control HSS twist drill bits sets

Impact Control





PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 8 (Index) - tap hole diameters for M3 - M10							
2	60	22.0 x 115.0 x 235	PC1a	8	5	881692	**2 608 577 139**
3	72						
4	83						
5	91						
6	98						
7	109						
8	117						
10	133						



Pack of 8 (Index) - tap hole diameters for M3-M10							
2.5	69	22.0 x 115.0 x 210	PC1a	8	5	881708	**2 608 577 140**
3.3	75						
4.2	83						
4.2	83						
5	91						
5	91						
6.8	109						
8.5	117						

Impact Control HSS twist drill bits sets



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8-piece set							
2	60	41.0 x 110.0 x 200	P1k	8	6	881760	**2 608 577 146**
3	72						
4	83						
5	91						
6	98						
7	109						
8	117						
10	133						

HSS COBALT

Long lifetime when drilling stainless steel.

LONG LIFETIME IN STAINLESS STEEL

Heat and wear resistant drill bit with 5 % cobalt alloying



QUICK START AND PERFECT CENTERING

Self-centering split point drills precisely where it is positioned. No need to pre-punch up to 10 mm diameter

TIGHT TOLERANCES AND ACCURATE HOLES

As a result of its precision-ground drill bit body

Metal drill bits HSS-Co, DIN 338

Stainless Inox Nirosta

- Twist drill bit made of alloyed high speed steel to DIN 338, cobalt content 5%
- Right-hand cutting twist drill bit, Type N, 135° drill bit tip, split point manufactured to DIN 1412 C, diameter tolerance h8
- Twist drill bit ground from solid metal with excellent surface quality manufactured to special factory standards
- Shank equal to drill bit diameter, except when diameter >10 mm shank is 10 mm, drill bit colour: bronze
- Two-cutter, cylindrical, two flutes
- **Note:** Use the universal cutting oil 2 607 001 409 when working with HSS-Co metal drill bits





PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
1	12	34	-	PC1a	1	5	520737	**2 608 585 838**
1.5	18	40	-	PC1a	1	5	520744	**2 608 585 839**
2	29	49	-	PC1a	1	5	520751	**2 608 585 840**
2	24	49	-	PC1c	1	5	694711	**2 608 588 336**
2.5	30	57	-	PC1a	1	5	520768	**2 608 585 841**
				PC1c	1	5	694728	**2 608 588 337**
3	33	61	-	PC1a	1	5	520775	**2 608 585 842**
				PC1c	1	5	694735	**2 608 588 338**
3.2	36	65	-	PC1a	1	5	520782	**2 608 585 843**
3.3	36	65	-	PC1a	1	5	520799	**2 608 585 844**

Metal drill bits HSS-Co, DIN 338

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3.5	39	70	-	PC1a	1	5	520805	**2 608 585 845**
				PC1d	1	5	694742	**2 608 588 339**
4	43	75	-	PC1d	1	5	520812	**2 608 585 846**
				PC1d	1	5	694759	**2 608 588 340**
4.1	43	75	-	PC1d	1	5	520829	**2 608 585 847**
4.2	43	75	-	PC1d	1	5	520836	**2 608 585 848**
4.5	47	80	-	PC1d	1	5	520843	**2 608 585 849**
				PC1d	1	5	694766	**2 608 588 341**
4.8	52	86	-	PC1d	1	5	520850	**2 608 585 850**
5	52	86	-	PC1d	1	5	520867	**2 608 585 851**
				PC1d	1	5	694773	**2 608 588 342**
5.1	52	86	-	PC1d	1	1	520874	**2 608 585 852**
5.2	52	86	-	PC1d	1	1	520881	**2 608 585 853**
5.5	57	93	-	PC1d	1	1	520898	**2 608 585 854**
				PC1d	1	5	694780	**2 608 588 343**
6	57	93	-	PC1d	1	1	520904	**2 608 585 855**
				PC1d	1	5	694797	**2 608 588 344**
6.5	63	101	-	PC1d	1	1	520911	**2 608 585 856**
				PC1d	1	5	694803	**2 608 588 345**
6.8	69	109	-	PC1d	1	1	520928	**2 608 585 857**
7	69	109	-	PC1d	1	1	520935	**2 608 585 858**
				PC1d	1	5	694810	**2 608 588 346**
7.5	69	109	-	PC1d	1	1	520942	**2 608 585 859**
8	75	117	-	PC1d	1	1	520959	**2 608 585 860**
				PC1d	1	5	694834	**2 608 588 348**
8.5	75	117	-	PC1d	1	1	520966	**2 608 585 861**
9	81	125	-	PC1d	1	1	520973	**2 608 585 862**
				PC1d	1	1	694858	**2 608 588 350**
9.5	81	125	-	PC1d	1	1	520980	**2 608 585 863**
10	87	133	-	PC1d	1	1	520997	**2 608 585 864**
				PC1d	1	5	694872	**2 608 588 352**
10.2	87	133	-	PC1d	1	1	521000	**2 608 585 865**
10.5	87	133	-	PC1d	1	1	521017	**2 608 585 866**
				PC1d	1	5	694889	**2 608 588 353**
11	94	142	-	PC1d	1	1	521024	**2 608 585 867**
				PC1d	1	2	694896	**2 608 588 354**
11.5	94	142	-	PC1d	1	1	521031	**2 608 585 868**
12	101	151	-	PC1d	1	1	521048	**2 608 585 869**
				PC1d	1	5	694919	**2 608 588 356**
12.5	101	151	-	PC1d	1	1	521055	**2 608 585 870**
				PC1d	1	3	694926	**2 608 588 357**
13	101	151	-	PC1d	1	1	521062	**2 608 585 871**
				PC1d	1	5	694933	**2 608 588 358**
-	32	57	3/32	PC1c	1	5	694421	**2 608 588 307**
-	41	70	1/8	PC1c	1	5	694445	**2 608 588 309**
-	59	89	3/16	PC1c	1	5	694483	**2 608 588 313**
-	70	102	1/4	PC1c	1	5	694520	**2 608 588 317**

Metal drill bits HSS-Co, DIN 338



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 10								
1	12	34	-	P2a	10	1	521079	**2 608 585 872**
1.5	18	40	-	P2a	10	1	521086	**2 608 585 873**
2	24	49	-	P2a	10	1	521093	**2 608 585 874**
2.5	30	57	-	P2a	10	1	521109	**2 608 585 875**
2.8	33	61	-	P2a	10	1	208729	**2 608 588 088**
3	33	61	-	P2a	10	1	521116	**2 608 585 876**
3.2	36	65	-	P2a	10	1	521123	**2 608 585 877**
3.3	36	65	-	P2a	10	1	521130	**2 608 585 878**
3.4	39	70	-	P2a	10	1	208736	**2 608 588 089**
3.5	39	70	-	P2a	10	1	521147	**2 608 585 879**
3.6	39	70	-	P2a	10	1	208743	**2 608 588 090**
3.7	39	70	-	P2a	10	1	208750	**2 608 588 091**
3.8	43	75	-	P2a	10	1	208767	**2 608 588 092**
4	43	75	-	P1a	10	1	521154	**2 608 585 880**
4.1	43	75	-	P1a	10	1	521161	**2 608 585 881**
4.2	43	75	-	P1a	10	1	521178	**2 608 585 882**
4.3	47	80	-	P1a	10	1	208774	**2 608 588 093**
4.4	47	80	-	P1a	10	1	208781	**2 608 588 094**
4.5	47	80	-	P1a	10	1	521185	**2 608 585 883**
4.8	52	86	-	P1a	10	1	521192	**2 608 585 884**
5	52	86	-	P1a	10	1	521208	**2 608 585 885**
5.1	52	86	-	P1a	10	1	521215	**2 608 585 886**
5.2	52	86	-	P1a	10	1	521222	**2 608 585 887**
5.3	52	86	-	P1a	10	1	208798	**2 608 588 095**
5.5	57	93	-	P1a	10	1	521239	**2 608 585 888**
6	57	93	-	P1a	10	1	521246	**2 608 585 889**
6.2	63	101	-	P1a	10	1	208804	**2 608 588 096**
6.5	63	101	-	P1a	10	1	521253	**2 608 585 890**
6.7	63	101	-	P1a	10	1	208811	**2 608 588 097**
6.8	69	109	-	P1a	10	1	521260	**2 608 585 891**
7	69	109	-	P1a	10	1	521277	**2 608 585 892**
7.2	69	109	-	P1a	10	1	208828	**2 608 588 098**
7.5	69	109	-	P1a	10	1	521284	**2 608 585 893**
7.8	75	117	-	P1a	10	1	208835	**2 608 588 099**



Pack of 5								
8	75	117	-	P1a	5	1	521291	**2 608 585 894**
8.2	75	117	-	P1a	5	1	208842	**2 608 588 100**
8.5	75	117	-	P1a	5	1	521307	**2 608 585 895**
8.8	81	125	-	P1a	5	1	208859	**2 608 588 101**
9	81	125	-	P1a	5	1	521314	**2 608 585 896**
9.5	81	125	-	P1a	5	1	521321	**2 608 585 897**
9.8	87	133	-	P1a	5	1	208866	**2 608 588 102**
9.9	87	133	-	P1a	5	1	208873	**2 608 588 103**
10	87	133	-	P1a	5	1	521338	**2 608 585 898**
10.2	87	133	-	P1a	5	1	521345	**2 608 585 899**
10.5	87	133	-	P1a	5	1	521352	**2 608 585 900**
11	94	142	-	P1a	5	1	521369	**2 608 585 901**
11.5	94	142	-	P1a	5	1	521376	**2 608 585 902**
12	101	151	-	P1a	5	1	521383	**2 608 585 903**
12.5	101	151	-	P1a	5	1	521390	**2 608 585 904**
13	101	151	-	P1a	5	1	521406	**2 608 585 905**

Metal drill bit sets HSS-Co, DIN 338



6-piece Robust Line metal drill bit set HSS-Co, DIN 338, 135°

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
2	29	-	156.5 x 69.5 x 23	P1k	6	1	517041	**2 607 019 924**
3	33							
4	43							
5	52							
6	57							
8	75							



7-piece HSS-Co metal drill bit set, DIN 338, 135°

2	24	49	141.0 x 80.0 x 20	P1k	7	1	784870	**2 608 589 296**
3	33	61						
4	43	75						
5	52	86						
6	57	93						
8	75	117						
10	87	133						



10-piece Robust Line metal drill bit set HSS-Co, DIN 338, 135°

1	12	-	156.5 x 107.0 x 23	P1k	10	1	517058	**2 607 019 925**
2	24							
3	33							
4	43							
5	52							
6	57							
7	59							
8	75							
9	81							
10	87							



13-piece Robust Line metal drill bit set HSS-Co, DIN 338, 135°

1.5	18	-	124.0 x 107.0 x 23	P1k	13	1	517065	**2 607 019 926**
2	30							
2.5	30							
3	33							
3.2	36							
3.5	39							
4	43							
4.5	47							
4.8	52							
5	52							
5.5	57							
6	57							
6.5	63							

Metal drill bit sets HSS-Co, DIN 338



17-Piece Metal Drill Bit Set HSS-Co, Cylindrical Shank

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
2	24	49	-	P1k	17	5	695862	**2 608 588 406**
2.5	30	57						
3	33	61						
3.5	39	70						
4	43	75						
4.5	47	80						
5	52	86						
5.5	57	93						
6	57	93						
6.5	63	101						
7	69	109						
7.5	69	109						
8	75	117						
8.5	75	117						
9	81	125						
9.5	81	125						
10	87	133						



18-piece Toughbox metal drill bit set HSS-Co, DIN 338, 135°

1	12	34	180.0 x 85.0 x 45	P1k	18	1	574730	**2 607 017 047**
1.5	18	40						
2	24	49						
2	24	49						
2.5	30	57						
3	33	61						
3	33	61						
3.5	39	70						
4	43	75						
4	43	75						
4.5	47	80						
5	52	86						
5.5	57	93						
6	57	93						
7	69	109						
8	75	117						
9	81	125						
10	87	133						



19-piece ProBox metal drill bit set HSS-Co, DIN 338 (cobalt alloy)

1	12	-	172.0 x 115.0 x 42	P1k	19	1	689786	**2 608 587 014**
1.5	18							
2	24							
2.5	30							
3	33							
3.5	39							
4	43							
4.5	47							
5	52							
5.5	57							
6	57							
6.5	63							
7	69							
7.5	69							
8	75							
8.5	75							
9	81							
9.5	81							
10	87							

Metal drill bit sets HSS-Co, DIN 338



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
23-Piece Metal Drill Bit Set HSS-Co, Cylindrical Shank								
2	24	49	-	P1k	23	5	695879	**2 608 588 407**
2.5	30	57						
3	33	61						
3.5	39	70						
4	43	75						
4.5	47	80						
5	52	86						
5.5	57	93						
6	57	93						
6.5	63	101						
7	69	109						
7.5	69	109						
8	75	117						
8.5	75	117						
9	81	125						
9.5	81	125						
10	87	133						
10.5	87	133						
11	94	142						
11.5	94	142						
12	101	151						
12.5	101	151						
13	101	151						



25-piece ProBox metal drill bit set HSS-Co, DIN 338 (cobalt alloy)								
1	12	-	200.0 x 115.0 x 58	P1k	25	1	689823	**2 608 587 018**
1.5	18							
2	24							
2.5	30							
3	33							
3.5	39							
4	43							
4.5	47							
5	52							
5.5	57							
6	57							
6.5	63							
7	69							
7.5	69							
8	75							
8.5	75							
9	81							
9.5	81							
10	87							
10.5	87							
11	94							
11.5	94							
12	101							
12.5	101							
13	101							

Metal drill bits HSS-TiN

Metal drill bits HSS-TiN, DIN 338

long LIFE

- Twist drill bit made of high speed steel manufactured to DIN 338
- Right-hand cutting twist drill bit, Type N, 135° drill bit tip, split point manufactured to DIN 1412 C, diameter tolerance h8
- Twist drill bit ground from solid metal with high surface quality due to titanium-nitride coating
- Shank equal to drill bit diameter, drill bit colour: golden
- Two-cutter, cylindrical, two flutes
- **Note:** Use the universal cutting oil 2 607 001 409 when working with HSS-TiN metal drill bits



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
1	12	34	P1c	1	1	060769	**2 608 596 661**
1.5	18	40	P1c	1	5	060776	**2 608 596 666**
2	24	49	P1c	1	5	060783	**2 608 596 671**
2.5	30	57	P1c	1	5	060790	**2 608 596 676**
3	33	61	PC1d	1	5	060806	**2 608 596 681**
3.2	36	65	PC1d	1	5	060813	**2 608 596 683**
3.5	39	70	PC1d	1	5	060820	**2 608 596 686**
4	43	75	PC1d	1	5	060837	**2 608 596 691**
4.5	47	80	PC1d	1	5	060844	**2 608 596 696**
5	52	86	PC1d	1	5	060851	**2 608 596 701**
5.5	57	93	PC1d	1	1	060868	**2 608 596 706**
6	57	93	PC1d	1	1	060875	**2 608 596 711**
6.5	63	101	PC1d	1	1	060882	**2 608 596 716**
7	69	109	PC1d	1	1	060899	**2 608 596 721**
7.5	69	109	PC1d	1	1	060905	**2 608 596 726**
8	75	117	PC1d	1	1	060912	**2 608 596 731**
8.5	75	117	PC1d	1	1	060929	**2 608 596 736**
9	81	125	PC1d	1	1	060936	**2 608 596 741**
9.5	81	125	PC1d	1	1	060943	**2 608 596 746**
10	87	133	PC1d	1	1	060950	**2 608 596 751**
11	94	142	PC1d	1	1	060967	**2 608 596 761**
12	101	151	PC1d	1	1	060974	**2 608 596 771**
13	101	151	PC1d	1	1	060981	**2 608 596 781**

Metal drill bit sets HSS-TiN



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6-piece Robust Line metal drill bit set HSS-TiN, 135°							
2 **3** **4** **5** **6** **8**	24 33 43 52 57 75	156.5 x 69.5 x 23	P1k	6	1	446143	**2 607 010 530**

Metal drill bit sets HSS-TiN







PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
10-piece Robust Line metal drill bit set HSS-TiN, 135°							
1	12	156.5 x 106.5 x 23	P1k	10	1	446204	**2 607 010 536**
2	24						
3	33						
4	43						
5	52						
6	57						
7	69						
8	75						
9	81						
10	87						
13-piece Robust Line metal drill bit set HSS-TiN, 135°							
1.5	18	124.0 x 106.5 x 23	P1k	13	1	446235	**2 607 010 539**
2	24						
2.5	30						
3	33						
3.2	36						
3.5	39						
4	43						
4.5	47						
4.8	52						
5	52						
5.5	57						
6	57						
6.5	63						
19-piece ProBox metal drill bit set HSS-TiN (titanium coating)							
1	12	172.0 x 115.0 x 42	P1k	19	1	689793	**2 608 587 015**
1.5	18						
2	24						
2.5	30						
3	33						
3.5	39						
4	43						
4.5	47						
5	52						
5.5	57						
6	57						
6.5	63						
7	69						
7.5	69						
8	75						
8.5	75						
9	81						
9.5	81						
10	87						

Metal drill bit sets HSS-TiN



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
25-piece ProBox metal drill bit set HSS-TiN (titanium coating)							
1	12	200.0 x 115.0 x 58	P1k	25	1	689830	**2 608 587 019**
1.5	18						
2	24						
2.5	30						
3	33						
3.5	39						
4	43						
4.5	47						
5	52						
5.5	57						
6	57						
6.5	63						
7	69						
7.5	69						
8	75						
8.5	75						
9	81						
9.5	81						
10	87						
10.5	87						
11	94						
11.5	94						
12	101						
12.5	101						
13	101						

Stub drill bits HSS-R

Stub drill bits, HSS-R, DIN 1897

- Twist drill bit made of high speed steel manufactured to DIN 1897
- Right-hand cutting twist drill bit, Type N, 118° drill bit tip, split point manufactured to DIN 1412 C, diameter tolerance h8
- Rolled spiral flute with ground point, vapour-plated
- Shank equal to drill bit diameter, drill bit colour: black
- Two-cutter, cylindrical, two flutes



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 10							
2	12	38	P2a	10	1	099769	**2 608 597 209**
2.5	14	43	P2a	10	1	099813	**2 608 597 214**
3	16	46	P2a	10	1	099868	**2 608 597 219**
3.2	18	49	P2a	10	1	099882	**2 608 597 221**
3.25	18	49	P2a	10	1	099899	**2 608 597 222**
3.3	18	49	P2a	10	1	099905	**2 608 597 223**
3.5	20	52	P2a	10	1	099929	**2 608 597 225**
3.8	22	55	P2a	10	1	099967	**2 608 597 229**
4	22	55	P1a	10	1	099981	**2 608 597 231**
4.1	22	55	P1a	10	1	099998	**2 608 597 232**
4.2	22	55	P1a	10	1	100007	**2 608 597 233**
4.5	24	58	P1a	10	1	100038	**2 608 597 236**
4.7	24	58	P1a	10	1	100052	**2 608 597 238**
4.8	26	62	P1a	10	1	100069	**2 608 597 239**
4.9	26	62	P1a	10	1	100076	**2 608 597 240**
5	26	62	P1a	10	1	100083	**2 608 597 241**
5.1	26	62	P1a	10	1	100090	**2 608 597 242**
5.2	26	62	P1a	10	1	100106	**2 608 597 243**
5.3	26	66	P1a	10	1	100113	**2 608 597 244**
5.6	28	66	P1a	10	1	100144	**2 608 597 247**
5.7	28	66	P1a	10	1	100151	**2 608 597 248**
5.8	28	66	P1a	10	1	100168	**2 608 597 249**
5.9	28	66	P1a	10	1	100175	**2 608 597 250**
6	28	66	P1a	10	1	100182	**2 608 597 251**
6.5	31	70	P1a	10	1	100199	**2 608 597 252**
Pack of 5							
7	34	74	P1a	5	1	100205	**2 608 597 253**
8	37	79	P1a	5	1	100229	**2 608 597 255**
9	40	84	P1a	5	1	100243	**2 608 597 257**
10	43	89	P1a	5	1	100267	**2 608 597 259**

Double-ended drill bits HSS-G

Double-ended drill bits HSS-G

- Ground HSS drill bit, similar to DIN 1897
- Right-hand cutting twist drill bit, Type N, 118° drill bit tip, split point manufactured to DIN 1412 C, diameter tolerance h8
- Two flutes





A-tip

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 10							
2	8	38	P2a	10	1	148009	**2 608 597 580**
2.5	10	43	P2a	10	1	148016	**2 608 597 581**
3	11	46	P2a	10	1	148023	**2 608 597 582**
3.1	11	49	P2a	10	1	148030	**2 608 597 583**
3.2	11.2	49	P1d	10	4	694995	**2 608 588 364**
3.2	11	49	P2a	10	1	148047	**2 608 597 584**
3.3	11	49	P2a	10	1	148054	**2 608 597 585**
3.4	14	52	P2a	10	1	148061	**2 608 597 586**
3.5	14	52	P2a	10	1	148078	**2 608 597 587**
4	14	55	P1a	10	1	148085	**2 608 597 588**
4.1	14	55	P1a	10	1	148092	**2 608 597 589**
4.2	14	55	P1a	10	1	148108	**2 608 597 590**
4.5	17	58	P1a	10	1	148115	**2 608 597 591**
4.8	17	62	P1a	10	1	148122	**2 608 597 592**
4.9	17	62	P1a	10	1	148139	**2 608 597 593**
5	17	62	P1a	10	1	148146	**2 608 597 594**
5.1	17	62	P1a	10	1	148153	**2 608 597 595**
5.2	17	62	P1a	10	1	182294	**2 608 597 596**
5.5	19	66	P1a	10	1	182300	**2 608 597 597**
5.7	19	66	P1a	10	1	182317	**2 608 597 598**
6	19	66	P1a	10	1	182324	**2 608 597 599**
6.5	22	70	P1a	10	1	148160	**2 608 597 600**

STEP DRILL BIT WITH SPIRAL FLUTE

Drilling several diameters with one drill bit.



SPLIT-POINT TIP

Allows for an easy start, no need for pre-punching

SPIRAL FLUTE

Enables optimized chip removal and less vibration for even drilling

3-FLAT SHANK

To prevent slipping in the chuck

Step drill bit, hex shank



PRODUCT PROPERTIES					ORDERING INFORMATION				
Version	Step diameter (range) mm	Step height mm	Total length mm	Shank diameter inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
9 steps, diameter 4-6-8-10-12-14-16-18-20 mm									
HSS	4-20	4	70.5	1/4	P1a	1	1	107396	**2 608 597 524**
HSS-TiN	4-20	4	70.5	1/4	P1a	1	1	630276	**2 608 587 433**
HSS-AlTiN	4-20	4	70.5	1/4	P1a	1	1	666503	**2 608 588 070**

Step drill bit, 3-flat shank



PRODUCT PROPERTIES					ORDERING INFORMATION				
Version	Step diameter (range) mm	Step height mm	Shank diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
9 steps, diameter 4-5-6-7-8-9-10-11-12 mm									
HSS	4-12	4	6	66.5	P1a	1	1	630191	**2 608 587 425**
HSS-TiN	4-12	4	6	66.5	P1a	1	1	107402	**2 608 597 525**
HSS-AlTiN	4-12	4	6	66.5	P1a	1	1	666459	**2 608 588 065**



5 steps, diameter 4-6-8-10-12 mm									
HSS	4-12	4	6	50	P1a	1	1	107334	**2 608 597 518**
HSS-TiN	4-12	4	6	50	P1a	1	1	630238	**2 608 587 429**
HSS-AlTiN	4-12	4	6	50	P1a	1	1	666442	**2 608 588 064**





13 steps, diameter 6-8-10-12-14-16-18-20-22-24-26-28-30 mm									
HSS	6-30	4	10	93.5	P1a	1	1	107358	**2 608 597 520**
HSS-TiN	6-30	4	10	93.5	P1a	1	1	630245	**2 608 587 430**
HSS-AlTiN	6-30	4	10	93.5	P1a	1	1	666473	**2 608 588 067**



12 steps, diameter 6-9-12-15-18-21-24-27-30-33-36-39 mm									
HSS	6-39	4	10	93.5	P1a	1	1	107365	**2 608 597 521**
HSS-TiN	6-39	4	10	93.5	P1a	1	1	630252	**2 608 587 431**
HSS-AlTiN	6-39	4	10	93.5	P1a	1	1	666480	**2 608 588 068**



9 steps, diameter 4-6-8-10-12-14-16-18-20 mm									
HSS	4-20	4	8	70.5	P1a	1	1	107341	**2 608 597 519**
HSS-TiN	4-20	4	8	70.5	P1a	1	1	107419	**2 608 597 526**
HSS-AlTiN	4-20	4	8	70.5	P1a	1	1	666466	**2 608 588 066**

Step drill bit, 3-flat shank, for cable fittings



Tapping drill holes for cable fittings:
Diameter 6-8.5-10.5-14.5-18.5-23.5-30.5-38.5 mm;
M10x1.5-M12x1.5-M16x1.5-M20x1.5-M25x1.5-M32x1.5-M40x1.5
Clearance holes for cable fittings:
Diameter 6-10.5-12.5-16.5-20.5-25.5-28-32.5-35.5-40.5 mm;
M10x1.5-M12x1.5-M16x1.5-M20x1.5-M25x1.5-M32x1.5-M40x1.5



HSS	M10-M40	6/4	10	125.5	P1a	1	1	630214	**2 608 587 427**
HSS-TiN	M10-M40	6/4	10	125.5	P1a	1	1	630283	**2 608 587 434**
HSS-AlTiN	M10-M40	6/4	10	125.5	P1a	1	1	666510	**2 608 588 071**

Step drill bit, 3-flat shank, for cable fittings



PRODUCT PROPERTIES					ORDERING INFORMATION				
Version	Step diameter (range) mm	Step height mm	Shank diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
12 steps, diameter 6-9-12.5-15.2-18.6-20.4-22.5-26-28.3-30.5-34-37; PG7-PG9-PG11-PG13.5-PG16-PG21-PG29									
HSS	6-37	4	10	93	P1a	1	1	630221	**2 608 587 428**
HSS-TiN	6-37	4	10	93	P1a	1	1	630290	**2 608 587 435**
HSS-AlTiN	6-37	4	10	93	P1a	1	1	666527	**2 608 588 072**

Step drill bit sets, 3-flat shank



PRODUCT PROPERTIES					ORDERING INFORMATION				
Version	Step diameter (range) mm	Shank diameter mm	Step height mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-piece step drill bit set Diameter 4-12 mm (9 steps), 4-20 mm (9 steps), 6-30 mm (13 steps)									
HSS	4-12	6	4	66.5	P1k	3	1	630207	**2 608 587 426**
	4-20	8	4	70.5					
	6-30	10	4	93.5					



3-piece step drill bit set Diameter 4-12 mm (9 steps), 4-20 mm (9 steps), 6-30 mm (13 steps)									
HSS-TiN	4-12	6	4	66.5	P1k	3	1	630269	**2 608 587 432**
	4-20	8	4	70.5					
	6-30	10	4	93.5					



3-piece step drill bit set Diameter 4-12 mm (9 steps), 4-20 mm (9 steps), 6-30 mm (13 steps)									
HSS-AlTiN	4-12	6	4	66.5	P1k	3	1	666497	**2 608 588 069**
	4-20	8	4	70.5					
	6-30	10	4	93.5					

Countersink bits, sheet metal cone drill bits

Countersink bits, tool steel, hex shank



- **Suitable for** non-ferrous metals, wood, plastics
- Ground countersink made of tool steel to factory standard
- With seven 90° cutting edges



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Step height	Total length mm	Shank diameter inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
13	90°	50	1/4	P1c	1	1	004626	**1 609 200 315**

Countersink bits HSS, hex shank



- **Suitable for** non-ferrous metals, alloyed and non-alloyed steel, cast iron
- Ground countersink manufactured to DIN 335 with hexagonal shank suitable for screwdrivers to ISO 1173 C6.3
- With three 90° cutting edges



6.3	M 3	31	1/4	P1c	1	1	107167	**2 608 597 501**
8.3	M 4	31	1/4	P1c	1	1	060110	**2 608 596 405**
10.4	M 5	34	1/4	P1c	1	1	107174	**2 608 597 502**
12.4	M 6	35	1/4	P1c	1	1	060127	**2 608 596 407**
16.5	M 8	40	1/4	P1c	1	1	067409	**2 608 596 408**
20.5	M 10	41	1/4	P1c	1	1	107181	**2 608 597 503**

HSS countersink bit, cylindrical shank with five 90° cutting edges



- **Suitable for** non-ferrous metals, steel, wood, plastics
- Ground countersink manufactured to DIN 335
- With five 90° cutting edges



PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Step height	Total length mm	Shank diameter inch	Shank diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6	M 3	48	1/4	6	P1c	1	1	107150	**2 608 597 500**
8	M 4	48	1/4	8	P1c	1	1	085687	**2 608 596 664**
10	M 5	40	1/4	8	P1c	1	1	085694	**2 608 596 665**
12	M 6	40	1/4	8	P1c	1	1	059770	**2 608 596 371**
16	M 8	43	1/4	8	P1c	1	1	059787	**2 608 596 372**
20	M 10	45	1/4	8	P1c	1	1	059794	**2 608 596 373**

Countersink bit set, cylindrical shank



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Shank diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
3-piece countersink bit set 1 cutting edge 90°, diameter 8-10-12 mm **Suitable for** wood, plastic, non-ferrous metals						
50	6 8	P1c	3	1	085700	**2 608 596 667**

HSS countersink bit, cylindrical shank with three 90° cutting edges



- **Suitable for** non-ferrous metals, alloyed and non-alloyed steel, cast iron
- Ground countersink manufactured to DIN 335
- With three 90° cutting edges



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Step height	Total length mm	Shank diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
6.3	M 3	45	5	P1c	1	1	107198	**2 608 597 504**
8.3	M 4	50	6	P1c	1	1	107204	**2 608 597 505**
10.4	M 5	50	6	P1c	1	1	107211	**2 608 597 506**
12.4	M 6	56	8	P1c	1	1	107228	**2 608 597 507**
16.5	M 8	60	10	P1c	1	1	107235	**2 608 597 508**
20.5	M 10	63	10	P1c	1	1	107242	**2 608 597 509**
25	M 12	67	10	P1c	1	1	107259	**2 608 597 510**

Countersink bit set, cylindrical shank



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Shank diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
6-piece countersink bit set for thread M3, M4, M5, M6, M8, M10; diameter 6.3-8.3-10.4-12.4-16.5-20.5 mm, 3 cutting edges 90°, HSS manufactured to DIN 335 **Suitable for** non-ferrous metals, steel, cast iron						
45 **63**	5 10	M1a	6	1	107426	**2 608 597 527**

Slanting hole countersink bits HSS-E, cylindrical shank



- **Suitable for** non-ferrous metals, alloyed and non-alloyed steel, cast iron, stainless steel
- Ground countersink made of HSS-E with 5% cobalt content
- Slanting hole to factory standard



PRODUCT PROPERTIES				ORDERING INFORMATION				
Step height	Total length mm	Shank diameter inch	Shank diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
2-5	45	1/4	6	P1c	1	1	107266	**2 608 597 511**
5-10	48	1/4	8	P1c	1	1	107273	**2 608 597 512**
10-15	65	1/4	10	P1c	1	1	107280	**2 608 597 513**
15-20	85	1/4	12	P1c	1	1	107297	**2 608 597 514**
20-25	102	1/4	12	P1c	1	1	107303	**2 608 597 515**

Sheet metal cone drill bit HSS, hex shank



- **Suitable for** non-ferrous metals, sheet steel, plastic
- Without pilot drilling in the thinnest sheet metals, burr-free, without friction deposit
- Ground bit with hexagonal shank suitable for screwdrivers manufactured to ISO 1173 C6.3



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Total length mm	Shank diameter inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-14	60	1/4	P1c	1	1	107372	**2 608 597 522**
4-20	65	1/4	P1c	1	1	107389	**2 608 597 523**

Sheet metal cone drill bit, chrome vanadium, cylindrical shank



- **Suitable for** non-ferrous metals, plastic
- Ground bit



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Total length mm	Shank diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-14	58	6	P1c	1	1	085717	**2 608 596 668**
5-20	71	8	P1c	1	1	085724	**2 608 596 669**

Sheet metal cone drill bits HSS, cylindrical shank



- **Suitable for** non-ferrous metals, sheet steel, plastic
- Without pilot drilling in the thinnest sheet metals, burr-free, without friction deposit
- Ground bit



16-30.5	76	9	P2h	1	1	060073	**2 608 596 401**
24-40	89	10	P2h	1	1	107310	**2 608 597 516**
3-14	58	6	P2h	1	1	060059	**2 608 596 399**

Sheet metal cone drill bits HSS, cylindrical shank

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Total length mm	Shank diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-20	71	8	P2h	1	1	060066	**2 608 596 400**
5-31	103	9	P2h	1	1	107327	**2 608 597 517**

Accessories for metal drill bits

Rasp drill bits HSS, cylindrical shank



- Ground bit, 118° drill bit tip with split point, deep-set cutting teeth

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Ground rasp drill bit HSS, with 118° split point, deep-set cutting teeth **Suitable for** non-ferrous metals, wood Recommended speed: 1000 to 2000 rpm							
6	90	6	P1c	1	1	107433	**2 608 597 528**
Rasp drill bit HSS with finishing cut **Suitable for** non-ferrous metals, steel, plastics, wood Recommended speed: 1000 to 2000 rpm							
6	85	6	P1c	1	1	085151	**2 609 200 199**

Drill Bit Sharpener S 41

- **Appropriate for** drills with spindle collar diameter of 43 mm, optimum speed of 2000 to 3000 rpm
- For drill bits with diameters of 2.5 mm to 10 mm and point angle of 118°

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Drill bit sharpener S 41					
	C0a	1	1	070249	**2 607 990 050**



Replacement grinding disc for drill bit sharpener

C0a	1	1	070256	**2 608 600 029**



Universal Cutting Oil



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Universal cutting oil Use of the universal cutting oil increases the operational life several times over when cutting metal	M0b	1	1	271240	**2 607 001 409**

WOOD DRILLING

Versatile products for all applications

The best your tool can get. Bosch Professional Accessories.





WOOD DRILL BITS

Versatile products for all applications.







	SelfCut Speed Spade Bits EXPERT	Brad point drill bits	Machine wood drill bits M-tip	Brad point drill bits with 90° countersink	HSS brad point drill bits
Page number	62	67	67	69	70
Diameter mm	6.0 – 40.0	3.0 – 30.0	6.0 – 20.0	3.0 – 12.0	2.0 – 10.0
Working length mm	115 / 370	33 – 145	190 / 340	33 – 56	24 – 87
Shank type	¼" Hex	Cylindrical	Cylindrical	Cylindrical	¼" Hex
	UP TO 3x* SPEED TIP TECHNOLOGY				

MATERIALS

Softwood	✓	✓	✓	✓	✓
Tropical wood	–	✓	✓	✓	✓
Plywood	✓	✓	✓	✓	✓
Veneered chipboard	✓	✓	✓	✓	✓
Laminated chipboard and fibre board	✓	✓	✓	✓	✓
Formica	–	✓	✓	✓	✓
Zementgebundene Spanplatte	–	–	–	–	–
Profiles, pipes, thickwalled	✓	–	–	–	–
Rockwool boards	✓	–	–	–	–
Porous concrete	✓	–	–	–	–
Thermoplasts	–	–	–	–	–
Duroplasts	–	✓	✓	✓	✓
Hard foam materials	✓	✓	✓	✓	✓

*Bosch EXPERT products vs. Bosch standard products








	Spur auger bits	Hinge cutting bits	Forstner bits	Cantilever hinge bits	Disc / shank cutter	Formwork and installation drill bits
	72	75	76	77	78	79
	6.0 – 32.0	15.0 – 50.0	10.0 – 50.0	26.0 – 35.0	10.0 – 40.0	6.0 – 30.0
	95 – 470	–	–	–	–	400 / 600
	Various Hex	Cylindrical ⌀ 8 / 10 mm	Cylindrical ⌀ 8 / 10 mm	Cylindrical ⌀ 8 mm	Cylindrical ⌀ 13 mm	Cylindrical or SDS plus
	✓	✓	✓	–	✓	✓
	✓	✓	✓	✓	–	–
	✓	✓	✓	✓	–	✓
	–	✓	✓	–	–	–
	–	✓	–	✓	–	✓
	–	✓	–	✓	–	–
	–	✓	–	✓	–	–
	–	–	–	–	–	✓
	–	–	–	–	–	✓
	–	–	–	–	–	✓
	–	✓	–	✓	–	–
	–	✓	–	✓	–	–
	–	✓	–	✓	–	✓

MAXIMUM SPEED DRILLING IN WOOD

EXPERT SelfCut Speed Spade Bits

ASSORTMENT: Ø 6mm - 40mm

EXPERT

1. Fast drilling is easy with Bosch Tip Technology
2. Self-feeding thread for effortless drilling and speed
3. Clever wave-shaped spade designed for fast chip removal



TIP TECHNOLOGY

EXPERT SelfCut Speed Spade Drill Bits

EXPERT



- Ideal for making fast holes in softwoods, chipboard and particleboard, such as drilling single studs for cabling; or dowel installation on railings. Easy to use in tight niches.
- Best for electricians and other installation workers: maximum speed and efficiency.
- Up to 3x faster than a standard drill bit.
- Hex shank for maximum power transfer in standard three-jaw drills and hexagonal drill driver chucks.





TIP TECHNOLOGY | UP TO 3x* SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Total length 152 mm							
6	152	1/4	PC1d	1	5	533834	**2 608 900 309**
8	152	1/4	PC1d	1	5	533841	**2 608 900 310**
10	152	1/4	PC1d	1	5	533858	**2 608 900 311**

EXPERT SelfCut Speed Spade Drill Bits

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
12	152	1/4	PC1d	1	5	533865	**2 608 900 312**
13	152	1/4	PC1d	1	5	533872	**2 608 900 313**
14	152	1/4	PC1d	1	5	533889	**2 608 900 314**
16	152	1/4	PC1d	1	5	533896	**2 608 900 315**
17	152	1/4	PC1d	1	5	533902	**2 608 900 316**
18	152	1/4	PC1d	1	5	533919	**2 608 900 317**
19	152	1/4	PC1d	1	5	533926	**2 608 900 318**
20	152	1/4	PC1d	1	5	533933	**2 608 900 319**
22	152	1/4	PC1d	1	5	533940	**2 608 900 320**
24	152	1/4	PC1d	1	5	533957	**2 608 900 321**
25	152	1/4	PC1d	1	5	533964	**2 608 900 322**
26	152	1/4	PC1d	1	5	533971	**2 608 900 323**
28	152	1/4	PC1d	1	5	533988	**2 608 900 324**
30	152	1/4	PC1d	1	5	533995	**2 608 900 325**
32	152	1/4	PC1d	1	5	534008	**2 608 900 326**
35	152	1/4	PC1d	1	5	534015	**2 608 900 327**
36	152	1/4	PC1d	1	5	534022	**2 608 900 328**
38	152	1/4	PC1d	1	5	534039	**2 608 900 329**
40	152	1/4	PC1d	1	5	534046	**2 608 900 330**
Total length 400 mm							
6	400	1/4	PC1d	1	5	534114	**2 608 900 337**
8	400	1/4	PC1d	1	5	534121	**2 608 900 338**
10	400	1/4	PC1d	1	5	534138	**2 608 900 339**
12	400	1/4	PC1d	1	5	534145	**2 608 900 340**
13	400	1/4	PC1d	1	5	534152	**2 608 900 341**
14	400	1/4	PC1d	1	5	534169	**2 608 900 342**
16	400	1/4	PC1d	1	5	534176	**2 608 900 343**
17	400	1/4	PC1d	1	5	534183	**2 608 900 344**
18	400	1/4	PC1d	1	5	534190	**2 608 900 345**
19	400	1/4	PC1d	1	5	534206	**2 608 900 346**
20	400	1/4	PC1d	1	5	534213	**2 608 900 347**
22	400	1/4	PC1d	1	5	534220	**2 608 900 348**
24	400	1/4	PC1d	1	5	534237	**2 608 900 349**
25	400	1/4	PC1d	1	5	534244	**2 608 900 350**
26	400	1/4	PC1d	1	5	534251	**2 608 900 351**
28	400	1/4	PC1d	1	5	534268	**2 608 900 352**
30	400	1/4	PC1d	1	5	534275	**2 608 900 353**
32	400	1/4	PC1d	1	5	534282	**2 608 900 354**
35	400	1/4	PC1d	1	5	534299	**2 608 900 355**
36	400	1/4	PC1d	1	5	534305	**2 608 900 356**
38	400	1/4	PC1d	1	5	534312	**2 608 900 357**
40	400	1/4	PC1d	1	5	534329	**2 608 900 358**

EXPERT SelfCut Speed Spade Drill Bit Sets

EXPERT



- Ideal for making fast holes in softwoods, chipboard and particleboard, such as drilling single studs for cabling; or dowel installation on railings. Easy to use in tight niches.
- Best for electricians and other installation workers: maximum speed and efficiency.
- Up to 3x faster than a standard drill bit.
- Hex shank for maximum power transfer in standard three-jaw drills and hexagonal drill driver chucks.





TIP TECHNOLOGY | UP TO 3x* SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Set dimension(s) mm	Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3-piece Self Cut Speed spade bit set							
20 **22** **25**	232.0 x 115.0 x 20	3	PC1a	3	5	534053	**2 608 900 331**
6-piece Self Cut Speed spade bit set in a roll-up case							
14 **16** **18** **20** **22** **24**	195.0 x 185.0 x 15	6	PC1a	6	1	534060	**2 608 900 332**
13 **16** **19** **20** **22** **25**	195.0 x 185.0 x 15	6	PC1a	6	1	534077	**2 608 900 333**
7-piece Self Cut Speed spade bit set including extension (152 mm)							
16 **18** **20** **22** **25** **32**	215.0 x 235.0 x 20	7	PC1a	7	5	534084	**2 608 900 334**
8-piece SelfCut Speed spade bit set in a roll-up case							
12 **16** **18** **20** **22** **25** **28** **32**	230.0 x 210.0 x 20	8	PC1a	8	5	534091	**2 608 900 335**
13-piece Self Cut Speed spade bit set in a roll-up case							
10 **12** **13** **14** **16** **18** **20** **22** **24** **25** **28** **30** **32**	300.0 x 345.0 x 20	13	PC1a	13	5	534107	**2 608 900 336**

Extension for spade bits



PRODUCT PROPERTIES	ORDERING INFORMATION				
Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Quick-change 1/4" hex shank extension for Self Cut Speed spade bits					
152	PC1a	1	1	638821	**2 608 587 520**
305	PC1a	1	1	638838	**2 608 587 521**



1/4" (6.35 mm) hex shank extension for Self Cut Speed spade bits					
152	PC1a	1	1	346450	**2 608 595 422**
305	PC1a	1	1	346467	**2 608 595 423**

Adjustable spade bit



PRODUCT PROPERTIES	ORDERING INFORMATION				
Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Adjustable spade bit, 15 - 25 mm diameter, 25 - 45 mm diameter					
120	P1c	1	1	059398	**2 608 596 333**

Daredevil Clean Cut spade bits

- Designed for greater control and cleaner cuts
- Hex shank with power groove reduces slippage
- provide a clean and nice hole with minimal tear out



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter (D) mm	Shank diameter (d) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1						
6	1/4	PC1d	1	5	963732	**2 608 577 426**
8	1/4	PC1d	1	5	963749	**2 608 577 427**
10	1/4	PC1d	1	5	963756	**2 608 577 428**
12	1/4	PC1d	1	5	963763	**2 608 577 429**
13	1/4	PC1d	1	5	963770	**2 608 577 430**
14	1/4	PC1d	1	5	963787	**2 608 577 431**
16	1/4	PC1d	1	5	963794	**2 608 577 432**
18	1/4	PC1d	1	5	963800	**2 608 577 433**
19	1/4	PC1d	1	5	963817	**2 608 577 434**
20	1/4	PC1d	1	5	963824	**2 608 577 435**
22	1/4	PC1d	1	5	963831	**2 608 577 436**
24	1/4	PC1d	1	5	963848	**2 608 577 437**
25	1/4	PC1d	1	5	963855	**2 608 577 438**
28	1/4	PC1d	1	5	963862	**2 608 577 439**
30	1/4	PC1d	1	5	963879	**2 608 577 440**
32	1/4	PC1d	1	5	963886	**2 608 577 441**
35	1/4	PC1d	1	5	963893	**2 608 577 442**
38	1/4	PC1d	1	5	963909	**2 608 577 443**

Daredevil Clean Cut spade bit sets



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6-piece set with 13/16/19/20/22/25 mm diameter spade bits						
13	155	PC1a	6	5	963916	**2 608 577 444**
16	160					
19	160					
20	160					
22	160					
25	160					

Daredevil Xtreme self-cut spade bits - short length



- Daredevil Xtreme Spade Bit offers high-speed drilling, performing 7 times faster than standard spade bits
- Ideal for cordless tools: achieves more holes per battery charge even in the hardest materials
- Innovative self-feeding cutting tip enables fast and accurate drilling with less pressure
- 1/4" power groove shank allows for fast changes and convenient handling

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
6	152	1/4	PC1d	1	5	963923	**2 608 577 445**
8	152	1/4	PC1d	1	5	963930	**2 608 577 446**
10	152	1/4	PC1d	1	5	963947	**2 608 577 447**
12	152	1/4	PC1d	1	5	963954	**2 608 577 448**
13	152	1/4	PC1d	1	5	963961	**2 608 577 449**
14	152	1/4	PC1d	1	5	963978	**2 608 577 450**
16	152	1/4	PC1d	1	5	963985	**2 608 577 451**
18	152	1/4	PC1d	1	5	963992	**2 608 577 452**
19	152	1/4	PC1d	1	5	964005	**2 608 577 453**
20	152	1/4	PC1d	1	5	964012	**2 608 577 454**
22	152	1/4	PC1d	1	5	964029	**2 608 577 455**
24	152	1/4	PC1d	1	5	964036	**2 608 577 456**
25	152	1/4	PC1d	1	5	964043	**2 608 577 457**
26	152	1/4	PC1d	1	5	964050	**2 608 577 458**
28	152	1/4	PC1d	1	5	964067	**2 608 577 459**
30	152	1/4	PC1d	1	5	964074	**2 608 577 460**
32	152	1/4	PC1d	1	5	964081	**2 608 577 461**
35	152	1/4	PC1d	1	5	964098	**2 608 577 462**
38	152	1/4	PC1d	1	5	964104	**2 608 577 463**
40	152	1/4	PC1d	1	5	964111	**2 608 577 464**

Daredevil Xtreme self-cut spade bits - long length

- Daredevil Xtreme Spade Bit offers high-speed drilling, performing 7 times faster than standard spade bits
- Ideal for cordless tools: achieves more holes per battery charge even in the hardest materials
- Innovative self-feeding cutting tip enables fast and accurate drilling with less pressure
- 1/4" power groove shank allows for fast changes and convenient handling

Pack of 1							
6	400	1/4	PC1d	1	5	964159	**2 608 577 468**
8	400	1/4	PC1d	1	5	964166	**2 608 577 469**
10	400	1/4	PC1d	1	5	964173	**2 608 577 470**
12	400	1/4	PC1d	1	5	964180	**2 608 577 471**
16	400	1/4	PC1d	1	5	964197	**2 608 577 472**
20	400	1/4	PC1d	1	5	964203	**2 608 577 473**
22	400	1/4	PC1d	1	5	964210	**2 608 577 474**
25	400	1/4	PC1d	1	5	964227	**2 608 577 475**
32	400	1/4	PC1d	1	5	964234	**2 608 577 476**

Daredevil Xtreme self-cut spade bits - short length sets



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-piece set with 16/20/25 mm spade bits						
16	152	PC1a	3	1	964128	**2 608 577 465**
20	152					
25	152					



6-piece set with 13/16/19/20/22/25 mm spade bits						
13	152	PC1a	6	1	964135	**2 608 577 466**
16	152					
19	152					
20	152					
22	152					
25	152					



13-piece set with 10/12/13/16/19/20/22/24/25/28/32/35/38 mm spade bits						
10	152	PC1a	13	1	964142	**2 608 577 467**
12	152					
13	152					
16	152					
19	152					
20	152					
22	152					
24	152					
25	152					
28	152					
32	152					
35	152					
38	152					

Daredevil Quick-Change Extensions 1/4"

- Insert bits with one hand
- Fast bit change



PRODUCT PROPERTIES		ORDERING INFORMATION				
Length mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 0 000 346...	Part number
Daredevil 1/4" Quick-Change Extension						
152		PC1a	1	5	454307	**2 610 042 153**
305		PC1a	1	5	454314	**2 610 042 154**

Brad point drill bits

Standard brad point drill bits



- **Suitable for** hard and soft wood
- Drill bit with centring tip and shoulder cutter
- Drill bit colour: black, ground point
- Two flutes



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
3	33	61	3	PC1d	1	5	059060	**2 608 596 300**
4	43	75	4	PC1d	1	5	059077	**2 608 596 301**
5	52	86	5	PC1d	1	5	059084	**2 608 596 302**
6	57	93	6	PC1d	1	5	059091	**2 608 596 303**
7	69	109	7	PC1d	1	5	059107	**2 608 596 304**
8	75	117	8	PC1d	1	5	059114	**2 608 596 305**
9	80	120	9	PC1d	1	5	059121	**2 608 596 306**
10	80	120	10	PC1d	1	5	059138	**2 608 596 307**
11	89	142	10	PC1d	1	5	059145	**2 608 596 308**
12	96	151	10	PC1d	1	5	059152	**2 608 596 309**
13	96	151	10	PC1d	1	1	059169	**2 608 596 310**
14	96	151	10	PC1d	1	1	059176	**2 608 596 311**
15	100	160	10	P1c	1	1	059183	**2 608 596 312**
16	100	160	10	P1c	1	1	059190	**2 608 596 313**
18	130	180	10	P1c	1	1	099684	**2 608 597 202**
20	140	200	10	P1c	1	1	099691	**2 608 597 203**
22	140	210	13	P1c	1	1	099707	**2 608 597 204**
24	140	215	13	P1c	1	1	099714	**2 608 597 205**
26	140	215	13	P1c	1	1	099721	**2 608 597 206**
28	140	220	13	P1c	1	1	099738	**2 608 597 207**
30	145	220	13	P1c	1	1	099745	**2 608 597 208**

Machine wood drill bits with M-tip (2 scoring spurs)



- Drill bits with CBN-ground M-tip
- Special flute shape prevents jamming and ensures speedy chip extraction
- Drill bit colour: polished, black
- Two-cutter, cylindrical, two flutes



Total length 250 mm								
6	190	250	6	P1c	1	1	099530	**2 608 597 187**
8	190	250	8	P1c	1	1	099547	**2 608 597 188**
10	190	250	10	P1c	1	1	099554	**2 608 597 189**
12	190	250	10	P1c	1	1	099561	**2 608 597 190**
14	190	250	10	P1c	1	1	099578	**2 608 597 191**
16	190	250	10	P1c	1	1	099585	**2 608 597 192**
18	190	250	10	P1c	1	1	099592	**2 608 597 193**
20	190	250	10	P1c	1	1	099608	**2 608 597 194**
Total length 400 mm								
8	340	400	8	P1c	1	1	099615	**2 608 597 195**
10	340	400	10	P1c	1	1	099622	**2 608 597 196**
12	340	400	10	P1c	1	1	099639	**2 608 597 197**

Machine wood drill bits with M-tip (2 scoring spurs)

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
14	340	400	10	P1c	1	1	099646	**2 608 597 198**
16	340	400	10	P1c	1	1	099653	**2 608 597 199**
18	340	400	10	P1c	1	1	099660	**2 608 597 200**
20	340	400	10	P1c	1	1	099677	**2 608 597 201**

Brad point drill bit sets

PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece Robust Line brad point drill bit set									
4	43	75	A	156.5 x 69.5 x 23	P1k	5	1	446112	**2 607 010 527**
5	52	86							
6	57	93							
8	75	117							
10	80	120							



7-piece wood drill bit set									
3	30	60	-	-	P1k	7	1	557351	**2 607 017 034**
4	40	70							
5	45	85							
6	50	90							
7	60	105							
8	65	110							
10	75	120							



8-piece Robust Line brad point drill bit set									
3	33	61	B	156.5 x 106.5 x 23	P1k	8	5	446174	**2 607 010 533**
4	43	75							
5	52	86							
6	57	93							
7	69	109							
8	75	117							
9	80	120							
10	80	120							



Brad point drill bits with 90° countersink



- **Suitable for** hard and soft wood, laminated and non-laminated chipboard, plywood
- Drilling and countersinking in one operation
- Countersink can also be used as a depth stop
- Cylindrical, two flutes



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter (D) mm	Outer diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3	16	P1c	1	1	323666	**2 608 595 345**
4	16	P1c	1	1	059978	**2 608 596 391**
5	16	P1c	1	1	059985	**2 608 596 392**
6	16	P1c	1	1	059992	**2 608 596 393**
7	16	P1c	1	1	060004	**2 608 596 394**
8	20	P1c	1	1	060011	**2 608 596 395**
10	20	P1c	1	1	060028	**2 608 596 396**
12	20	P1c	1	1	060035	**2 608 596 397**

Arbour-mounted countersink for brad point drill bits

- **Suitable for** hard and soft wood, laminated and non-laminated chipboard, plywood
- Countersink can also be used as a depth stop



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Outer diameter mm	Step height	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3	16	M 5	P1c	1	1	510998	**2 608 585 737**
4	16	M 5	P1c	1	1	511001	**2 608 585 738**
5	16	M 5	P1c	1	1	511018	**2 608 585 739**
6	16	M 5	P1c	1	1	511025	**2 608 585 740**
8	19	M 6	P1c	1	1	511032	**2 608 585 741**
10	19	M 6	P1c	1	1	511049	**2 608 585 742**

Brad point drill bits HSS with 1/4" hex shank



- **Suitable for** hard and soft wood
- HSS precision brad point drill bit ground from solid metal with centring tip and cutting edges
- With hex shank manufactured to ISO 1173 E6.3
- Fast, tool-free drill bit changes
- Drill bit colour: polished
- Two flutes



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
2	24	62	PC1d	1	5	395434	**2 608 595 518**
3	33	74	PC1d	1	5	395441	**2 608 595 519**
4	43	88	PC1d	1	5	395458	**2 608 595 520**
5	52	99	PC1d	1	5	395465	**2 608 595 521**
6	63	106	PC1d	1	5	395472	**2 608 595 522**
8	75	117	PC1d	1	5	395489	**2 608 595 523**
10	87	133	PC1d	1	5	395496	**2 608 595 524**

Wood drill bit sets with hex shank



PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece brad point drill bit set, 1/4" hex shank									
2 **3** **4** **5** **6**	24 33 43 52 63	62 74 88 99 106	-	56.0 x 18.0 x 163	P1k	5	1	395472	**2 608 595 525**

Wood drill bit sets with hex shank



PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
7-piece Robust Line brad point drill bit set, 1/4" hex shank									
2 **3** **3** **4** **5** **6** **8**	24 33 33 43 52 63 75	-	A	156.5 x 107.0 x 23	P1k	7	1	517034	**2 607 019 923**

SPUR AUGER BITS

Precise and clean drilled holes.

HEAVY-DUTY SELF-FEEDING TIP

Pulls the bit through all the way



NEW DESIGNED SCORING SPUR

Clean and fast holes

SOLID CENTRE, LOW-FRICTION FLUTE

Straight holes, high chip removal

Spur auger bits, hex shank



- **Suitable for** all soft and hard woods, even wet wood
- Ideal for use in ancillary building trade, for joiners and roofers
- Can be used in all drills with 13 mm chuck
- For through-holes, pre-drilling for rafter nails and for deep dowel holes
- Precision-ground for accurate dimensional stability when drilling
- Fast drilling rate due to optimised flute geometry
- High break resistance, fine surface finish



PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Width across flats (d) mm	Diameter (D) Inch	Width across flats (d) inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Total length 160 mm									
6	95	4.8	-	3/16	P1h	1	1	488648	**2 608 585 694**
7	95	5.6	-	7/32	P1h	1	1	488655	**2 608 585 695**
8	95	6.35	-	1/4	P1h	1	1	488662	**2 608 585 696**
10	95	6.35	-	1/4	P1h	1	1	488679	**2 608 585 697**
11	95	6.35	-	1/4	P1h	1	1	488686	**2 608 585 698**
12	95	6.35	-	1/4	P1h	1	1	488693	**2 608 585 699**
13	95	7.9	-	5/16	P1h	1	1	488709	**2 608 585 700**
14	95	11.1	-	7/16	P1h	1	1	488716	**2 608 585 701**
15	95	11.1	-	7/16	P1h	1	1	488723	**2 608 585 702**
16	95	11.1	-	7/16	P1h	1	1	488730	**2 608 585 703**
18	95	11.1	-	7/16	P1h	1	1	488747	**2 608 585 704**

Spur auger bits, hex shank

PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Width across flats (d) mm	Diameter (D) Inch	Width across flats (d) inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
20	95	11.1	-	7/16	P1h	1	1	488754	**2 608 585 705**
22	95	11.1	-	7/16	P1h	1	1	488761	**2 608 585 706**
24	95	11.1	-	7/16	P1h	1	1	488778	**2 608 585 707**
25	100	11.1	-	7/16	P1h	1	1	488785	**2 608 585 708**
26	95	11.1	-	7/16	P1h	1	1	488792	**2 608 585 709**
28	95	11.1	-	7/16	P1h	1	1	488808	**2 608 585 710**
30	95	11.1	-	7/16	P1h	1	1	488815	**2 608 585 711**
32	95	11.1	-	7/16	P1h	1	1	488822	**2 608 585 712**
Total length 235 mm									
6	170	4.8	3/16	3/16	P1h	1	1	183314	**2 608 597 622**
7	170	5.6	-	7/32	P1h	1	1	488839	**2 608 585 713**
8	170	6.35	1/4	1/4	P1h	1	1	183321	**2 608 597 623**
10	170	6.35	1/4	1/4	P1h	1	1	183338	**2 608 597 624**
11	170	6.35	1/4	1/4	P1h	1	1	183345	**2 608 597 625**
12	170	6.35	1/4	1/4	P1h	1	1	183352	**2 608 597 626**
13	170	7.9	5/16	5/16	P1h	1	1	183369	**2 608 597 627**
14	170	11.1	7/16	7/16	P1h	1	1	183376	**2 608 597 628**
15	170	11.1	7/16	7/16	P1h	1	1	183383	**2 608 597 629**
16	170	11.1	7/16	7/16	P1h	1	1	183390	**2 608 597 630**
18	170	11.1	7/16	7/16	P1h	1	1	183406	**2 608 597 631**
20	170	11.1	7/16	7/16	P1h	1	1	183413	**2 608 597 632**
22	170	11.1	7/16	7/16	P1h	1	1	183420	**2 608 597 633**
24	170	11.1	7/16	7/16	P1h	1	1	183437	**2 608 597 634**
25	170	11.1	7/16	7/16	P1h	1	1	183444	**2 608 597 635**
26	170	11.1	7/16	7/16	P1h	1	1	183451	**2 608 597 636**
28	170	11.1	7/16	7/16	P1h	1	1	183468	**2 608 597 637**
30	170	11.1	7/16	7/16	P1h	1	1	183475	**2 608 597 638**
32	170	11.1	7/16	7/16	P1h	1	1	183482	**2 608 597 639**
Total length 450 mm									
7	385	5.6	-	7/32	P1h	1	1	488846	**2 608 585 714**
8	385	6.35	1/4	1/4	P1h	1	1	183499	**2 608 597 640**
10	385	6.35	1/4	1/4	P1h	1	1	183505	**2 608 597 641**
12	385	6.35	1/4	1/4	P1h	1	1	183512	**2 608 597 642**
14	385	11.1	7/16	7/16	P1h	1	1	183529	**2 608 597 643**
16	385	11.1	7/16	7/16	P1h	1	1	183536	**2 608 597 644**
18	385	11.1	7/16	7/16	P1h	1	1	183543	**2 608 597 645**
20	385	11.1	7/16	7/16	P1h	1	1	183550	**2 608 597 646**
22	385	11.1	7/16	7/16	P1h	1	1	183567	**2 608 597 647**
24	385	11.1	7/16	7/16	P1h	1	1	183574	**2 608 597 648**
25	385	11.1	7/16	7/16	P1h	1	1	505925	**2 608 585 730**
26	385	11.1	7/16	7/16	P1h	1	1	183581	**2 608 597 649**
28	385	11.1	7/16	7/16	P1h	1	1	183598	**2 608 597 650**
30	385	11.1	7/16	7/16	P1h	1	1	183604	**2 608 597 651**
32	385	11.1	7/16	7/16	P1h	1	1	183611	**2 608 597 652**
Total length 600 mm									
10	470	7.9	-	5/16	P1h	1	1	488860	**2 608 585 716**
12	470	7.9	-	5/16	P1h	1	1	488877	**2 608 585 717**
14	470	11.1	-	7/16	P1h	1	1	488884	**2 608 585 718**
16	470	11.1	-	7/16	P1h	1	1	488891	**2 608 585 719**
18	470	11.1	-	7/16	P1h	1	1	488907	**2 608 585 720**
20	470	11.1	-	7/16	P1h	1	1	488914	**2 608 585 721**
22	470	11.1	-	7/16	P1h	1	1	488921	**2 608 585 722**

Spur auger bits, hex shank

PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Width across flats (d) mm	Diameter (D) inch	Width across flats (d) inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
24	470	11.1	-	7/16	P1h	1	1	488938	**2 608 585 723**
26	470	11.1	-	7/16	P1h	1	1	488945	**2 608 585 724**
28	470	11.1	-	7/16	P1h	1	1	488952	**2 608 585 725**
30	470	11.1	-	7/16	P1h	1	1	488969	**2 608 585 726**
32	470	11.1	-	7/16	P1h	1	1	488976	**2 608 585 727**

Spur auger bit sets, hex shank





PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6-piece spur auger bit set							
10 **12** **14** **16** **18** **20**	170	235	W0a	6	1	379090	**2 607 019 322**
6-piece spur auger bit set							
10 **12** **14** **16** **18** **20**	385	450	W0a	6	1	379106	**2 607 019 323**

Daredevil Scotch auger bits, hex shank





PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6	205	305	C0h	1	1	642477	**2 608 587 554**
8	205	305	C0h	1	1	642484	**2 608 587 555**
10	205	305	C0h	1	1	642491	**2 608 587 556**
11	205	305	C0h	1	1	642507	**2 608 587 557**
12	205	305	C0h	1	1	642514	**2 608 587 558**
14	205	305	C0h	1	1	642521	**2 608 587 559**
16	205	305	C0h	1	1	642538	**2 608 587 560**
17	205	305	C0h	1	1	642545	**2 608 587 561**
19	205	305	C0h	1	1	642552	**2 608 587 562**
21	205	305	C0h	1	1	642569	**2 608 587 563**
22	205	305	C0h	1	1	642576	**2 608 587 564**
24	205	305	C0h	1	1	642583	**2 608 587 565**
25	205	305	C0h	1	1	642590	**2 608 587 566**

Hinge cutting and Forstner bits

Hinge cutting bits, tungsten carbide tipped



- **Suitable for** abrasive materials such as plywood, hardwood, chipboard, wood fibreboard, plastic laminated wood
- Ideal for use by joiners and carpenters, especially for window, door and kitchen building



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
15	90	8	P1p	1	1	148177	**2 608 597 601**
16	90	8	P1p	1	1	148184	**2 608 597 602**
18	90	8	P1p	1	1	148191	**2 608 597 603**
20	90	8	P1p	1	1	148207	**2 608 597 604**
22	90	8	P1p	1	1	148214	**2 608 597 605**
24	90	8	P1p	1	1	148221	**2 608 597 606**
25	90	8	P1p	1	1	148238	**2 608 597 607**
26	90	8	P1p	1	1	148245	**2 608 597 608**
28	90	8	P1p	1	1	148252	**2 608 597 609**
30	90	8	P1p	1	1	148269	**2 608 597 610**
32	90	10	P1p	1	1	148276	**2 608 597 611**
34	90	10	P1p	1	1	148283	**2 608 597 612**
35	90	10	P1p	1	1	148290	**2 608 597 613**
36	90	10	P1p	1	1	148306	**2 608 597 614**
38	90	10	P1p	1	1	148313	**2 608 597 615**
40	90	10	P1p	1	1	148320	**2 608 597 616**
45	90	10	P1p	1	1	148337	**2 608 597 617**
50	90	10	P1p	1	1	148344	**2 608 597 618**

Hinge cutting bit sets, tungsten carbide tipped



PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece tungsten carbide hinge cutting bit set					
15 **20** **25** **30** **35**	W0a	5	1	148375	**2 607 018 750**

Forstner drill bits, DIN 7483 G

- **Suitable for** hard and soft wood, veneered wood
- Precision drill bit with main and side cutting spurs, and short centre tip
- Made of tempered special steel according to factory standard, cutter hardness of minimum 50 HRC
- Forged and ground drilling head, polished with black flutes
- Meets high requirements with regard to cutting quality and tear-free drilled hole edges
- Can be used in all drills with 10 mm chuck



clean CUT 







PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
10	90	8	P1p	1	1	857901	**2 608 577 000**
12	90	8	P1p	1	1	857918	**2 608 577 001**
14	90	8	P1p	1	1	857925	**2 608 577 002**
15	90	8	P1p	1	1	857932	**2 608 577 003**
16	90	8	P1p	1	1	857949	**2 608 577 004**
18	90	8	P1p	1	1	857956	**2 608 577 005**
20	90	8	P1p	1	1	857963	**2 608 577 006**
22	90	8	P1p	1	1	857970	**2 608 577 007**
24	90	8	P1p	1	1	857987	**2 608 577 008**
25	90	8	P1p	1	1	857994	**2 608 577 009**
26	90	8	P1p	1	1	858007	**2 608 577 010**
27	90	8	P1p	1	1	858014	**2 608 577 011**
28	90	8	P1p	1	1	858021	**2 608 577 012**
30	90	8	P1p	1	1	858038	**2 608 577 013**
32	90	10	P1p	1	1	858045	**2 608 577 014**
34	90	10	P1p	1	1	858052	**2 608 577 015**
35	90	10	P1p	1	1	858069	**2 608 577 016**
36	90	10	P1p	1	1	858076	**2 608 577 017**
38	90	10	P1p	1	1	858083	**2 608 577 018**
40	90	10	P1p	1	1	858090	**2 608 577 019**
45	90	10	P1p	1	1	858106	**2 608 577 020**
50	90	10	P1p	1	1	858113	**2 608 577 021**
Pack of 1							
10	90	8	C1a	1	1	076043	**2 608 596 971**
15	90	8	C1a	1	1	076050	**2 608 596 972**
20	90	8	C1a	1	1	076067	**2 608 596 973**
25	90	8	C1a	1	1	076074	**2 608 596 974**
26	90	8	C1a	1	1	076081	**2 608 596 975**
30	90	8	C1a	1	1	076098	**2 608 596 976**
35	90	10	C1a	1	1	076104	**2 608 596 977**
40	90	10	C1a	1	1	076111	**2 608 596 978**
12	90	8	C1a	1	1	097918	**2 608 597 101**
14	90	8	C1a	1	1	097925	**2 608 597 102**
16	90	8	C1a	1	1	097949	**2 608 597 104**
22	90	8	C1a	1	1	097970	**2 608 597 107**
24	90	8	C1a	1	1	097987	**2 608 597 108**
27	90	8	C1a	1	1	098014	**2 608 597 111**
28	90	8	C1a	1	1	098021	**2 608 597 112**
32	90	10	C1a	1	1	098045	**2 608 597 114**
34	90	10	C1a	1	1	098052	**2 608 597 115**
36	90	10	C1a	1	1	098076	**2 608 597 117**
38	90	10	C1a	1	1	098083	**2 608 597 118**
45	90	10	C1a	1	1	098106	**2 608 597 120**
50	90	10	C1a	1	1	098113	**2 608 597 121**

Forstner drill bit set



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Total length mm	Shank diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece Forstner drill bit set							
15 **20** **25** **30** **35**	-	-	W0a	5	1	098120	**2 607 018 395**



clean CUT



5-piece Forstner drill bit set							
15 **20** **25** **30** **35**	90	8 10	W0a	5	1	858120	**2 608 577 022**

Cantilever hinge cutting bits



- **Suitable for** soft and hard wood, treated woods such as pressed laminated wood, plastic laminated chipboards, abrasive materials with mineral content also for medium density tiles
- Ideal for pre-drilling for fittings
- Versions with and without tungsten carbide
- For use in bench drills only



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Cantilever hinge cutter bit, tungsten carbide tipped							
26	56	8	C1a	1	1	076128	**2 608 596 979**
30	56	8	C1a	1	1	076142	**2 608 596 980**
35	56	8	C1a	1	1	076159	**2 608 596 981**
Cantilever hinge cutter bit made of tool steel, without tungsten carbide tips							
26	56	8	C1a	1	1	100281	**2 608 597 261**
30	56	8	C1a	1	1	100298	**2 608 597 262**
35	56	8	C1a	1	1	100304	**2 608 597 263**

Disc cutters/Shank cutters



- **Suitable for** soft and hard wood such as pine, beech, oak
- Especially for joiners, carpenters, exhibition stand builders
- Plugcutter with high performance and long life thanks to high-quality tool steel and solid structure
- Precision-ground drilling head for precise, cylindrical, accurately fitting tenons
- Low friction thanks to high concentricity and optimum geometry with multiple relief grinding
- The extra-long body with open sides enables extra-long tenons to be cut and easily removed
- The 13 mm cylindrical shank fits all standard drills



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Total length mm	Shank diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
10	140	13	P1a	1	1	511056	**2 608 585 743**
15	140	13	P1a	1	1	511063	**2 608 585 744**
20	140	13	P1a	1	1	511070	**2 608 585 745**
25	140	13	P1a	1	1	511087	**2 608 585 746**
30	140	13	P1a	1	1	511094	**2 608 585 747**
35	160	13	P1a	1	1	511100	**2 608 585 748**
40	160	13	P1a	1	1	511117	**2 608 585 749**

Formwork and installation drill bits

Formwork and installation drill bits



- **Suitable for** formwork, interior fitting work, plumbing, heating, electrical installation, also for metals, e.g. sandwich material with steel, aluminium or profile sheeting, wood, plasterboard, light building materials, insulation
- Can be used in all drills with 13 mm chuck
- HSS twist drill bit with long shank, drill bit tip with chisel edge 118°, manufactured to DIN 7490
- Drill bit meets the safety standards of the “Berufsgenossenschaft Holz” (German Timber Trade Association)
- Drill bit colour: black, polished
- **Note:** Only drill with rotary function, without impact



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Total length 400 mm							
6	400	5	P1c	1	1	099318	**2 608 597 165**
8	400	6	P1c	1	1	059411	**2 608 596 335**
10	400	8	P1c	1	1	059428	**2 608 596 336**
12	400	8	P1c	1	1	059435	**2 608 596 337**
14	400	8	P1c	1	1	059442	**2 608 596 338**
16	400	10	P1c	1	1	059459	**2 608 596 339**
18	400	10	P1c	1	1	059466	**2 608 596 340**
20	400	10	P1c	1	1	059473	**2 608 596 341**
22	400	10	P1c	1	1	099332	**2 608 597 167**
24	400	11	P1c	1	1	099349	**2 608 597 168**
25	400	11	P1c	1	1	099356	**2 608 597 169**
26	400	11	P1c	1	1	099363	**2 608 597 170**
28	400	11	P1c	1	1	099370	**2 608 597 171**
30	400	11	P1c	1	1	099387	**2 608 597 172**
Total length 600 mm							
6	600	5	P1c	1	1	099394	**2 608 597 173**
8	600	6	P1c	1	1	059480	**2 608 596 342**
10	600	8	P1c	1	1	059497	**2 608 596 343**
12	600	8	P1c	1	1	059503	**2 608 596 344**
14	600	8	P1c	1	1	059510	**2 608 596 345**
16	600	10	P1c	1	1	059527	**2 608 596 346**
18	600	10	P1c	1	1	059534	**2 608 596 347**
20	600	10	P1c	1	1	059541	**2 608 596 348**
22	600	10	P1c	1	1	099400	**2 608 597 174**
24	600	11	P1c	1	1	099417	**2 608 597 175**
26	600	11	P1c	1	1	099424	**2 608 597 176**
28	600	11	P1c	1	1	099431	**2 608 597 177**
30	600	11	P1c	1	1	099448	**2 608 597 178**

SDS plus formwork and installation drill bits



▶ **Suitable for** all rotary hammers with SDS plus holder



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Total length 400 mm						
10	400	P1c	1	1	103947	**2 608 597 400**
12	400	P1c	1	1	103961	**2 608 597 402**
14	400	P1c	1	1	103985	**2 608 597 404**
16	400	P1c	1	1	104005	**2 608 597 406**
18	400	P1c	1	1	104029	**2 608 597 408**
20	400	P1c	1	1	104043	**2 608 597 410**
22	400	P1c	1	1	104067	**2 608 597 412**
24	400	P1c	1	1	104081	**2 608 597 414**
26	400	P1c	1	1	104104	**2 608 597 416**
28	400	P1c	1	1	104128	**2 608 597 418**
30	400	P1c	1	1	104142	**2 608 597 420**
Total length 600 mm						
10	600	P1c	1	1	103954	**2 608 597 401**
12	600	P1c	1	1	103978	**2 608 597 403**
14	600	P1c	1	1	103992	**2 608 597 405**
16	600	P1c	1	1	104012	**2 608 597 407**
18	600	P1c	1	1	104036	**2 608 597 409**
20	600	P1c	1	1	104050	**2 608 597 411**
22	600	P1c	1	1	104074	**2 608 597 413**
24	600	P1c	1	1	104098	**2 608 597 415**
26	600	P1c	1	1	104111	**2 608 597 417**
28	600	P1c	1	1	104135	**2 608 597 419**
30	600	P1c	1	1	104159	**2 608 597 421**

Dowelling accessories

Dowel drilling guide

- **Suitable for** drill bit diameters of 3; 3.3; 4; 4.2; 5; 6; 6.8; 8; 10; 12 mm
- For precise, easy drilling with wood, steel and multi-purpose drill bits



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Dowel drilling guide					
	C1a	1	1	085397	**2 607 000 549**

Profile wooden dowels

- Profile wooden dowels in diameters of 6; 8; 10 mm



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6	30	P1d	200	1	085786	**2 607 000 443**
		P1d	50	1	085793	**2 607 000 444**
8	40	P1d	150	1	085274	**2 607 000 445**
		P1d	40	1	085281	**2 607 000 446**
10	40	P1d	120	1	085298	**2 607 000 447**
		P1d	30	1	085304	**2 607 000 448**

Wooden dowel sets

- Sets with wood drill bit, depth stop, dowel positioner, wooden dowels, glue
- Number of dowels: for 6 and 8 mm diameter: 25 dowels, for 10 mm diameter: 20 dowels



32-piece wooden dowel set						
6	30	PC1a	32	1	085311	**2 607 000 449**
8	40	PC1a	32	1	085328	**2 607 000 542**
27-piece wooden dowel set						
10	40	PC1a	27	1	085335	**2 607 000 543**

Dowel positioner sets

- For easy marking of dowel holes



PRODUCT PROPERTIES	ORDERING INFORMATION					
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
4-piece dowel positioner set					
6	P1c	4	1	085342	**2 607 000 544**
8	P1c	4	1	085359	**2 607 000 545**
10	P1c	4	1	085366	**2 607 000 546**

Depth stop set



Depth stop set including key					
6	P1c	1	1	085380	**2 607 000 548**
8		1			
10		1			

HAMMER DRILL BITS

Top performance in concrete

The best your tool can get. Bosch Professional Accessories.





THE SDS PLUS DRILL BIT RANGE

Quick mounting and 100% power transfer.



	SDS plus-7X	SDS plus-5X	SDS plus-5	SDS plus-3	SDS plus-1
	EXPERT				
Page number	88	94	101	106	110
Diameter mm	3.5 – 30.0	4.0 – 26.0	3.0 – 26.0	4.0 – 25.0	4.0 – 25.0
Working length mm	50 – 950	50 – 550	50 – 950	50 – 400	50 – 400
Head design	⊕	+	//	//	//
PGM certification	✓	✓	✓	✓	–
	UP TO 3x* LONG LIFE CARBIDE TECHNOLOGY				
MATERIALS					
Masonry	✓	✓	✓	✓	✓
Concrete	✓	✓	✓	✓	✓
Reinforced concrete	✓	✓	–	–	–
Natural stone	✓	–	–	–	–

HEAD DESIGNS

- ⊕ 4-cutter full carbide head
- \+ 4-cutter
- Tungsten carbide teeth2
- Asymetrical carbide teeth
- // 2-cutter

*Bosch EXPERT products vs. Bosch standard products



SDS plus-9 Speed Clean	SDS plus-9 Rebar Cutter	SDS plus-9 Core Cutter

Page number	114	116	117
Diameter mm	6.0 – 24.0	16.0 – 32.0	25.0 – 112.0
Working length mm	100 – 320	120	50 – 54
Head design	+	○	○
PGM certification	✓	–	–
MATERIALS			
Masonry	✓	–	✓
Concrete	✓	–	✓
Reinforced concrete	–	✓	–
Natural stone	–	–	–

THE SDS MAX DRILL BIT RANGE

Quick mounting and 100% power transfer.





	SDS max-8X	SDS max-7	SDS max-4
	EXPERT		
Page number	119	121	122
Diameter mm	12.0 – 32.0	10.5 – 52	12.0 – 40.0
Working length mm	200 – 800	200 – 1200	200 – 400
Head design	⊕	+	+
PGM certification	✓	✓	✓
	UP TO 3x* LONG LIFE CARBIDE TECHNOLOGY		

MATERIALS

Masonry	✓	✓	✓
Concrete	✓	✓	✓
Reinforced concrete	✓	✓	✓
Natural stone	✓	✓	–

HEAD DESIGNS

- **4-cutter full carbide head**
- **4-cutter**
- **2-cutter**
- **Multi-cutter**
- **Asymetrical carbide teeth**

* Bosch EXPERT products vs. Bosch standard products



SDS max-9 Natural Stone	SDS max-9 Break Through	SDS max-9 Core Cutter	SDS max-9 Speed Clean
Page number	**125**	**126**	**127**	**123**
Diameter mm	**28.0 – 32.0**	**45.0 – 80.0**	**45.0 – 150.0**	**14.0 – 35.0**
Working length mm	**400 – 800**	**450 – 850**	**80**	**400 – 650**
Head design	+	⊕	○	+
PGM certification	✓	–	–	✓

MATERIALS

Masonry	✓	✓	✓	✓
Concrete	✓	✓	✓	✓
Reinforced concrete	–	–	–	–
Natural stone	✓	–	–	–

LONG LIFE DRILLING REINFORCED CONCRETE

EXPERT SDS plus-7X Hammer Drill Bits

ASSORTMENT: Ø 3.5 mm - 30 mm

EXPERT

1. Extremely durable drill bit tip with Bosch Carbide Technology
2. Punch through reinforced concrete with a 4-cutter Full Carbide Head
3. Highly resistant drill tip connection with Bosch's welding technology



CARBIDE TECHNOLOGY

EXPERT SDS plus-7X Hammer Drill Bits

EXPERT



- Ideal for drilling holes in reinforced concrete, e.g. to anchor interior installations such as air conditioning, heating pipes, electrical wiring and lights.
- Best for electricians: long lasting and powerful.
- Lasts up to 3x longer than a standard drill bit.
- Fits all SDS plus rotary hammer drills.





CARBIDE TECHNOLOGY | UP TO 3x* LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 1							
3.5	50	115	P1e	1	1	531281	**2 608 900 055**
3.5	100	165	P1e	1	1	531298	**2 608 900 056**
4	50	115	P1e	1	1	531304	**2 608 900 057**
4	100	165	P1e	1	1	531311	**2 608 900 058**
5	50	115	P1e	1	5	531328	**2 608 900 059**

EXPERT SDS plus-7X Hammer Drill Bits

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
5	100	165	P1e	1	5	531335	**2 608 900 060**
5	150	215	P1e	1	5	531342	**2 608 900 061**
5	200	265	P1e	1	5	531359	**2 608 900 062**
5	250	315	P1e	1	5	531366	**2 608 900 063**
5	400	465	P1e	1	1	531373	**2 608 900 064**
5.5	50	115	P1e	1	5	531380	**2 608 900 065**
5.5	100	165	P1e	1	5	531397	**2 608 900 066**
5.5	150	215	P1e	1	5	531403	**2 608 900 067**
5.5	200	265	P1e	1	5	531410	**2 608 900 068**
5.5	250	315	P1e	1	1	531427	**2 608 900 069**
5.5	400	465	P1e	1	1	531434	**2 608 900 070**
6	50	115	P1e	1	5	531441	**2 608 900 071**
6	100	165	P1e	1	5	531458	**2 608 900 072**
6	150	215	P1e	1	5	531465	**2 608 900 073**
6	200	265	P1e	1	5	531472	**2 608 900 074**
6	250	315	P1e	1	5	531489	**2 608 900 075**
6	400	465	P1e	1	1	531496	**2 608 900 076**
6.5	50	115	P1e	1	1	531502	**2 608 900 077**
6.5	100	165	P1e	1	5	531519	**2 608 900 078**
6.5	150	215	P1e	1	5	531526	**2 608 900 079**
6.5	200	265	P1e	1	5	531533	**2 608 900 080**
6.5	250	315	P1e	1	1	531540	**2 608 900 081**
6.5	400	465	P1e	1	1	531557	**2 608 900 082**
7	50	115	P1e	1	1	531564	**2 608 900 083**
7	100	165	P1e	1	1	531571	**2 608 900 084**
7	150	215	P1e	1	1	531588	**2 608 900 085**
7	200	265	P1e	1	1	531595	**2 608 900 086**
8	50	115	P1e	1	5	531601	**2 608 900 087**
8	100	165	P1e	1	5	531618	**2 608 900 088**
8	150	215	P1e	1	5	531625	**2 608 900 089**
8	200	265	P1e	1	5	531632	**2 608 900 090**
8	250	315	P1e	1	1	531649	**2 608 900 091**
8	300	365	P1e	1	5	531656	**2 608 900 092**
8	400	465	P1e	1	1	531663	**2 608 900 093**
9	100	165	P1e	1	1	531670	**2 608 900 094**
9	150	215	P1e	1	1	531687	**2 608 900 095**
10	50	115	P1e	1	1	531694	**2 608 900 096**
10	100	165	P1e	1	5	531700	**2 608 900 097**
10	150	215	P1e	1	5	531717	**2 608 900 098**
10	200	265	P1e	1	5	531724	**2 608 900 099**
10	250	315	P1e	1	1	531731	**2 608 900 100**
10	300	365	P1e	1	5	531748	**2 608 900 101**
10	400	465	P1e	1	1	531755	**2 608 900 102**
10	550	600	P1e	1	1	531762	**2 608 900 103**
10	950	1,000	P1e	1	1	531779	**2 608 900 104**
11	100	165	P1e	1	1	531786	**2 608 900 105**
11	150	215	P1e	1	1	531793	**2 608 900 106**
11	200	265	P1e	1	1	531809	**2 608 900 107**
12	100	165	P1e	1	5	531816	**2 608 900 108**
12	150	215	P1e	1	5	531823	**2 608 900 109**
12	200	265	P1e	1	5	531830	**2 608 900 110**
12	250	315	P1e	1	5	531847	**2 608 900 111**
12	300	365	P1e	1	5	531854	**2 608 900 112**
12	400	465	P1e	1	1	531861	**2 608 900 113**
12	550	600	P1e	1	1	531878	**2 608 900 114**
12	950	1,000	P1e	1	1	531885	**2 608 900 115**
13	100	165	P1e	1	1	531892	**2 608 900 116**
13	150	215	P1e	1	1	531908	**2 608 900 117**
13	200	265	P1e	1	1	531915	**2 608 900 118**
14	100	165	P1e	1	5	531922	**2 608 900 119**
14	150	215	P1e	1	5	531939	**2 608 900 120**
14	200	265	P1e	1	5	531946	**2 608 900 121**
14	250	315	P1e	1	5	531953	**2 608 900 122**
14	300	365	P1e	1	1	531960	**2 608 900 123**
14	400	465	P1e	1	1	531977	**2 608 900 124**
14	550	600	P1e	1	1	531984	**2 608 900 125**

EXPERT SDS plus-7X Hammer Drill Bits

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
14	950	1,000	P1e	1	1	531991	**2 608 900 126**
15	100	165	P1e	1	1	532004	**2 608 900 127**
15	200	265	P1e	1	1	532011	**2 608 900 128**
15	400	465	P1e	1	1	532028	**2 608 900 129**
16	150	215	P1e	1	5	532035	**2 608 900 130**
16	200	265	P1e	1	5	532042	**2 608 900 131**
16	250	315	P1e	1	1	532059	**2 608 900 132**
16	400	465	P1e	1	1	532066	**2 608 900 133**
16	550	600	P1e	1	1	532073	**2 608 900 134**
16	950	1,000	P1e	1	1	532080	**2 608 900 135**
17	150	215	P1e	1	1	532097	**2 608 900 136**
17	250	315	P1e	1	1	532103	**2 608 900 137**
18	200	250	P1e	1	1	532110	**2 608 900 138**
18	400	450	P1e	1	1	532127	**2 608 900 139**
18	550	600	P1e	1	1	532134	**2 608 900 140**
18	950	1,000	P1e	1	1	532141	**2 608 900 141**
20	200	250	P1e	1	1	532158	**2 608 900 142**
20	400	450	P1e	1	1	532165	**2 608 900 143**
20	550	600	P1e	1	1	532172	**2 608 900 144**
20	950	1,000	P1e	1	1	532189	**2 608 900 145**
22	200	250	P1e	1	1	532196	**2 608 900 146**
22	400	450	P1e	1	1	532202	**2 608 900 147**
22	550	600	P1e	1	1	532219	**2 608 900 148**
22	950	1,000	P1e	1	1	532226	**2 608 900 149**
24	400	450	P1e	1	1	532233	**2 608 900 150**
25	400	450	P1e	1	1	532240	**2 608 900 151**
25	550	600	P1e	1	1	532257	**2 608 900 152**
25	950	1,000	P1e	1	1	532264	**2 608 900 153**
28	400	450	P1e	1	1	532271	**2 608 900 154**
30	400	450	P1e	1	1	532288	**2 608 900 155**
Pack of 10							
4	50	115	P1a	10	1	532295	**2 608 900 156**
5	50	115	P1a	10	1	532301	**2 608 900 157**
5	100	165	P1a	10	1	532318	**2 608 900 158**
6	50	115	P1a	10	1	532325	**2 608 900 159**
6	100	165	P1a	10	1	532332	**2 608 900 160**
6	150	215	P1a	10	1	532349	**2 608 900 161**
6	200	265	P1a	10	1	532356	**2 608 900 162**
6.5	100	165	P1a	10	1	532363	**2 608 900 163**
6.5	150	215	P1a	10	1	532370	**2 608 900 164**
6.5	200	265	P1a	10	1	532387	**2 608 900 165**
7	100	165	P1a	10	1	532394	**2 608 900 166**
8	100	165	P1a	10	1	532400	**2 608 900 167**
8	150	215	P1a	10	1	532417	**2 608 900 168**
8	200	265	P1a	10	1	532424	**2 608 900 169**
10	100	165	P1a	10	1	532431	**2 608 900 170**
10	150	215	P1a	10	1	532448	**2 608 900 171**
10	200	265	P1a	10	1	532455	**2 608 900 172**
12	100	165	P1a	10	1	532462	**2 608 900 173**
12	150	215	P1a	10	1	532479	**2 608 900 174**
12	200	265	P1a	10	1	532486	**2 608 900 175**
14	200	265	P1a	10	1	532493	**2 608 900 176**
16	200	265	P1a	10	1	532509	**2 608 900 177**
Pack of 30							
5	50	115	P0a	30	1	532516	**2 608 900 178**
5	100	165	P0a	30	1	532523	**2 608 900 179**
6	50	115	P0a	30	1	532530	**2 608 900 180**
6	100	165	P0a	30	1	532547	**2 608 900 181**
6	150	215	P0a	30	1	532554	**2 608 900 182**
8	100	165	P0a	30	1	532561	**2 608 900 183**
8	150	215	P0a	30	1	532578	**2 608 900 184**
8	200	265	P0a	30	1	532585	**2 608 900 185**
10	100	165	P0a	30	1	532592	**2 608 900 186**
10	150	215	P0a	30	1	532608	**2 608 900 187**
10	200	265	P0a	30	1	532615	**2 608 900 188**
12	150	215	P0a	30	1	532622	**2 608 900 189**

EXPERT SDS plus-7X Hammer Drill Bits

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
12	200	265	P0a	30	1	532639	**2 608 900 190**
Pack of 50							
6	100	165	P0a	50	1	532646	**2 608 900 191**
8	100	165	P0a	50	1	532653	**2 608 900 192**
10	100	165	P0a	50	1	532660	**2 608 900 193**
10	150	215	P0a	50	1	532677	**2 608 900 194**

EXPERT SDS plus-7X Hammer Drill Bit Sets

EXPERT



- Ideal for drilling holes in reinforced concrete, eg to anchor interior installations such as air conditioning, heating pipes, electrical wiring and lights.
- Best for electricians: long lasting and powerful.
- Lasts up to 3x longer than a standard drill bit.
- Fits all SDS plus rotary hammer drills.





CARBIDE TECHNOLOGY | UP TO 3x* LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3-piece SDS plus-7X hammer drill bit set							
6	100	165	P1a	3	1	532707	**2 608 900 196**
8	100	165					
10	100	165					
5-piece Robust Line SDS plus-7X hammer drill bit set							
5	50	115	P1k	5	1	532714	**2 608 900 197**
6	50	115					
6	100	165					
8	100	165					
10	100	165					
6	100	165	P1k	5	1	532721	**2 608 900 198**
6	100	165					
8	100	165					
8	100	165					
10	100	165					
7-piece SDS plus-7X hammer drill bit set							
5	50	115	P1k	7	1	532691	**2 608 900 195**
6	50	115					
8	50	115					
6	100	165					
8	100	165					
10	100	165					
12	100	165					

Bulldog Xtreme SDS plus drill bits

- **Suitable for** masonry, concrete and reinforced concrete
- **Appropriate for** all rotary hammers with SDS plus holder
- www.pgm.eu



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
5	50	115	PC1d	1	5	916370	**2 608 578 258**
5	100	165	PC1d	1	5	916387	**2 608 578 259**
5	150	215	PC1d	1	5	916394	**2 608 578 260**
5.5	50	115	PC1d	1	5	916400	**2 608 578 261**
5.5	100	165	PC1d	1	5	916417	**2 608 578 262**
6	50	115	PC1d	1	5	916424	**2 608 578 263**
6	100	165	PC1d	1	5	916431	**2 608 578 264**
6	150	215	PC1d	1	5	916448	**2 608 578 265**
6	200	265	PC1d	1	1	916455	**2 608 578 266**
6	250	315	PC1d	1	1	916462	**2 608 578 267**
6.5	50	115	PC1d	1	5	916479	**2 608 578 268**
6.5	100	165	PC1d	1	5	916486	**2 608 578 269**
6.5	150	215	PC1d	1	5	916493	**2 608 578 270**
6.5	200	265	PC1d	1	1	916509	**2 608 578 271**
7	50	115	PC1d	1	5	916523	**2 608 578 273**
7	100	165	PC1d	1	5	916530	**2 608 578 274**
7	250	315	PC1d	1	1	916516	**2 608 578 272**
8	50	115	PC1d	1	5	916547	**2 608 578 275**
8	100	165	PC1d	1	5	916554	**2 608 578 276**
8	150	215	PC1d	1	5	916561	**2 608 578 277**
8	200	265	PC1d	1	1	916578	**2 608 578 278**
8	250	315	PC1d	1	1	916585	**2 608 578 279**
8	400	465	PC1d	1	1	916592	**2 608 578 280**
10	50	115	PC1d	1	5	916615	**2 608 578 282**
10	100	165	PC1d	1	5	916622	**2 608 578 283**
10	150	215	PC1d	1	5	916639	**2 608 578 284**
10	200	265	PC1d	1	1	916646	**2 608 578 285**
10	250	315	PC1d	1	1	916653	**2 608 578 286**
10	400	465	PC1d	1	1	916660	**2 608 578 287**
11	150	215	PC1d	1	5	916677	**2 608 578 288**
12	100	165	PC1d	1	5	916684	**2 608 578 289**
12	150	215	PC1d	1	5	916691	**2 608 578 290**
12	200	265	PC1d	1	1	916707	**2 608 578 291**
12	250	315	PC1d	1	1	916714	**2 608 578 292**
12	400	465	PC1d	1	1	916721	**2 608 578 293**
13	100	165	PC1d	1	5	916738	**2 608 578 294**
13	200	265	PC1d	1	1	916745	**2 608 578 295**
14	100	165	PC1d	1	5	916752	**2 608 578 296**
14	150	215	PC1d	1	5	916769	**2 608 578 297**
14	200	265	PC1d	1	5	916776	**2 608 578 298**
14	250	315	PC1d	1	1	916783	**2 608 578 299**
14	400	465	PC1d	1	1	916790	**2 608 578 300**
15	200	265	PC1d	1	5	916806	**2 608 578 301**
16	150	215	PC1d	1	5	916813	**2 608 578 302**
16	200	265	PC1d	1	5	916820	**2 608 578 303**
16	250	315	PC1d	1	1	916837	**2 608 578 304**
16	400	465	PC1d	1	1	916844	**2 608 578 305**
18	200	250	PC1d	1	1	916851	**2 608 578 306**
18	400	450	PC1d	1	1	916868	**2 608 578 307**
20	200	250	PC1d	1	1	916875	**2 608 578 308**
20	400	450	PC1d	1	1	916882	**2 608 578 309**

Bulldog Xtreme SDS plus drill bits

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
22	200	250	PC1d	1	1	916899	**2 608 578 310**
22	400	450	PC1d	1	1	916905	**2 608 578 311**
24	400	450	PC1d	1	1	916912	**2 608 578 312**
25	400	450	PC1d	1	1	916929	**2 608 578 313**
28	400	450	PC1d	1	1	916936	**2 608 578 314**
30	400	450	PC1d	1	1	916943	**2 608 578 315**
Pack of 10							
5	100	165	P1a	10	1	916950	**2 608 578 316**
5.5	100	165	P1a	10	1	916967	**2 608 578 317**
6	100	165	P1a	10	1	916974	**2 608 578 318**
6.5	150	210	P1a	10	1	916981	**2 608 578 319**
8	100	165	P1a	10	1	916998	**2 608 578 320**
10	100	165	P1a	10	1	917001	**2 608 578 321**
10	150	215	P1a	10	1	917018	**2 608 578 322**
12	100	165	P1a	10	1	917025	**2 608 578 323**
12	150	215	P1a	10	1	917032	**2 608 578 324**

SDS PLUS-5X

Efficient drilling and resistant to rebar.

CENTRING TIP

Active and accurate centring in concrete thanks to the centering tip



NO JAMMING IN REBAR

Thanks to 4-cutter geometry. Tip does not break off



HIGH DRILLING SPEED

Thanks to 4-flute design which ensures fast dust removal and less wear

SDS plus-5X hammer drill bits



- **Suitable for** masonry, concrete and reinforced concrete
- **Appropriate for** all rotary hammers with SDS plus holder
- www.pgm.eu



PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Working length (L1) Inch	Total length (L2) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
Pack of 1										
4	50	110	-	-	-	P2e	1	5	227461	**2 608 836 604**
4	100	160	-	-	-	P2e	1	5	227478	**2 608 836 605**
5	50	110	-	-	-	P1e	1	10	223241	**2 608 833 771**
5	100	160	-	-	-	P1e	1	10	223258	**2 608 833 772**
5	150	210	-	-	-	P1e	1	5	223265	**2 608 833 773**
5	200	260	-	-	-	P2e	1	5	227485	**2 608 836 606**
5	250	310	-	-	-	P2e	1	5	227492	**2 608 836 607**
5	400	460	-	-	-	P2e	1	5	227508	**2 608 836 608**
5.5	50	110	-	-	-	P1e	1	10	223272	**2 608 833 774**
5.5	100	160	-	-	-	P1e	1	5	223289	**2 608 833 775**
5.5	150	210	-	-	-	P1e	1	1	223296	**2 608 833 776**
5.5	200	260	-	-	-	P2e	1	5	227515	**2 608 836 609**
5.5	250	310	-	-	-	P2e	1	5	227522	**2 608 836 610**
5.5	400	460	-	-	-	P2e	1	5	227539	**2 608 836 611**
6	50	110	-	-	-	P1e	1	10	223302	**2 608 833 777**
6	100	160	-	-	-	P1e	1	10	223319	**2 608 833 778**

SDS plus-5X hammer drill bits

PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) inch	Working length (L1) Inch	Total length (L2) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
6	150	210	-	-	-	P1e	1	10	223326	**2 608 833 779**
6	200	260	-	-	-	P1e	1	10	223333	**2 608 833 780**
6	250	310	-	-	-	P2e	1	5	227546	**2 608 836 612**
6	400	460	-	-	-	P2e	1	5	227553	**2 608 836 613**
6.5	50	110	-	-	-	P1e	1	10	223340	**2 608 833 781**
6.5	100	160	-	-	-	P1e	1	10	223357	**2 608 833 782**
6.5	150	210	-	-	-	P1e	1	5	223364	**2 608 833 783**
6.5	200	260	-	-	-	P1e	1	5	223371	**2 608 833 784**
6.5	250	310	-	-	-	P2e	1	5	227560	**2 608 836 614**
7	50	110	-	-	-	P1e	1	10	223388	**2 608 833 785**
7	100	160	-	-	-	P1e	1	10	223395	**2 608 833 786**
7	150	210	-	-	-	P1e	1	5	223401	**2 608 833 787**
7	200	260	-	-	-	P2e	1	5	227577	**2 608 836 615**
8	50	110	-	-	-	P1e	1	10	223418	**2 608 833 788**
8	100	160	-	-	-	P1e	1	10	223425	**2 608 833 789**
8	150	210	-	-	-	P1e	1	10	223432	**2 608 833 790**
8	200	260	-	-	-	P1e	1	10	223449	**2 608 833 791**
8	250	310	-	-	-	P1e	1	5	223456	**2 608 833 792**
8	300	360	-	-	-	P1e	1	5	223463	**2 608 833 793**
8	400	460	-	-	-	P1e	1	5	223470	**2 608 833 794**
8	550	610	-	-	-	P2e	1	1	227584	**2 608 836 616**
9	100	160	-	-	-	P1e	1	5	223487	**2 608 833 795**
9	150	210	-	-	-	P1e	1	5	223494	**2 608 833 796**
9.5	100	160	-	-	-	P2e	1	5	227591	**2 608 836 617**
10	50	110	-	-	-	P1e	1	10	223500	**2 608 833 797**
10	100	160	-	-	-	P1e	1	10	223517	**2 608 833 798**
10	150	210	-	-	-	P1e	1	10	223524	**2 608 833 799**
10	200	260	-	-	-	P1e	1	10	223531	**2 608 833 800**
10	250	310	-	-	-	P1e	1	5	223548	**2 608 833 801**
10	300	360	-	-	-	P1e	1	5	223555	**2 608 833 802**
10	400	460	-	-	-	P1e	1	5	223562	**2 608 833 803**
10	550	610	-	-	-	P2e	1	1	227607	**2 608 836 618**
11	100	160	-	-	-	P1e	1	5	223579	**2 608 833 804**
11	150	210	-	-	-	P1e	1	1	223586	**2 608 833 805**
11	200	260	-	-	-	P1e	1	5	223593	**2 608 833 806**
12	100	160	-	-	-	P1e	1	10	223609	**2 608 833 807**
12	150	210	-	-	-	P1e	1	10	223616	**2 608 833 808**
12	200	260	-	-	-	P1e	1	10	223623	**2 608 833 809**
12	250	310	-	-	-	P1e	1	5	223630	**2 608 833 810**
12	300	360	-	-	-	P1e	1	5	223647	**2 608 833 811**
12	400	460	-	-	-	P1e	1	5	223654	**2 608 833 812**
12	550	610	-	-	-	P2e	1	1	227614	**2 608 836 620**
12.7	100	160	-	-	-	P2e	1	5	227621	**2 608 836 622**
13	100	160	-	-	-	P1e	1	5	223661	**2 608 833 813**
13	150	210	-	-	-	P1e	1	1	223678	**2 608 833 814**
13	200	260	-	-	-	P1e	1	5	223685	**2 608 833 815**
14	100	160	-	-	-	P1e	1	10	223692	**2 608 833 816**
14	150	210	-	-	-	P1e	1	10	223708	**2 608 833 817**
14	200	260	-	-	-	P1e	1	10	223715	**2 608 833 818**
14	250	310	-	-	-	P1e	1	5	223722	**2 608 833 819**
14	300	360	-	-	-	P1e	1	5	223739	**2 608 833 820**
14	400	460	-	-	-	P1e	1	5	223746	**2 608 833 821**
14	550	610	-	-	-	P2e	1	1	227638	**2 608 836 623**
14.3	100	160	-	-	-	P2e	1	5	227645	**2 608 836 625**
15	100	160	-	-	-	P1e	1	5	223753	**2 608 833 822**
15	200	260	-	-	-	P1e	1	5	223760	**2 608 833 823**

SDS plus-5X hammer drill bits

PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) inch	Working length (L1) Inch	Total length (L2) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
15	400	460	-	-	-	P1e	1	1	223777	**2 608 833 824**
16	150	210	-	-	-	P1e	1	10	223784	**2 608 833 825**
16	200	260	-	-	-	P1e	1	5	223791	**2 608 833 826**
16	250	310	-	-	-	P1e	1	5	223807	**2 608 833 827**
16	300	360	-	-	-	P1e	1	5	223814	**2 608 833 828**
16	400	460	-	-	-	P1e	1	5	223821	**2 608 833 829**
16	550	610	-	-	-	P2e	1	1	227652	**2 608 836 626**
17	150	210	-	-	-	P2e	1	5	227669	**2 608 836 628**
17	250	310	-	-	-	P2e	1	5	227676	**2 608 836 629**
17.5	100	160	-	-	-	P2e	1	5	227683	**2 608 836 630**
18	150	200	-	-	-	P1e	1	5	227690	**2 608 836 631**
18	250	300	-	-	-	P1e	1	1	227706	**2 608 836 632**
18	400	450	-	-	-	P1e	1	1	227713	**2 608 836 633**
18	550	600	-	-	-	P1e	1	1	227720	**2 608 836 634**
19	150	200	-	-	-	P1e	1	5	227737	**2 608 836 636**
19	250	300	-	-	-	P1e	1	1	227744	**2 608 836 637**
19	400	450	-	-	-	P1e	1	1	227751	**2 608 836 638**
20	150	200	-	-	-	P1e	1	5	227768	**2 608 836 639**
20	250	300	-	-	-	P1e	1	1	227775	**2 608 836 640**
20	400	450	-	-	-	P1e	1	1	227782	**2 608 836 641**
20	550	600	-	-	-	P1e	1	1	227799	**2 608 836 642**
22	200	250	-	-	-	P1e	1	5	227805	**2 608 836 644**
22	400	450	-	-	-	P1e	1	1	227812	**2 608 836 645**
22	550	600	-	-	-	P1e	1	1	227829	**2 608 836 646**
24	200	250	-	-	-	P1e	1	1	227836	**2 608 836 647**
24	400	450	-	-	-	P1e	1	1	227843	**2 608 836 648**
25	200	250	-	-	-	P1e	1	1	227850	**2 608 836 649**
25	400	450	-	-	-	P1e	1	1	227867	**2 608 836 650**
26	200	250	-	-	-	P1e	1	1	227874	**2 608 836 651**
26	400	450	-	-	-	P1e	1	1	227881	**2 608 836 652**
-	-	-	1	8	10	P1e	1	1	919708	**2 608 836 703**
-	-	-	1	16	18	P1e	1	1	919715	**2 608 836 704**
-	-	-	1 1/8	8	10	P1e	1	1	919722	**2 608 836 705**
-	-	-	1 1/8	16	18	P1e	1	1	919739	**2 608 836 706**
-	-	-	1/2	4	6	P2e	1	5	919494	**2 608 836 682**
-	-	-	1/2	6	8	P2e	1	5	919500	**2 608 836 683**
-	-	-	1/2	10	12	P2e	1	5	919517	**2 608 836 684**
-	-	-	1/2	16	18	P2e	1	5	919524	**2 608 836 685**
-	-	-	1/2	22	24	P2e	1	5	919531	**2 608 836 686**
-	-	-	1/4	2	4	P2e	1	5	919319	**2 608 836 664**
-	-	-	1/4	4	6	P2e	1	5	919326	**2 608 836 665**
-	-	-	1/4	6	8	P2e	1	5	919333	**2 608 836 666**
-	-	-	1/4	8	10	P2e	1	5	919340	**2 608 836 667**
-	-	-	1/4	10	12	P2e	1	5	919357	**2 608 836 668**
-	-	-	1/4	12	14	P2e	1	5	919364	**2 608 836 669**
-	-	-	1/4	14	16	P2e	1	5	919371	**2 608 836 670**
-	-	-	3/4	8	10	P1e	1	1	919623	**2 608 836 695**
-	-	-	3/4	10	12	P1e	1	1	919630	**2 608 836 696**
-	-	-	3/4	16	18	P1e	1	1	919647	**2 608 836 697**
-	-	-	3/4	22	24	P1e	1	1	919654	**2 608 836 698**
-	-	-	3/8	4	6	P2e	1	5	919418	**2 608 836 674**
-	-	-	3/8	6	8	P2e	1	5	919425	**2 608 836 675**
-	-	-	3/8	10	12	P2e	1	5	919432	**2 608 836 676**
-	-	-	3/8	16	18	P2e	1	5	919449	**2 608 836 677**
-	-	-	3/8	22	24	P2e	1	5	919456	**2 608 836 678**
-	-	-	3/16	2	4	P2e	1	5	919227	**2 608 836 655**

SDS plus-5X hammer drill bits

PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) inch	Working length (L1) Inch	Total length (L2) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
-	-	-	3/16	4	6	P2e	1	5	919234	**2 608 836 656**
-	-	-	3/16	6	8 1/2	P2e	1	5	919241	**2 608 836 657**
-	-	-	3/16	8	10	P2e	1	5	919258	**2 608 836 658**
-	-	-	3/16	10	12	P2e	1	5	919265	**2 608 836 659**
-	-	-	3/16	12	14	P2e	1	5	919272	**2 608 836 660**
-	-	-	5/8	6	8	P2e	1	5	919586	**2 608 836 691**
-	-	-	5/8	10	12	P2e	1	5	919593	**2 608 836 692**
-	-	-	5/8	16	18	P2e	1	5	919609	**2 608 836 693**
-	-	-	5/8	22	24	P2e	1	1	919616	**2 608 836 694**
-	-	-	5/16	4	6	P2e	1	5	919388	**2 608 836 671**
-	-	-	5/16	6	8	P2e	1	5	919395	**2 608 836 672**
-	-	-	5/16	10	12	P2e	1	5	919401	**2 608 836 673**
-	-	-	5/32	2	4	P2e	1	5	919203	**2 608 836 653**
-	-	-	5/32	4	6	P2e	1	5	919210	**2 608 836 654**
-	-	-	7/8	6	8	P1e	1	1	919661	**2 608 836 699**
-	-	-	7/8	8	10	P1e	1	1	919678	**2 608 836 700**
-	-	-	7/8	10	12	P1e	1	1	919685	**2 608 836 701**
-	-	-	7/8	16	18	P1e	1	1	919692	**2 608 836 702**
-	-	-	7/16	4	6	P2e	1	5	919463	**2 608 836 679**
-	-	-	7/16	6	8	P2e	1	5	919470	**2 608 836 680**
-	-	-	7/16	10	12	P2e	1	5	919487	**2 608 836 681**
-	-	-	7/32	4	6	P2e	1	5	919289	**2 608 836 661**
-	-	-	7/32	6	8	P2e	1	5	919296	**2 608 836 662**
-	-	-	7/32	10	12	P2e	1	5	919302	**2 608 836 663**
-	-	-	9/16	4	6	P2e	1	5	919548	**2 608 836 687**
-	-	-	9/16	6	8	P2e	1	5	919555	**2 608 836 688**
-	-	-	9/16	16	18	P2e	1	5	919562	**2 608 836 689**
-	-	-	9/16	10	12	P2e	1	5	919579	**2 608 836 690**



Pack of 10

5	50	110	-	-	-	P1a	10	1	223838	**2 608 833 889**
5	100	160	-	-	-	P1a	10	1	223845	**2 608 833 890**
6	50	110	-	-	-	P1a	10	5	223852	**2 608 833 891**
6	100	160	-	-	-	P1a	10	5	223869	**2 608 833 892**
6	150	210	-	-	-	P1a	10	1	223876	**2 608 833 893**
6.5	100	160	-	-	-	P1a	10	1	223883	**2 608 833 894**
6.5	150	210	-	-	-	P1a	10	1	223890	**2 608 833 895**
6.5	200	260	-	-	-	P1a	10	1	223906	**2 608 833 896**
7	100	160	-	-	-	P1a	10	1	223913	**2 608 833 897**
8	50	110	-	-	-	P1a	10	1	223920	**2 608 833 898**
8	100	160	-	-	-	P1a	10	1	223937	**2 608 833 899**
8	150	210	-	-	-	P1a	10	1	223944	**2 608 833 900**
8	200	260	-	-	-	P1a	10	1	223951	**2 608 833 901**
10	100	160	-	-	-	P1a	10	1	223968	**2 608 833 902**
10	150	210	-	-	-	P1a	10	1	223975	**2 608 833 903**
10	200	260	-	-	-	P1a	10	1	223982	**2 608 833 904**
12	100	160	-	-	-	P1a	10	1	223999	**2 608 833 905**
12	150	210	-	-	-	P1a	10	1	224002	**2 608 833 906**
12	200	260	-	-	-	P1a	10	1	224019	**2 608 833 907**
14	100	160	-	-	-	P1a	10	1	224026	**2 608 833 908**
16	150	210	-	-	-	P1a	10	1	224033	**2 608 833 909**

Hammer drill bit sets SDS plus-5X

SDS plus-5X



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
5-piece SDS plus-5X hammer drill bit set							
5	50	110	P1a	5	5	224040	**2 608 833 910**
6	50	110					
6	100	160					
8	100	160					
10	100	160					
5.5	50	110	P1a	5	1	941457	**2 608 837 138**
6	50	110					
7	100	160					
8	100	160					
10	100	160					
6	100	160	P1a	5	5	224057	**2 608 833 911**
6	100	160					
8	100	160					
8	100	160					
10	100	160					



3-piece SDS plus-5X hammer drill bit set							
6	100	160	P1c	3	10	224064	**2 608 833 912**
8	100	160					
10	100	160					

Bulldog SDS plus drill bits

- **Suitable for** masonry, concrete and reinforced concrete
- **Appropriate for** all rotary hammers with SDS plus holder
- www.pgm.eu



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
5	50	110	P1e	1	5	915588	**2 608 578 179**
5	100	160	P1e	1	5	915595	**2 608 578 180**
5	150	210	P1e	1	5	915601	**2 608 578 181**
5.5	50	110	P1e	1	5	915618	**2 608 578 182**
5.5	100	160	P1e	1	5	915625	**2 608 578 183**
5.5	150	210	P1e	1	5	915632	**2 608 578 184**
6	50	110	P1e	1	5	915649	**2 608 578 185**
6	100	160	P1e	1	5	915656	**2 608 578 186**
6	150	210	P1e	1	5	915663	**2 608 578 187**
6	200	260	P1e	1	5	915670	**2 608 578 188**

Bulldog SDS plus drill bits

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6.5	50	110	P1e	1	5	915687	**2 608 578 189**
6.5	100	160	P1e	1	5	915694	**2 608 578 190**
6.5	150	210	P1e	1	5	915700	**2 608 578 191**
6.5	200	260	P1e	1	1	915717	**2 608 578 192**
7	100	160	P1e	1	5	915731	**2 608 578 194**
7	150	210	P1e	1	5	915748	**2 608 578 195**
7	50	110	P1e		5	915724	**2 608 578 193**
8	50	110	P1e	1	5	915755	**2 608 578 196**
8	100	160	P1e	1	5	915762	**2 608 578 197**
8	150	210	P1e	1	5	915779	**2 608 578 198**
8	200	260	P1e	1	1	915786	**2 608 578 199**
8	400	460	P1e	1	1	915793	**2 608 578 200**
9	100	160	P1e	1	5	915809	**2 608 578 201**
9	150	210	P1e	1	5	915816	**2 608 578 202**
10	50	110	P1e	1	5	915823	**2 608 578 203**
10	100	160	P1e	1	5	915830	**2 608 578 204**
10	150	210	P1e	1	5	915847	**2 608 578 205**
10	200	260	P1e	1	1	915854	**2 608 578 206**
10	250	310	P1e	1	1	915861	**2 608 578 207**
10	400	460	P1e	1	1	915878	**2 608 578 208**
11	100	160	P1e	1	5	915885	**2 608 578 209**
11	200	260	P1e	1	1	915892	**2 608 578 210**
12	100	160	P1e	1	5	915908	**2 608 578 211**
12	150	210	P1e	1	5	915915	**2 608 578 212**
12	200	260	P1e	1	5	915922	**2 608 578 213**
12	400	460	P1e	1	1	915939	**2 608 578 214**
13	100	160	P1e	1	5	915946	**2 608 578 215**
13	200	260	P1e	1	5	915953	**2 608 578 216**
14	100	160	P1e	1	5	915960	**2 608 578 217**
14	150	210	P1e	1	5	915977	**2 608 578 218**
14	200	260	P1e	1	5	915984	**2 608 578 219**
14	250	310	P1e	1	1	915991	**2 608 578 220**
14	400	460	P1e	1	1	916004	**2 608 578 221**
15	100	160	P1e	1	5	916011	**2 608 578 222**
15	200	260	P1e	1	5	916028	**2 608 578 223**
15	400	460	P1e	1	1	916035	**2 608 578 224**
16	150	210	P1e	1	5	916042	**2 608 578 225**
16	200	260	P1e	1	5	916059	**2 608 578 226**
16	250	310	P1e	1	1	916066	**2 608 578 227**
16	400	460	P1e	1	1	916073	**2 608 578 228**
18	150	200	PC1d	1	1	916080	**2 608 578 229**
18	250	300	PC1d	1	1	916097	**2 608 578 230**
18	400	450	PC1d	1	1	916103	**2 608 578 231**
20	150	200	PC1d	1	1	916110	**2 608 578 232**
20	250	300	PC1d	1	1	916127	**2 608 578 233**
20	400	450	PC1d	1	1	916134	**2 608 578 234**
22	200	250	PC1d	1	1	916219	**2 608 578 235**
22	400	450	PC1d	1	1	916158	**2 608 578 236**
24	200	250	PC1d	1	1	916165	**2 608 578 237**
24	400	450	PC1d	1	1	916172	**2 608 578 238**
25	200	250	PC1d	1	1	916189	**2 608 578 239**
25	400	450	PC1d	1	1	916196	**2 608 578 240**
26	200	250	PC1d	1	1	916202	**2 608 578 241**
26	400	450	PC1d	1	1	916141	**2 608 578 242**

Bulldog SDS plus drill bits

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 10							
5	50	110	P1a	10	1	916226	**2 608 578 243**
5	100	160	P1a	10	1	916233	**2 608 578 244**
5.5	50	110	P1a	10	1	916240	**2 608 578 245**
5.5	100	160	P1a	10	1	916257	**2 608 578 246**
6	50	110	P1a	10	1	916264	**2 608 578 247**
6	100	160	P1a	10	1	916271	**2 608 578 248**
6.5	100	160	P1a	10	1	916288	**2 608 578 249**
8	100	160	P1a	10	1	916295	**2 608 578 250**
10	100	160	P1a	10	1	916301	**2 608 578 251**
10	150	210	P1a	10	1	916318	**2 608 578 252**
10	200	260	P1a	10	1	916325	**2 608 578 253**
12	100	160	P1a	10	1	916332	**2 608 578 254**
12	150	210	P1a	10	1	916349	**2 608 578 255**
14	100	160	P1a	10	1	916356	**2 608 578 256**
16	150	210	P1a	10	1	916363	**2 608 578 257**

Bulldog SDS plus drill bit sets

PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-Piece Bulldog SDS plus Drill Bit Set					
6 **8** **10**	PC1a	3	1	973182	**2 608 579 281**



5-Piece Bulldog SDS plus Drill Bit Set					
6 **6** **8** **8** **10**	PC1a	5	12	973175	**2 608 579 280**



SDS plus-5 hammer drill bits



- **Suitable for** masonry, concrete and reinforced concrete
- **Appropriate for** all rotary hammers with SDS plus holder
- www.pgm.eu

PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Working length (L1) Inch	Total length (L2) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1										
3	50	110	-	-	-	P1e	1	5	656436	**2 608 587 801**
3	100	160	-	-	-	P1e	1	1	656443	**2 608 587 802**
3.5	50	110	-	-	-	P1e	1	5	189057	**2 608 597 773**
3.5	100	160	-	-	-	P1e	1	1	483308	**2 608 585 596**
4	50	115	-	-	-	P1e	1	5	028073	**1 618 596 231**
4	100	165	-	-	-	P1e	1	5	189064	**2 608 597 774**
5	50	115	-	-	-	P1e	1	5	027724	**1 618 596 164**
5	100	165	-	-	-	P1e	1	5	027977	**1 618 596 189**
5	150	215	-	-	-	P1e	1	5	074391	**2 608 596 199**
5	200	265	-	-	-	P1e	1	5	483315	**2 608 585 597**
5	250	315	-	-	-	P1e	1	5	483322	**2 608 585 598**
5	400	465	-	-	-	P1e	1	1	483339	**2 608 585 599**
5.5	50	115	-	-	-	P1e	1	5	027731	**1 618 596 165**
5.5	100	165	-	-	-	P1e	1	5	045957	**2 608 596 146**
5.5	150	215	-	-	-	P1e	1	5	189071	**2 608 597 775**
5.5	200	265	-	-	-	P1e	1	5	189088	**2 608 597 776**
5.5	250	315	-	-	-	P1e	1	5	483346	**2 608 585 600**
5.5	400	465	-	-	-	P1e	1	1	483353	**2 608 585 601**
6	50	115	-	-	-	P1e	1	5	027748	**1 618 596 166**
6	100	165	-	-	-	P1e	1	5	027755	**1 618 596 167**
6	150	215	-	-	-	P1e	1	5	045148	**2 608 596 115**
6	200	265	-	-	-	P1e	1	5	189095	**2 608 597 777**
6	250	315	-	-	-	P1e	1	5	483360	**2 608 585 602**
6	400	465	-	-	-	P1e	1	1	483377	**2 608 585 603**
6	485	550	-	-	-	P2e	1	1	770675	**2 608 589 177**
6.5	50	115	-	-	-	P1e	1	5	027762	**1 618 596 168**
6.5	100	165	-	-	-	P1e	1	5	027779	**1 618 596 169**
6.5	150	215	-	-	-	P1e	1	5	189101	**2 608 597 778**
6.5	200	265	-	-	-	P1e	1	5	189118	**2 608 597 779**
6.5	250	315	-	-	-	P1e	1	5	189125	**2 608 597 780**
6.5	400	465	-	-	-	P1e	1	1	656726	**2 608 587 830**
6.5	485	550	-	-	-	P2e	1	1	770682	**2 608 589 178**
7	50	115	-	-	-	P1e	1	5	027786	**1 618 596 170**
7	100	165	-	-	-	P1e	1	5	027793	**1 618 596 171**
7	150	215	-	-	-	P1e	1	5	098588	**2 608 597 130**
7	200	265	-	-	-	P1e	1	5	656764	**2 608 587 834**
7	250	315	-	-	-	P1e	1	1	656771	**2 608 587 835**
7	400	465	-	-	-	P1e	1	1	656788	**2 608 587 836**
8	50	115	-	-	-	P1e	1	5	027809	**1 618 596 172**
8	100	165	-	-	-	P1e	1	5	027816	**1 618 596 173**
8	150	215	-	-	-	P1e	1	5	027823	**1 618 596 174**
8	200	265	-	-	-	P1e	1	5	028332	**1 618 596 264**
8	250	315	-	-	-	P1e	1	5	260237	**2 608 597 944**
8	400	465	-	-	-	P1e	1	1	045155	**2 608 596 116**
8	550	615	-	-	-	P1e	1	1	047593	**2 608 596 183**
8.5	100	165	-	-	-	P1e	1	1	483384	**2 608 585 604**
8.5	150	215	-	-	-	P1e	1	1	483391	**2 608 585 605**
8.5	200	265	-	-	-	P1e	1	1	656887	**2 608 587 846**
9	100	165	-	-	-	P1e	1	5	046381	**2 608 596 158**
9	150	215	-	-	-	P1e	1	5	027830	**1 618 596 175**
9	200	265	-	-	-	P1e	1	1	656917	**2 608 587 849**

SDS plus-5 hammer drill bits

PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) inch	Working length (L1) Inch	Total length (L2) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
10	50	115	-	-	-	P1e	1	5	027847	**1 618 596 176**
10	100	165	-	-	-	P1e	1	5	027854	**1 618 596 177**
10	150	215	-	-	-	P1e	1	5	028349	**1 618 596 265**
10	200	265	-	-	-	P1e	1	5	027861	**1 618 596 178**
10	250	315	-	-	-	P1e	1	5	046305	**1 618 596 315**
10	300	360	-	-	-	P2e	1	5	028356	**1 618 596 266**
10	400	465	-	-	-	P1e	1	1	028363	**1 618 596 267**
10	550	615	-	-	-	P1e	1	1	045162	**2 608 596 117**
10	950	1,005	-	-	-	P1e	1	1	098502	**2 608 597 122**
11	100	165	-	-	-	P1e	1	5	027878	**1 618 596 179**
11	150	215	-	-	-	P1e	1	5	046312	**1 618 596 316**
11	200	265	-	-	-	P1e	1	5	027885	**1 618 596 180**
12	100	165	-	-	-	P1e	1	5	027892	**1 618 596 181**
12	150	215	-	-	-	P1e	1	5	028370	**1 618 596 268**
12	200	265	-	-	-	P1e	1	5	027908	**1 618 596 182**
12	250	315	-	-	-	P1e	1	5	189149	**2 608 597 782**
12	300	360	-	-	-	P2e	1	5	483407	**2 608 585 606**
12	400	465	-	-	-	P1e	1	1	028387	**1 618 596 269**
12	550	615	-	-	-	P1e	1	1	028035	**1 618 596 224**
12	950	1,005	-	-	-	P1e	1	1	098519	**2 608 597 123**
13	100	165	-	-	-	P1e	1	5	027915	**1 618 596 183**
13	150	215	-	-	-	P1e	1	5	046329	**1 618 596 318**
13	200	265	-	-	-	P1e	1	5	027922	**1 618 596 184**
14	100	165	-	-	-	P1e	1	5	027939	**1 618 596 185**
14	150	215	-	-	-	P1e	1	5	028394	**1 618 596 270**
14	200	265	-	-	-	P1e	1	5	027946	**1 618 596 186**
14	250	315	-	-	-	P1e	1	5	028400	**1 618 596 271**
14	400	465	-	-	-	P1e	1	1	045179	**2 608 596 118**
14	550	615	-	-	-	P1e	1	1	028042	**1 618 596 225**
14	950	1,005	-	-	-	P1e	1	1	098526	**2 608 597 124**
15	100	165	-	-	-	P1e	1	5	027953	**1 618 596 187**
15	200	265	-	-	-	P1e	1	5	027960	**1 618 596 188**
15	400	465	-	-	-	P1e	1	1	028264	**1 618 596 257**
16	150	215	-	-	-	P1e	1	5	047616	**2 608 596 185**
16	200	265	-	-	-	P1e	1	5	483414	**2 608 585 607**
16	250	315	-	-	-	P1e	1	5	047623	**2 608 596 186**
16	400	465	-	-	-	P1e	1	1	028288	**1 618 596 259**
16	550	615	-	-	-	P1e	1	1	028059	**1 618 596 226**
16	950	1,005	-	-	-	P1e	1	1	098533	**2 608 597 125**
17	150	215	-	-	-	P1e	1	1	027991	**1 618 596 203**
17	250	315	-	-	-	P1e	1	1	522267	**2 608 585 952**
17	400	465	-	-	-	P1e	1	1	522410	**2 608 585 953**
18	150	200	-	-	-	P1e	1	1	028004	**1 618 596 204**
18	250	300	-	-	-	P1e	1	1	046336	**1 618 596 319**
18	400	450	-	-	-	P1e	1	1	028295	**1 618 596 260**
18	550	600	-	-	-	P1e	1	1	045193	**2 608 596 120**
18	950	1,000	-	-	-	P1e	1	1	098540	**2 608 597 126**
19	150	200	-	-	-	P1e	1	1	028011	**1 618 596 205**
19	250	300	-	-	-	P1e	1	1	046343	**1 618 596 320**
19	400	450	-	-	-	P1e	1	1	028301	**1 618 596 261**
20	150	200	-	-	-	P1e	1	1	028028	**1 618 596 207**
20	250	300	-	-	-	P1e	1	1	028318	**1 618 596 262**
20	400	450	-	-	-	P1e	1	1	028325	**1 618 596 263**
20	550	600	-	-	-	P1e	1	1	046350	**1 618 596 321**
20	950	1,000	-	-	-	P1e	1	1	098557	**2 608 597 127**
22	200	250	-	-	-	P1e	1	1	028080	**1 618 596 232**

SDS plus-5 hammer drill bits

SDS plus-5

Pack of 1

PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) inch	Working length (L1) Inch	Total length (L2) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
22	400	450	-	-	-	P1e	1	1	028097	**1 618 596 233**
22	550	600	-	-	-	P1e	1	1	045223	**2 608 596 123**
22	950	1,000	-	-	-	P1e	1	1	098564	**2 608 597 128**
24	200	250	-	-	-	P1e	1	1	028127	**1 618 596 236**
24	400	450	-	-	-	P1e	1	1	028134	**1 618 596 237**
25	200	250	-	-	-	P1e	1	1	028141	**1 618 596 238**
25	400	450	-	-	-	P1e	1	1	028158	**1 618 596 239**
25	550	600	-	-	-	P1e	1	1	657525	**2 608 587 910**
25	950	1,000	-	-	-	P1e	1	1	098571	**2 608 597 129**
26	200	250	-	-	-	P1e	1	1	028165	**1 618 596 240**
26	400	450	-	-	-	P1e	1	1	028172	**1 618 596 241**
-	-	-	3/16	2	4	P2e	1	1	535045	**2 608 586 380**
-	-	-	3/16	4	6	P2e	1	5	535052	**2 608 586 381**
-	-	-	7/32	4	6	P2e	1	1	535083	**2 608 586 384**
-	-	-	7/32	6	8	P2e	1	1	535090	**2 608 586 385**
4	50	115	-	-	-	P2e	1	1	970822	**2 608 579 166**
5	50	110	-	-	-	P2e	1	1	970839	**2 608 579 167**
5	100	160	-	-	-	P2e	1	1	970846	**2 608 579 168**
5.5	50	110	-	-	-	P2e	1	1	970853	**2 608 579 169**
5.5	100	160	-	-	-	P2e	1	1	970860	**2 608 579 170**
6	50	115	-	-	-	P2e	1	1	970877	**2 608 579 171**
6	100	165	-	-	-	P2e	1	1	970884	**2 608 579 172**
6.5	50	115	-	-	-	P2e	1	1	970891	**2 608 579 173**
6.5	100	165	-	-	-	P2e	1	1	970907	**2 608 579 174**
7	50	110	-	-	-	P2e	1	1	970914	**2 608 579 175**
7	100	165	-	-	-	P2e	1	1	970921	**2 608 579 176**
8	50	115	-	-	-	P2e	1	1	970938	**2 608 579 177**
8	100	165	-	-	-	P2e	1	1	970945	**2 608 579 178**
8	150	210	-	-	-	P2e	1	1	970952	**2 608 579 179**
9	100	165	-	-	-	P2e	1	1	970969	**2 608 579 180**
9	150	215	-	-	-	P2e	1	1	970976	**2 608 579 181**
10	50	115	-	-	-	P2e	1	1	970983	**2 608 579 182**
10	100	165	-	-	-	P2e	1	1	970990	**2 608 579 183**
10	200	265	-	-	-	P2e	1	1	971003	**2 608 579 184**
10	250	315	-	-	-	P2e	1	1	971010	**2 608 579 185**
10	400	465	-	-	-	P2e	1	1	971027	**2 608 579 186**
11	100	165	-	-	-	P2e	1	1	971034	**2 608 579 187**
11	150	215	-	-	-	P2e	1	1	971041	**2 608 579 188**
11	200	265	-	-	-	P2e	1	1	971058	**2 608 579 189**
12	100	165	-	-	-	P2e	1	1	971065	**2 608 579 190**
12	200	260	-	-	-	P2e	1	1	971072	**2 608 579 191**
12	400	465	-	-	-	P2e	1	1	971089	**2 608 579 192**
13	100	165	-	-	-	P2e	1	1	971096	**2 608 579 193**
13	200	265	-	-	-	P2e	1	1	971102	**2 608 579 194**
14	100	165	-	-	-	P2e	1	1	971119	**2 608 579 195**
14	150	215	-	-	-	P2e	1	1	971126	**2 608 579 196**
14	250	315	-	-	-	P2e	1	1	971133	**2 608 579 197**
15	100	165	-	-	-	P2e	1	1	971140	**2 608 579 198**
15	200	261	-	-	-	P2e	1	1	971157	**2 608 579 199**
16	150	215	-	-	-	P2e	1	1	971164	**2 608 579 200**
16	250	315	-	-	-	P2e	1	1	971171	**2 608 579 201**
16	400	465	-	-	-	P2e	1	1	971188	**2 608 579 202**
16	550	615	-	-	-	P2e	1	1	971195	**2 608 579 203**
17	150	215	-	-	-	P2e	1	1	971201	**2 608 579 204**

SDS plus-5 hammer drill bits

SDS plus-5



PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) inch	Working length (L1) Inch	Total length (L2) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
18	150	200	-	-	-	P2e	1	1	971218	**2 608 579 205**
18	400	450	-	-	-	P2e	1	1	971225	**2 608 579 206**
19	150	200	-	-	-	P2e	1	1	971232	**2 608 579 207**
19	250	300	-	-	-	P2e	1	1	971249	**2 608 579 208**
19	400	450	-	-	-	P2e	1	1	971256	**2 608 579 209**
20	150	200	-	-	-	P2e	1	1	971263	**2 608 579 210**
20	250	300	-	-	-	P2e	1	1	971270	**2 608 579 211**
20	400	450	-	-	-	P2e	1	1	971287	**2 608 579 212**
22	200	250	-	-	-	P2e	1	1	971294	**2 608 579 213**
22	400	450	-	-	-	P2e	1	1	971300	**2 608 579 214**
24	200	250	-	-	-	P2e	1	1	971317	**2 608 579 215**
24	400	450	-	-	-	P2e	1	1	971324	**2 608 579 216**
25	200	250	-	-	-	P2e	1	1	971331	**2 608 579 217**
25	400	450	-	-	-	P2e	1	1	971348	**2 608 579 218**
26	200	250	-	-	-	P2e	1	1	971355	**2 608 579 219**
Pack of 1										
4.8	50	110	-	-	-	P2e	1	5	114349	**2 609 390 103**
Pack of 10										
3.5	50	110	-	-	-	P1a	10	1	483421	**2 608 585 608**
3.5	100	160	-	-	-	P1a	10	1	483438	**2 608 585 609**
4	50	115	-	-	-	P1a	10	1	483445	**2 608 585 610**
4	100	165	-	-	-	P1a	10	1	483452	**2 608 585 611**
5	50	115	-	-	-	P1a	10	1	483469	**2 608 585 612**
5	100	165	-	-	-	P1a	10	1	483476	**2 608 585 613**
5.5	50	115	-	-	-	P1a	10	1	483483	**2 608 585 614**
5.5	100	165	-	-	-	P1a	10	1	483490	**2 608 585 615**
6	50	115	-	-	-	P1a	10	1	483506	**2 608 585 616**
6	100	165	-	-	-	P1a	10	1	483513	**2 608 585 617**
6	150	215	-	-	-	P1a	10	1	483520	**2 608 585 618**
6.5	100	165	-	-	-	P1a	10	1	483537	**2 608 585 619**
6.5	150	215	-	-	-	P1a	10	1	483544	**2 608 585 620**
6.5	200	265	-	-	-	P1a	10	1	483551	**2 608 585 621**
7	100	165	-	-	-	P1a	10	1	483568	**2 608 585 622**
7	150	215	-	-	-	P1a	10	1	657716	**2 608 587 929**
8	100	165	-	-	-	P1a	10	1	483575	**2 608 585 623**
8	150	215	-	-	-	P1a	10	1	483582	**2 608 585 624**
8	200	265	-	-	-	P1a	10	1	483599	**2 608 585 625**
10	100	165	-	-	-	P1a	10	1	483605	**2 608 585 626**
10	150	215	-	-	-	P1a	10	1	483612	**2 608 585 627**
10	200	265	-	-	-	P1a	10	1	483629	**2 608 585 628**
12	100	165	-	-	-	P1a	10	1	483636	**2 608 585 629**
12	150	215	-	-	-	P1a	10	1	483643	**2 608 585 630**
12	200	265	-	-	-	P1a	10	1	483650	**2 608 585 631**

Hammer drill bit sets SDS plus-5







PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-piece SDS plus-5 hammer drill bit set								
6	100	165	-	P1c	3	1	015721	**1 617 000 117**
8	100	165						
10	100	165						
5	50	115	-	P1c	3	1	011938	**1 617 000 118**
6	50	115						
8	100	165						
5-piece Robust Line SDS plus-5 hammer drill bit set								
5	50	115	197.0 x 87.5 x 23	P1k	5	5	517072	**2 607 019 927**
6	50	115						
6	100	165						
8	100	165						
10	100	165						
6	100	165	197.0 x 87.5 x 23	P1k	5	5	517089	**2 607 019 928**
6	100	165						
8	100	165						
8	100	165						
10	100	165						
5.5	100	165	197.0 x 87.5 x 23	P1k	5	1	517102	**2 607 019 929**
6	100	165						
7	100	165						
8	100	165						
10	100	165						
7-piece SDS plus-5 hammer drill bit set								
5	50	110	-	M1a	7	4	040914	**2 607 018 277**
6	50	110						
8	50	110						
6	100	160						
8	100	160						
10	100	160						
12	100	160						

SDS plus-3 hammer drill bits





- **Suitable for** masonry and concrete
- **Appropriate for** all rotary hammers with SDS plus holder
- www.pgm.eu



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
Pack of 1							
4	50	110	P1e	1	5	209313	**2 608 831 000**
4	100	160	P1e	1	5	209320	**2 608 831 001**
5	50	110	P1e	1	5	209337	**2 608 831 002**
5	100	160	P1e	1	5	209344	**2 608 831 003**
5	150	210	P1e	1	5	209351	**2 608 831 004**
5.5	50	110	P1e	1	5	209368	**2 608 831 005**
5.5	100	160	P1e	1	5	209375	**2 608 831 006**
6	50	110	P1e	1	5	209382	**2 608 831 007**
6	100	160	P1e	1	5	209399	**2 608 831 008**
6	150	210	P1e	1	5	209405	**2 608 831 009**
6	200	260	P1e	1	5	209412	**2 608 831 010**
6.5	50	110	P1e	1	1	209429	**2 608 831 011**
6.5	100	160	P1e	1	5	209436	**2 608 831 012**
6.5	150	210	P1e	1	5	209443	**2 608 831 013**
6.5	200	260	P1e	1	5	209450	**2 608 831 014**
7	50	110	P1e	1	5	209467	**2 608 831 015**
7	100	160	P1e	1	5	209474	**2 608 831 016**
7	150	210	P1h	1	5	209481	**2 608 831 017**
8	50	110	P1e	1	5	209498	**2 608 831 018**
8	100	160	P1e	1	5	209504	**2 608 831 019**
8	150	210	P1e	1	5	209511	**2 608 831 020**
8	200	260	P1e	1	5	209528	**2 608 831 021**
8	400	460	P1e	1	1	209535	**2 608 831 022**
9	100	160	P1e	1	5	209542	**2 608 831 023**
10	50	110	P1e	1	5	209559	**2 608 831 024**
10	100	160	P1e	1	5	209566	**2 608 831 025**
10	150	210	P1e	1	5	209573	**2 608 831 026**
10	200	260	P1e	1	5	209580	**2 608 831 027**
10	250	310	P1e	1	5	209597	**2 608 831 028**
10	300	360	P1e	1	5	209603	**2 608 831 029**
10	400	460	P1e	1	1	209610	**2 608 831 030**
11	100	160	P1e	1	5	209627	**2 608 831 031**
12	100	160	P1e	1	5	209634	**2 608 831 032**
12	150	210	P1e	1	5	209641	**2 608 831 033**
12	200	260	P1e	1	5	209658	**2 608 831 034**
12	300	360	P1e	1	5	209665	**2 608 831 035**
12	400	460	P1e	1	1	209672	**2 608 831 036**
13	100	160	P1e	1	5	209689	**2 608 831 037**
14	100	160	P1e	1	5	209696	**2 608 831 038**
14	150	210	P1e	1	5	209702	**2 608 831 039**
14	200	260	P1e	1	5	209719	**2 608 831 040**
14	300	360	P1e	1	5	209726	**2 608 831 041**
14	400	460	P1e	1	1	209733	**2 608 831 042**
15	100	160	P1e	1	5	209740	**2 608 831 043**
16	150	210	P1e	1	5	209757	**2 608 831 044**
16	250	310	P1e	1	5	209764	**2 608 831 045**
16	300	360	P1e	1	1	209771	**2 608 831 046**
16	400	460	P1e	1	1	209788	**2 608 831 047**
18	150	200	P1e	1	1	209795	**2 608 831 048**
18	250	300	P1e	1	1	209801	**2 608 831 049**
18	300	350	P1e	1	1	209818	**2 608 831 050**

SDS plus-3 hammer drill bits

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
18	400	450	P1e	1	1	209825	**2 608 831 051**
20	150	200	P1e	1	1	209832	**2 608 831 052**
20	250	300	P1e	1	1	209849	**2 608 831 053**
20	300	350	P1e	1	1	209856	**2 608 831 054**
20	400	450	P1e	1	1	209863	**2 608 831 055**
22	200	250	P1e	1	1	209870	**2 608 831 056**
22	300	350	P1e	1	1	209887	**2 608 831 057**
22	400	450	P1e	1	1	209894	**2 608 831 058**
24	200	250	P1e	1	1	209900	**2 608 831 059**
24	400	450	P1e	1	1	209917	**2 608 831 060**
25	200	250	P1e	1	1	209924	**2 608 831 061**
25	300	350	P1e	1	1	209931	**2 608 831 062**
25	400	450	P1e	1	1	209948	**2 608 831 063**



Pack of 8

16	150	210	P1a	8	1	210180	**2 608 831 126**



Pack of 10

5	50	110	P1a	10	1	209955	**2 608 831 103**
5	100	160	P1a	10	1	209962	**2 608 831 104**
5.5	50	110	P1a	10	1	209979	**2 608 831 105**
5.5	100	160	P1a	10	1	209986	**2 608 831 106**
6	50	110	P1a	10	1	209993	**2 608 831 107**
6	100	160	P1a	10	1	210005	**2 608 831 108**
6	150	210	P1a	10	1	210012	**2 608 831 109**
6.5	100	160	P1a	10	1	210029	**2 608 831 110**
6.5	150	210	P1a	10	1	210036	**2 608 831 111**
6.5	200	260	P1a	10	1	210043	**2 608 831 112**
7	100	160	P1a	10	1	210050	**2 608 831 113**
7	150	210	P1a	10	1	210067	**2 608 831 114**
8	50	110	P1a	10	1	210074	**2 608 831 115**
8	100	160	P1a	10	1	210081	**2 608 831 116**
8	150	210	P1a	10	1	210098	**2 608 831 117**
8	200	260	P1a	10	1	210104	**2 608 831 118**
10	50	110	P1a	10	1	210111	**2 608 831 119**
10	100	160	P1a	10	1	210128	**2 608 831 120**
10	150	210	P1a	10	1	210135	**2 608 831 121**
12	100	160	P1a	10	1	210142	**2 608 831 122**
12	150	210	P1a	10	1	210159	**2 608 831 123**
12	200	260	P1a	10	1	210166	**2 608 831 124**
14	100	160	P1a	10	1	210173	**2 608 831 125**

Hammer drill bit sets SDS plus-3









PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8-piece SDS plus-3 hammer drill bit set, Tough Box								
5	50	110	5x160 (1x)	P1k	8	10	509541	**2 607 019 903**
6	50	110	5.5x110 (2x)					
6	100	160	6x160 (1x)					
8	100	160	7x160 (2x)					
10	100	160	8x160 (1x)					
			10x160 (1x)					
6	50	110	6x110 (2x)	P1k	8	10	509534	**2 607 019 902**
6	100	160	6x160 (2x)					
8	100	160	8x160 (2x)					
10	100	160	10x160 (2x)					
8-piece SDS plus-3 drill bit and chisel set								
5.5	100	160	-	P1h		1	882873	**2 607 017 376**
6	100	160						
7	100	160						
6	150	210						
6.5	150	210						
7	150	210						
		250						
		250						
11-piece SDS plus-3 hammer drill bit and chisel set								
5	50	110	-	W0a	11	1	523149	**2 608 579 916**
6	50	110						
8	50	110						
6	100	160						
8	100	160						
10	100	160						
12	100	160						
		250						
		250						
5	100	160	5x160 (1x)	P1k	8	1	509558	**2 607 019 904**
5.5	100	160	5.5x160 (2x)					
6	100	160	6x160 (1x)					
7	100	160	7x160 (2x)					
8	100	160	8x160 (1x)					
10	100	160	10x160 (1x)					

Hammer drill bit sets SDS plus-3



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
4-piece SDS plus-3 drill bit set								
5.5	100	160	-	P1a	4	1	944267	**2 608 578 738**
7	100	160						
8	100	160						
10	100	160						

SDS plus-1 hammer drill bits



- **Suitable for** masonry and concrete
- **Appropriate for** all rotary hammers with SDS plus holder



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
Pack of 1							
4	50	110	P1c	1	20	985345	**2 608 579 412**
			P1c	1	5	205766	**2 608 680 257**
5	50	110	P1c	1	20	985352	**2 608 579 413**
			P1c	1	5	205773	**2 608 680 258**
5	100	160	P1c	1	20	985369	**2 608 579 414**
			P1c	1	5	205780	**2 608 680 259**
5.5	50	110	P1c	1	20	985376	**2 608 579 415**
			P1c	1	5	205797	**2 608 680 260**
5.5	100	160	P1c	1	20	985383	**2 608 579 416**
			P1c	1	5	205803	**2 608 680 261**
6	50	110	P1c	1	20	985390	**2 608 579 417**
			P1c	1	5	205810	**2 608 680 262**
6	100	160	P1c	1	20	985406	**2 608 579 418**
			P1c	1	5	205827	**2 608 680 263**
6	150	210	P1c	1	20	985413	**2 608 579 419**
			P1c	1	5	205834	**2 608 680 264**
6	250	310	P1c	1	1	856911	**2 608 576 280**
6.5	50	110	P1c	1	20	985420	**2 608 579 420**
			P1c	1	5	205841	**2 608 680 265**
6.5	100	160	P1c	1	20	985437	**2 608 579 421**
			P1c	1	5	205858	**2 608 680 266**
7	50	110	P1c	1	20	985444	**2 608 579 422**
			P1c	1	5	205865	**2 608 680 267**
7	100	160	P1c	1	20	985451	**2 608 579 423**
			P1c	1	5	205872	**2 608 680 268**
8	50	110	P1c	1	20	985468	**2 608 579 424**
			P1c	1	5	205889	**2 608 680 269**
8	100	160	P1c	1	20	985475	**2 608 579 425**
			P1c	1	5	205896	**2 608 680 270**
8	150	210	P1c	1	20	985482	**2 608 579 426**
			P1c	1	5	205902	**2 608 680 271**
8	200	260	P1c	1	20	985499	**2 608 579 427**
			P1c	1	5	205919	**2 608 680 272**
8	250	310	P1c	1	1	856928	**2 608 576 281**
9	100	160	P1c	1	20	985505	**2 608 579 428**
			P1c	1	5	208125	**2 608 588 057**
9	150	210	P1c	1	20	985512	**2 608 579 429**
			P1c	1	5	208132	**2 608 588 058**
10	100	160	P1c	1	20	985529	**2 608 579 430**
			P1c	1	5	205926	**2 608 680 273**
10	150	210	P1c	1	20	985536	**2 608 579 431**
			P1c	1	5	205933	**2 608 680 274**
10	200	260	P1c	1	20	985543	**2 608 579 432**
			P1c	1	5	205940	**2 608 680 275**
10	250	310	P1c	1	5	856935	**2 608 576 282**
10	400	460	P1c	1	20	985550	**2 608 579 433**
			P1c	1	1	205957	**2 608 680 276**
12	100	160	P1c	1	10	985567	**2 608 579 434**
			P1c	1	5	205964	**2 608 680 277**
12	150	210	P1c	1	10	985574	**2 608 579 435**
			P1c	1	5	205971	**2 608 680 278**
12	200	260	P1c	1	10	985581	**2 608 579 436**

SDS plus-1 hammer drill bits

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
12	200	260	P1c	1	5	205988	**2 608 680 279**
12	400	460	P1c	1	10	985598	**2 608 579 437**
			P1c	1	1	205995	**2 608 680 280**
13	100	160	P1c	1	10	985604	**2 608 579 438**
			P1c	1	5	208149	**2 608 588 059**
14	100	160	P1c	1	10	985611	**2 608 579 439**
			P1c	1	5	206008	**2 608 680 281**
14	150	210	P1c	1	10	985628	**2 608 579 440**
			P1c	1	5	206015	**2 608 680 282**
14	200	260	P1c	1	10	985635	**2 608 579 441**
			P1c	1	5	206022	**2 608 680 283**
14	400	460	P1c	1	10	985642	**2 608 579 442**
			P1c	1	1	206039	**2 608 680 284**
16	150	210	P1c	1	10	985659	**2 608 579 443**
			P1c	1	5	206046	**2 608 680 285**
16	250	310	P1c		10	985666	**2 608 579 444**
			P1c	1	5	206053	**2 608 680 286**
16	400	460	P1c	1	10	985673	**2 608 579 445**
			P1c	1	1	206060	**2 608 680 287**
18	200	260	P1c	1	10	985680	**2 608 579 446**
			P1c	1	1	206077	**2 608 680 288**
18	400	460	P1c	1	10	985697	**2 608 579 447**
			P1c	1	1	206084	**2 608 680 289**
20	200	260	P1c	1	10	985703	**2 608 579 448**
			P1c	1	1	206091	**2 608 680 290**
20	400	460	P1c	1	10	985710	**2 608 579 449**
			P1c	1	1	206107	**2 608 680 291**
22	200	260	P1c	1	10	985727	**2 608 579 450**
			P1c	1	1	206114	**2 608 680 292**
22	400	460	P1c	1	10	985734	**2 608 579 451**
			P1c	1	1	206121	**2 608 680 293**
25	200	260	P1c	1	10	985741	**2 608 579 452**
			P1c	1	1	206138	**2 608 680 294**
25	400	460	P1c		10	985758	**2 608 579 453**
			P1c	1	1	206145	**2 608 680 295**

Hammer drill bit sets SDS plus-1

SDS plus-1

Pack of 10



6	100	160	P0b	10	1	230096	**2 608 579 122**
10	100	160	P0b	10	1	230119	**2 608 579 124**
12	100	160	P0b	10	1	230126	**2 608 579 125**



Hammer drill bit sets SDS plus-1



Pack of 50

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
6	100	160	C0a	50	1	230133	**2 608 579 286**



Pack of 50

7	100	160	C0a	50	1	230140	**2 608 579 287**
8	100	160	C0a	50	1	230157	**2 608 579 288**
10	100	160	C0a	50	1	230164	**2 608 579 289**
12	100	160	C0a	50	1	230171	**2 608 579 290**



SDS plus Pointed Chisel 250 mm
SDS plus Flat Chisel 250 mm
SDS plus-1 hammer drill bit 5X50X110mm
SDS plus-1 hammer drill bit 6X50X110mm
SDS plus-1 hammer drill bit 6X100X160mm
SDS plus-1 hammer drill bit 7X50X110mm
SDS plus-1 hammer drill bit 7X100X160mm
SDS plus-1 hammer drill bit 8X50X110mm
SDS plus-1 hammer drill bit 8X100X160mm
SDS plus-1 hammer drill bit 10X100X160mm
SDS plus-1 hammer drill bit 12X100X160mm

-	-	-	W0a	11	1	227911	**2 608 578 765**



SDS plus-1 hammer drill bit 6 x 100 x 160 mm
SDS plus-1 hammer drill bit 8 x 100 x 160 mm
SDS plus-1 hammer drill bit 10 x 100 x 160 mm

-	-	-	P1k	3	1	230041	**2 608 579 118**

SDS plus-1 hammer drill bit 5 x 50 x 110 mm
SDS plus-1 hammer drill bit 6 x 50 x 110 mm
SDS plus-1 hammer drill bit 6 x 100 x 160 mm
SDS plus-1 hammer drill bit 8 x 100 x 160 mm
SDS plus-1 hammer drill bit 10 x 100 x 160 mm

-	-	-	P1k	5	1	230058	**2 608 579 119**

SDS plus-1 hammer drill bit 6 x 100 x 160 mm
SDS plus-1 hammer drill bit 6 x 100 x 160 mm
SDS plus-1 hammer drill bit 8 x 100 x 160 mm
SDS plus-1 hammer drill bit 10 x 100 x 160 mm
SDS plus-1 hammer drill bit 12 x 100 x 160 mm

-	-	-	P1k	5	1	230065	**2 608 579 120**

Hammer drill bit sets SDS plus-1

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
SDS plus-1 hammer drill bit 5 x 100 x 160 mm							
SDS plus-1 hammer drill bit 6 x 100 x 160 mm							
SDS plus-1 hammer drill bit 7 x 100 x 160 mm							
SDS plus-1 hammer drill bit 8 x 100 x 160 mm							
SDS plus-1 hammer drill bit 10 x 100 x 160 mm							
-	-	-	P1k	5	1	230089	**2 608 579 285**

SDS PLUS-9 SPEED CLEAN

Drilling and cleaning in one step.



ACCURATE CENTRING

Centring tip for active cutting in concrete

EFFICIENT DUST REMOVAL

2 extraction holes

HIGH WEAR RESISTANCE

4-cutter with extremely robust and aggressive carbide blades



SDS plus-9 Speed Clean

SDS plus-9 Speed**Clean**



- **Suitable for** drilling holes in concrete
- System: The best result is achieved in combination with an SDS plus rotary hammer, e.g. Bosch GBH 2-28 DV Professional (0 611 267 201), and a dust class M dust extractor, e.g. Bosch GAS 35 M AFC Professional (0 601 9C3 100).
- **Note:** Always follow the instructions provided by the fixings manufacturer regarding the fitting of fixings.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
6	100	230	PC1b	1	1	976534	**2 608 579 291**
8	100	230	PC1b	1	1	976541	**2 608 579 292**
10	100	230	PC1b	1	1	976558	**2 608 579 293**
12	200	330	PC1b	1	1	954006	**2 608 578 962**
14	250	380	PC1b	1	1	954013	**2 608 578 963**
15	250	380	PC1b	1	1	954020	**2 608 578 964**
16	250	380	PC1b	1	1	857352	**2 608 576 286**
18	150	280	PC1b	1	1	976565	**2 608 579 294**
18	320	450	PC1b	1	1	857369	**2 608 576 287**
20	150	280	PC1b	1	1	976572	**2 608 579 295**
20	320	450	PC1b	1	1	857376	**2 608 576 288**
22	320	450	PC1b	1	1	857383	**2 608 576 289**
24	320	450	PC1b	1	1	857390	**2 608 576 290**

SDS plus-9 Speed Clean



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Replacement Connector SDS plus							
-	-	-	PC1b	1	1	857406	**2 608 576 291**

SDS plus-9 hammer drill bits Rebar Cutter

SDS plus-9 RebarCutter

- **Suitable for** rebar in concrete
- For non-impact use in rotary hammers with SDS plus holder.
- Only cut through rebar if approval has been issued by a stress analyst.
- Only use the Rebar Cutter without impact.









PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
16	120	300	10	P1h	1	1	576673	**2 608 586 994**
18	120	300	10	P1h	1	1	576680	**2 608 586 995**
20	120	300	10	P1h	1	1	576697	**2 608 586 996**
22	120	300	10	P1h	1	1	576703	**2 608 586 997**
25	120	300	10	P1h	1	1	576710	**2 608 586 998**
28	120	300	10	P1h	1	1	576727	**2 608 586 999**
32	120	300	10	P1h	1	1	576734	**2 608 587 100**

SDS plus-9 Core Cutters

SDS plus-9 CoreCutter





- **Suitable for** concrete, masonry, limestone
- For use with SDS plus or hex shank



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Core cutter depth (L1) mm	Working length mm	Cutters, number	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Pack of 1								
25	50	72	4	P1e	1	1	605328	**2 608 550 612**
30	50	72	6	P1e	1	1	605335	**2 608 550 613**
35	50	72	6	P1e	1	1	605342	**2 608 550 614**
40	50	72	6	P1e	1	1	084642	**2 608 550 074**
50	50	72	6	P1e	1	1	084659	**2 608 550 075**
68	50	72	6	P1e	1	1	084666	**2 608 550 076**
82	50	72	6	P1e	1	1	084673	**2 608 550 077**
90	50	72	6	P1e	1	1	605359	**2 608 550 615**
100	50	72	6	P1e	1	1	605366	**2 608 550 616**
112	50	72	6	P1e	1	1	605373	**2 608 550 617**

Core cutter sets

SDS plus-9 CoreCutter







3-piece core cutter set, SDS plus								
SDS plus shank and pilot drill bit								
68	54	72	6	PC1b	3	1	046206	**2 608 550 064**
82	54	72	6	PC1b	3	1	046213	**2 608 550 065**

Accessories for core cutters





PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter/key width mm	Total length mm	Shank	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Hex shank for core cutters with M16							
11	80	Hexagon	P1e	1	1	084680	**2 608 550 078**
11	220	Hexagon	P1e	1	1	096744	**2 608 598 109**
SDS plus shank for core cutters with M16							
-	105	SDS plus	P1e	1	1	046138	**2 608 550 057**
-	220	SDS plus	P1e	1	1	096751	**2 608 598 110**
Pilot drill bit for shank for hex adapter and SDS plus							
8	120	Cylindrical	PC1d	1	5	046114	**2 608 596 157**

Accessories for core cutters



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter/key width mm	Total length mm	Shank	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
SDS plus shank for core cutters with M16 one piece							
-	175	SDS plus	P1e	1	1	332224	**2 608 598 046**
SDS plus shank for core cutters with M16, one piece							
-	340	SDS plus	P1e	1	1	332231	**2 608 598 047**
-	440	SDS plus	P1e	1	1	332248	**2 608 598 048**

LONG LIFE DRILLING REINFORCED CONCRETE

EXPERT SDS max-8X Hammer Drill Bits

ASSORTMENT: Ø 12mm - 32mm

EXPERT

1. Extremely durable drill bit tip with Bosch Carbide Technology
2. Punch through reinforced concrete with a 4-cutter Full Carbide Head
3. Highly resistant drill tip connection with Bosch's welding technology



CARBIDE TECHNOLOGY

EXPERT SDS max-8X Hammer Drill Bits

EXPERT



- Ideal for drilling holes in reinforced concrete, e.g. for chemical anchor setting and/or rebar connections.
- Best for construction workers: long lasting and powerful.
- Lasts up to 3x longer than a standard drill bit.
- Fits all SDS max rotary hammer drills.





CARBIDE TECHNOLOGY | UP TO 3x* LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 1							
12	200	340	P1h	1	1	532752	**2 608 900 201**
12	400	540	P1h	1	1	532769	**2 608 900 202**
12	600	740	P1h	1	1	532776	**2 608 900 203**
12	800	940	P1h	1	1	532783	**2 608 900 204**
14	200	340	P1h	1	1	532813	**2 608 900 207**
14	400	540	P1h	1	1	532820	**2 608 900 208**

EXPERT SDS max-8X Hammer Drill Bits

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
14	600	740	P1h	1	1	532837	**2 608 900 209**
14	800	940	P1h	1	1	532844	**2 608 900 210**
16	200	340	P1h	1	1	532882	**2 608 900 214**
16	400	540	P1h	1	1	532899	**2 608 900 215**
16	600	740	P1h	1	1	532905	**2 608 900 216**
16	800	940	P1h	1	1	532912	**2 608 900 217**
18	200	340	P1h	1	1	532950	**2 608 900 221**
18	400	540	P1h	1	1	532967	**2 608 900 222**
18	600	740	P1h	1	1	532974	**2 608 900 223**
18	800	940	P1h	1	1	532981	**2 608 900 224**
20	200	320	P1h	1	1	533025	**2 608 900 228**
20	400	520	P1h	1	1	533032	**2 608 900 229**
20	600	720	P1h	1	1	533049	**2 608 900 230**
20	800	920	P1h	1	1	533056	**2 608 900 231**
22	200	320	P1h	1	1	533070	**2 608 900 233**
22	400	520	P1h	1	1	533087	**2 608 900 234**
22	600	720	P1h	1	1	533094	**2 608 900 235**
22	800	920	P1h	1	1	533100	**2 608 900 236**
24	200	320	P1h	1	1	533124	**2 608 900 238**
24	400	520	P1h	1	1	533131	**2 608 900 239**
25	200	320	P1h	1	1	533148	**2 608 900 240**
25	400	520	P1h	1	1	533155	**2 608 900 241**
25	600	720	P1h	1	1	533162	**2 608 900 242**
25	800	920	P1h	1	1	533179	**2 608 900 243**
26	200	320	P1h	1	1	533193	**2 608 900 245**
26	400	520	P1h	1	1	533209	**2 608 900 246**
28	200	320	P1h	1	1	533216	**2 608 900 247**
28	400	520	P1h	1	1	533223	**2 608 900 248**
28	600	720	P1h	1	1	533230	**2 608 900 249**
28	800	920	P1h	1	1	533247	**2 608 900 250**
30	200	320	P1h	1	1	533261	**2 608 900 252**
30	400	520	P1h	1	1	533278	**2 608 900 253**
32	200	320	P1h	1	1	533285	**2 608 900 254**
32	400	520	P1h	1	1	533292	**2 608 900 255**
32	600	720	P1h	1	1	533308	**2 608 900 256**
32	800	920	P1h	1	1	533315	**2 608 900 257**
Pack of 5							
12	200	340	P0h	5	1	533346	**2 608 900 260**
16	200	340	P0h	5	1	533353	**2 608 900 261**
16	400	540	P0h	5	1	533360	**2 608 900 262**
18	200	340	P0h	5	1	533377	**2 608 900 263**
18	400	540	P0h	5	1	533384	**2 608 900 264**
20	200	320	P0h	5	1	533391	**2 608 900 265**
20	400	520	P0h	5	1	533407	**2 608 900 266**
22	400	520	P0h	5	1	533414	**2 608 900 267**
24	400	520	P0h	5	1	533421	**2 608 900 268**
25	400	520	P0h	5	1	533438	**2 608 900 269**
32	400	520	P0h	5	1	533445	**2 608 900 270**

SDS max-7 hammer drill bits



- **Suitable for** concrete and reinforced concrete, limestone, masonry
- For use in rotary hammers with SDS max holder
- Working lengths of 200, 400, 600, 800 and 1200 mm
- * 12 to 15 mm diameters are 2-cutters
- Re-closable packaging for professionals
- www.pgm.eu



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
10.5	200	340	P1h	1	1	564618	**2 608 586 737**
12.5	200	340	P1h	1	1	564663	**2 608 586 742**
12.7	200	340	P1h	1	1	564670	**2 608 586 743**
14.5	200	340	P1h	1	1	564724	**2 608 586 748**
15	200	340	P1h	1	1	564731	**2 608 586 749**
15	400	540	P1h	1	1	564748	**2 608 586 750**
16	1,200	1,340	P1h	1	1	564793	**2 608 586 755**
17	200	340	P1h	1	1	564809	**2 608 586 756**
17	400	540	P1h	1	1	564816	**2 608 586 757**
18	1,200	1,340	P1h	1	1	564861	**2 608 586 762**
19	200	320	P1h	1	1	564878	**2 608 586 763**
19	400	520	P1h	1	1	565486	**2 608 586 764**
20	1,200	1,320	P1h	1	1	565530	**2 608 586 769**
22	1,200	1,320	P1h	1	1	565585	**2 608 586 774**
25	1,200	1,320	P1h	1	1	565646	**2 608 586 781**
28	1,200	1,320	P1h	1	1	565714	**2 608 586 788**
32	1,200	1,320	P1h	1	1	565783	**2 608 586 795**
35	400	520	P1h	1	1	565790	**2 608 586 796**
35	600	720	P1h	1	1	565806	**2 608 586 797**
35	800	920	P1h	1	1	565813	**2 608 586 798**
35	1,200	1,320	P1h	1	1	565820	**2 608 586 799**
37	450	570	P1h	1	1	213042	**2 608 597 900**
37	800	920	P1h	1	1	213059	**2 608 597 901**
38	400	520	P1h	1	1	565462	**2 608 586 800**
38	600	720	P1h	1	1	565837	**2 608 586 801**
40	400	520	P1h	1	1	565844	**2 608 586 802**
40	600	720	P1h	1	1	565851	**2 608 586 803**
40	800	920	P1h	1	1	565868	**2 608 586 804**
40	1,200	1,320	P1h	1	1	565875	**2 608 586 805**
45	400	520	P1h	1	1	565882	**2 608 586 806**
52	400	520	P1h	1	1	565899	**2 608 586 807**

SDS max-4 hammer drill bits



- **Suitable for** concrete and reinforced concrete, masonry
- Can be used in all rotary hammers with SDS max holder
- Price/performance optimised 4-cutter
- www.pgm.eu



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
12	200	340	P1e	1	1	833684	**2 608 833 959**
12	400	540	P1e	1	1	833691	**2 608 833 960**
14	200	340	P1e	1	1	833707	**2 608 833 961**
14	400	540	P1e	1	1	833714	**2 608 833 962**
16	200	340	P1e	1	1	564113	**2 608 685 860**
16	400	540	P1e	1	1	564120	**2 608 685 861**
18	200	340	P1e	1	1	564137	**2 608 685 862**
18	400	540	P1e	1	1	564144	**2 608 685 863**
20	200	320	P1e	1	1	564151	**2 608 685 864**
20	400	520	P1e	1	1	564168	**2 608 685 865**
22	200	320	P1e	1	1	564175	**2 608 685 866**
22	400	520	P1e	1	1	564182	**2 608 685 867**
24	200	320	P1e	1	1	833721	**2 608 833 963**
24	400	520	P1e	1	1	833738	**2 608 833 964**
25	200	320	P1e	1	1	564199	**2 608 685 868**
25	400	520	P1e	1	1	564205	**2 608 685 869**
28	200	320	P1e	1	1	564229	**2 608 685 870**
28	400	520	P1e	1	1	564236	**2 608 685 871**
30	200	320	P1e	1	1	564243	**2 608 685 872**
30	400	520	P1e	1	1	564250	**2 608 685 873**
32	200	320	P1e	1	1	564267	**2 608 685 874**
32	400	520	P1e	1	1	564274	**2 608 685 875**
35	400	520	P1e	1	1	564281	**2 608 685 876**
40	400	520	P1e	1	1	564298	**2 608 685 877**

SDS MAX-9 SPEED CLEAN

Drilling and cleaning in one step.



ACCURATE CENTRING

Centring tip for active cutting in concrete

EFFICIENT DUST REMOVAL

2 extraction holes

HIGH WEAR RESISTANCE

4-cutter with extremely robust and aggressive carbide blades



SDS max-9 Speed Clean

SDS max-9 Speed**Clean**



- **Suitable for** drilling holes in concrete
- System: The best result is achieved in combination with an SDS max rotary hammer, e.g. Bosch GBH 8-45 DV Professional (0 611 265 000), and a dust class M dust extractor, e.g. Bosch GAS 55 M AFC Professional (0 601 9C3 300).
- **Note:** Always follow the instructions provided by the fixings manufacturer regarding the fitting of fixings.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
14	400	620	PC1b	1	1	954037	**2 608 578 965**
16	400	620	PC1b	1	1	857420	**2 608 576 293**
18	400	620	PC1b	1	1	857437	**2 608 576 294**
20	400	620	PC1b	1	1	857444	**2 608 576 295**
22	400	620	PC1b	1	1	857451	**2 608 576 296**
24	400	620	PC1b	1	1	893893	**2 608 576 779**
25	400	590	PC1b	1	1	976589	**2 608 579 296**
25	500	720	PC1b	1	1	857468	**2 608 576 297**
28	400	590	PC1b	1	1	976596	**2 608 579 297**
28	600	820	PC1b	1	1	857475	**2 608 576 298**
30	600	820	PC1b	1	1	857482	**2 608 576 299**
32	400	590	PC1b	1	1	976602	**2 608 579 298**
32	600	820	PC1b	1	1	857499	**2 608 576 300**

SDS max-9 Speed Clean

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
35	400	590	PC1b	1	1	976619	**2 608 579 299**
35	650	870	PC1b	1	1	857819	**2 608 576 301**



Replacement Connector SDS max

-	-	-	PC1b	1	1	857826	**2 608 576 302**

SDS max-9 Natural Stone

SDS max-9 Natural**Stone**

- **Suitable for** natural stone
- Fits all rotary hammers with SDS max holder
- Re-closable packaging for professionals
- www.pgm.eu





PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1 "Quadro-X Design"							
28	550	670	P1h	1	1	021791	**1 618 596 439**
32	450	570	P1h	1	1	021838	**1 618 596 443**
32	800	920	P1h	1	1	021845	**1 618 596 444**





Pack of 1 "Ram X Design"							
28	400	520	P1h	1	1	560115	**1 618 596 502**
28	600	720	P1h	1	1	560122	**1 618 596 503**
28	800	920	P1h	1	1	560139	**1 618 596 504**
32	400	520	P1h	1	1	560146	**1 618 596 505**
32	600	720	P1h	1	1	560153	**1 618 596 506**
32	800	920	P1h	1	1	560160	**1 618 596 507**

SDS max-9 Break Through

SDS max-9
BreakThrough





- **Suitable for** breakthroughs with diameters from 45 mm to 80 mm in concrete, masonry, limestone, e.g. for fixing cables and pipes outside
- One-piece tool, bell shaped head with asymmetrically positioned carbide pins and centre cutter
- Large-volume spiral flute, tapered shank
- **Note:** Always ensure you use hammer drills with suitable capacity for breakthrough drill bits to avoid overload. Observe the operating instructions of the rotary hammer.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
45	450	600	P1h	1	1	021951	**1 618 596 455**
45	850	1,000	P1h	1	1	021968	**1 618 596 456**
55	450	600	P0h	1	1	021975	**1 618 596 457**
55	850	1,000	P0h	1	1	021982	**1 618 596 458**
65	450	600	P0h	1	1	021999	**1 618 596 459**
65	850	1,000	P0h	1	1	022002	**1 618 596 460**
80	450	600	P0h	1	1	022019	**1 618 596 461**
80	850	1,000	P0h	1	1	022026	**1 618 596 462**

SDS max-9 Core Cutters, one-piece

SDS max-9 CoreCutter



- **Suitable for** concrete, masonry and limestone
- One-piece design guarantees optimum power transfer of the machine
- Aggressive work progress and simultaneously very quiet during operation thanks to the asymmetric teeth arrangement
- Pilot drill bit included



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Core cutter depth (L1) mm	Working length mm	Cutters, number	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
45	80	160	6	P0h	1	1	145510	**F 00Y 145 188**
45	80	420	6	P0h	1	1	145527	**F 00Y 145 189**
50	80	160	6	P0h	1	1	145534	**F 00Y 145 190**
50	80	420	6	P0h	1	1	145541	**F 00Y 145 191**
55	80	160	6	P0h	1	1	145558	**F 00Y 145 192**
55	80	420	6	P0h	1	1	145565	**F 00Y 145 193**
68	80	160	6	P0h	1	1	145572	**F 00Y 145 194**
68	80	420	6	P0h	1	1	145589	**F 00Y 145 195**
82	80	160	8	P0h	1	1	145596	**F 00Y 145 196**
82	80	420	8	P0h	1	1	145602	**F 00Y 145 197**
90	80	160	8	P0h	1	1	145619	**F 00Y 145 198**
90	80	420	8	P0h	1	1	145626	**F 00Y 145 199**
100	80	300	11	P0h	1	1	145633	**F 00Y 145 200**
125	80	300	11	P0h	1	1	145640	**F 00Y 145 201**
150	80	300	13	P0h	1	1	145657	**F 00Y 145 202**



Pack of 1								
For socket outlets NIS								
72 **88**	87	283	12	P1e	1	1	547932	**2 608 580 516**

SDS max-9 Core Cutters, two-piece, with thread

SDS max-9 CoreCutter



- Suitable for concrete, masonry, limestone
- Pilot drill bit included



Pack of 1								
45	80	112	6	P0h	1	1	557733	**2 608 580 518**
50	80	111	6	P0h	1	1	557740	**2 608 580 519**
55	80	109	6	P0h	1	1	557757	**2 608 580 520**
68	80	108	6	P0h	1	1	557764	**2 608 580 521**
82	80	102	8	P0h	1	1	557771	**2 608 580 522**
90	80	100	8	P0h	1	1	557788	**2 608 580 523**
100	80	96	11	P0h	1	1	557795	**2 608 580 524**
125	80	97	11	P0h	1	1	557801	**2 608 580 525**
150	80	92	13	P0h	1	1	557818	**2 608 580 526**

Accessories for SDS max core cutters



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Adapter for machine side	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Adapter for two-piece max-9 Core Cutters						
200	SDS max	P1e	1	1	560030	**2 608 580 527**
460	SDS max	P1e	1	1	560047	**2 608 580 528**



Fixing set: pilot drill bit with fixing pin and rubber ring						
-	-	P1b	1	5	145664	**F 00Y 145 203**
Fixing set: fixing pin and rubber ring						
-	-	P0b	2	1	145671	**F 00Y 145 204**

Grease for drill and chisel shank ends



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Grease for drill and chisel shank ends Ensures optimal function and increases longevity of drill and chisel bits	C2h	1	8	560465	**2 608 002 021**

IMPACT AND ROTARY DRILL BITS

Tough and precise

The best your tool can get. Bosch Professional Accessories.





IMPACT AND ROTARY DRILL BITS

Drilling all kinds of materials.



	CYL-9 Multi Construction	HEX-9 Multi Construction	HEX-9 HardCeramic	CYL-5 for concrete	CYL-3 for concrete	CYL-1 for masonry	CYL-9 SoftCeramic
	EXPERT	EXPERT	EXPERT				
Page number	143	140	146	133	135	138	145
Shank type	○	⬡	⬡	○	○	○	○
Diameter mm	3.0 – 16.0	3.0 – 12.0	3.0 – 12.0	3.0 – 14.0	3.0 – 16.0	3.0 – 16.0	3.0 – 16.0
Total length mm	70 – 250	90 – 150	90	90 – 250	70 – 400	60 – 400	70 – 90
PGM certification	✓	✓	–	✓	✓	–	–
	UP TO 5×* PRECISION CENTERING GEOMETRY	UP TO 5×* PRECISION CENTERING GEOMETRY	UP TO 10×* LONG LIFE CARBIDE TECHNOLOGY				

MATERIALS

Hard concrete	–	–	–	✓	–	–	–
Soft concrete	✓	✓	–	✓	✓	–	–
Marble	✓	✓	–	✓	✓	✓	–
Solid brick	✓	✓	–	✓	✓	✓	–
Hollow brick	✓	✓	–	✓	✓	✓	–
Wood	✓	✓	–	–	–	–	–
Soft tile	✓	✓	✓	–	–	–	✓
Hard tile / roof tile	–	–	✓	–	–	–	–
Stone tiles	–	–	✓	–	–	–	–
Steel	✓	✓	–	–	–	–	–
Sheet metal	✓	✓	–	–	–	–	–

* Bosch EXPERT products vs. Bosch standard products

CYL-5 concrete drill bits

CYL-5



- **Suitable for** drilling holes in concrete, masonry, limestone, light natural and artificial stone
- Heavy duty drill bit, suitable for all impact drills
- PGM guarantee in compliance with tight tolerances, exactly drilled holes and firm hold of fixings
- Drill bit colour: blue, polished



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
3	50	90	PC1d	1	5	690270	**2 608 588 136**
3.5	50	90	PC1d	1	5	690287	**2 608 588 137**
4	50	90	PC1d	1	5	690294	**2 608 588 138**
5	50	100	PC1d	1	5	690317	**2 608 588 140**
5	100	150	PC1d	1	5	690324	**2 608 588 141**
5.5	50	100	PC1d	1	5	690331	**2 608 588 142**
6	50	100	PC1d	1	5	690355	**2 608 588 144**
6	100	150	PC1d	1	5	690362	**2 608 588 145**
6	200	250	PC1d	1	1	690379	**2 608 588 146**
6.5	50	100	PC1d	1	5	690386	**2 608 588 147**
7	50	100	PC1d	1	5	690409	**2 608 588 149**
8	50	100	PC1d	1	5	690423	**2 608 588 151**
8	100	150	PC1d	1	5	690430	**2 608 588 152**
8	200	250	PC1d	1	5	690447	**2 608 588 153**
9	50	100	PC1d	1	5	691239	**2 608 588 154**
10	100	150	PC1d	1	5	690454	**2 608 588 155**
10	200	250	PC1d	1	1	690461	**2 608 588 156**
12	90	150	PC1d	1	5	690478	**2 608 588 157**
12	190	250	PC1d	1	1	690485	**2 608 588 158**
14	90	150	PC1d	1	5	690492	**2 608 588 159**

CYL-5 concrete drill bit sets

CYL-5



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-piece CYL-5 concrete drill bit set								
5 **6** **8**	50 50 50	100 100 100	-	P1c	3	1	690546	**2 608 588 164**



CYL-5 concrete drill bit sets



5-piece Robust Line CYL-5 concrete drill bit set

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
4	50	90	156.5 x 69.5 x 21.5	P1k	5	1	690553	**2 608 588 165**
5	50	100						
6	50	100						
6	50	100						
8	50	100						



7-piece Robust Line CYL-5 concrete drill bit set

4	50	90	197.0 x 87.5 x 21.5	P1k	7	1	690577	**2 608 588 167**
5	50	100						
5	50	100						
6	50	100						
6	50	100						
8	50	100						
10	100	150						

CYL-3 concrete drill bits

CYL-3





- **Suitable for** drilling holes in concrete, masonry, limestone, brick
- Heavy duty drill bit, suitable for all impact drills
- PGM guarantee in compliance with tight tolerances, exactly drilled holes and firm hold of fixings
- Drill bit colour: silver-grey, sand-blasted



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
3	40	70	PC1d	1	5	186674	**2 608 597 655**
3.5	40	70	PC1d	1	1	462266	**2 608 585 225**
4	40	75	PC1d	1	5	186681	**2 608 597 656**
4.5	40	75	PC1d	1	5	186698	**2 608 597 657**
5	50	85	PC1d	1	5	186704	**2 608 597 658**
5	90	150	PC1d	1	5	186896	**2 608 597 677**
5.5	50	85	PC1d	1	5	186711	**2 608 597 659**
5.5	90	150	PC1d	1	5	186902	**2 608 597 678**
6	60	100	PC1d	1	5	186728	**2 608 597 660**
6	90	150	PC1d	1	5	186919	**2 608 597 679**
6	350	400	P1c	1	1	484428	**2 608 585 634**
6.5	60	100	PC1d	1	5	186735	**2 608 597 661**
6.5	90	150	PC1d	1	5	186926	**2 608 597 680**
6.5	350	400	P1c	1	1	187015	**2 608 597 689**
7	60	100	PC1d	1	5	186742	**2 608 597 662**
7	90	150	PC1d	1	5	186933	**2 608 597 681**
8	80	120	PC1d	1	5	186759	**2 608 597 663**
8	90	150	PC1d	1	5	212878	**2 608 597 898**
8	150	200	PC1d	1	5	186940	**2 608 597 682**
8	350	400	P1c	1	1	187022	**2 608 597 690**
9	80	120	PC1d	1	5	186766	**2 608 597 664**
10	80	120	PC1d	1	5	186773	**2 608 597 665**
10	90	150	PC1d	1	5	212885	**2 608 597 899**
10	150	200	PC1d	1	5	186957	**2 608 597 683**
10	250	300	P1c	1	5	186971	**2 608 597 685**
10	350	400	P1c	1	1	187039	**2 608 597 691**
11	90	150	PC1d	1	5	186780	**2 608 597 666**
12	90	150	PC1d	1	5	186797	**2 608 597 667**
12	150	200	PC1d	1	5	186964	**2 608 597 684**
12	250	300	P1c	1	5	186988	**2 608 597 686**
12	350	400	P1c	1	1	187046	**2 608 597 692**
13	90	150	PC1d	1	5	186803	**2 608 597 668**
14	90	150	PC1d	1	5	186810	**2 608 597 669**
14	250	300	P1c	1	1	187008	**2 608 597 688**
14	350	400	P1c	1	1	187053	**2 608 597 693**
15	100	160	P1c	1	1	186827	**2 608 597 670**
16	100	160	P1c	1	5	186834	**2 608 597 671**
16	350	400	P1c	1	1	187060	**2 608 597 694**
Pack of 3							
4	40	75	P1c	3	1	187169	**2 608 597 704**
5	50	85	P1c	3	5	187176	**2 608 597 705**
6	60	100	P1c	3	1	187183	**2 608 597 706**
Pack of 10							
5	50	85	C0f	10	1	187275	**2 608 597 715**
6	60	100	C0f	10	1	187282	**2 608 597 716**
8	80	120	C0f	10	1	187312	**2 608 597 719**
10	80	120	C0f	10	1	187329	**2 608 597 720**

CYL-3 concrete drill bit sets



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-piece CYL-3 concrete drill bit set							
5	50	85	P1c	3	1	187213	**2 608 597 709**
6	60	100					
8	80	120					



7-piece CYL-3 concrete drill bit set							
4	40	75	P1k	7	1	601375	**2 607 017 083**
5	50	85					
5.5	50	85					
6	60	100					
7	60	100					
8	80	120					
10	80	120					
4	40	75	P1k	7	1	601368	**2 607 017 082**
5	50	85					
6	60	100					
6	60	100					
7	60	100					
8	80	120					
10	80	120					



5-piece CYL-3 concrete drill bit set							
4	40	75	P1k	5	1	601344	**2 607 017 080**
5	50	85					
6	60	100					
6	60	100					
8	80	120					
5	50	85	P1k	5	1	601351	**2 607 017 081**
5.5	50	85					
6	60	100					
7	60	100					
8	80	120					



7-piece Robust Line CYL-3 concrete drill bit set							
4	40	75	P1k	7	1	446297	**2 607 010 545**
5	50	85					
6	60	100					
6	60	100					
8	80	120					
10	80	120					
12	90	150					

CYL-3 concrete drill bit sets



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece Robust Line CYL-3 concrete drill bit set							
4	40	75	P1k	5	1	446082	**2 607 010 524**
5	50	85					
6	60	100					
8	80	120					
10	80	120					
5	50	85	P1k	5	1	446105	**2 607 010 526**
5.5	50	85					
6	60	100					
7	60	100					
8	80	120					

CYL-1 masonry drill bits

CYL-1

- **Suitable for** drilling holes in masonry, limestone, brick
- Can be used with all impact drills
- Drill bit colour: silver-grey





PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
3	30	60	PC1d	1	5	434799	**2 608 590 066**
3.5	40	75	PC1d	1	5	434805	**2 608 590 067**
4	40	75	PC1d	1	5	434812	**2 608 590 068**
4.5	50	85	PC1d	1	5	434836	**2 608 590 070**
5	50	85	PC1d	1	5	434843	**2 608 590 071**
5.5	50	85	PC1d	1	5	434850	**2 608 590 072**
6	60	100	PC1d	1	5	434874	**2 608 590 074**
6.5	60	100	PC1d	1	5	434898	**2 608 590 076**
7	60	100	PC1d	1	5	434904	**2 608 590 077**
8	80	120	PC1d	1	5	434911	**2 608 590 078**
9	80	120	PC1d	1	5	434928	**2 608 590 079**
10	80	120	PC1d	1	5	434942	**2 608 590 081**
11	85	150	PC1d	1	5	434966	**2 608 590 083**
12	85	150	PC1d	1	5	434973	**2 608 590 084**
13	85	150	PC1d	1	5	435000	**2 608 590 087**
14	85	150	PC1d	1	5	435017	**2 608 590 088**
15	85	150	PC1d	1	5	438087	**2 608 590 126**
16	85	150	PC1d	1	5	435024	**2 608 590 089**
Pack of 5							
8	80	120	P1b	5	5	439626	**2 608 590 212**
10	80	120	P1b	5	5	439640	**2 608 590 214**
10	85	150	P1b	5	5	439657	**2 608 590 215**
11	85	150	P1b	5	5	439664	**2 608 590 216**
12	85	150	P1b	5	5	439671	**2 608 590 217**
13	85	150	P1b	5	5	439695	**2 608 590 219**
16	85	150	P1b	5	5	439718	**2 608 590 221**
Pack of 10							
4	40	75	P1b	10	5	439527	**2 608 590 202**
5	50	85	P1b	10	5	439558	**2 608 590 205**
6	60	100	P1b	10	5	439589	**2 608 590 208**
6.5	60	100	P1b	10	5	439602	**2 608 590 210**
7	60	100	P1b	10	5	439619	**2 608 590 211**

CYL-1 masonry drill bit sets



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-piece CYL-1 masonry drill bit set							
5	50	85	PC1a	3	1	438094	**2 608 590 127**
6	60	100					
8	80	120					

CYL-1 masonry drill bit sets







PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece CYL-1 masonry drill bit set							
4	40	75	P1k	5	1	435031	**2 608 590 090**
5	50	85					
6	60	100					
8	80	120					
10	80	120					
7-piece CYL-1 masonry drill bit set							
3	30	60	P1k	7	1	557368	**2 607 017 035**
4	40	75					
5	50	85					
5.5	50	85					
6	60	100					
7	60	100					
8	80	120					
3	30	60	P1k	7	1	601337	**2 607 017 079**
4	40	75					
5	50	85					
6	60	100					
6	60	100					
7	60	100					
8	80	120					
8-piece CYL-1 masonry drill bit set							
3	30	60	P1k	8	1	435048	**2 608 590 091**
4	40	75					
5	50	85					
6	60	100					
7	60	100					
8	80	120					
9	80	120					
10	80	120					

MAXIMUM PRECISION DRILLING MULTIPLE MATERIALS

EXPERT CYL-9/HEX-9 MultiConstruction Drill Bits

ASSORTMENT: Ø 3mm - 16mm

EXPERT

1. Accurate drilling is easy with patented Bosch Centering Geometry
2. Start holes accurately with a specially-designed centering tip
3. High-performance carbide tip manufactured by fine grinding
4. Optimised dust extraction channel for fast, efficient drilling



CENTERING GEOMETRY

EXPERT HEX-9 MultiConstruction Drill Bits

EXPERT



- Ideal for drilling holes into multiple materials. Can be used in impact mode on concrete and stone, and on rotary setting for brick, tile, sheet metal, wood and plastic.
- Best for building trades: maximum precision and highly versatile.
- Up to 5x more precise than a standard drill bit.
- Hex shank for maximum power transfer in standard three-jaw drills and hexagonal drill driver chucks.





CENTERING GEOMETRY | UP TO 5x* PRECISION

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 1							
3	45	90	PC1d	1	5	538624	**2 608 900 569**
4	45	90	PC1d	1	5	538631	**2 608 900 570**
5	50	100	PC1d	1	5	538648	**2 608 900 571**
5.5	60	100	PC1d	1	5	538655	**2 608 900 572**

EXPERT HEX-9 MultiConstruction Drill Bits

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
5.5	90	150	PC1d	1	5	538662	**2 608 900 573**
6	60	100	PC1d	1	5	538679	**2 608 900 574**
6	90	150	PC1d	1	5	538686	**2 608 900 575**
6.5	60	100	PC1d	1	5	538709	**2 608 900 577**
7	50	100	PC1d	1	5	538723	**2 608 900 579**
7	90	150	PC1d	1	5	538730	**2 608 900 580**
8	50	100	PC1d	1	5	538747	**2 608 900 581**
10	90	150	PC1d	1	5	538754	**2 608 900 582**
12	90	150	PC1d	1	5	538761	**2 608 900 583**

EXPERT HEX-9 MultiConstruction Drill Bit Sets

EXPERT



- Ideal for drilling holes into multiple materials. Can be used in impact mode on concrete and stone, and on rotary setting for brick, tile, sheet metal, wood and plastic.
- Best for building trades: maximum precision and highly versatile.
- Up to 5x more precise than a standard drill bit.
- Hex shank for maximum power transfer in standard three-jaw drills and hexagonal drill driver chucks.





CENTERING GEOMETRY | UP TO 5x* PRECISION

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3-piece HEX-9 MultiConstruction drill bit set								
5	50	100	165.0 x 47.0 x 10	P1c	3	1	538778	**2 608 900 584**
6	60	100						
8	50	100						
5-piece HEX-9 MultiConstruction drill bit set								
4	45	90	135.0 x 73.0 x 15	P1a	5	1	538785	**2 608 900 585**
5	50	100						
6	60	100						
6	60	100						
8	50	100						
5.5	60	100	135.0 x 73.0 x 15	P1a	5	1	538792	**2 608 900 586**
6	60	100						
6	60	100						
7	60	100						
8	50	100						

HEX-9 MultiConstruction Drill Bit Sets





PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8-piece HEX-9 MultiConstruction multi-purpose drill bit set							
3	90	22.0 x 105.0 x 200	PC1a		1	881715	**2 608 577 141**
4	90						
5	100						
5	100						
6	100						
6	100						
8	100						
8	100						

EXPERT CYL-9 MultiConstruction Drill Bits

EXPERT



- Ideal for drilling holes into multiple materials. Can be used in impact mode on concrete and stone, and on rotary setting for brick, tile, sheet metal, wood and plastic.
- Best for building trades: maximum precision and highly versatile.
- Up to 5x more precise than a standard drill bit.
- Cylindrical shank compatible with three-jaw drill chucks.





CENTERING GEOMETRY | UP TO 5x* PRECISION

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 1							
3	40	70	PC1d	1	5	538938	**2 608 900 600**
3.5	40	70	PC1d	1	1	538952	**2 608 900 602**
4	45	75	PC1d	1	5	538976	**2 608 900 604**
4	80	130	PC1d	1	5	538983	**2 608 900 605**
5	50	85	PC1d	1	5	538990	**2 608 900 606**
5	90	150	PC1d	1	5	539003	**2 608 900 607**
5.5	50	85	PC1d	1	5	539027	**2 608 900 609**
5.5	100	150	PC1d	1	5	539034	**2 608 900 610**
6	60	100	PC1d	1	5	539041	**2 608 900 611**
6	90	150	PC1d	1	5	539058	**2 608 900 612**
6	200	250	PC1d	1	1	596488	**2 608 901 481**
6.5	60	100	PC1d	1	5	539089	**2 608 900 615**
6.5	90	150	PC1d	1	5	539096	**2 608 900 616**
6.5	200	250	PC1d	1	1	596495	**2 608 901 482**
7	60	100	PC1d	1	5	539119	**2 608 900 618**
7	90	150	PC1d	1	5	539126	**2 608 900 619**
7	200	250	PC1d	1	1	596501	**2 608 901 483**
8	80	120	PC1d	1	5	539140	**2 608 900 621**
8	90	150	PC1d	1	5	539157	**2 608 900 622**
8	200	250	PC1d	1	1	596518	**2 608 901 484**
9	80	120	PC1d	1	5	539188	**2 608 900 625**
10	80	120	PC1d	1	5	539195	**2 608 900 626**
10	90	150	PC1d	1	5	539201	**2 608 900 627**
10	200	250	PC1d	1	1	596525	**2 608 901 485**
11	90	150	PC1d	1	5	539232	**2 608 900 630**
12	90	150	PC1d	1	5	539249	**2 608 900 631**
12	200	250	PC1d	1	1	596549	**2 608 901 486**
14	150	200	PC1d	1	1	596556	**2 608 901 487**
14	200	250	PC1d	1	1	596570	**2 608 901 488**
16	150	200	P1c	1	1	596594	**2 608 901 489**
Pack of 8							
10	80	120	P1a	8	1	539379	**2 608 900 644**
Pack of 10							
4	40	75	P1a	10	1	539300	**2 608 900 637**
5	50	85	P1a	10	1	539317	**2 608 900 638**
5.5	50	85	P1a	10	1	539324	**2 608 900 639**
6	60	100	P1a	10	1	539331	**2 608 900 640**
7	60	100	P1a	10	1	539355	**2 608 900 642**
8	80	120	P1a	10	1	539362	**2 608 900 643**

EXPERT CYL-9 MultiConstruction Drill Bit Sets

EXPERT



- Ideal for drilling holes into multiple materials. Can be used in impact mode on concrete and stone, and on rotary setting for brick, tile, sheet metal, wood and plastic.
- Best for building trades: maximum precision and highly versatile.
- Up to 5x more precise than a standard drill bit.
- Cylindrical shank compatible with three-jaw drill chucks.





CENTERING GEOMETRY | UP TO 5x* PRECISION

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
4-piece Robust Line CYL-9 MultiConstruction drill bit set								
4	40	75	156.5 x 69.5 x 23	P1k	4	1	539386	**2 608 900 645**
5	50	85						
6	60	100						
8	80	120						
5.5	50	85	156.5 x 69.5 x 23	P1k	4	1	539393	**2 608 900 646**
6	60	100						
7	60	100						
8	80	120						
4-piece CYL-9 MultiConstruction drill bit set								
4	40	75	158.0 x 57.0 x 16	P1k	4	1	539423	**2 608 900 649**
5	50	85						
6	60	100						
8	80	120						
5.5	50	85	158.0 x 57.0 x 16	P1k	4	1	539430	**2 608 900 650**
6	60	100						
7	60	100						
8	80	120						
7-piece Robust Line CYL-9 MultiConstruction drill bit set								
4	40	75	197.0 x 87.5 x 23	P1k	7	1	539409	**2 608 900 647**
5	50	85						
6	60	100						
6	60	100						
8	80	120						
10	80	120						
12	90	150						
5	50	85	197.0 x 87.5 x 23	P1k	7	1	539416	**2 608 900 648**
5.5	50	85						
6	60	100						
6	90	150						
7	90	150						
8	90	150						
10	90	150						

CYL-9 SoftCeramic Tile Drill Bits



- **Suitable for** all soft density tiles and non-toughened glass
- Drill bit colour: white
- **Note:** Use with low speeds and without impact. No cooling required.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1						
3	70	PC1a	1	5	599184	**2 608 587 157**
4	70	PC1a	1	5	599191	**2 608 587 158**
5	70	PC1a	1	5	599207	**2 608 587 159**
5.5	70	PC1a	1	5	599214	**2 608 587 160**
6	80	PC1a	1	5	599221	**2 608 587 161**
6.5	80	PC1a	1	5	599238	**2 608 587 162**
7	80	PC1a	1	5	599245	**2 608 587 163**
8	80	PC1a	1	5	599252	**2 608 587 164**
10	90	PC1a	1	5	599269	**2 608 587 165**
12	90	PC1a	1	5	599276	**2 608 587 166**
14	90	PC1a	1	5	599283	**2 608 587 167**
16	90	PC1a	1	5	599290	**2 608 587 168**

CYL-9 SoftCeramic Tile Drill Bit Sets



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece CYL-9 SoftCeramic tile drill bit set						
4	70	P1k	5	1	599306	**2 608 587 169**
5	70					
6	80					
8	80					
10	90					
5.5	70	P1k	5	1	599863	**2 608 587 170**
6	80					
7	80					
8	80					
10	90					

LONG LIFE DRILLING HARD TILES

EXPERT HEX-9 HardCeramic Drill Bits

ASSORTMENT: Ø 3mm - 12mm

EXPERT

1. Extremely durable drill bit tip with Bosch Carbide Technology
2. High-performance carbide tip manufactured by fine grinding
3. Efficient drilling in hard materials with a patented multi-faceted design
4. Start holes accurately with a specially-designed centering tip



CARBIDE TECHNOLOGY

EXPERT HEX-9 HardCeramic Drill Bits

EXPERT



- Ideal for drilling holes in bathroom tiles, e.g. to install a shower partition wall; and drilling in roof tiles, without the need for cooling. Drills comfortably in tiles up to a hardness of PEI 5.
- Best for interior fitters and roofers: long lasting and practical.
- Lasts up to 10x longer than a standard tile drill bit.
- Hex shank for maximum power transfer in standard three-jaw drills and hexagonal drill driver chucks.





CARBIDE TECHNOLOGY | UP TO 10x* LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter (D) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
Pack of 1							
	3	90	PC1d	1	1	232397	**2 608 900 587**
	4	90	PC1d	1	1	232403	**2 608 900 588**
	5	90	PC1d	1	1	232410	**2 608 900 589**
	6	90	PC1d	1	1	232427	**2 608 900 590**

EXPERT HEX-9 HardCeramic Drill Bits

EXPERT

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
7	90	PC1d	1	1	232434	**2 608 900 591**
8	90	PC1d	1	1	232441	**2 608 900 592**
10	90	PC1d	1	1	232458	**2 608 900 593**
12	90	PC1d	1	1	232465	**2 608 900 594**

EXPERT HEX-9 HardCeramic Drill Bit Sets

EXPERT



- Ideal for drilling holes in bathroom tiles, e.g. to install a shower partition wall; and drilling in roof tiles, without the need for cooling. Drills comfortably in tiles up to a hardness of PEI 5.
- Best for interior fitters and roofers: long lasting and practical.
- Lasts up to 10x longer than a standard tile drill bit.
- Hex shank for maximum power transfer in standard three-jaw drills and hexagonal drill driver chucks.





CARBIDE TECHNOLOGY | UP TO 10x* LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
3-piece HEX-9 HardCeramic tile drill bit set							
5 **6** **8**	-	90	P1c	3	1	232472	**2 608 900 595**
5-piece HEX-9 Ceramic tile drill bit mixed set 2x CYL-3 Concrete drill bits 3x HEX-9 HardCeramic drill bits							
6 **6** **6** **6** **6**	60 60	100 100 90 90 90	P1a	5	1	232489	**2 608 900 596**
5-piece HEX-9 HardCeramic tile drill bit set							
4 **5** **6** **8** **10**	-	90	P1a	5	1	232496	**2 608 900 597**
5-piece HEX-9 HardCeramic roof tile drill bit set							
5 **5** **5** **5** **5**	-	90	P1a	5	1	232502	**2 608 900 598**
6 **6** **6** **6** **6**	-	90	P1a	5	1	232519	**2 608 900 599**

CYL-9 Natural Stone Masonry Drill Bit

CYL-9
NaturalStone

- **Suitable for** drilling holes in natural stone, concrete and masonry
- Robust performance, impact-resistant, suitable for all drills
- PGM guarantee in compliance with tight tolerances, exactly drilled holes and firm hold of fixings





PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
6	90	150	PC1d	1	5	805261	**2 608 589 550**
6	60	100	PC1d	1	5	804271	**2 608 589 546**
7	60	100	PC1d	1	5	804202	**2 608 589 539**
8	80	120	PC1d	1	5	804288	**2 608 589 547**

PICK AND CLICK

Customised screwdriver sets

The best your tool can get. Bosch Professional Accessories.





SCREWDRIVER BITS FROM BOSCH

Equipped for any application.



Impact Control



Extra Hard

Page number	155	176
Available bit types		
Length mm	25 – 150	25 – 152
Customizable sets	✓	–

SET CONTENTS

Insert bits	✓	✓
Power bits	✓	✓
Double ended bits	✓	✓
Twist drill bits with hex shank	✓	✓
Multi Construcion drill bits with hex shank	✓	✓
Concrete drill bits with hex shank	✓	✓
Brad point drill bits with hex shank	–	✓
Nut setters	✓	✓
Universal holder	✓	✓

BIT TYPES

- Phillips®
- Pozidriv
- Internal Torx®
- Sec Torx®
- Internal hex
- Internal square
- Slotted

BUILD YOUR OWN SET

A system for individually customized sets.



ROBUST CASE

Rubber bumpers for tough environments

CUSTOMIZABLE PACKS

Allows you to buy the right bits for the job

EASY CLICK

Allows packs to be easily installed or removed from case

PICK CLIC

Sets you compile yourself

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pick and Click Empty Case M Customisable with bit packs	P1k	5		851527	**2 608 522 362**
Pick and Click Empty Case L Customisable with bit packs	P1k	5		851534	**2 608 522 363**





Sets you compile yourself



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pick and Click Storage Box Customizable with Bits, Screws or Dowels					
	PC1a		5	851541	**2 608 522 364**

Impact Control Screwdriver Bit Sets

Impact Control

PICK CLICK | highly ROBUST | torsionzone



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
36-Piece screwdriver bit and nutsetter set with double-ended bits, Universal Holder Quick Release and Standard Magnetic						
PH2 (2x)	60	PC1b	36	6	851558	**2 608 522 365**
PZ2 (2x)	60					
T20, T25, T30	50					
PH1, PH2 (3x), PH3	50					
PZ2 (2x), PZ3	50					
T15, T20 (2×), T25 (2×), T30 (2×), T40	50					
PH1-PH2	25					
PH2-PH3	25					
PH2-PZ2 (2x)	25					
SL1x5.5						
T15-T20 (2x)						
T25-T30						
Nutsetter 8/10/13 mm						
Universal Holder Quick Release						
Universal Holder Standard Magnetic						
		PC1b	36	3	995283	**2 607 017 568**

Impact Control Screwdriver Bit Sets



PRODUCT PROPERTIES		ORDERING INFORMATION					
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
31-Piece screwdriver bit set with double-ended bits and Universal Holder Quick Release						
PH2	60	PC1b	31	6	851565	**2 608 522 366**
PZ2	50					
T15, T20, T25, T30	50					
PH1, PH2 (2x), PH3	50					
PZ2 (2x), PZ3	25					
T15, T20 (2x), T25 (2x), T30 (2x), T40	25					
PH1-PH2	25					
PH2-PH3	60					
PH2-PZ2 (2x)	60					
SL1x5.5	60					
T15-T20 (2x)	60					
T25-T30	60					
Universal Holder Quick Release						
Storage Box						



31-Piece screwdriver bit set with double-ended bits and Universal Holder Quick Release						
PH2	60	PC1b	31	3	995344	**2 607 017 574**
PZ2	50					
T15, T20, T25, T30	50					
PH1, PH2 (2x), PH3	50					
PZ2 (2x), PZ3	25					
T15, T20 (2x), T25 (2x), T30 (2x), T40	25					
PH1-PH2	25					
PH2-PH3	60					
PH2-PZ2 (2x)	60					
SL1x5.5	60					
T15-T20 (2x)	60					
T25-T30	60					
Universal Holder Quick Release						
Storage Box						

Impact Control Mixed Sets

Impact Control

PICK 5 CLICK | highly ROBUST | torsionzone | high-strength body | 1/4" | Precise



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
35-Piece drill and screwdriver bit set with HSS Twist drill bits and Universal Holder Quick Release						
HSS 2.0/3.0/4.0/5.0/6.0/7.0/8.0/ 10.0 mm	25 25 25	PC1b	35	6	881784	**2 608 577 148**
PH1, PH2 (4x), PH3	60					
PZ2 (2x), PZ3	50 50					
T15, T20 (3x), T25 (3x), T30 (2x), T40	50					
PH2						
PZ2						
T15, T20, T25, T30						
Universal Holder Quick Release						
		PC1b	35	3	995276	**2 607 017 567**



35-Piece drill and screwdriver bit set with HEX-9 MultiConstruction drill bits and Universal Holder Quick Release						
HEX-9 MultiConstruction 3.0/4.0/ 5.0 (2x)/6.0 (2x)/8.0 (2x) mm	25 25 25	PC1b	35	6	881777	**2 608 577 147**
PH1, PH2 (4x), PH3	60					
PZ2 (2x), PZ3	50 50					
T15, T20 (3x), T25 (3x), T30 (2x), T40	50					
PH2						
PZ2						
T15, T20, T25, T30						
Universal Holder Quick Release						
		PC1b	35	3	995306	**2 607 017 570**

IMPACT CONTROL BITS

Highly robust – even withstand impact drivers.



Impact Control Screwdriver Bit Packs



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
Pack of 8 (Index)						
PH2 (8x)	50	PC1a	8	5	851206	**2 608 522 330**
PZ2 (8x)	50	PC1a	8	5	851213	**2 608 522 331**
PZ3 (8x)	25	PC1a	8	5	912136	**2 608 522 378**
PH1, PH2 (3x), PH3 PZ2 (2x), PZ3	50 50	PC1a	8	5	851183	**2 608 522 328**
T15, T20 (2×), T25 (2×), T30 (2×), T40	50	PC1a	8	5	851190	**2 608 522 329**
H5 (4x), H6 (4x)	50	PC1a	8	5	851220	**2 608 522 332**
Universal Holder Magnetic PH2 (2x) PZ2 (2x) T20, T25, T30	60 50 50 50	PC1a	8	5	851169	**2 608 522 326**

Impact Control Screwdriver Bit Packs





PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
Pack of 8 (Index)						
PH2 (8x)	25	PC1a	8	5	851145	**2 608 522 324**
PZ2 (8x)	25	PC1a	8	5	851152	**2 608 522 325**
T15 (8x)	25	PC1a	8	5	912143	**2 608 522 379**
T20 (8x)	25	PC1a	8	5	912150	**2 608 522 380**
T25 (8x)	25	PC1a	8	5	912167	**2 608 522 381**
PH1, PH2 (3x), PH3 PZ2 (2x), PZ3	25 25	PC1a	8	5	851138	**2 608 522 323**
T30 (8x)	25	PC1a	8	5	912174	**2 608 522 382**
T40 (8x)	25	PC1a	8	5	912181	**2 608 522 383**
T15, T20 (2×), T25 (2×), T30 (2×), T40	25	PC1a	8	5	851121	**2 608 522 322**





Pack of 7 (Index)						
Universal Holder Quick Release PH2 PZ2 T15, T20, T25, T30	60 50 50 50	PC1a	7	5	851176	**2 608 522 327**

Impact Control Screwdriver Bit Packs





PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
Pack of 5 (Index)						
◯ **Nutsetter 8/10/13 mm**	50	PC1a	5	5	851404	**2 608 522 350**
PH2	50					
PZ2	50					



Pack of 3 (Index)						
PH1, PH2, PH3	50	PC1d	3	5	233165	**2 608 522 491**



Pack of 3 (Index)						
PH1, PH2, PH3	25	PC1d	3	5	233370	**2 608 522 470**
PZ1, PZ2, PZ3	25	PC1d	3	5	233363	**2 608 522 471**
T20, T25, T30	25	PC1d	3	5	233288	**2 608 522 479**

Impact Control Screwdriver Bit Packs



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
Pack of 2 (Index)						
PH1	25	PC1d	2	5	233394	**2 608 522 468**
PH2 (2x)	25	PC1d	2	5	920018	**2 608 522 403**
PH3 (2x)	25	PC1d	2	5	233387	**2 608 522 469**
PZ1 (2x)	25	PC1d	2	5	919982	**2 608 522 400**
PZ2 (2x)	25	PC1d	2	5	920001	**2 608 522 401**
PZ3 (2x)	25	PC1d	2	5	920001	**2 608 522 402**
T10 (2x)	25	PC1d	2	5	233356	**2 608 522 472**
T15 (2x)	25	PC1d	2	5	233349	**2 608 522 473**
T25	25	PC1d	2	5	233325	**2 608 522 475**
T27 (2x)	25	PC1d	2	5	233318	**2 608 522 476**
T30 (2x)	25	PC1d	2	5	233301	**2 608 522 477**
T40 (2x)	25	PC1d	2	5	233295	**2 608 522 478**



Pack of 2 (Index)						
T20 (2x)	25	PC1d	2	5	233332	**2 608 522 474**



Pack of 1 (Index)						
PH1	50	PC1d	1	5	233271	**2 608 522 480**
PH2	50	PC1d	1	5	233264	**2 608 522 481**
PH3	50	PC1d	1	5	233257	**2 608 522 482**
PZ2	50	PC1d	1	5	233240	**2 608 522 483**
PZ3	50	PC1d	1	5	233233	**2 608 522 484**
T10	50	PC1d	1	5	233226	**2 608 522 485**
T15	50	PC1d	1	5	233219	**2 608 522 486**
T20	50	PC1d	1	5	233202	**2 608 522 487**
T25	50	PC1d	1	5	233196	**2 608 522 488**
T30	50	PC1d	1	5	233189	**2 608 522 489**
T40	50	PC1d	1	5	233172	**2 608 522 490**

Impact Control Screwdriver Bit Displays



PRODUCT PROPERTIES		ORDERING INFORMATION				
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Display						
PH2	25	P1a	25	10	980227	**2 607 002 803**
PZ2	25	P1a	25	10	980234	**2 607 002 804**
T20	25	P1a	25	10	980241	**2 607 002 805**
T25	25	P1a	25	10	980258	**2 607 002 806**
T30	25	P1a	25	10	980265	**2 607 002 807**
T40	25	P1a	25	10	980272	**2 607 002 808**

Impact Control Double-Ended Bit Packs

Impact Control

highly ROBUST | torsion zone

PICK & CLICK



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 8 (Index)						
8 double-ended Screwdriver Bits						
PH2-PZ2 (8x)	65	PC1a	8	5	851237	**2 608 522 333**
PH2-T20 (8x)	65	PC1a	8	5	851251	**2 608 522 335**
PH2-PH2 (8x)	65	PC1a	8	5	851275	**2 608 522 337**
PZ2-PZ2 (8x)	65	PC1a	8	5	851282	**2 608 522 338**
T20-T20 (8x)	65	PC1a	8	5	851299	**2 608 522 339**
T25-T25 (8x)	65	PC1a	8	5	851305	**2 608 522 340**
T30-T30 (8x)	65	PC1a	8	5	851312	**2 608 522 341**
T15-T15 (8x)	65	PC1a	8	5	851329	**2 608 522 342**
T15-T20 (8x)	65	PC1a	8	5	851336	**2 608 522 343**
PH1-PH2 **PH2-PH3** **PH2-PZ2 (2x)** **SL1x5.5** **T15-T20 (2x)** **T25-T30**	65	PC1a	8	5	851343	**2 608 522 344**
PH2 (2x) **PZ2 (2x)** **T15, T20, T25, T30**	110	PC1a	8	5	851367	**2 608 522 346**
PH2 (4x) **PZ2 (4x)**	110	PC1a	8	5	851381	**2 608 522 348**
T20 (4x) **T25 (4x)**	110	PC1a	8	5	851398	**2 608 522 349**

Impact Control Double-Ended Bit Packs

PICK 5 CLICK



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 9 (Index)						
8 double-ended Screwdriver Bits and Magnetic Sleeve						
PH2-PZ2 (8x)	65	PC1a	9	5	851244	**2 608 522 334**
PH2-T20 (8x)	65	PC1a	9	5	851268	**2 608 522 336**
PH1-PH2 **PH2-PH3** **PH2-PZ2 (2x)** **SL1x5.5** **T15-T20 (2x)** **T25-T30**	65	PC1a	9	5	851350	**2 608 522 345**
PH2 (2x) **PZ2 (2x)** **T15, T20, T25, T30**	110	PC1a	9	5	851374	**2 608 522 347**



Pack of 3 (Index)						
3 double-ended Screwdriver Bits						
PH2-PH2	150	PC1a	3	5	851480	**2 608 522 358**
PZ2-PZ2	150	PC1a	3	5	851497	**2 608 522 359**
T20-T20	150	PC1a	3	5	851503	**2 608 522 360**
T25-T25	150	PC1a	3	5	851510	**2 608 522 361**

Expert for Impact Control Double-Ended Bit Packs

Impact Control

highly ROBUST

torsionzone



PRODUCT PROPERTIES			ORDERING INFORMATION				
Dimensions, 1st bit	Dimensions, 2nd bit	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 10 (Index)							
10 double-ended Screwdriver Bits							
PH2	-	110	PC1a	10	280	934497	**2 608 522 406**
PH2							

Expert for Impact Control Double-Ended Bit Packs

	PRODUCT PROPERTIES			ORDERING INFORMATION				
	Dimensions, 1st bit	Dimensions, 2nd bit	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Pack of 2 (Index) 2 double-ended Screwdriver Bits							
	PH2	PH2	150	C1e	2	1	967341	**2 608 522 410**
	Pack of 2 (Index) 2 double-ended Screwdriver Bits							
	PH2	PH2	110	C1e	2	1	967334	**2 608 522 409**
	Pack of 5 (Index) 5 double-ended Screwdriver Bits							
	PH2	-	150	P1d	5	80	934503	**2 608 522 407**
	PH2							
	Pack of 10 (Index) 10 double-ended Screwdriver Bits							
	PH2	-	65	PC1a	10	320	934480	**2 608 522 405**
	PH2							
	Pack of 2 (Index) 2 double-ended Screwdriver Bits							
	PH2	-	65	C1e	2	1	967327	**2 608 522 408**
	PH2							

Impact Control Mixed Packs

Impact Control

PICK 5 CLICK | highly ROBUST | torsionzone





PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pick and Click Ceramic Drill and Screwdriver Bit Pack						
PH2	50	PC1a		5	881753	**2 608 577 145**
	50					
PZ2	50					
T20, T25, T30						
HEX-9 Ceramic 5.0/6.0/8.0 mm						



Pick and Click Twist Drill and Screwdriver Bit Pack						
PH2	50	PC1a		5	881739	**2 608 577 143**
	50					
PZ2	50					
T20, T25, T30						
HSS 3.0/4.0/5.0 mm						



Pick and Click MultiConstruction Drill and Screwdriver Bit Pack						
PH2	50	PC1a		5	881746	**2 608 577 144**
	50					
PZ2	50					
T20, T25, T30						
HEX-9 MultiConstruction 5.0/6.0/ 8.0 mm						

Impact Control Nutsetters



PRODUCT PROPERTIES			ORDERING INFORMATION				
	Length mm	Key width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Nutsetter with permanent magnet							
	50	8	PC1a	1	5	851411	**2 608 522 351**
	50	10	PC1a	1	5	851428	**2 608 522 352**
	50	13	PC1a	1	5	851435	**2 608 522 353**

Impact Control Sockets





PRODUCT PROPERTIES					ORDERING INFORMATION				
Key width mm	Outer diameter (D1) mm	Outer diameter (D2) mm	For thread	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Internal square drive 1/4", ISO 1174-1									
6	13	10.2	M 3.5	25	P1e	1	1	025638	**1 608 551 002**
7	13	11.4	M 4	25	P1e	1	1	025645	**1 608 551 003**
8	13	12.7	M 5	25	P1e	1	1	025652	**1 608 551 004**
9	13	13.5	(M 5)	25	P1e	1	1	025676	**1 608 551 005**
10	13	15.3	M 6	25	P1e	1	1	025669	**1 608 551 006**
11	13	16.5	M 7	25	P1e	1	1	088015	**1 608 551 007**
12	13	17.9	-	25	P1e	1	1	088022	**1 608 551 008**
13	13	19.1	M 8	25	P1e	1	1	088039	**1 608 551 009**
14	9.5	19.85	(M 8)	25	P1e	1	1	813877	**2 608 622 300**
Internal square drive 3/8", ISO 1174-1									
7	19	12.5	M 4	34	P1e	1	1	025683	**1 608 552 000**
8	19	13.8	M 5	34	P1e	1	1	025690	**1 608 552 001**
10	19	16.4	M 6	34	P1e	1	1	025713	**1 608 552 003**
12	19	19	-	34	P1e	1	1	025720	**1 608 552 005**
13	22	20.2	M 8	34	P1e	1	1	088046	**1 608 552 006**
15	22	22.9	-	34	P1e	1	1	025744	**1 608 552 008**
16	22	24.3	-	34	P1e	1	1	025751	**1 608 552 009**
17	22	25.4	M 10	34	P1e	1	1	088053	**1 608 552 010**
19	14.5	25.85	M 12	30	P1e	1	1	813884	**2 608 522 301**

Impact Control Sockets



PRODUCT PROPERTIES					ORDERING INFORMATION				
Key width mm	Outer diameter (D1) mm	Outer diameter (D2) mm	For thread	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Internal square drive 1/2", ISO 1174-1									
10	25	17.6	M 6	40	P1e	1	1	025768	**1 608 552 012**
10	15	22	M 6	77	P1e	1	1	813891	**2 608 522 302**
11	25	18.9	M 7	40	P1e	1	1	088060	**1 608 552 013**
11	16.3	22	M 7	77	P1e	1	1	813907	**2 608 522 303**
13	25	21.4	M 8	40	P1e	1	1	025775	**1 608 552 015**
13	19.5	18.8	M 8	77	P1e	1	1	813914	**2 608 522 304**
17	30	26.6	M 10	40	P1e	1	1	025782	**1 608 552 019**
17	19.5	23.8	M 10	77	P1e	1	1	813921	**2 608 522 305**
19	30	29.1	M 12	40	P1e	1	1	025799	**1 608 552 021**
19	19.5	25.85	M 12	77	P1e	1	1	813938	**2 608 522 306**
21	19.5	27.8	M 14	40	P1e	1	1	813945	**2 608 522 307**
21	19.5	27.8	-	77	P1e	1	1	813952	**2 608 522 308**
22	30	32.9	M 14	40	P1e	1	1	025805	**1 608 555 024**
22	19.5	29.8	M 14	77	P1e	1	1	813969	**2 608 522 309**
24	30	35.4	M 16	45	P1e	1	1	088084	**1 608 555 053**
24	19.5	31.75	M 16	77	P1e	1	1	813976	**2 608 522 310**
27	30	39.3	M 18	50	P1e	1	1	025812	**1 608 555 059**
27	19.5	35.75	M 18	77	P1e	1	1	813983	**2 608 522 311**
30	30	43	M 20	50	P1e	1	1	088091	**1 608 555 065**



Internal square drive 3/4", ISO 1174-1									
19	44	32.5	M 12	50	P1e	1	1	025836	**1 608 556 005**
22	44	36.5	M 14	50	P1e	1	1	025843	**1 608 556 011**
24	44	38.9	M 16	50	P1e	1	1	025850	**1 608 556 015**
27	44	42.5	M 18	50	P1e	1	1	025867	**1 608 556 021**
30	44	46.5	M 20	53	P1e	1	1	025874	**1 608 556 027**
32	44	48.8	M 22	53	P1e	1	1	025881	**1 608 556 029**
36	44	53.8	M 24	55	P1e	1	1	088107	**1 608 556 033**



Internal square drive 1", ISO 1174-1									
24	54	41.5	M 16	57	P1e	1	1	025898	**1 608 557 043**
27	54	45.5	M 18	57	P1e	1	1	025904	**1 608 557 046**
30	54	49	M 20	62	P1e	1	1	025911	**1 608 557 049**
32	54	51.5	M 22	62	P1e	1	1	025928	**1 608 557 050**
36	54	56.5	M 24	62	P1e	1	1	025935	**1 608 557 054**
41	54	62.8	M 27	66	P1e	1	1	025942	**1 608 557 058**
46	54	69	M 30	70	P1e	1	1	088114	**1 608 557 060**
50	54	74	M 33	70	P1e	1	1	088121	**1 608 557 063**
55	54	80.5	M 36	75	P1e	1	1	088138	**1 608 557 067**

Socket Sets







PRODUCT PROPERTIES			ORDERING INFORMATION				
Key width mm	Length mm	Shank inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-piece socket set							
17 19 21	85	1/2	P0h	3	1	704168	**2 608 551 102**
7-piece socket set							
13 17 19 21 24	39	1/2	P1k	7	1	631556	**2 608 551 029**
9-piece socket set							
6 7 8 9 10 11 12 13 14	25	1/4	P0h	9	1	704113	**2 608 551 096**
6 7 8 9 10 11 12 13 14	50	1/4	P0h	9	1	704120	**2 608 551 097**
7 8 10 12 13 15 16 17 19	30	3/8	P0h	9	1	704137	**2 608 551 098**
7 8 10 12 13 15 16 17 19	63	3/8	P0h	9	1	704144	**2 608 551 099**
10 11 13 17 19 21 22 24 27	38	1/2	P0h	9	1	701075	**2 608 551 100**

Socket Sets

PRODUCT PROPERTIES			ORDERING INFORMATION				
Key width mm	Length mm	Shank inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
10 **11** **13** **17** **19** **21** **22** **24** **27**	77	1/2	P0h	9	1	704151	**2 608 551 101**

Impact Control Screwdriver Bit Sets















PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 0 000 346...	Part number
Modular 24-piece Impact Tough Screwdriver Bit Set						
PH1 (2x), PH2 (3x), PH3	25	PC1b	24	3	493115	**2 610 045 672**
PH2R	25					
R1 (2x), R2 (2x), R3	25					
T15, T20 (2x)	25					
P2R2	50					
PH2 (2x)	50					
R2 (2x)	50					
T25, T30						
Universal Holder Standard Magnetic						
Modular 44-piece Impact Tough Screwdriver Bit Set						
PH1 (2x), PH2 (5x), PH3 (2x)	25	PC1b	44	3	493122	**2 610 045 673**
PH2R (2x)	25					
R1 (2x), R2 (3x), R3 (2x)	25					
T15 (2x), T20, T25 (2x), T30 (2x), T40 (2x)	25					
P2R2 (2x)	50					
PH1, PH2 (2x), PH3	50					
R1 (2x), R2 (2x), R3	50					
T15, T20, T25 (2x), T30, T40						
Universal Holder Standard Magnetic						
Modular 48-piece Impact Tough Screwdriver Bit Set						
PH1 (2x), PH2 (6x), PH3 (2x)	25	PC1b	48	3	493139	**2 610 045 674**
PH2R (2x)	25					
R1 (2x), R2 (6x), R3 (2x)	25					
T15 (5x), T20 (2x), T25	25					
P2R2 (2x)	50					
PH2 (4x), PH3	50					
R1 (2x), R2 (2x), R3	50					
T20 (2x), T25 (2x)	60					
PH2-PH2	60					
R2-R2	60					
T25-T25						
Universal Holder Standard Magnetic						

Impact Control Screwdriver Bit Sets



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 0 000 346...	Part number
Impact Tough Modular Set, Medium Empty Modular Case						
-	-	PC1b	1	3	495621	**2 610 046 117**



Impact Tough Modular Set, Large Empty Modular Case						
-	-	PC1b	1	3	495638	**2 610 046 119**



Impact Tough Modular Set, Case in Case Storage Box						
-	-	PC1b	1	5	495645	**2 610 046 121**

Impact Tough Screwdriver Bits







PRODUCT PROPERTIES			ORDERING INFORMATION				
	Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 0 000 346...	Part number
Pack of 1							
	P2R2	50	PC1a	1	5	483345	**2 610 039 573**
	PH1	150	PC1a	1	5	483789	**2 610 039 593**
	PH1	90	PC1a	1	5	483567	**2 610 039 582**
	PH1	50	PC1a	1	5	483239	**2 610 039 564**
	PH2	50	PC1a	1	5	483246	**2 610 039 565**
	PH2	90	PC1a	1	5	483574	**2 610 039 583**
	PH2	150	PC1a	1	5	483796	**2 610 039 594**
	PH3	50	PC1a	1	5	483253	**2 610 039 567**
	PH3	90	PC1a	1	5	483581	**2 610 039 584**
	PH3	150	PC1a	1	5	483802	**2 610 039 595**
	PZ2	50	PC1c	1	5	634228	**2 610 050 956**
	R1	150	PC1a	1	5	483819	**2 610 039 596**
	R1	50	PC1a	1	5	483314	**2 610 039 568**
	R1	90	PC1a	1	5	483598	**2 610 039 585**
	R2	150	PC1a	1	5	483826	**2 610 039 597**
	R2	50	PC1a	1	5	483321	**2 610 039 569**
	R2	90	PC1a	1	5	483604	**2 610 039 586**
	R3	150	PC1a	1	5	483833	**2 610 039 598**
	R3	50	PC1a	1	5	483338	**2 610 039 572**
	R3	90	PC1a	1	5	483611	**2 610 039 587**
	T15	50	PC1a	1	5	483260	**2 610 039 575**
	T20	50	PC1a	1	5	483277	**2 610 039 576**
	T25	50	PC1a	1	5	483284	**2 610 039 578**
	T30	50	PC1a	1	5	483291	**2 610 039 580**
	T40	50	PC1a	1	5	483307	**2 610 039 581**
	HEX4	50	PC1d	1	5	634068	**2 610 050 957**
	HEX5	50	PC1c	1	5	634075	**2 610 050 958**
	HEX5	90	PC1d	1	5	634136	**2 610 050 964**
	HEX5	150	PC1d	1	5	634143	**2 610 050 965**
	HEX6	50	PC1c	1	5	634082	**2 610 050 959**



Pack of 2							
	PH2	25		2	5	482898	**2 610 039 544**
	PH1	25	PC1a	2	5	482850	**2 610 039 536**
	PH2	25	PC1a	2	5	482867	**2 610 039 538**
	PH3	25	PC1a	2	5	482881	**2 610 039 542**
	R1	25	PC1a	2	5	482904	**2 610 039 551**
	R2	25	PC1a	2	5	482911	**2 610 039 554**
	R3	25	PC1a	2	5	482928	**2 610 039 557**
	T10	25	PC1d	2	5	634198	**2 610 050 953**
	T15	25	PC1a	2	5	482935	**2 610 039 558**
	T20	25	PC1a	2	5	482942	**2 610 039 559**
	T25	25	PC1a	2	5	482959	**2 610 039 560**
	T27	25	PC1d	2	5	634204	**2 610 050 954**
	T30	25	PC1a	2	5	482966	**2 610 039 561**
	T40	25	PC1a	2	5	482973	**2 610 039 562**

Impact Tough Screwdriver Bits







PRODUCT PROPERTIES			ORDERING INFORMATION				
	Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 0 000 346...	Part number
Pack of 3 T15, T20, T25							
	-	50	PC1c	3	5	634211	**2 610 050 955**
Pack of 5							
	P2R2	50	PC1a	5	5	483437	**2 610 039 574**
	PH2	25	PC1a	5	5	482997	**2 610 039 539**
	PH2	50	PC1a	5	5	483390	**2 610 039 566**
	R2	25	PC1a	5	5	483031	**2 610 039 555**
	R2	50	PC1a	5	5	483420	**2 610 039 571**
	HEX5	50	PC1c	5	5	634099	**2 610 050 960**
Pack of 15							
	PH2	25	P2a	15	5	483048	**2 610 039 540**
	PH2	50	P2a	5	5	483444	**2 610 041 078**
	R2	25	P2a	15	5	483055	**2 610 039 556**
	R2	50	P2a	15	5	483468	**2 610 041 079**
	T25	50	P1k	15	5	483451	**2 610 041 080**

Impact Tough Screwdriver Bit Packs











PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 0 000 346...	Part number
Pack of 8						
PH1 (2x), PH2 (4x), PH3 (2x)	25	P1k	8	5	495447	**2 610 046 083**
PH1 (8x)	25	P1k	8	5	495454	**2 610 046 085**
R1 (2x), R2 (4x) R3 (2x)	25	P1k	8	5	495461	**2 610 046 087**
T15, T20 (2x), T25 (3x), T30, T40	25	P1k	8	5	495478	**2 610 046 089**
PH2 (3x) R2 (2x) T25 (3x)	25 25 25	P1k	8	5	495485	**2 610 046 091**

Pack of 8						
PH1 (2x), PH2 (4x), PH3 (2x)	50	P1k	8	5	495492	**2 610 046 093**
PH2 (8x)	50	P1k	8	5	495508	**2 610 046 095**
R1 (2x), R2 (4x), R3 (2x)	50	P1k	8	5	495515	**2 610 046 097**
		P1k	8	5	495522	**2 610 046 099**
PH2 (3x) R2 (2x) T25 (3x)	50 50 50	P1k	8	5	495539	**2 610 046 101**
HEX5 (8x)	50	P1k	8	5	634105	**2 610 050 961**
HEX3, HEX4 (2x), HEX5 (3x), HEX6 (2x)	50	P1k	8	5	634112	**2 610 050 962**



Pack of 4						
PH1, PH2, PH3	65	P1k	4	5	495546	**2 610 046 103**
R1, R2, R3	65	P1k	4	5	495553	**2 610 046 105**
T15-T20, T25, T30-T40	65	P1k	4	5	495560	**2 610 046 107**
PH2 R2 T25 P2R2	65 65 65 65	P1k	4	5	495577	**2 610 046 109**



Pack of 4 1/4", 5/16", 3/8", 7/16"						
-	50	P1k	4	5	495584	**2 610 046 111**

Impact Tough Screwdriver Bit Packs



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 0 000 346...	Part number
Pack of 7						
PH2	50	P1k	7	5	634129	**2 610 050 963**
R1, R2	50					
HEX5 (8x)	50					
T25	50					
P2R2	50					
Universal Holder Quick Release						

Impact Tough Screwdriver Double-Ended Bits









PRODUCT PROPERTIES		ORDERING INFORMATION				
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 0 000 346...	Part number
Pack of 1						
P2R2	90	PC1a	1	5	484267	**2 610 039 627**
P2R2	150	PC1a	1	5	484588	**2 610 039 639**
PH2	90	PC1a	1	5	484281	**2 610 039 622**
PH2	150	PC1a	1	5	484533	**2 610 039 634**
R2	90	PC1a	1	5	484311	**2 610 039 625**
R2	150	PC1a	1	5	484564	**2 610 039 637**
T15	150	PC1a	1	5	484595	**2 610 039 641**
T20	150	PC1a	1	5	484601	**2 610 039 642**
T25	150	PC1a	1	5	484618	**2 610 039 643**
T30	150	PC1a	1	5	484625	**2 610 039 644**
Pack of 3						
PH2	65	PC1a	3	5	484014	**2 610 039 606**
R2	65	PC1a	3	5	484083	**2 610 039 610**
P2R2	65	PC1a	3	5	484106	**2 610 039 614**
HEX5	65	PC1c	3	5	634150	**2 610 050 966**

Impact Tough Screwdriver Double-Ended Bit Mixed Packs







PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 0 000 346...	Part number
Pack of 3						
PH2-PH2 R2-R2 T25-T25	65 65 65	PC1c	3	5	484144	**2 610 041 081**
PH2 HEX5	65 65	PC1c	3	5	634167	**2 610 050 967**
PH2 PZ2	65 65	PC1c	3	5	634174	**2 610 050 968**
PH1-PH2 PH2-PH2 PH2-PH3	65 65 65	PC1a	3	5	484113	**2 610 039 608**
R1-R2 R2-R2 R2-R3	65 65 65	PC1c	3	5	484120	**2 610 039 613**
T15-T20 T25-T25 T25-T30	65 65 65	PC1c	3	5	484137	**2 610 039 620**

Impact Tough Nutsetters



PRODUCT PROPERTIES			ORDERING INFORMATION				
Length mm	Shank inch	Width across flat inches	Packaging type	Pack quantity	Minimum order quantity	Barcode 0 000 346...	Part number
1/4", 5/16", 3/8" nutsetters							
50	1/4	1/4 5/16 3/8	PC1a	3	5	484823	**2 610 039 652**
65	1/4	1/4 5/16 3/8	PC1a	3	5	484939	**2 610 039 658**
1/4" nutsetter							
65	-	1/4	PC1a	1	5	484885	**2 610 039 653**
5/16" nutsetter							
65	-	5/16	PC1a	1	5	484892	**2 610 039 654**
1/2" nutsetter							
65	-	1/2	PC1a	1	5	484922	**2 610 039 657**
7/16" nutsetter							
65	-	7/16	PC1a	1	5	484915	**2 610 039 656**
3/8" nutsetter							
65	-	3/8	PC1a	1	5	484908	**2 610 039 655**



Impact Tough Bit Holders



PRODUCT PROPERTIES		ORDERING INFORMATION				
Drive end Inch	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 0 000 346...	Part number
Quick Change bit holder						
-	60	PC1a	1	5	483208	**2 610 039 563**
Magnetic sleeve for use with Impact Tough double-ended bits						
1/4	-	PC1a	1	5	485127	**2 610 039 646**
Magnetic bit holder						
1/4	60	PC1a	1	5	483192	**2 610 039 732**

Impact Tough Socket Adapters









PRODUCT PROPERTIES			ORDERING INFORMATION				
Shank inch	Width across flat inches	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 0 000 346...	Part number
Socket Adaptor 1/4" Hex to 1/4" Square							
-	-	-	PC1a	1	5	485066	**2 610 039 695**
Socket Adaptor 1/4" Hex to 3/8" Square							
-	-	-	PC1a	1	5	485080	**2 610 039 696**
Socket Adaptor 1/4" Hex to 1/2" Square							
-	-	-	PC1a	1	5	485073	**2 610 039 697**
1/4" Adapters for 1/4", 3/8" and 1/2" sockets							
1/4	1/4 3/8 1/2	47.6	PC1c	3	5	634181	**2 610 050 969**

Extra Hard for Phillips cross head screws



PRODUCT PROPERTIES		ORDERING INFORMATION				
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Drive ISO 1173 C6.3, 1/4" external hex shank						
PH0	25	PC1d	3	5	300322	**2 607 001 506**
PH1	25	PC1d	3	5	300346	**2 607 001 508**
PH2	25	PC1d	3	5	300377	**2 607 001 511**
PH3	25	PC1d	3	5	300414	**2 607 001 515**
PH4	32	PC1d	3	10	300445	**2 607 001 518**
PH1	25	PC1d	10	1	300353	**2 607 001 509**
PH2	25	PC1d	10	1	300384	**2 607 001 512**
PH0	25	P0b	25	1	300339	**2 607 001 507**
PH1	25	P0b	25	1	300360	**2 607 001 510**
PH2	25	P0b	25	1	300391	**2 607 001 513**
PH3	25	P0b	25	1	300421	**2 607 001 516**
PH4	32	P0b	25	1	300452	**2 607 001 519**
PH2	25	P0b	100	1	300407	**2 607 001 514**
PH3	25	P0b	100	1	300438	**2 607 001 517**



Drive ISO 1173-C6.3, 1/4" external hex shank						
PH2	25	P0a	25	25	720229	**2 608 522 186**



Display						
PH2	25	P1a	25	10	980166	**2 607 002 797**



Drive ISO 1173 C6.3, 1/4" external hex shank with reduced diameter bit drive end, suitable for countersinking screws						
PH2R	25	P0b	25	1	354462	**2 607 002 519**



Drive ISO 1173 C6.3, 1/4" external hex shank						
PH1	51	PC1d	3	5	300469	**2 607 001 520**
PH2	51	PC1d	3	5	300483	**2 607 001 522**
PH3	51	PC1d	3	5	300506	**2 607 001 524**

Extra Hard for Phillips cross head screws



Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Drive ISO 1173 E6.3, 1/4" external hex shank						
PH1	49	PC1d	3	5	300520	**2 607 001 526**
PH2	49	PC1d	3	5	300544	**2 607 001 528**
PH3	49	PC1d	3	5	300575	**2 607 001 531**
PH1	49	P0b	25	1	354295	**2 607 002 502**
PH2	49	P0b	25	1	354301	**2 607 002 503**
PH3	49	P0b	25	1	354318	**2 607 002 504**



Drive ISO 1173 E6.3, 1/4" external hex shank						
PH1	89	PC1d	3	5	300599	**2 607 001 533**
PH2	89	PC1d	3	5	300612	**2 607 001 535**
PH3	89	PC1d	3	5	300636	**2 607 001 537**



Drive ISO 1173 E6.3, 1/4" hex shank with spring ring for screw gun MA55						
PH2	145	PC1d	1	5	632850	**2 608 522 068**



Drive ISO 1173 E6.3, 1/4" hex shank						
PH1	152	PC1d	1	5	300650	**2 607 001 539**
PH2	152	PC1d	1	5	300667	**2 607 001 540**
PH3	152	PC1d	1	5	300681	**2 607 001 542**



Depth stop for screwdriving PH2 output						
-	-	C1b	1	1	002561	**1 608 500 013**

Extra Hard for Pozidriv cross head screws



Drive ISO 1173 C6.3, 1/4" external hex shank						
PZ1	25	PC1d	3	5	300803	**2 607 001 554**
PZ2	25	PC1d	3	5	300841	**2 607 001 558**
PZ3	25	PC1d	3	5	300889	**2 607 001 562**
PZ4	32	PC1d	3	5	300926	**2 607 001 566**
PZ1	25	PC1d	10	1	300810	**2 607 001 555**
PZ2	25	PC1d	10	1	300858	**2 607 001 559**
PZ3	25	PC1d	10	1	300896	**2 607 001 563**
PZ1	25	P0b	25	1	300827	**2 607 001 556**
PZ2	25	P0b	25	1	300865	**2 607 001 560**
PZ3	25	P0b	25	1	300902	**2 607 001 564**
PZ4	32	P0b	25	1	300933	**2 607 001 567**
PZ1	25	P0b	100	1	300834	**2 607 001 557**
PZ2	25	P0b	100	1	300872	**2 607 001 561**
PZ3	25	P0b	100	1	300919	**2 607 001 565**

Extra Hard for Pozidriv cross head screws



PRODUCT PROPERTIES		ORDERING INFORMATION				
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Drive ISO 1173 C6.3, 1/4" external hex shank						
PZ2	25	P0a	25	25	720236	**2 608 522 187**



Drive ISO 1173 C6.3, 1/4" external hex shank with reduced diameter						
PZ2R	25	P0b	25	1	354448	**2 607 002 517**



Drive ISO 1173 C6.3, 1/4" external hex shank						
PZ1	51	PC1d	3	5	300957	**2 607 001 569**
PZ2	51	PC1d	3	5	300971	**2 607 001 571**
PZ3	51	PC1d	3	5	300995	**2 607 001 573**



Drive ISO 1173 E6.3, 1/4" external hex shank						
PZ1	49	PC1d	3	5	301015	**2 607 001 575**
PZ2	49	PC1d	3	5	301039	**2 607 001 577**
PZ3	49	PC1d	3	5	301053	**2 607 001 579**
PZ1	49	P0b	25	1	354325	**2 607 002 505**
PZ2	49	P0b	25	1	354332	**2 607 002 506**
PZ3	49	P0b	25	1	354349	**2 607 002 507**



Drive ISO 1173 E6.3, 1/4" external hex shank						
PZ1	89	PC1d	3	5	301077	**2 607 001 581**
PZ2	89	PC1d	3	5	301091	**2 607 001 583**
PZ3	89	PC1d	3	5	301114	**2 607 001 585**

Drive ISO 1173 E6.3, 1/4" external hex shank with spring ring for screw gun MA55						
PZ2	145	PC1d	1	5	632867	**2 608 522 069**

Drive ISO 1173 E6.3, 1/4" external hex shank						
PZ1	152	PC1d	1	5	301138	**2 607 001 587**
PZ2	152	PC1d	1	5	301145	**2 607 001 588**
PZ3	152	PC1d	1	5	301169	**2 607 001 590**



Display						
PZ2	25	P1a	25	10	980173	**2 607 002 798**

Extra Hard for internal Torx® screws





Drive ISO 1173 C6.3, 1/4" external hex shank

PRODUCT PROPERTIES		ORDERING INFORMATION				
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T8	25	PC1d	3	5	301275	**2 607 001 601**
T10	25	PC1d	3	5	301305	**2 607 001 604**
T15	25	PC1d	3	5	301336	**2 607 001 607**
T20	25	PC1d	3	5	301374	**2 607 001 611**
T25	25	PC1d	3	5	301411	**2 607 001 615**
T27	25	PC1d	3	5	301459	**2 607 001 619**
T30	25	PC1d	3	5	301480	**2 607 001 622**
T40	25	PC1d	3	5	301510	**2 607 001 625**
T15	25	PC1d	10	1	301343	**2 607 001 608**
T20	25	PC1d	10	1	301381	**2 607 001 612**
T25	25	PC1d	10	1	301428	**2 607 001 616**
T8	25	P0b	25	1	340250	**2 607 002 493**
T10	25	P0b	25	1	340267	**2 607 002 494**
T15	25	P0b	25	1	340274	**2 607 002 495**
T20	25	P0b	25	1	340281	**2 607 002 496**
T25	25	P0b	25	1	340298	**2 607 002 497**
T27	25	P0b	25	1	340304	**2 607 002 498**
T30	25	P0b	25	1	340311	**2 607 002 499**
T40	25	P0b	25	1	340328	**2 607 002 500**



Drive ISO 1173 C6.3, 1/4" external hex shank

T20	25	P0a	25	25	798167	**2 608 522 270**
T25	25	P0a	25	25	798174	**2 608 522 271**
T30	25	P0a	25	25	798181	**2 608 522 272**



Drive ISO 1173 E6.3, 1/4" external hex shank

T8	49	PC1d	1	5	301541	**2 607 001 628**
T9	49	PC1d	1	5	301565	**2 607 001 630**
T10	49	PC1d	1	5	301596	**2 607 001 632**
T15	49	PC1d	1	5	301602	**2 607 001 634**
T20	49	PC1d	1	5	301626	**2 607 001 636**
T25	49	PC1d	1	5	301640	**2 607 001 638**
T27	49	PC1d	1	5	301664	**2 607 001 640**
T30	49	PC1d	1	5	301688	**2 607 001 642**
T40	49	PC1d	1	5	301701	**2 607 001 644**
T8	49	P0b	25	1	354356	**2 607 002 508**
T10	49	P0b	25	1	354363	**2 607 002 509**
T15	49	P0b	25	1	354370	**2 607 002 510**
T20	49	P0b	25	1	354387	**2 607 002 511**
T25	49	P0b	25	1	354394	**2 607 002 512**
T27	49	P0b	25	1	354400	**2 607 002 513**
T30	49	P0b	25	1	354417	**2 607 002 514**
T40	49	P0b	25	1	354424	**2 607 002 515**



Drive ISO 1173 E6.3, 1/4" external hex shank

T8	89	PC1d	1	5	301725	**2 607 001 646**
T10	89	PC1d	1	5	301749	**2 607 001 648**

Extra Hard for internal Torx® screws

Drive ISO 1173 E6.3, 1/4" external hex shank

PRODUCT PROPERTIES		ORDERING INFORMATION				
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T8	152	PC1d	1	5	301886	**2 607 001 662**
T10	152	PC1d	1	5	301909	**2 607 001 664**
T15	152	PC1d	1	5	301923	**2 607 001 666**
T20	152	PC1d	1	5	301947	**2 607 001 668**
T25	152	PC1d	1	5	301961	**2 607 001 670**
T27	152	PC1d	1	5	301985	**2 607 001 672**
T30	152	PC1d	1	5	302005	**2 607 001 674**
T40	152	PC1d	1	5	302029	**2 607 001 676**
T15	89	PC1d	1	5	301763	**2 607 001 650**
T20	89	PC1d	1	5	301787	**2 607 001 652**
T25	89	PC1d	1	5	301800	**2 607 001 654**
T27	89	PC1d	1	5	301824	**2 607 001 656**
T30	89	PC1d	1	5	301848	**2 607 001 658**
T40	89	PC1d	1	5	301862	**2 607 001 660**



Display

T20	25	P1a	25	10	980180	**2 607 002 799**
T25	25	P1a	25	10	980197	**2 607 002 800**
T30	25	P1a	25	10	980203	**2 607 002 801**
T40	25	P1a	25	10	980210	**2 607 002 802**

Extra Hard for Security-Torx® screws





Drive ISO 1173 C6.3, 1/4" external hex shank

T7H	25	PC1d	2	5	608169	**2 608 522 006**
T8H	25	PC1d	2	10	608176	**2 608 522 007**
T9H	25	PC1d	2	5	608251	**2 608 522 008**
T10H	25	PC1d	2	5	608183	**2 608 522 009**
T15H	25	PC1d	2	5	608190	**2 608 522 010**
T20H	25	PC1d	2	5	608206	**2 608 522 011**
T25H	25	PC1d	2	5	608213	**2 608 522 012**
T27H	25	PC1d	2	5	608220	**2 608 522 013**
T30H	25	PC1d	2	5	608237	**2 608 522 014**
T40H	25	PC1d	2	5	608244	**2 608 522 015**

Extra Hard for internal hex screws





Drive ISO 1173 C6.3, 1/4" external hex shank

HEX1.5	25	PC1d	3	5	302418	**2 607 001 716**
HEX2	25	PC1d	3	5	302432	**2 607 001 718**
HEX2.5	25	PC1d	3	5	302456	**2 607 001 720**
HEX3	25	PC1d	3	5	302470	**2 607 001 722**
HEX4	25	PC1d	3	5	302494	**2 607 001 724**
HEX5	25	PC1d	3	5	302517	**2 607 001 726**
HEX6	25	PC1d	3	5	302531	**2 607 001 728**

Extra Hard for internal hex screws



PRODUCT PROPERTIES		ORDERING INFORMATION				
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
HEX8	25	P1c	3	10	302555	**2 607 001 730**
Drive ISO 1173 E6.3, 1/4" external hex shank						
HEX3	49	PC1d	3	5	302579	**2 607 001 732**
HEX4	49	PC1d	3	5	302586	**2 607 001 733**
HEX5	49	PC1d	3	5	302593	**2 607 001 734**
HEX6	49	PC1d	3	5	302609	**2 607 001 735**

Extra Hard for internal square screws









Drive ISO 1173 C6.3, 1/4" external hex shank						
R1	25	PC1d	3	5	447256	**2 608 521 108**
R2	25	PC1d	3	5	447263	**2 608 521 109**
R3	25	PC1d	3	5	447270	**2 608 521 110**
R1	25	P0b	25	1	447287	**2 608 521 111**
R2	25	P0b	25	1	447294	**2 608 521 112**
R3	25	P0b	25	1	447300	**2 608 521 113**
Drive ISO 1173 E6.3, 1/4" external hex shank						
R1	49	PC1d	3	5	447317	**2 608 521 114**
R2	49	PC1d	3	5	447324	**2 608 521 115**
R3	49	PC1d	3	5	447331	**2 608 521 116**
Drive ISO 1173 E6.3, 1/4" external hex shank						
R1	89	PC1d	3	5	447355	**2 608 521 117**
R2	89	PC1d	3	5	447362	**2 608 521 118**
R3	89	PC1d	3	5	447379	**2 608 521 119**

Extra Hard for slotted screws





Drive ISO 1173 C6.3, 1/4" external hex shank						
S0.5x4.0	25	PC1d	3	5	299794	**2 607 001 457**
S0.6x4.5	25	PC1d	3	5	299817	**2 607 001 459**
S0.8x5.5	25	PC1d	3	5	299862	**2 607 001 461**
S1.0x5.5	25	PC1d	3	5	299893	**2 607 001 464**
S1.2x6.5	25	PC1d	3	5	299916	**2 607 001 466**
S1.2x8.0	25	PC1d	3	5	299930	**2 607 001 468**
S1.6x8.0	25	PC1d	3	10	299978	**2 607 001 471**
S0.8x5.5	25	PC1d	10	1	299879	**2 607 001 462**
S1.2x8.0	25	PC1d	10	1	299947	**2 607 001 469**
S0.5x4.0	25	P0b	25	1	299800	**2 607 001 458**
S0.6x4.5	25	P0b	25	1	299855	**2 607 001 460**
S0.8x5.5	25	P0b	25	1	299886	**2 607 001 463**
S1.0x5.5	25	P0b	25	1	299909	**2 607 001 465**
S1.2x6.5	25	P0b	25	1	299923	**2 607 001 467**
S1.6x8.0	25	P0b	25	1	299985	**2 607 001 472**
Drive ISO 1173 E6.3, 1/4" external hex shank						
S0.5x3.0	49	PC1d	3	5	299992	**2 607 001 473**
S0.5x4.0	49	PC1d	3	5	300018	**2 607 001 475**
S0.6x4.5	49	PC1d	3	5	300032	**2 607 001 477**

Extra Hard for slotted screws

PRODUCT PROPERTIES		ORDERING INFORMATION				
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
S0.8x5.5	49	PC1d	3	5	300056	**2 607 001 479**
S1.0x5.5	49	PC1d	3	5	300070	**2 607 001 481**
S1.2x6.5	49	PC1d	3	5	300094	**2 607 001 483**
S1.2x8.0	49	PC1d	3	5	300117	**2 607 001 485**
S1.6x8.0	49	PC1d	3	5	300131	**2 607 001 487**

Extra Hard 3-piece Screwdriver Bit Packs

▶ Slotted screw = S; Phillips = PH; Pozidriv = PZ; Torx® = T



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-piece screwdriver bit pack, Extra Hard version (PH)						
PH1, PH2, PH3	25	PC1d	3	5	302777	**2 607 001 752**
PH1, PH2, PH3	89	PC1d	3	5	302821	**2 607 001 757**
PH1, PH2, PH3	152	PC1d	3	5	302838	**2 607 001 758**
3-piece screwdriver bit pack, Extra Hard version (PZ)						
PZ1, PZ2, PZ3	25	PC1d	3	5	302784	**2 607 001 753**
PZ1, PZ2, PZ3	89	PC1d	3	5	302869	**2 607 001 761**
PZ1, PZ2, PZ3	152	PC1d	3	5	302876	**2 607 001 762**
3-piece screwdriver bit pack, Extra Hard version (S)						
S0.6x4.5, S0.8x5.5, S1.2x8.0	25	PC1d	3	5	302753	**2 607 001 750**
3-piece screwdriver bit pack, Extra Hard version (Torx®)						
T8, T10, T15	89	PC1d	3	5	302845	**2 607 001 759**
T8, T10, T15	152	PC1d	3	5	302883	**2 607 001 763**
T20, T25, T30	89	PC1d	3	5	302852	**2 607 001 760**
T20, T25, T30	152	PC1d	3	5	302890	**2 607 001 764**
3-piece screwdriver bit pack, Extra Hard version (mixed)						
PH1 **PZ1** **S0.6x4.5**	25	PC1d	3	10	302906	**2 607 001 765**
PH2 **PZ2** **S1.0x5.5**	25	PC1d	3	10	302913	**2 607 001 766**
PH2 **PZ2** **T25**	89	PC1d	3	5	302920	**2 607 001 767**

Extra Hard 5-piece Screwdriver Bit Packs

▶ Torx® = T



5-piece screwdriver bit pack, Extra Hard version (Torx®)						
T10, T15, T20, T25, T30	25	PC1d	5	5	302937	**2 607 001 768**

Extra Hard Double-Ended Bit Packs

▶ Slotted screw = S, Phillips = PH, Pozidriv = PZ



PRODUCT PROPERTIES			ORDERING INFORMATION				
Dimensions, 1st bit	Dimensions, 2nd bit	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
PH1	PH1	45	PC1d	1	5	302647	**2 607 001 739**
PH2	PH2	45	PC1d	1	5	302654	**2 607 001 740**
PH2	PZ2	45	PC1d	1	5	302685	**2 607 001 743**
PZ1	PZ1	45	PC1d	1	5	302661	**2 607 001 741**
PZ2	PZ2	45	PC1d	1	5	302678	**2 607 001 742**
S0.6x4.0	S0.6x4.0	45	PC1d	1	10	302616	**2 607 001 736**
S1.0x6.0	S1.0x6.0	45	PC1d	1	10	302623	**2 607 001 737**
PH2	S1.0x5.5	45	PC1d	1	5	302630	**2 607 001 738**
S0.6x4.0	S0.6x4.0	45	PC1d	3	5	302692	**2 607 001 744**
PH2	PH2						
PZ2	PZ2						
PH1, PH2, PH3	PH1, PH2, PH3	60	PC1d	3	5	302739	**2 607 001 748**
PZ1, PZ2, PZ3	PZ1, PZ2, PZ3	60	PC1d	3	5	302746	**2 607 001 749**
S0.6x4.5, S0.8x5.5, S1.2x6.5	PH1, PH2, PH3	60	PC1d	3	5	302715	**2 607 001 746**
S1.2x6.5, S0.6x4.5, S0.8x5.5	PZ1, PZ2, PZ3	60	PC1d	3	5	302722	**2 607 001 747**
PH1	PH2	60	PC1d	3	5	302708	**2 607 001 745**
PZ1	PZ2						
S0.6x4.5	S1.0x5.5						

Extra Hard Robust Line Screwdriver Bit Sets

PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8-piece Robust Line screwdriver bit set Sx, Extra Hard version Bit length 49 mm, ISO 1173 E6.3, without universal holder						
PH1 (2x), PH2 (4x), PH3 (2x)	49	P1k	8	5	401395	**2 607 002 556**
PZ1 (2x), PZ2 (4x), PZ3 (2x)	49	P1k	8	5	401401	**2 607 002 557**
PH1, PH2 (2x), PH3 **PZ1, PZ2 (2x), PZ3**	49	P1k	8	5	401418	**2 607 002 558**
T8, T10, T15, T20, T25, T27, T30, T40	49	P1k	8	5	401425	**2 607 002 559**
8+1-piece Robust Line screwdriver bit set S, Extra Hard version Bit length 25 mm, ISO 1173 C6.3, with quick-change universal holder						
PH1 (2x), PH2 (4x), PH3 (2x) + QC UH	25	P1k	9	5	401432	**2 607 002 560**
PZ1 (2x), PZ2 (4x), PZ3 (2x) + QC UH	25	P1k	9	5	401449	**2 607 002 561**
T10, T15, T20 (2x), T25 (2x), T30, T40 + QC UH	25	P1k	9	5	401456	**2 607 002 562**
12+1-piece Robust Line screwdriver bit set M, Extra Hard version Bit length 25 mm, ISO 1173 C6.3, with quick-change universal holder						
PH1, PH2, PH3 **PZ1, PZ2, PZ3** **T10, T15, T20, T25, T30, T40 + QC UH**	25	P1k	13	5	401463	**2 607 002 563**
PH1 (2x), PH2 (3x), PH3 **PZ1 (2x), PZ2 (3x), PZ3 + QC UH**	25	P1k	13	5	401470	**2 607 002 564**
T8, T10, T15 (2x), T20 (2x), T25 (2x), T27, T30 (2x), T40 + QC UH	25	P1k	13	5	401487	**2 607 002 565**
PH1, PH2, PH3 **PZ1, PZ2, PZ3** **T15, T20, T25** **S0.6x4.5, S0.8x5.5, S1.2x8.0 + QC UH**	25	P1k	13	5	401494	**2 607 002 566**
18+1-piece Robust Line screwdriver bit set L, Extra Hard version Bit length 25 mm, ISO 1173 C6.3, with quick-change universal holder						
PH1, PH2 (3x), PH3 **PZ1, PZ2 (3x), PZ3** **T8, T10, T15, T20, T25, T27, T30, T40 + QC UH**	25	P1k	19	5	401500	**2 607 002 567**
PH1, PH2, PH3 **PZ1, PZ2, PZ3** **T10, T15, T20, T25, T30, T40** **S0.6x4.5, S0.8x5.5, S1.2x8.0** **HEX4, HEX5, HEX6 + QC UH**	25	P1k	19	5	401517	**2 607 002 568**









Extra Hard Robust Line Screwdriver Bit Sets

PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Th7, Th8, Th9, Th10, Th15, Th20, Th25, Th27, Th30, Th40 TW1, TW2, TW3, TW4 SP6, SP8, SP10 R2 + QC UH	25	P1k	19	5	401524	**2 607 002 569**

Extra Hard 11+1-piece Screwdriver Bit Sets



11+1-piece screwdriver bit set, Extra Hard
Bits, length 25 mm, ISO 1173 C6.3, with quick-change universal holder

PH1, PH2, PH3 PZ1, PZ2, PZ3 T10, T15, T20, T25, T30	25	P0a	12	12	704281	**2 608 522 129**
PH1, PH2, PH3 PZ1, PZ2, PZ3 T15, T20, T25 S0.6x4.5, S0.8x5.5	25	P0a	12	12	704298	**2 608 522 130**
PH2 PZ2 T10, T15, T20, T25 S0.6x4.5, S0.8x5.5 HEX3, HEX4, HEX5	25	P0a	12	12	704304	**2 608 522 131**



11+1-piece screwdriver bit set, Extra Hard
Bits, length 25 mm, ISO 1173 C6.3, with quick-change universal holder

PH1, PH2, PH3 PZ1, PZ2, PZ3 T10, T15, T20, T25, T30	25	PC1b	12	5	995382	**2 607 017 578**

Extra Hard 25-piece Screwdriver Bit Sets



25-piece screwdriver bit set, with magnetic universal holder

PH1, PH2 (2x), PH3 PZ1, PZ2 (2x), PZ3 T10, T15, T20 (2x), T25, T27, T30, T40 PH2 PZ2 T10, T15, T20, T25, T30, T40 + UH	25 25 25 49 49 49	P1k	25	1	557382	**2 607 017 037**

Extra Hard 32-piece Screwdriver Bit Sets



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
32-piece screwdriver bit set with quick-change universal holder						
PH1, PH2 (2x), PH3 **PZ1, PZ2 (2x), PZ3** **HEX 3/4/5/6** **T10, T15, T20 (2x), T25, T27, T30, T40** **S 3/4/5/6** **Th 10/15/20/25/27/30/40**	25	P1k	32	10	761734	**2 607 017 319**
		P1k	32	4	995245	**2 607 017 564**

Extra Hard 37-piece Screwdriver Bit Sets



PH1, PH2, PH3 **PZ1, PZ2, PZ3** **SL6** **Th 10/15/20/25/27/30/40** **HEX 3/4/5/6** **TW1, TW2, TW3, TW4** **SP6, SP8, SP10**	75	C1d	37	1	761987	**2 607 017 320**

Extra Hard 43-piece Screwdriver Bit Sets



43-piece screwdriver bit set with quick-change universal holder as well as magnetic universal holder						
PH1, PH2 (2x), PH3 **PZ1, PZ2 (2x), PZ3** **SL3, SL4, SL5, SL6** **H3, H4, H5, H6** **T10, T15, T20 (2x), T25, T27, T30, T40** **TH10, TH15, TH20 (2x), TH25, TH27, TH30, TH40** **PH2** **PZ2** **SL6** **T15, T20, T25** **Nutsetter with permanent magnet for hex screws 6 mm, 8 mm, 10 mm**	25 25 25 25 25 25 75 75 75 75 48-50	P1a	43	6	669702	**2 607 017 164**
		PC1b	43	3	995214	**2 607 017 561**

Extra Hard Mixed Sets



35-piece drill and screwdriver bit set with quick-change universal holder as well as magnetic universal holder

Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
PH1, PH2, PH3	25	P1a	35	6	771474	**2 607 017 326**
	25					
PZ1, PZ2, PZ3	25					
	25					
S 3/4/5/6	25					
	50					
HEX 3/4/5/6	70; 75; 85; 85; 100 ;150					
TH10, TH15, TH20 (2x), TH25, TH27, TH30, TH40	60					
	60					
Nutsetter 8/10/13 mm						
CYL-3 3.0/4.0/5.0/5.5/6.0/8.0 mm						
Double blade PH2/PZ2						
Double blade Th20/Th25						
		PC1b	35	3	995313	**2 607 017 571**



35-piece drill and screwdriver bit set with quick-change universal holder as well as magnetic universal holder

Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
PH1, PH2, PH3	25	P1a	35	6	771481	**2 607 017 327**
	25					
PZ1, PZ2, PZ3	25					
	25					
S 3/4/5/6	25					
	50					
HEX 3/4/5/6	67; 72; 87; 97; 102; 112					
TH10, TH15, TH20 (2x), TH25, TH27, TH30, TH40	60					
	60					
Nutsetter 6/8/10 mm						
HSS 2.0/3.0/4.0/5.0/6.0/8.0 mm						
Double blade PH2/PZ2						
Double blade Th20/Th25						
		PC1b	35	3	995269	**2 607 017 566**



35-piece drill and screwdriver bit set with quick-change universal holder as well as magnetic universal holder

Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
PH1, PH2, PH3	25	P1a	35	6	771498	**2 607 017 328**
	25					
PZ1, PZ2, PZ3	25					
	25					
S 3/4/5/6	25					
	50					
H3, H4, H5, H6	70; 74; 83; 88; 99; 105					
T10, T15, T20 (2x), T25, T27, T30, T40	60					
	60					
Nutsetter 8/10/13 mm						
HSS-G 2.5/3.0/3.5/4.0/5.0/6.0 mm						
Double blade PH2/PZ2						
Double blade Th20/Th25						
		PC1b	35	3	995252	**2 607 017 565**

Extra Hard Mixed Sets



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
20-piece drill and screwdriver bit set, with HSS drill bits and spanner						
PH2 (2x)	25	PC1b	20	6	792820	**2 607 002 786**
PZ2	25					
S5	25					
HEX4, HEX5	25					
T15, T20, T25	16; 20; 24; 30					
HSS 2.0/2.5/3.0/3.5 mm	85					
Tool holder	27					
Sleeve with countersink	39					
Shank	107					
Wrench						



11-piece screwdriver bit set with metal flexible extension (200mm)						
PH1, PH2, PH3	25	PC1a	11	1	909518	**2 608 522 376**
PZ2	25					
HEX4, HEX5	25					
T20, T25	25					
SL0.6x4.5, SL0.8x5.5	25					
	25					
	25					
	25					
	25					



11-piece screwdriver bit set with plastic flexible extension (300mm)						
PZ1, PZ2, PZ3	25		12	1	909525	**2 608 522 377**
PZ2	25					
HEX4, HEX5	25					
T20, T25	25					
SL0.6x4.5, SL0.8x5.5	25					
	25					
	25					
	25					
	25					

Extra Hard Nutsetters for Hex Screws



PRODUCT PROPERTIES						ORDERING INFORMATION				
Length mm	Key width mm	Width across flat inches	Diameter (D1) mm	For thread	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Nutsetter with permanent magnet									
50	5.5	-	-	M 3	C1b	1	1	081467	**2 608 550 068**
50	6	-	-	M 3.5	C1b	1	5	081474	**2 608 550 069**
50	7	-	-	M 4	C1b	1	5	081481	**2 608 550 070**
50	8	-	-	M 5	C1b	1	5	084987	**2 608 550 080**
50	10	-	-	M 6	C1b	1	5	084994	**2 608 550 081**
50	12	-	-	M 7	C1b	1	5	103251	**2 608 550 090**
50	13	-	-	M 8	C1b	1	5	081498	**2 608 550 071**
50	17	-	-	M 10	C1b	1	5	081504	**2 608 550 072**
50	-	1/4	-	-	C1b	1	5	081511	**2 608 550 073**
50	-	5/16	-	-	C1b	1	5	700931	**2 608 551 076**
50	-	3/8	-	-	C1b	1	5	085007	**2 608 550 082**
50	-	1/2	-	-	C1b	1	5	700924	**2 608 551 075**



Nutsetter with permanent magnet

In conjunction with depth stops 3 600 552 506 and 3 600 552 507

Suitable for GSR 6-25 TE Professional

65	6	-	10	M 3.5	C1b	1	5	044530	**2 608 550 040**
65	7	-	11.6	M 4	C1b	1	5	044547	**2 608 550 041**
65	8	-	12.6	M 5	C1b	1	5	044509	**2 608 550 037**
65	10	-	14.5	M 6	C1b	1	5	044523	**2 608 550 039**
65	-	1/4	11	-	C1b	1	5	044479	**3 608 550 503**
65	-	5/16	12.6	-	C1b	1	5	044486	**3 608 550 504**
65	-	3/8	14.1	-	C1b	1	5	044493	**3 608 550 505**



Nutsetter with permanent magnet

In conjunction with depth stop 2 607 002 586

Suitable for GSR 6-25 TE (0 601 441 3..) Professional

65	5.5	-	11	M 3	PC1a	1	1	409926	**2 608 550 557**
65	6	-	11	M 3.5	PC1a	1	5	409933	**2 608 550 558**
65	7	-	12	M 4	PC1a	1	5	409940	**2 608 550 559**
65	8	-	13	M 5	PC1a	1	5	409957	**2 608 550 560**
65	10	-	14	M 6	PC1a	1	5	409964	**2 608 550 561**
65	-	1/4	12	-	PC1a	1	5	409971	**2 608 550 562**
65	-	5/16	13	-	PC1a	1	5	409988	**2 608 550 563**
65	-	3/8	14	-	PC1a	1	5	409995	**2 608 550 564**

Extra Hard Nutsetter Sets for Hex Screws



PRODUCT PROPERTIES			ORDERING INFORMATION				
Length mm	Key width mm	Shank inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-piece nutsetter pack							
Nutsetter with permanent magnet							
50	8 10 13	1/4	PC1d	3	5	700955	**2 608 551 078**

Extra Hard Nutsetter Sets for Hex Screws



PRODUCT PROPERTIES			ORDERING INFORMATION				
Length mm	Key width mm	Shank inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6-piece nutsetter set							
Nutsetter with permanent magnet							
50	6 7 8 10 12 13	1/4	P1k	6	10	700962	**2 608 551 079**

Universal holders with 1/4" external hex shank

▶ Universal holders with 1/4" external hex shank manufactured to ISO 1173 E6.3

PRODUCT PROPERTIES			ORDERING INFORMATION				
Drive end Inch	Total length mm	Diameter (D1) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Universal Holder with quick-change chuck and permanent magnet							
1/4	60	-	PC1a	1	5	851107	**2 608 522 320**
Universal Holder with permanent magnet							
1/4	60	-	PC1a	1	5	851114	**2 608 522 321**
Universal Holder with one-click function and permanent magnet							
1/4	60	14	PC1a	1	1	818049	**2 608 522 318**
			P0b	10	1	818056	**2 608 522 319**
Universal holder with permanent magnet, without spring ring							
1/4	55	10	PC1a	1	1	818025	**2 608 522 316**
			P0b	10	1	818032	**2 608 522 317**
Universal holder with permanent magnet and spring ring In conjunction with depth stop T9 (2 607 002 586) for bits with 1/4" external hex shank manufactured to ISO 1173 C6.3 **Suitable for** GSR 6-25 TE (0 601 441 3..) Professional							
1/4	57	11	PC1a	1	5	409896	**2 607 002 584**
Universal holder with permanent magnet and spring ring In conjunction with depth stop T8 (2 607 002 585) or depth stop T4 (2 607 000 156) for bits with 1/4" external hex shank manufactured to ISO 1173 C6.3 **Suitable for** GSR 6-25 TE (0 601 441 3..); GSR 6-45 TE (0 601 440 3..); GSR 18 V-EC TE (0 601 9C8 0..); GTB 12V-11 (0 601 9E4 0..) Professional							
1/4	75	11	PC1a	1	5	039000	**2 607 000 157**

Universal holders with SDS plus shank



PRODUCT PROPERTIES			ORDERING INFORMATION				
Drive end Inch	Total length mm	Diameter (D1) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Universal holder with permanent magnet and spring ring **Suitable for** GBH 24 V; GBH 24 VF; GBH 24 VFR; GBH 24 VR; GBH 36 V-EC Compact; GBH 36 V-LI; GBH 36 VF-LI Professional; PBH 2 R; PBH 160 R; PBH 200 RE							
1/4	78	11	PC1a	1	5	043373	**2 607 000 206**
Universal holder with quick change chuck and permanent magnet **Suitable for** GBH 2-18 E; GBH 2-18 RE; GBH 2-23 RE; GBH 2-23 REA; GBH 2-26 DBR; GBH 2-26 DE; GBH 2-26 DFR; GBH 2-26 DFR + DMF 10 Zoom; GBH 2-26 DRE; GBH 2-26 E; GBH 2-26 RE; GBH 36 V-EC Compact; GBH 36 V-LI; GBH 36 VF-LI Professional; PBH 2000 RE; PBH 2000 SRE; PBH 2800 RE; PBH 3000 FRE; PBH 3000 FRE Set; PBH 3000-2 FRE							
1/4	79	14	PC1a	1	1	043380	**2 607 000 207**

Adapters and Attachments

PRODUCT PROPERTIES			ORDERING INFORMATION				
Length mm	Shank	External square drive end, inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Adapter for sockets 1/4" external hex shank drive, ISO 1173 C6.3							
50	1/4" external hex	1/4	PC1a	1	5	704236	**2 608 551 109**
50	1/4" external hex	3/8	PC1a	1	5	704229	**2 608 551 108**
50	1/4" external hex	1/2	PC1a	1	5	704212	**2 608 551 107**



Magnetic Sleeve provides firm hold of screws to screwdriver bit
Suitable for Impact Control double-ended bits

-	-	-	PC1a		5	851442	**2 608 522 354**



Adapter for sockets SDS plus shank

-	SDS plus	1/2	C1b	1	1	080026	**2 608 598 037**





Adapter for screwdriver bits
1/2" internal square drive

50	1/2" internal square	1/2	PC1a	1	5	704243	**2 608 551 110**

Adapter for sockets SDS max shank

-	SDS max	1/2	C1b	1	1	047654	**2 608 598 019**



Adapter for sockets SDS max shank

-	SDS max	1/2	C1b	1	1	047647	**2 608 598 018**



Depth stops for Bosch drill/drivers

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Depth stop with sealing ring In conjunction with universal holder 2 607 000 157 **Suitable for** GSR 6-25 TE (0 601 441 3..); GSR 6-45 TE (0 601 440 3../0 601 445 1..) Professional	C1b	1	1	409902	**2 607 002 585**
 Depth stop without sealing ring In conjunction with nutsetter 2 608 550 557 - 2 608 550 563. In conjunction with universal holder 2 607 002 584. **Suitable for** GSR 6-25 TE (0 601 441 3..); GSR 6-45 TE (0 601 440 3../0 601 445 1..) Professional	C1b	1	1	409919	**2 607 002 586**
 Depth stop for screwdriving PH2 output	C1b	1	1	002561	**1 608 500 013**

SDS CHISELS

Maximum removal rate

The best your tool can get. Bosch Professional Accessories.





CHISEL WITH SDS PLUS SHANK

The right chisel for any application.



Self-sharpening Pointed chisel	Pointed chisel	Self-sharpening Flat chisel	Flat chisel

Page number	200	200	201	201
Total length mm	250	140 / 250	250	140 / 250
Cutting edge mm	–	–	20	20
MATERIALS				
Masonry	✓	✓	✓	✓
Concrete	✓	✓	✓	✓



	Self-sharpening Spade chisel	Spade chisel	Self-sharpening Tile chisel	Hollow gouging chisel	Winged gouging chisel	Pointing chisel	Wood chisel	Mortar raking chisel
Page number	201	201	202	202	202	202	202	203
Total length mm	250	140 / 250	260	250	250	130 / 200	175	200
Cutting edge mm	40 / 60	40	40	22	22	32	20	6.5 / 9.5
MATERIALS								
Masonry	✓	✓	–	–	✓	–	–	–
Concrete	✓	✓	–	✓	–	–	–	–
Tiles	–	–	✓	–	–	–	–	–
Bricks	–	–	–	–	–	✓	–	–
Asphalt	✓	✓	–	–	–	–	–	–
Wood	–	–	–	–	–	–	✓	–
Mortar	–	–	–	–	–	–	–	✓

POINTED CHISEL WITH SDS-PLUS SHANK

High demolition power.



Pointed Chisels with SDS plus Shank

▶ For use via SDS plus chisel attachment or directly in SDS plus hammers with rotation stop.

PRODUCT PROPERTIES	ORDERING INFORMATION					
Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number



Pointed chisel, Long Life with 30% longer lifetime and 15% higher material removal rate

SDS plus pointed chisel is ideal for precision jobs in concrete without any work interruptions and with less jamming

250	P1e	1	1	370936	**2 609 390 576**
	C0a	5	1	293136	**2 607 019 051**



Pointed chisel

SDS plus pointed chisel provides standard chiselling in concrete and brick for various renovation and restoration jobs

140	P1e	1	1	608398	**2 608 690 176**
250	P1e	1	1	506489	**2 608 690 145**
	U0	10	1	462792	**2 608 690 132**



Pointed chisel for rotary hammers without rotation stop

SDS plus pointed chisel without Rotation stop for standard chiselling in concrete and brick

250	P1e	1	1	006347	**1 618 600 005**



Pointed chisel

SDS plus pointed chisel without rotation stop for standard chiselling in concrete and brick

250	P1e	1	10	932257	**2 608 578 516**

Pointed Chisels with SDS plus Shank

PRODUCT PROPERTIES	ORDERING INFORMATION				
Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
250	P0f	10	1	932264	**2 608 578 517**

Flat Chisels with SDS plus Shank



Flat chisel, Long Life with 30% longer lifetime and 15% higher material removal rate

SDS plus flat chisel is ideal for various applications in concrete with less jamming and more progress

Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
250	20	P1e	1	1	308908	**2 609 390 394**
		C0a	5	1	293143	**2 607 019 052**



Flat chisel

SDS plus flat chisel provides standard chiselling for various renovation and restoration jobs

Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
140	20	P1e	1	1	608404	**2 608 690 177**
250	20	P1e	1	1	506472	**2 608 690 144**
		U0	10	1	462785	**2 608 690 131**



Flat chisel

SDS plus flat chisel provides standard chiselling for various renovation and restoration jobs

Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
250	20	P1e	1	10	932271	**2 608 578 518**
		P0f	10	1	932288	**2 608 578 519**

Spade Chisels with SDS plus Shank



Spade chisel, self-sharpening, Long Life with 30% higher material removal rate

The SDS plus spade chisel delivers a high material removal rate in masonry and mortar

Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
250	40	P1e	1	1	425940	**2 608 690 101**
250	60	P1e	1	1	425957	**2 608 690 102**



Spade chisel

SDS plus spade chisel offers standard chiselling for various renovation and restoration jobs

Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
140	40	P1e	1	1	608411	**2 608 690 178**
250	40	P1e	1	1	506496	**2 608 690 146**
		U0	5	1	462808	**2 608 690 133**

Tile Chisels with SDS plus Shank



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Tile chisel, angled, self-sharpening, Long Life with 30% higher material removal rate SDS plus tile chisel delivers clean and fast removal of wall and floor tiles						
260	40	P1e	1	1	328012	**2 608 690 091**

Hollow Gouging Chisels with SDS plus Shank



Hollow gouging chisel Hollow gouging capabilities allow chiselling through concrete and brick						
250	22	P1e	1	1	015844	**1 618 601 004**

Winged Gouging Chisels with SDS plus Shank



Winged gouging chisel/Gouging chisel SDS plus winged gouging chisel is ideal for cutting narrow channels with precise depth guidance in concrete and brick						
250	22	P1e	1	1	086738	**2 608 690 007**

Pointing Chisels with SDS plus Shank



Pointing chisel, carbide-tipped SDS plus carbide-tipped pointing chisel provides easy mortar removal with an extremely long lifetime						
130	32	P1e	1	1	045803	**1 608 690 014**
200	32	P1e	1	1	045810	**1 608 690 015**

Wood Chisels with SDS plus Shank



Wood chisel SDS plus wood chisel delivers fast chiselling in soft wood						
175	20	P1e	1	1	086721	**2 608 690 006**

Mortar Raking Chisels with SDS plus Shank



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Mortar Raking Chisel						
For removing mortar between bricks						
200	6.5	P1e	1	1	790505	**2 608 690 200**
200	9.5	P1e	1	1	790512	**2 608 690 201**

Rod Drivers with SDS plus Shank



PRODUCT PROPERTIES	ORDERING INFORMATION				
Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Rod driver, 13 mm diameter					
SDS plus rod driver is ideal for easily driving nails into wood or the ground with a power tool					
58	P1e	1	1	086769	**2 608 690 010**

Chisel Attachment MV 200 SDS plus



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
MV 200 chisel attachment for Bosch hammers with SDS plus holder, without Vario-Lock system					
	P1e	1	1	081276	**2 607 018 296**

Chisel Sets with SDS plus shank



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
SDS plus Chisel Set, 3-Piece, offers flat, pointed and tile chisels for various applications in several materials						
1 pointed chisel 250 mm, Long Life (2 609 390 576)						
1 tile chisel 260 mm, self-sharpening (2 608 690 091)						
1 flat chisel 250 mm, Long Life (2 609 390 394)						
250	0	P1c	3	1	334488	**2 607 019 159**
260	40					
250	20					

Chisel Sets with SDS plus shank



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
SDS plus Stubby Chisel Set, 3-Piece: standard chiselling for various renovation/restoration jobs in concrete and brick Pointed chisel 140 mm Flat chisel 140x20 mm Spade chisel 140x40 mm						
140 **140** **140**	20 40	P1e	3	1	610681	**2 608 690 180**



4-Piece SDS plus chisel set 2 pointed chisel 250 mm 2 flat chisel 250x20 mm						
250 **250**	20	P1h	4	1	974417	**2 607 017 516**



5-Pieces SDS plus-5X and chisel set Pointed chisel 250 mm Flat chisel 250x20 mm Drill bit 6x100x160 mm Drill bit 8x100x160 mm Drill bit 10x100x160 mm						
-	-	P1h	5	1	974400	**2 607 017 515**

CHISEL WITH SDS MAX SHANK

The right chisel for any application.



	Self-sharpening Pointed chisel	Pointed chisel	Self-sharpening Flat chisel	Flat chisel
Page number	208	208	208	209
Total length mm	400	280 / 300 / 400 / 600	400	280 / 300 / 400 / 600
Cutting edge mm	–	–	25	25
MATERIALS				
Masonry	✓	✓	✓	✓
Concrete	✓	✓	✓	✓

CHISEL WITH SDS MAX SHANK

The right chisel for any application.



Self-sharpening Spade chisel	Spade chisel	Self-sharpening Tile chisel	Tile chisel	Hollow gouging chisel	Gouging chisel	Winged gouging chisel	Pointing chisel

Page number	209	209	209	209	210	210	210	210
Total length mm	350 / 400	300 / 350 / 400	300	300	300	300	380	280
Cutting edge mm	50 / 80 / 115	50 / 80 / 115	50	80	26	32	35	38
Dimension mm	–	–	–	–	–	–	–	–

MATERIALS

Masonry	✓	✓	–	–	–	✓	✓	–
Concrete	✓	✓	–	–	✓	–	–	–
Tiles	–	–	✓	✓	–	–	–	–
Bricks	–	–	–	–	–	–	–	✓
Compact soil and gravel	–	–	–	–	–	–	–	–
Asphalt	✓	✓	–	–	–	–	–	–
Earth rods	–	–	–	–	–	–	–	–
Mortar and plaster	–	–	–	–	–	–	–	–



	Toothed chisel	Excavation chisel	Asphalt cutter	Earth rod driver	Tamping plate	Steel teeth bush hammer head	Carbide teeth bush hammer head	Toolholder
	210	211	211	211	211	212	212	211
	300	400	400	260	–	–	–	220
	32	110	90	13 / 16.5	–	–	–	–
	–	–	–	–	120 x 120 / 150 x 150	60 x 60	50 x 50	–
	–	–	–	–	–	–	–	–
	–	–	–	–	–	✓	✓	–
	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–
	–	✓	–	–	✓	–	–	–
	–	–	✓	–	–	✓	✓	–
	–	–	–	✓	–	–	–	–
	✓	–	–	–	–	–	–	–

Chisels for heavy rotary and demolition hammers

Pointed Chisels RTec Speed with SDS max Shank

SDS max | long LIFE

PRODUCT PROPERTIES	ORDERING INFORMATION				
Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
RTec Speed pointed chisel, self-sharpening with 30% higher material removal rate					
SDS max RTec Speed pointed chisel is ideal for precision jobs in concrete					
400	P1e	1	1	533621	**2 608 690 167**
	C0a	10	1	533638	**2 608 690 168**

Pointed Chisels with SDS max Shank

SDS max | long LIFE



Pointed chisel

SDS max pointed chisel delivers standard chiselling in concrete and brick for various demolition applications

280	P1e	1	1	047272	**1 618 600 023**
	U0	10	1	462778	**2 608 690 130**
300	P1e	1	1	038942	**1 618 600 015**
400	P1e	1	1	506458	**2 608 690 142**
	U0	10	1	462754	**2 608 690 128**
600	P1e	1	1	022118	**1 618 600 012**
	U0	5	1	462761	**2 608 690 129**

Pointed chisel SDS max

SDS max pointed chisel delivers standard chiselling in concrete and brick for various demolition applications

400	P1e	1	2	855495	**2 608 690 240**
	C0a	10	1	855440	**2 608 690 235**
600	P1e	1	1	855518	**2 608 690 242**
	C0a	10	1	855457	**2 608 690 236**

Flat Chisels RTec Sharp with SDS max Shank

SDS max | long LIFE



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
RTec Sharp flat chisel, self-sharpening, Long Life with 100% higher material removal rate						
SDS max RTec Sharp flat chisel is ideal for various applications in concrete						
400	25	P1e	1	1	460385	**2 608 690 124**
		C0a	10	1	530200	**2 608 690 166**

Flat Chisels with SDS max Shank

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Flat chisel						
SDS max flat chisel provides standard chiselling for various demolition applications in concrete and brick						
280	25	P1e	1	1	047296	**1 618 600 210**
		U0	10	1	462747	**2 608 690 127**
300	25	P1e	1	1	038966	**1 618 600 204**
400	25	P1e	1	1	506441	**2 608 690 141**
		U0	10	1	462723	**2 608 690 125**
600	25	P1e	1	1	022132	**1 618 600 203**
		U0	5	1	462730	**2 608 690 126**
Flat chisel SDS max						
SDS max flat chisel provides standard chiselling for various demolition applications in concrete and brick						
400	25	P1e	1	2	855488	**2 608 690 239**
		C0a	10	1	855464	**2 608 690 237**
600	25	P1e	1	1	855501	**2 608 690 241**
		C0a	10	1	855471	**2 608 690 238**

Spade Chisels with SDS max Shank



Spade chisel, self-sharpening, Long Life with 30% higher material removal rate

The SDS max spade chisel delivers a high material removal rate in masonry and mortar

350	50	P1e	1	1	397315	**2 608 690 097**
		C0a	5	1	402996	**2 608 690 099**
400	80	P1e	1	1	670135	**2 608 690 198**
400	115	P1e	1	1	670142	**2 608 690 199**



Spade chisel

SDS max spade chisel offers standard chiselling for various demolition applications in concrete and brick

300	80	P1e	1	1	033398	**1 618 601 008**
350	115	P1e	1	1	022156	**1 618 601 007**
400	50	P1e	1	1	506465	**2 608 690 143**
		U0	5	1	605786	**2 608 587 184**

Tile Chisels with SDS max Shank



Tile chisel, self-sharpening, Long Life with 30% higher material removal rate

SDS max tile chisel is ideal for the clean removal of wall and floor tiles

300	50	P1e	1	1	397322	**2 608 690 098**
		C0a	5	1	403009	**2 608 690 100**



Tile chisel

SDS max tile chisel is equipped for the standard removal of wall and floor tiles

300	80	P1e	1	1	052979	**1 618 601 019**

Hollow Gouging Chisel with SDS max Shank



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Hollow gouging chisel						
SDS max hollow gouging chisel is ideal for easily cutting narrow channels in concrete						
300	26	P1e	1	1	022163	**1 618 601 101**

Gouging Chisels with SDS max Shank



Gouging chisel						
SDS max gouging chisel is ideal for easily cutting narrow channels in brick						
300	32	P1e	1	1	022170	**1 618 601 102**

Winged Gouging Chisel with SDS max Shank



Winged gouging chisel						
SDS max winged gouging chisel is ideal for cutting narrow channels with precise depth guidance in concrete and brick						
380	35	P1e	1	1	069380	**2 608 690 000**

Pointing Chisels, Carbide-tipped with SDS max Shank



Pointing chisel, carbide-tipped						
SDS max carbide-tipped pointed chisel offers easy mortar removal with an extremely long lifetime						
280	38	P1e	1	1	058414	**2 607 990 010**

Toothed Chisels with SDS max Shank



PRODUCT PROPERTIES			ORDERING INFORMATION				
Total length mm	Chisel cutting edge mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Toothed chisel							
SDS max toothed chisel provides easy removal of mortar and plaster							
300	32	6.5	P1e	1	1	022194	**1 618 601 302**

Excavation Chisels with SDS max Shank



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Excavation chisel						
SDS max excavation chisel delivers easy loosening of heavily compacted soil and ground to make digging possible						
400	110	P1e	1	1	049283	**1 618 601 017**

Asphalt Cutters with SDS max Shank



Asphalt cutter						
SDS max asphalt cutter is ideal for the targeted breaking up of road surfaces to restore asphalt covering						
400	90	P1e	1	1	079761	**2 608 690 003**

Earth Rod Drivers with SDS max Shank



Earth rod driver						
The SDS max earth rod driver is intended for use in soil and the ground						
260	13	P1e	1	1	079778	**2 608 690 004**
260	16.5	P1e	1	1	079785	**2 608 690 005**

Toolholders for Tamping Plates and Bush Hammer Heads with SDS max Shank



PRODUCT PROPERTIES	ORDERING INFORMATION				
Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Toolholder for tamping plate and bush hammer head with SDS max shank					
220	P1e	1	1	022200	**1 618 609 003**

Tamping Plates



PRODUCT PROPERTIES	ORDERING INFORMATION				
Dimensions mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Tamping plate for toolholder 1 618 609 003					
120 x 120	PC1c	1	1	029339	**1 618 633 101**
150 x 150	PC1c	1	1	029346	**1 618 633 102**

Bush Hammer Heads

SDS max | long LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION				
Dimensions mm	Number of teeth	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Carbide Teeth Bush Hammer Head for toolholder 1 618 609 003						
The SDS max bush hammer head is ideal for roughing up stone, concrete and asphalt						
50 x 50	5 x 5	C0a	1	1	608428	**2 608 690 179**





Steel Teeth Bush hammer head for toolholder 1 618 609 003						
The SDS max bush hammer head is ideal for roughing up stone, concrete and asphalt						
60 x 60	7 x 7	PC1c	1	1	029032	**1 618 623 206**
60 x 60	5 x 5	PC1c	1	1	029025	**1 618 623 205**

Chisel Sets with SDS max shank

SDS max | long LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-Pieces SDS max chisel set						
2 pointed chisels 400 mm (2 608 690 240)						
1 flat chisel 400x25 mm (2 608 690 239)						
400 **400** **400**	25	P1h	3	1	974424	**2 607 017 517**



SDS max Chisel Set, 4-Pieces ideal for various applications in concrete						
2 flat chisel 400x25 mm, RTec Sharp (2 608 690 124)						
2 pointed chisel 400 mm, RTec Speed (2 608 690 167)						
400 **400** **400** **400**	25 25	P1h	4	1	868327	**2 607 017 368**



Chisels with 19 mm Hex Shank with Turned Down Collar (17 mm)

Pointed Chisels with 19 mm Hex Shank with Turned Down Collar (17 mm diameter)



PRODUCT PROPERTIES		ORDERING INFORMATION				
	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Pointed chisel has a pointed tip for precise adjustment work in concrete						
	400	P0b	1	1	029063	**1 618 630 002**

Flat Chisels with 19 mm Hex Shank with Turned Down Collar (17 mm diameter)



PRODUCT PROPERTIES			ORDERING INFORMATION				
	Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Flat chisel for various demolition applications in concrete and brick							
	400	22	P0b	1	1	029070	**1 618 630 003**

Spade Chisels with 19 mm Hex Shank with Turned Down Collar (17 mm diameter)



Spade chisel offers standard chiselling for various demolition applications in concrete and brick						
400	50	P0b	1	1	029117	**1 618 630 007**

Chisels with 19 mm Hex Shank

Pointed Chisels with 19 mm hex shank



PRODUCT PROPERTIES	ORDERING INFORMATION					
Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Pointed chisel delivers standard chiselling for various demolition applications in concrete and brick					
300	P0b	1	1	029049	**1 618 630 000**
400	P0b	1	1	029056	**1 618 630 001**

Flat Chisels with 19 mm Hex Shank



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Flat chisel provides standard chiselling for various demolition applications in concrete and brick						
300	25	P0b	1	1	029193	**1 618 630 200**
400	25	P0b	1	1	029209	**1 618 630 201**

Spade Chisels with 19 mm Hex Shank



Spade chisel offers standard chiselling for various demolition applications in masonry and mortar						
450	60	P0b	1	1	029247	**1 618 631 001**

Chisels with 22 mm Hex Shank

Pointed Chisels with 22 mm Hex Shank

long LIFE



PRODUCT PROPERTIES		ORDERING INFORMATION				
	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Self-sharpening pointed chisel Pointed chisel delivers a constantly high material removal rate and an efficient work flow						
	400	U0	1	1	670036	**2 608 690 188**

Flat Chisels with 22 mm Hex Shank

long LIFE



PRODUCT PROPERTIES			ORDERING INFORMATION				
	Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Self-sharpening flat chisel SDS hex flat chisel is ideal for various applications in concrete with less jamming and more progress							
	400	25	U0	1	1	670050	**2 608 690 190**

Spade Chisels with 22 mm Hex Shank

long LIFE

▶ **Appropriate for** HILTI TE-S system



Self-sharpening spade chisel
The spade chisel delivers a high material removal rate in masonry and mortar

400	50	U0	1	1	670074	**2 608 690 192**
400	80	U0	1	1	670081	**2 608 690 193**
400	115	U0	1	1	670098	**2 608 690 194**

Excavation Chisels with 22 mm Hex Shank

long LIFE



Excavation chisel delivers easy loosening of heavily compacted soil and ground to make digging possible

400	125	U0	1	1	670104	**2 608 690 195**

Earth Rod Drivers with 22 mm Hex Shank

long LIFE



Earth rod driver is ideal for driving earth rods for lightning conductors or tent anchors

300	25	U0	1	1	670111	**2 608 690 196**

Toolholders for Tamping Plates and Bush Hammer Heads with 22 mm Hex Shank

long LIFE



PRODUCT PROPERTIES	ORDERING INFORMATION				
Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Toolholder for tamping plate with 22 mm hex shank					
300	U0	1	1	670128	**2 608 690 197**

Tamping Plates

long LIFE



PRODUCT PROPERTIES	ORDERING INFORMATION				
Dimensions mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Tamping plate for toolholder 1 618 609 003					
120 x 120	PC1c	1	1	029339	**1 618 633 101**
150 x 150	PC1c	1	1	029346	**1 618 633 102**

Chisels with 28 mm Hex Shank

Pointed Chisels with 28 mm Hex Shank

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Pointed chisel, self-sharpening Pointed chisel delivers a constantly high material removal rate						
	400	U0	1	1	425995	**2 608 690 106**
 Pointed chisel has a pointed tip for precise adjustment work in concrete						
	400	U0	1	1	029407	**1 618 660 000**
	520	U0	1	1	042543	**1 618 600 019**

Flat Chisels with 28 mm Hex Shank

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Flat chisel provides standard chiselling for various demolition applications in concrete and brick							
	400	35	U0	1	1	426015	**2 608 690 108**
	520	35	U0	1	1	042550	**1 618 600 206**

Spade Chisels with 28 mm Hex Shank

Spade chisel offers standard chiselling for various demolition applications in concrete and brick						
400	80	U0	1	1	029414	**1 618 661 000**



 Spade chisel, rounded
Rounded spade chisel offers standard chiselling for various demolition applications in masonry and mortar

400	135	U0	1	1	029421	**1 618 662 000**

Asphalt Cutters with 28 mm Hex Shank

Asphalt cutter is ideal for the targeted breaking up of road surfaces						
500	125	U0	1	1	042574	**1 618 601 011**



Earth Rod Drivers with 28 mm Hex Shank

long LIFE



PRODUCT PROPERTIES	ORDERING INFORMATION				
Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Earth rod driver for hammering in rods and rings up to 1" (25.4 mm) head diameter.					
300	U0	1	1	042604	**1 618 609 005**

Toolholders for Tamping Plates and Bush Hammer Heads with 28 mm Hex Shank

long LIFE



Toolholder for tamping plates with 28 mm hex shank					
390	U0	1	1	042611	**1 618 609 006**

Tamping Plates

long LIFE



PRODUCT PROPERTIES	ORDERING INFORMATION				
Dimensions mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Tamping plate for toolholder 1 618 609 006 or 2 608 690 115 for compressing soil with a work surface of 225 cm² (1 618 633 104) or 400 cm² (1 618 633 105).					
150 x 150	C0a	1	1	042628	**1 618 633 104**
200 x 200	C0a	1	1	042635	**1 618 633 105**

Transport Carts

long LIFE



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Transport cart for USH/GSH 27 **Suitable for** USH/GSH 27 Professional					
	C0a	1	1	042642	**1 610 795 007**

Chisels with 30 mm Hex Shank

Pointed Chisels with 30 mm Hex Shank

long LIFE

PRODUCT PROPERTIES	ORDERING INFORMATION				
Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Pointed chisel, self-sharpening Pointed chisel delivers a constantly high material removal rate					
400	U0	1	1	426046	**2 608 690 111**

Flat Chisels with 30 mm Hex Shank

long LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Flat chisel provides standard chiselling for various demolition applications in concrete and brick						
400	35	U0	1	1	426053	**2 608 690 112**

Spade Chisels with 30 mm Hex Shank

long LIFE

Spade chisel offers standard chiselling for various demolition applications in concrete and brick						
450	75	U0	1	1	426060	**2 608 690 113**





Spade chisel, rounded Rounded spade chisel offers standard chiselling for various demolition applications in masonry and mortar						
400	135	U0	1	1	426039	**2 608 690 110**

Asphalt Cutters with 30 mm Hex Shank

long LIFE

Asphalt cutter is ideal for the targeted breaking up of road surfaces						
450	125	U0	1	1	426077	**2 608 690 114**



Toolholders for Tamping Plates and Bush Hammer Heads with 30 mm Hex Shank

long LIFE



PRODUCT PROPERTIES	ORDERING INFORMATION				
Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Toolholder for tamping plates with 30 mm hex shank					
400	U0	1	1	426084	**2 608 690 115**

Tamping Plates

long LIFE



PRODUCT PROPERTIES	ORDERING INFORMATION				
Dimensions mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Tamping plate for toolholder 1 618 609 006 or 2 608 690 115 for compressing soil with a work surface of 225 cm² (1 618 633 104) or 400 cm² (1 618 633 105).					
150 x 150	C0a	1	1	042628	**1 618 633 104**
200 x 200	C0a	1	1	042635	**1 618 633 105**

Grease for Drill and Chisel Shank Ends



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Grease for drill and chisel shank ends Ensures optimal function and increases longevity of drill and chisel bits	C2h	1	8	560465	**2 608 002 021**

XLOCK

DIAMOND CUTTING, GRINDING AND DRILLING

For the toughest materials

The best your tool can get. Bosch Professional Accessories.







DIAMOND CUTTING DISCS CERAMIC

For angle grinders.






	Hard Ceramic	Best for Ceramic Extraclean Turbo	Best for Ceramic	Standard for Ceramic
	EXPERT			
Page number	**231**	**233**	**234**	**235**
Diameter mm	76 – 125	115 – 125	230	110 – 230
Cutting width mm	1.4 – 1.9	1.4 – 1.8	1.8 – 2.4	1.6
Bore diameter	10.0 / 22.23	22.23	22.23	22.23
X-LOCK	✓	✓	–	✓
	UP TO 3x* PRECISION DIAMOND TECHNOLOGY			
MATERIALS				
Hard Ceramic (Porcelain tiles)	✓	–	–	–
Drywall board, fiber cement board	✓	✓	✓	✓
Ceramic tiles	✓	✓	✓	✓
Polystyrene, cardboard	✓	✓	✓	✓

*Bosch EXPERT products vs. Bosch standard products

DIAMOND CUTTING DISCS STONE

For angle grinders.



Best for Stone



Standard for Stone

Page number	236	236
Diameter mm	**115 – 300**	**115 – 300**
Cutting width mm	**2.2 – 2.8**	**1.6 – 3.1**
Bore diameter	**22.23**	**22.23**

MATERIALS

Granite	✓	✓
Natural stone	✓	✓
Concrete	✓	✓
Pavement / garden slabs	✓	✓

DIAMOND CUTTING DISCS UNIVERSAL
For angle grinders.







	Multi Material Discs	Best for Universal Turbo	Standard for Universal
	EXPERT		
Page number	237	238	239
Diameter mm	115 – 300	115 – 230	115 – 300
Cutting width mm	2.2 – 2.8	2.2 – 2.5	2.0 – 3.3
Bore diameter	22.23	22.23	22.23
X-LOCK	✓	–	✓
	UP TO 4x* LONG LIFE DIAMOND TECHNOLOGY		

MATERIALS

Building site material	✓	✓	✓
Concrete	✓	✓	✓
Reinforced concrete	✓	–	✓
Brick	✓	✓	✓
Sand-, limestone	✓	✓	✓
Rooftile	✓	✓	✓

*Bosch EXPERT products vs. Bosch standard products

			
	Standard for Universal Turbo	**Eco for Universal**	**Eco for Universal Turbo**
	240	**240**	**241**
	115 – 300	**115 – 230**	**115 – 230**
	2.0 – 3.0	**2.0 – 3.3**	**2.0 – 3.0**
	22.23	**22.23**	**22.23**
	–	**–**	**–**
	✓	✓	✓
	✓	✓	✓
	–	✓	–
	✓	✓	✓
	✓	✓	✓
	✓	✓	✓

DIAMOND CUTTING DISCS CONCRETE

For angle grinders.



Best for Concrete



Standard for Concrete

Page number	242	242
Diameter mm	115 – 300	115 – 300
Cutting width mm	2.2 – 2.8	1.6 – 3.1
Bore diameter	22.23	22.23

MATERIALS

Concrete	✓	✓
Reinforced concrete	✓	✓
Garden slabs	✓	✓

*Only cut through reinforcement if approval has been given by a structural engineer.

DIAMOND CUTTING DISCS MARBLE

For angle grinders.



Best for Marble



Standard for Marble

Page number	243	243
Diameter mm	**115 – 230**	**115 / 230**
Cutting width mm	**2.2**	**2.2 / 2.8**
Bore diameter	**22.23**	**22.23**

MATERIALS

Marble	✓	✓
Limestone	✓	✓
Perspex	✓	✓

DIAMOND CUTTING DISCS ABRASIVE

For angle grinders.



Best for Abrasives



Standard for Abrasives

Page number	244	244
Diameter mm	115 – 230	115 – 230
Cutting width mm	2.2 – 2.4	1.6 / 2.3
Bore diameter	22.23	22.23

MATERIALS

Limestone / sandstone	✓	✓
Brick	✓	✓
Fresh concrete	✓	✓
Porous concrete	✓	✓
Rooftile	✓	✓

MAXIMUM PRECISION CUTTING TILES

EXPERT HardCeramic X-LOCK Discs

ASSORTMENT: Ø 85 mm – 125 mm

EXPERT

1. Clean, high quality cutting with Bosch Diamond Technology
2. Efficient thin blade cuts smoothly and stays cool
3. Chip-free cut with purpose-designed Continuous Rim
4. Reinforced centre reduces vibration for cleaner cut



EXPERT HardCeramic X-LOCK Diamond Cutting Discs

EXPERT



- Ideal for clean, straight cuts in hard ceramic tiles; cuts wall tiles in bathrooms and kitchens; and floor tiles such as those used in patios and gardens, as well as indoors.
- Best for tilers: top precision and quality finish.
- Up to 3x more precise than a standard ceramic diamond disc.
- Click it on with X-LOCK – the fastest accessory-changing system on the market. Also fits nut and thread angle grinders.





DIAMOND TECHNOLOGY | UP TO 3x* PRECISION

PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width [mm]	Segment height mm	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
85	22.23	1.6	7	•	C1a	1	1	539911	**2 608 900 656**
115	22.23	1.4	10	•	C1a	1	1	539928	**2 608 900 657**
125	22.23	1.4	10	•	C1a	1	1	539935	**2 608 900 658**

EXPERT HardCeramic Diamond Cutting Discs

EXPERT



- Ideal for clean, straight cuts in hard ceramic tiles; cuts wall tiles in bathrooms and kitchens; and floor tiles such as those used in patios and gardens, as well as indoors.
- Best for tilers: top precision and quality finish.
- Up to 3x more precise than a standard ceramic diamond disc.
- With 22.23 mm bore for standard locking nut angle grinders.





DIAMOND TECHNOLOGY | UP TO 3x* PRECISION

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width [mm]	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
85	22.23	1.6	7	C1a	1	1	539881	**2 608 900 653**
115	22.23	1.4	10	C1a	1	1	539898	**2 608 900 654**
125	22.23	1.4	10	C1a	1	1	539904	**2 608 900 655**

EXPERT HardCeramic 76 mm Diamond Cutting Discs

EXPERT



- Ideal for clean, straight cuts in hard ceramic tiles; cuts wall tiles in bathrooms and kitchens; and floor tiles such as those used in patios and gardens, as well as indoors.
- Best for tilers: top precision and quality finish.
- Up to 3x more precise than a standard ceramic diamond disc.
- With 10 mm bore for mini grinder.





DIAMOND TECHNOLOGY | UP TO 3x* PRECISION

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width [mm]	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
76	10.00	1.5	10	PC1b	1	1	539874	**2 608 900 652**

BEST FOR CERAMIC EXTRACLEAN TURBO

Focus on cutting speed.



FAST CUT
Sintered cutting rim

REDUCED CHIPPING
Turbo design

X-LOCK	✓
M14/Ø 22,23	✓

X-LOCK Diamond cutting discs Best for Ceramic Extraclean Turbo

best Ceramic extraclean

X-LOCK	✓
M14/Ø 22,23	✓

extra clean CUT | fast CUT



- Changing diamond discs is fast and convenient thanks to the keyless X-LOCK system.
- X-LOCK diamond discs also fit on standard angle grinders.
- The diamond cutting disc for the highest demands with regard to accurate, chip-free cuts in hard materials such as hard porcelain, extremely hard fine stoneware and natural stone.
- High cutting speed in all tiles.
- Sintered cutting rim.

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width [mm]	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	1.4	7	C1c	1	1	933292	**2 608 615 131**
125	22.23	1.4	7	C1c	1	1	933308	**2 608 615 132**



Diamond cutting discs Best for Ceramic Extraclean Turbo

best Ceramic extraclean

extra clean CUT | fast CUT



- The diamond cutting disc for the highest demands with regard to accurate, chip-free cuts in hard materials such as hard porcelain, extremely hard fine stoneware and natural stone.
- High cutting speed in all tiles.
- Sintered cutting rim.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width [mm]	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	1.4	7	C1c	1	1	518086	**2 608 602 478**
125	22.23	1.4	7	C1c	1	1	518093	**2 608 602 479**

Diamond cutting discs Best for Ceramic

best Ceramic

long LIFE | clean CUT



- The right disc for the highest demands on lifetime with 10 mm segment height.
- Good cut quality without broken edges, even in extra-hard fine stone slabs and marble.
- Sintered cutting rim.



230	22.23	2.4	10	C1c	1	1	581400	**2 608 602 634**

X-LOCK Diamond cutting discs Standard for Ceramic

standard Ceramic

X-LOCK	✓
M14/Ø 22,23	✓



- Changing diamond discs is fast and convenient thanks to the keyless X-LOCK system.
- X-LOCK diamond discs also fit on standard angle grinder.
- For clean cut edges in ceramic tiles. The affordable solution for all-round use in tiles.
- Sintered cutting rim.



Pack of 1

110	22.23	1.6	7.5	C1c	1	1	933346	**2 608 615 136**
115	22.23	1.6	7	C1c	1	1	933353	**2 608 615 137**
125	22.23	1.6	7	C1c	1	1	933360	**2 608 615 138**

Diamond cutting discs Standard for Ceramic

standard Ceramic

- For clean cut edges in ceramic tiles. The affordable solution for all-round use in tiles.
- Sintered cutting rim.





PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width [mm]	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
110	22.23	1.6	7.5	C1c	1	1	576390	**2 608 602 535**
115	22.23	1.6	7	C1c	1	1	441292	**2 608 602 201**
125	22.23	1.6	7	C1c	1	1	441308	**2 608 602 202**
150	22.23	1.6	7	C1c	1	1	441315	**2 608 602 203**
180	22.23	1.6	7	C1c	1	1	441322	**2 608 602 204**
230	22.23	1.9	7	C1c	1	1	441339	**2 608 602 205**
Pack of 10								
115	22.23	1.6	7	C0a	10	1	665735	**2 608 603 231**
125	22.23	1.6	7	C0a	10	1	665742	**2 608 603 232**
180	22.23	1.6	7	C0a	10	1	665759	**2 608 603 233**
230	22.23	1.6	7	C0a	10	1	665766	**2 608 603 234**

Diamond cutting discs Best for Stone

best for Stone

long LIFE fast CUT

- For extremely hard stone such as granite.
- Low friction segments designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- Up to 15 mm segment height enables a long lifetime, even in the most demanding materials (valid for 230 mm and 300 mm diameter discs).
- Excellent cutting speed thanks to the “Speed Stripes” for less side friction.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width [mm]	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	2.2	12	C1c	1	1	581479	**2 608 602 641**
125	22.23	2.2	12	C1c	1	1	581486	**2 608 602 642**
150	22.23	2.4	12	C1c	1	1	581493	**2 608 602 643**
180	22.23	2.4	12	C1c	1	1	581509	**2 608 602 644**
230	22.23	2.4	15	C1c	1	1	581516	**2 608 602 645**
300	22.23	2.8	15	C1a	1	1	581523	**2 608 602 646**

Diamond cutting discs Standard for Stone

standard for Stone

- For hard materials such as granite, natural stone.
- Sintered diamond cutting segments.





Pack of 1

115	22.23	1.6	10	C1c	1	1	581035	**2 608 602 597**
125	22.23	1.6	10	C1c	1	1	581042	**2 608 602 598**
150	22.23	2	10	C1c	1	1	581059	**2 608 602 599**
180	22.23	2	10	C1c	1	1	581066	**2 608 602 600**
230	22.23	2.3	10	C1c	1	1	581073	**2 608 602 601**
300	22.23	3.1	10	C1a	1	1	586412	**2 608 602 698**

Pack of 10

115	22.23	1.6	10	C0a	10	1	665773	**2 608 603 235**
125	22.23	1.6	10	C0a	10	1	665780	**2 608 603 236**
180	22.23	2	10	C0a	10	1	665797	**2 608 603 237**
230	22.23	2.3	10	C0a	10	1	665803	**2 608 603 238**

LONG LIFE CUTTING CONSTRUCTION MATERIALS

EXPERT MultiMaterial Discs

ASSORTMENT: Ø 115mm - 450mm

EXPERT

1. Extremely durable cutting edge using Bosch Diamond Technology
2. Low Friction Segments designed to minimise wear on sides
3. Segments laser-welded to steel body for the strongest connection



EXPERT MultiMaterial X-LOCK Diamond Cutting Discs

EXPERT



- Ideal for cutting construction materials, such as bricks and reinforced concrete; makes straight cuts in paving slabs; cutting bricks to size for bricklaying; cuts common materials used in housebuilding.
- Best for construction workers: long lasting and highly versatile.
- Lasts up to 4x longer than a standard multi material diamond disc.
- Click it on with X-LOCK – the fastest accessory-changing system on the market. Also fits nut and thread angle grinders.



DIAMOND TECHNOLOGY | UP TO 4x* LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width [mm]	Segment height mm	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	22.23	2.4	12	•	C1a	1	1	540047	**2 608 900 669**
125	22.23	2.4	12	•	C1a	1	1	540054	**2 608 900 670**

EXPERT MultiMaterial Diamond Cutting Discs

EXPERT



- Ideal for cutting construction materials, such as bricks and reinforced concrete; makes straight cuts in paving slabs; cutting bricks to size for bricklaying; cuts common materials used in housebuilding.
- Best for construction workers: long lasting and highly versatile.
- Lasts up to 4x longer than a standard multi material diamond disc.
- With 22.23 mm bore for standard locking nut angle grinders.





DIAMOND TECHNOLOGY

UP TO 4x* LONG LIFE

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width [mm]	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	22.23	2.2	12	C1c	1	1	539942	**2 608 900 659**
125	22.23	2.2	12	C1c	1	1	539959	**2 608 900 660**
150	22.23	2.4	12	C1c	1	1	539966	**2 608 900 661**
180	22.23	2.4	12	C1c	1	1	539973	**2 608 900 662**
230	22.23	2.4	15	C1c	1	1	539980	**2 608 900 663**
300	22.23	2.8	15	C1d	1	1	539997	**2 608 900 664**

Diamond cutting discs Best for Universal Turbo

best for Universal

fast CUT clean CUT



- Excellent cutting performance in all building materials, particularly suitable for clean cut edges without material break out thanks to continuous cutting rim.
- Our best Turbo diamond cutting disc.
- Sintered cutting rim.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width [mm]	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	2.2	12	C1a	1	1	581776	**2 608 602 671**
125	22.23	2.2	12	C1a	1	1	581783	**2 608 602 672**
150	22.23	2.4	12	C1a	1	1	581790	**2 608 602 673**
180	22.23	2.5	12	C1a	1	1	581806	**2 608 602 674**
230	22.23	2.5	15	C1a	1	1	581813	**2 608 602 675**

STANDARD FOR UNIVERSAL

Focus on cutting speed.



X-LOCK	✓
M14/Ø 22,23	✓

OUTSTANDING LIFETIME AND SPEED

10 mm segment height with homogenous diamond distribution

HIGH SPEED

Unique segment design allows low friction between segment and material

HIGH PERFORMANCE

In reinforced concrete and masonry thanks to optimized diamond quality and grit size.

X-LOCK Standard for Universal diamond cutting discs

standard for Universal

X-LOCK	✓
M14/Ø 22,23	✓

- Changing diamond discs is fast and convenient thanks to the keyless X-LOCK system.
- X-LOCK diamond discs also fit on standard angle grinder.
- Low friction segments designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- Sintered diamond cutting segments.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width [mm]	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
115	22.23	2	10	C1c	1	1	933827	**2 608 615 165**
125	22.23	2	10	C1c	1	1	933834	**2 608 615 166**



Diamond cutting discs Standard for Universal

standard for Universal

- The diamond cutting disc that is a problem solver in all building materials.
- Sintered diamond cutting segments.





PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width [mm]	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
115	22.23	2	10	C1c	1	1	869676	**2 608 615 057**
125	22.23	2	10	C1c	1	1	869690	**2 608 615 059**
150	22.23	2.4	10	C1c	1	1	869713	**2 608 615 061**
180	22.23	2.4	10	C1c	1	1	869737	**2 608 615 063**
230	22.23	2.6	10	C1c	1	1	869751	**2 608 615 065**
300	22.23	3.3	10	C1a	1	1	869775	**2 608 615 067**
Pack of 10								
115	22.23	2	10	C0a	10	1	869683	**2 608 615 058**
125	22.23	2	10	C0a	10	1	869706	**2 608 615 060**
150	22.23	2.4	10	C0a	10	1	869720	**2 608 615 062**
180	22.23	2.4	10	C0a	10	1	869744	**2 608 615 064**
230	22.23	2.6	10	C0a	10	1	869768	**2 608 615 066**

Diamond cutting discs Standard for Universal Turbo

standard for Universal

- The solution in all building materials with clean cut edges.
- Sintered cutting rim.

extra high SPEED





Pack of 1								
115	22.23	2	10	C1c	1	1	510004	**2 608 602 393**
125	22.23	2	10	C1c	1	1	510011	**2 608 602 394**
150	22.23	2.5	10	C1c	1	1	510028	**2 608 602 395**
180	22.23	2.5	10	C1c	1	1	510035	**2 608 602 396**
230	22.23	2.5	10	C1c	1	1	510042	**2 608 602 397**
300	22.23	3	10	C1a	1	1	586399	**2 608 602 696**
Pack of 10								
115	22.23	2	10	C0a	10	1	665902	**2 608 603 249**
125	22.23	2	10	C0a	10	1	665919	**2 608 603 250**
180	22.23	2.5	10	C0a	10	1	665926	**2 608 603 251**
230	22.23	2.5	10	C0a	10	1	665933	**2 608 603 252**

ECO for Universal Segmented diamond cutting discs

eco for Universal

- The affordable diamond cutting disc that is a problem solver in all building materials.
- The Eco for Universal Turbo Diamond Disc is the preferred choice for reliable cuts in general construction materials. It is appropriate for cutting a variety of construction materials including concrete, brick, limestone and roofing tile.





Pack of 1								
115	22.23	2	7	C1a	1	10	857048	**2 608 615 027**
125	22.23	2	7	C1a	1	10	857055	**2 608 615 028**
150	22.23	2.1	7	C1a	1	10	857062	**2 608 615 029**
180	22.23	2.2	7	C1a	1	10	857079	**2 608 615 030**
230	22.23	2.6	7	C1a	1	10	857086	**2 608 615 031**

ECO for Universal Segmented diamond cutting discs

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width [mm]	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
pack of 10								
115	22.23	2	7	C1a	10	1	857178	**2 608 615 040**
125	22.23	2	7	C1a	10	1	857185	**2 608 615 041**
150	22.23	2.1	7	C1a	10	1	857192	**2 608 615 042**
180	22.23	2.2	7	C1a	10	1	857208	**2 608 615 043**
230	22.23	2.6	7	C1a	10	1	857215	**2 608 615 044**

ECO for Universal Turbo diamond cutting discs

eco Universal





- The Eco for Universal Turbo Diamond Disc is the preferred choice for reliable cuts in general construction materials. It is appropriate for cutting a variety of construction materials including concrete, brick, limestone and roofing tile.

Pack of 1								
115	22.23	2	7	C1a	1	10	857130	**2 608 615 036**
125	22.23	2.4	7	C1a	1	10	857147	**2 608 615 037**
180	22.23	2.6	7	C1a	1	10	857154	**2 608 615 038**
230	22.23	3	7	C1a	1	10	857161	**2 608 615 039**
pack of 10								
115	22.23	2	7	C1a	10	1	857222	**2 608 615 045**
125	22.23	2.4	7	C1a	10	1	857239	**2 608 615 046**
180	22.23	2.6	7	C1a	10	1	857246	**2 608 615 047**
230	22.23	3	7	C1a	10	1	857253	**2 608 615 048**

Diamond cutting discs Best for Concrete

best Concrete

long LIFE



- Ideal for all types of hardened concrete and reinforced concrete.
- Low friction segments designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- Excellent cutting speed thanks to the “Speed Stripes” for less side friction.
- Up to 15 mm segment height for a long lifetime, even in demanding materials.
- Laser-welded diamond cutting segments.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width [mm]	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	2.2	12	C1c	1	1	581578	**2 608 602 651**
125	22.23	2.2	12	C1c	1	1	581585	**2 608 602 652**
150	22.23	2.4	12	C1c	1	1	581592	**2 608 602 653**
180	22.23	2.4	12	C1c	1	1	581608	**2 608 602 654**
230	22.23	2.4	15	C1c	1	1	581615	**2 608 602 655**
300	22.23	2.8	15	C1a	1	1	581622	**2 608 602 656**

Diamond cutting discs Standard for Concrete

standard Concrete

- The affordable diamond cutting disc that is a problem solver in concrete.
- Sintered diamond cutting segments.





Pack of 1

115	22.23	1.6	10	C1c	1	1	441247	**2 608 602 196**
125	22.23	1.6	10	C1c	1	1	441254	**2 608 602 197**
150	22.23	2	10	C1c	1	1	441261	**2 608 602 198**
180	22.23	2	10	C1c	1	1	441278	**2 608 602 199**
230	22.23	2.3	10	C1c	1	1	441285	**2 608 602 200**
300	22.23	3.1	10	C1a	1	1	576468	**2 608 602 542**

Pack of 10

115	22.23	1.6	10	C0a	10	1	665711	**2 608 603 239**
125	22.23	1.6	10	C0a	10	1	665810	**2 608 603 240**
150	22.23	2	10	C0a	10	1	665827	**2 608 603 241**
180	22.23	2	10	C0a	10	1	665834	**2 608 603 242**
230	22.23	2.3	10	C0a	10	1	665841	**2 608 603 243**

Diamond cutting discs Best for Marble

best for Marble

- Perfectly clean cut edges without material break out in marble, limestone and perspex thanks to electroplated cutting rim.
- For the highest demands on speed and cut quality.

fast CUT clean CUT





PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width [mm]	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	2.2	3	C1c	1	1	581950	**2 608 602 689**
125	22.23	2.2	3	C1c	1	1	581967	**2 608 602 690**
150	22.23	2.2	3	C1c	1	1	581974	**2 608 602 691**
180	22.23	2.2	3	C1c	1	1	581981	**2 608 602 692**
230	22.23	2.2	3	C1a	1	1	581998	**2 608 602 693**

Diamond cutting discs Standard for Marble

standard for Marble

- The affordable solution for marble, limestone and perspex with clean cut edges.
- Electroplated cutting rim.





115	22.23	2.2	3	C1c	1	1	484336	**2 608 602 282**
230	22.23	2.8	3	C1c	1	1	484343	**2 608 602 283**

Diamond cutting discs Best for Abrasive

best for Abrasive

long LIFE fast CUT



- For all softer and abrasive materials such as brick, sandstone or limestone. The hard bond ensures cutting speed in abrasive materials as well as maximum lifetime with up to 15 mm segment height.
- Low friction segments designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- Excellent cutting speed thanks to the “Speed Stripes” for less side friction.
- Laser-welded diamond segments.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width [mm]	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	2.2	12	C1c	1	1	581851	**2 608 602 679**
125	22.23	2.2	12	C1c	1	1	581868	**2 608 602 680**
150	22.23	2.4	12	C1c	1	1	581875	**2 608 602 681**
180	22.23	2.4	12	C1c	1	1	581882	**2 608 602 682**
230	22.23	2.4	15	C1c	1	1	581899	**2 608 602 683**

Diamond cutting discs Standard for Abrasive

standard for Abrasive

- The affordable solution for soft and abrasive materials.
- Sintered diamond cutting segments.





115	22.23	1.6	10	C1c	1	1	581219	**2 608 602 615**
125	22.23	1.6	10	C1c	1	1	581226	**2 608 602 616**
150	22.23	2	10	C1c	1	1	581233	**2 608 602 617**
180	22.23	2	10	C1c	1	1	581240	**2 608 602 618**
230	22.23	2.3	10	C1c	1	1	581257	**2 608 602 619**

DIAMOND CUTTING DISCS CERAMIC

For tile cutting machines and table saws.



Best for Ceramic



Standard for Ceramic

Page number	251	251
Diameter mm	180 – 350	180 – 350
Cutting width mm	2.2 – 3.0	1.6 – 2.0
Bore diameter	25.40 / 30.00	25.40 / 30.00

MATERIALS

Ceramic tiles	✓	✓

DIAMOND CUTTING DISCS STONE

For table saws and petrol saws.



Best for Stone



Standard for Stone

Page number	252	252
Diameter mm	300 – 450	300 – 450
Cutting width mm	2.8 – 3.8	3.1 – 3.6
Bore diameter	20.00 / 25.40	20.00 / 25.40

MATERIALS

Granite	✓	✓
Natural stone	✓	✓
Concrete	✓	✓
Pavement / garden slabs	✓	✓

DIAMOND CUTTING DISCS CONCRETE

For table saws and petrol saws.



Best for Concrete



Standard for Concrete

Page number	253	253
Diameter mm	300 – 450	300 – 500
Cutting width mm	2.8 – 3.6	2.8 – 3.6
Bore diameter	20.00 / 25.40	20.00 / 25.40

MATERIALS

Concrete	✓	✓
Reinforced concrete	✓	✓
Garden slabs	✓	✓

DIAMOND CUTTING DISCS UNIVERSAL

For table saws and petrol saws.







	Multi Material Discs	Best for Universal Turbo	Standard for Universal	Standard for Universal Turbo	Eco for Universal
	EXPERT				
Page number	254	255	255	255	256
Diameter mm	300 – 450	300 – 350	300 – 450	300 – 350	300 – 350
Cutting width mm	2.8 – 3.3	3.0 – 3.2	3.3 – 3.6	3.0	3.0
Bore diameter	20.00 / 25.40	20.00 / 25.40	20.00 / 25.40	20.00 / 25.40	20.00 / 25.40
	UP TO 4x* LONG LIFE DIAMOND TECHNOLOGY				

MATERIALS

Building site material	✓	✓	✓	✓	✓
Concrete	✓	✓	✓	✓	✓
Reinforced concrete	✓	–	✓	–	✓
Brick	✓	✓	✓	✓	✓
Sand-, limestone, Rooftile	✓	✓	✓	✓	✓

*Bosch EXPERT products vs. Bosch standard products

DIAMOND CUTTING DISCS MARBLE

For table saws and petrol saws.



Best for Marble

Page number	257
Diameter mm	**300 / 350**
Cutting width mm	**2.6**
Bore diameter	**25.40**

MATERIALS

Marble	✓
Limestone	✓
Perspex	✓

DIAMOND CUTTING DISCS ABRASIVE AND ASPHALT

For table saws and petrol saws.



Best for Abrasives



Standard for Abrasives



Best for Asphalt



Standard for Asphalt

Page number	258	258	258	259
Diameter mm	300 – 450	300 – 450	300 – 450	300 – 400
Cutting width mm	2.8 – 3.6	2.8 – 3.2	3.2 – 3.6	2.8 – 3.6
Bore diameter	20.00 / 25.40	20.00 / 25.40	20.00 / 25.40	20.00 / 25.40

MATERIALS

Asphalt	–	–	✓	✓
Bitumen	–	–	✓	✓
Limestone / sandstone	✓	✓	–	–
Brick	✓	✓	–	–
Fresh concrete	✓	✓	✓	✓
Porous concrete	✓	✓	–	–
Rooftile	✓	✓	–	–

Diamond cutting discs Best for Ceramic

best for Ceramic



long LIFE clean CUT

- The right disc for the highest demands on lifetime with 10 mm segment height.
- Good cutting quality without rough edges, even in extra-hard fine stone slabs and marble.
- Sintered cutting rim.
- * With reduction ring.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width [mm]	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
180	25.40	2.2	10	C1c	1	1	581417	**2 608 602 635**
200	25.40	2.2	10	C1c	1	1	581424	**2 608 602 636**
230	25.40	2.4	10	C1c	1	1	581431	**2 608 602 637**
250	30.00/25.40*	2.4	10	C1c	1	1	581448	**2 608 602 638**
300	30.00/25.40*	2.8	10	C1c	1	1	581455	**2 608 602 639**
350	30.00/25.40*	3	10	C1a	1	1	581462	**2 608 602 640**

Diamond cutting discs Standard for Ceramic

standard for Ceramic



- For clean cut edges in ceramic tiles. The affordable solution for all-round use in tiles.
- Sintered cutting rim.
- * With reduction ring.



180	25.40	1.6	7	C1c	1	1	576406	**2 608 602 536**
200	25.40	1.6	7	C1c	1	1	576413	**2 608 602 537**
230	25.40	1.6	7	C1c	1	1	576420	**2 608 602 538**
250	30.00/25.40*	1.6	7	C1c	1	1	576437	**2 608 602 539**
300	30.00/25.40*	2	7	C1a	1	1	576444	**2 608 602 540**
350	30.00/25.40*	2	7	C1a	1	1	576451	**2 608 602 541**

Diamond cutting discs Best for Stone

best for Stone

long LIFE

- For extremely hard stone such as granite.
- Laser-welded diamond cutting segments.
- Low friction segments designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- Excellent cutting speed thanks to the “Speed Stripes” for less side friction.
- Up to 15 mm segment height enables a long lifetime, even in the most demanding materials.
- * With reduction ring.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width [mm]	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
300	20.00/25.40*	2.8	15	C1a	1	1	581530	**2 608 602 647**
350	20.00/25.40*	3.2	15	C1a	1	1	581547	**2 608 602 648**
400	20.00/25.40*	3.2	12	C1a	1	1	581554	**2 608 602 649**
450	25.40	3.8	12	C1a	1	1	581561	**2 608 602 650**

Diamond cutting discs Standard for Stone

standard for Stone

- For hard materials such as granite, natural stone.
- Laser-welded diamond cutting segments for large diameters.
- The affordable diamond cutting disc that is a problem solver in hard materials.
- Sintered diamond cutting segments.
- * with reduction ring



300	20.00/25.40*	3.1	10	C1a	1	1	581080	**2 608 602 602**
350	20.00/25.40*	3.1	10	C1a	1	1	581097	**2 608 602 603**
400	20.00/25.40*	3.2	10	C1a	1	1	581103	**2 608 602 604**
450	25.40	3.6	10	C1a	1	1	581110	**2 608 602 605**

Diamond cutting discs Best for Concrete

best for Concrete



long LIFE

- Ideal for all types of hardened concrete and reinforced concrete.
- Laser-welded diamond cutting segments.
- Low friction segments: designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- Up to 15 mm segment height for a long lifetime, even in demanding materials.
- * With reduction ring.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width [mm]	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
300	20.00/25.40*	2.8	15	C1a	1	1	581639	**2 608 602 657**
350	20.00/25.40*	3.2	15	C1a	1	1	581646	**2 608 602 658**
400	20.00/25.40*	3.2	12	C1a	1	1	581653	**2 608 602 659**
450	25.40	3.6	12	C1a	1	1	581660	**2 608 602 660**

Diamond cutting discs Standard for Concrete

standard for Concrete



- The affordable diamond cutting disc that is a problem solver in concrete.
- Laser-welded diamond cutting segments.
- * With reduction ring.



300	20.00/25.40*	2.8	10	C1a	1	1	576475	**2 608 602 543**
350	20.00/25.40*	2.8	10	C1a	1	1	576482	**2 608 602 544**
400	20.00/25.40*	3.2	10	C1a	1	1	576499	**2 608 602 545**
450	25.40	3.6	10	C1a	1	1	576505	**2 608 602 546**

EXPERT MultiMaterial Diamond Cutting Discs

EXPERT



- Ideal for cutting construction materials, such as bricks and reinforced concrete; makes straight cuts in paving slabs; cutting bricks to size for bricklaying; cuts common materials used in housebuilding.
- Best for construction workers: long lasting and highly versatile.
- Lasts up to 4x longer than a standard multi material diamond disc.
- With 25.4 mm bore, fits 20 mm bores with reduction rings.





DIAMOND TECHNOLOGY

UP TO 4x* LONG LIFE

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width [mm]	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
300	20.00+25.40*	3	15	C1d	1	1	540009	**2 608 900 665**
350	20.00/25.40*	3.3	15	C1d	1	1	540016	**2 608 900 666**
400	20.00/25.40*	3.3	12	C1d	1	1	540023	**2 608 900 667**
450	25.40	3.3	12	C1d	1	1	540030	**2 608 900 668**

Diamond cutting discs Best for Universal Turbo

best Universal

- Excellent cutting performance in all building materials, particularly suitable for clean cut edges without material break out thanks to continuous cutting rim.
- Our best Turbo diamond cutting disc.
- Sintered cutting rim.
- * With reduction ring.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width [mm]	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
300	20.00/25.40*	3	15	C1a	1	1	581837	**2 608 602 677**
350	20.00/25.40*	3.2	15	C1a	1	1	581844	**2 608 602 678**

Diamond cutting discs Standard for Universal

standard Universal

- The diamond cutting disc that is a problem solver in all building materials.
- Sintered diamond cutting segments.



Pack of 1

300	20.00	3.3	10	C1a	1	1	869782	**2 608 615 068**
300	25.40	3.3	10	C1a	1	1	869799	**2 608 615 069**
350	20.00	3.3	10	C1a	1	1	869805	**2 608 615 070**
350	25.40	3.3	10	C1a	1	1	869812	**2 608 615 071**
400	20.00	3.2	10	C0a	1	1	869829	**2 608 615 072**
400	25.40	3.2	10	C0a	1	1	869836	**2 608 615 073**
450	25.40	3.6	10	C0a	1	1	869843	**2 608 615 074**

Diamond cutting discs Standard for Universal Turbo

standard Universal

- The solution in all building materials with clean cut edges.
- Sintered cutting rim.
- * With reduction ring.



300	20.00/25.40*	3	10	C1a	1	1	580922	**2 608 602 586**
350	20.00/25.40*	3	10	C1a	1	1	580939	**2 608 602 587**

Diamond cutting discs Eco for Universal

eco Universal



- The affordable diamond cutting disc that is a problem solver in all building materials.
- The Eco for Universal Turbo Diamond Disc is the preferred choice for reliable cuts in general construction materials. It is appropriate for cutting a variety of construction materials including concrete, brick, limestone and roofing tile.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width [mm]	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
300	20.00	3.2	8	C1a	1	1	857093	**2 608 615 032**
300	25.40	3.2	8	C1a	1	1	857109	**2 608 615 033**
350	20.00	3.2	8	C1a	1	1	857116	**2 608 615 034**
350	25.40	3.2	8	C1a	1	1	857123	**2 608 615 035**

Diamond cutting discs Best for Marble

best for Marble

fast CUT clean CUT

- Perfectly clean cut edges without material breaks in marble, limestone and perspex thanks to electroplated cutting rim.
- For the highest demands on speed and cut quality.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width [mm]	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
300	25.40*	2.6	5	C1c	1	1	586894	**2 608 602 701**
350	25.40*	2.6	5	C1a	1	1	586900	**2 608 602 702**

Diamond cutting discs Best for Abrasive

best for Abrasive



long LIFE fast CUT

- For all softer and abrasive materials such as fresh concrete, sandstone or limestone. The hard bond ensures cutting speed in abrasive materials as well as maximum lifetime with up to 15 mm segment height.
- Laser-welded diamond segments.
- Low friction segments: designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- * With reduction ring.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width [mm]	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
300	20.00/25.40*	2.8	15	C1a	1	1	581912	**2 608 602 685**
350	20.00/25.40*	3.2	15	C1a	1	1	581929	**2 608 602 686**
400	20.00/25.40*	3.2	12	C1a	1	1	581936	**2 608 602 687**
450	25.40	3.6	12	C1a	1	1	581943	**2 608 602 688**

Diamond cutting discs Standard for Abrasive

standard for Abrasive



- The affordable solution for soft and abrasive materials.
- Sintered diamond cutting segments.
- * With reduction ring.
- ** Laser-welded diamond cutting segments for large diameters.



300	20.00/25.40*	2.8	10	C1a	1	1	581264	**2 608 602 620**
350	20.00/25.40*	2.8	10	C1a	1	1	581271	**2 608 602 621**
400**	20.00/25.40*	3.2	12	C1a	1	1	581288	**2 608 602 622**
450**	25.40	3.6	12	C1a	1	1	581295	**2 608 602 623**

Diamond cutting discs Best for Asphalt

best for Asphalt



long LIFE fast CUT

- Ideal for cutting asphalt and asphalt over concrete. It is also possible to cut fresh concrete and occasionally concrete.
- Laser-welded diamond segments.
- Protective segments prevent premature wear of the base blade and guarantee maximum lifetime.
- * With reduction ring.



350	20.00/25.40*	3.2	12	C1a	1	1	739733	**2 608 603 641**
400	20.00/25.40*	3.2	12	C1a	1	1	739740	**2 608 603 642**
450	25.40	3.6	12	C1a	1	1	739757	**2 608 603 643**

Diamond cutting discs Standard for Asphalt

standard for Asphalt



- Ideal for asphalt and occasional work in concrete.
- Laser-welded diamond cutting segments.
- * With reduction ring.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width [mm]	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
300	20.00/25.40*	2.8	10	C1a	1	1	581301	**2 608 602 624**
350	20.00/25.40*	3.2	10	C1a	1	1	581318	**2 608 602 625**
400	20.00/25.40*	3.6	10	C1a	1	1	581325	**2 608 602 626**

DIAMOND CUTTING DISCS CONCRETE

For joint cutters.



Best for Concrete



Standard for Concrete

Page number	261	261
Diameter mm	**300 – 450**	**300 – 450**
Cutting width mm	**2.8 –3.6**	**2.8 – 3.6**
Bore diameter	**20.00 / 25.40**	**20.00 / 25.40**

MATERIALS

Concrete	✓	✓
Reinforced concrete	✓	✓
Pavement / garden slabs	✓	✓

*Only cut through reinforcement if approval has been given by a structural engineer.

Diamond cutting discs Best for Concrete

best for Concrete



- Ideal for all types of hardened concrete and reinforced concrete.
- Laser-welded diamond cutting segments up to a diameter of 450 mm. Diamond cutting segments for diameters of 800 and 900 mm.
- Low friction segments designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- Up to 15 mm segment height for a long lifetime, even in demanding materials.
- * With reduction ring.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width [mm]	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
300	20.00/25.40*	2.8	15	C1a	1	1	581639	**2 608 602 657**
350	20.00/25.40*	3.2	15	C1a	1	1	581646	**2 608 602 658**
400	20.00/25.40*	3.2	12	C1a	1	1	581653	**2 608 602 659**
450	25.40	3.6	12	C1a	1	1	581660	**2 608 602 660**

Diamond cutting discs Standard for Concrete

standard for Concrete



- The affordable diamond cutting disc that is a problem solver in concrete.
- Laser-welded diamond cutting segments.
- * With reduction ring.



300	20.00/25.40*	2.8	10	C1a	1	1	576475	**2 608 602 543**
350	20.00/25.40*	2.8	10	C1a	1	1	576482	**2 608 602 544**
400	20.00/25.40*	3.2	10	C1a	1	1	576499	**2 608 602 545**
450	25.40	3.6	10	C1a	1	1	576505	**2 608 602 546**

DIAMOND CUTTING DISCS ASPHALT

For joint cutters.



Best for Asphalt



Standard for Asphalt

Page number	263	263
Diameter mm	350 – 450	300 – 450
Cutting width mm	3.2 – 3.6	2.8 – 3.6
Bore diameter	20.00 / 25.40	20.00 / 25.40

MATERIALS

Asphalt	✓	✓
Fresh concrete	✓	✓
Bitumen	✓	✓

Best for Asphalt diamond cutting discs

best for Asphalt

long LIFE fast CUT

- Ideal for cutting asphalt and asphalt over concrete. It is also possible to cut fresh concrete and occasionally concrete.
- Protective segments prevent premature wear of the base blade and guarantee maximum lifetime.
- Laser-welded diamond cutting segments up to a diameter of 450 mm. Diamond cutting segments for diameters of 800 and 900 mm.
- * With reduction ring.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width [mm]	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
350	20.00/25.40*	3.2	12	C1a	1	1	739733	**2 608 603 641**
400	20.00/25.40*	3.2	12	C1a	1	1	739740	**2 608 603 642**
450	25.40	3.6	12	C1a	1	1	739757	**2 608 603 643**

Diamond cutting discs Standard for Asphalt

standard for Asphalt

- Ideal for asphalt and occasional work in concrete.
- Laser-welded diamond cutting segments.
- * With reduction ring.



300	20.00/25.40*	2.8	10	C1a	1	1	581301	**2 608 602 624**
350	20.00/25.40*	3.2	10	C1a	1	1	581318	**2 608 602 625**
400	20.00/25.40*	3.6	10	C1a	1	1	581325	**2 608 602 626**
450	25.40	3.2	10	C1a	1	1	581332	**2 608 602 627**

DIAMOND GRINDING WHEELS

Especially suitable for concrete grinders.







	Expert Concrete	Best for Concrete	Expert for Concrete
	EXPERT		
Page number	**266**	**267**	**268**
Diameter mm	**125**	**125**	**115 – 125**
	UP TO 3x* SPEED DIAMOND TECHNOLOGY		

MATERIALS

Concrete	✓	✓	✓
Build materials	–	–	–
Brick	–	–	–
Natural stone	–	–	–
Abravise materials	–	–	–
Thermo-plastic protective coatings	–	–	–

*Bosch EXPERT products vs. Bosch standard products



Standard for Concrete



Best for Universal



Expert for Abrasive

	268	269	270
	125 – 180	125	125
	✓	✓	✓
	–	✓	–
	–	✓	✓
	–	✓	–
	–	–	✓
	–	–	–

MAXIMUM SPEED GRINDING CONCRETE

EXPERT Concrete Grinding Heads

ASSORTMENT: ⌀ 125 mm

EXPERT

1. Very fast grinding with Bosch Diamond Technology
2. L-shaped segments are designed to remove material fast
3. Waste material efficiently extracted through Large Dust Slots



EXPERT Concrete Diamond Grinding Heads

EXPERT



- Ideal for grinding concrete surfaces; to grind out irregularities in concrete walls, floors and ceilings; and to smooth the way for the next phase of construction.
- Best for construction workers: maximum speed and efficiency.
- 3x faster than a standard concrete grinding head.
- With 22.23 mm bore for concrete grinders and angle grinders with locking nut.





DIAMOND TECHNOLOGY | UP TO 3x* SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
125	22.23	4.5	C1a	1	1	539867	**2 608 900 651**

EXPERT Concrete Diamond Grinding Heads

EXPERT

- Ideal for grinding concrete surfaces; to grind out irregularities in concrete walls, floors and ceilings; and to smooth the way for the next phase of construction.
- Best for construction workers: maximum speed and efficiency.
- 3x faster than a standard concrete grinding head.
- With 22.23 mm bore for concrete grinders and angle grinders with locking nut.





DIAMOND TECHNOLOGY | UP TO 2x* SPEED

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	C1a	1	1	593166	**2 608 901 478** i
	C1a	1	1	593173	**2 608 901 479** i

i = Available from: 01.2022

Diamond grinding head Best for Concrete

best for Concrete

long LIFE

- **Suitable for** grinding of thick concrete layers cup wheel with outstanding lifetime
- This cup wheel provides very high lifetime with 18 segments
- Smooth grinding by increasing the surface area contact
- The low unbalance ensures vibration-free work and protects the lifetime of the concrete grinder
- Less gouging (swirl mark) than the single row cup wheels



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
125	22.23	4.5	C1a	1	1	772150	**2 608 201 228**

Diamond grinding head Expert for Concrete

expert for Concrete



- **Suitable for** grinding down thick concrete layers
- Segments brazed
- Two rows of segments for even grinding
- Maximum unbalance of 50 g/mm for vibration-free working

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
long LIFE							
115	22.23	5	C1a	1	1	993463	**2 608 601 761**
125	22.23	5	C1a	1	1	993470	**2 608 601 762**



high SPEED							
125	22.23	5	C1a	1	1	993487	**2 608 601 763**



Diamond grinding head Standard for Concrete

standard for Concrete



- **Suitable for** grinding down thick concrete layers
- Segments sintered
- One segment row
- Maximum unbalance of 50 g*mm for vibration-free working

125	22.23	5	C1a	1	1	871433	**2 608 601 573**
180	22.23	5	C1a	1	1	871457	**2 608 601 575**



Universal

Diamond grinding head Best for Universal Turbo

best for Universal

long LIFE

- **Suitable for** fine surfaces on granite (hard and soft), building materials, artificial stone, concrete and for working on edges without breakage
- The continuous turbo grinding ring produces fine grinding results for finishing work on natural stone such as granite and building materials such as concrete
- Maximum unbalance of 50 g/mm for vibration-free working



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
125	22.23	5	C1a	1	1	772181	**2 608 201 231**

Diamond grinding head Expert for Universal Turbo

expert for Universal





PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
100	22.23	2.5	C1a	1	1	522739	**2 608 601 778**

Abrasive materials

Diamond grinding head Expert for Abrasive

expert Abrasive



- **Suitable for** large-area removal of abrasive materials such as lime plaster, hard finish plaster (floor subsurface), sandstone or very abrasive concrete – Not suitable for grinding hard materials
- Segments brazed
- Two rows of segments for even grinding
- Maximum unbalance of 50 g/mm for vibration-free working



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
125	22.23	4.5	C1a	1	1	578844	**2 608 602 553**

DIAMOND CORE CUTTERS AND CORE EDGE SINKERS

For universal use.



Diamond dry drill bits	Diamond hole saws	Diamond wet drill bits	Diamond cutters	Diamond Socket core cutters	Wet core cutters	Dry core cutters
272	273	273	276	288	280	285
13 mm or Hex	Power-Change	13 mm	M 14	M 16	G1/2" or 1 1/4" UNC	G1/2" or 1 1/4" UNC
–	✓	✓	–	–	✓	–
6.0 – 14.0	19.0 – 83.0	5.0 – 14.0	14.0 – 83.0	68 – 82 mm	12.0-300.0	22.0-202.0
33	39	33	30 – 35	60	50 – 400	50 – 400
–	–	–	✓	–	–	–

MATERIALS

Tiles, porcelain	✓	✓	✓	✓	–	–	–
Stoneware	✓	✓	✓	✓	–	–	–
Marble	✓	✓	✓	✓	–	–	–
Concrete	–	–	–	–	✓	✓	–
Reinforced concrete	–	–	–	–	✓	✓	–
Limestone	–	–	–	–	✓	–	✓
Brick	–	–	–	–	✓	–	✓

Diamond dry drill bits

Diamond drill bits Easy Dry

best for Ceramic

long LIFE

- **Suitable for** soft wall tiles through to very hard floor tiles such as fine stoneware.
- For use in cordless screwdrivers and drills with **13 mm chuck**.
- **Note:** drill without impact. Optimum speed: 1500 rpm.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Diameter (D) Inch	Working length (L1) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
6	15/64	33	P1p	1	1	577915	**2 608 587 139**
7	9/32	33	P1p	1	1	577922	**2 608 587 140**
8	5/16	33	P1p	1	1	577939	**2 608 587 141**
10	25/64	33	P1p	1	1	577946	**2 608 587 142**
12	15/32	33	P1p	1	1	577953	**2 608 587 143**
14	9/16	33	P1p	1	1	577960	**2 608 587 144**

Robust Line diamond drill bit set Easy Dry

best for Ceramic



PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Diameter inches	Working length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
3-piece diamond cutter set									
6 **8** **10**	15/64 5/16 25/64	33	A	156.5 x 69.5 x 23	P1k	3	1	577977	**2 608 587 145**

Diamond wet drill bits and holesaws

Diamond wet drill bits Diamond for Hard Ceramics



- **Suitable for** soft wall tiles through to very hard floor tiles such as fine stoneware.
- **Note:** Drill without impact. Always work with water cooling. Only work with cordless drills.

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5	30	P1a	1	1	495721	**2 608 550 605**
6	35	P1a	1	1	495738	**2 608 550 606**
7	35	P1a	1	1	495745	**2 608 550 607**
8	35	P1a	1	1	495752	**2 608 550 608**
10	35	P1a	1	1	495769	**2 608 550 609**
12	35	P1a	1	1	495776	**2 608 550 610**
14	35	P1a	1	1	495783	**2 608 550 611**

Diamond holesaws Diamond for Hard Ceramics





- The cutting quality depends on the correct speed and the coolant used (see operating instructions).
- **Note:** drill without impact. Always work with water cooling. Only work with cordless drills.

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Diameter inches	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
19	3/4	39	PC1b	1	1	488990	**2 608 580 301**
20	25/32	39	PC1b	1	1	489003	**2 608 580 302**
22	7/8	39	PC1b	1	1	489010	**2 608 580 303**
25	1	39	PC1b	1	1	489027	**2 608 580 304**
29	1 1/8	39	PC1b	1	1	489034	**2 608 580 305**
32	1 1/4	39	PC1b	1	1	489041	**2 608 580 306**
35	1 1/2	39	PC1b	1	1	489058	**2 608 580 307**
38	1 1/2	39	PC1b	1	1	489065	**2 608 580 308**
41	1 3/4	39	PC1b	1	1	515160	**2 608 580 394**
44	1 3/4	39	PC1b	1	1	489072	**2 608 580 309**
51	2	39	PC1b	1	1	489089	**2 608 580 310**
54	2 1/4	39	PC1b	1	1	489096	**2 608 580 311**
57	2 1/4	39	PC1b	1	1	489102	**2 608 580 312**
60	2 1/2	39	PC1b	1	1	489119	**2 608 580 313**
64	2 1/2	39	PC1b	1	1	489126	**2 608 580 314**
65	2 1/2	39	PC1b	1	1	489133	**2 608 580 315**
67	2 3/4	39	PC1b	1	1	489157	**2 608 580 316**
68	2 3/4	39	PC1b	1	1	489164	**2 608 580 317**
70	2 3/4	39	PC1b	1	1	489171	**2 608 580 318**
76	3	39	PC1b	1	1	489188	**2 608 580 319**

Diamond holesaws Diamond for Hard Ceramics

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Diameter inches	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
79	3 1/4	39	PC1b	1	1	489195	**2 608 580 320**
83	3 1/4	39	PC1b	1	1	489201	**2 608 580 321**

Robust Line diamond wet drill bit set Diamond for Hard Ceramics

- **Suitable for** soft wall tiles through to very hard floor tiles such as fine stoneware.
- **Note:** drill without impact. Always work with water cooling. Only work with cordless drills.



PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set size	Set dimension(s) mm	Shank diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
4-piece Robust Line diamond wet drill bit set										
6 **8** **10** **14**	35 35 35 35	65	A	156.5 x 69.5 x 23	7.8	P1k	4	1	495790	**2 607 019 880**

Accessories for diamond wet drill bits and diamond holesaws



PRODUCT PROPERTIES	ORDERING INFORMATION				
Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pressurised water bottle For water cooling of the diamond wet drill bits and holesaws max. filling volume 0.9 l Including hose (1.8 m long)					
-	C1a	1	1	495820	**2 608 190 048**

Accessories for diamond wet drill bits and diamond holesaws



PRODUCT PROPERTIES	ORDERING INFORMATION				
Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Centring aid for diamond wet drill bits and holesaws					
230	C1a	1	1	489683	**2 608 580 327**



Centring aid for diamond drill bits					
-	PC1a	1	1	495813	**2 608 598 142**

X-LOCK Diamond cutters Dry Speed

best for Ceramic



- Changing diamond cutters is fast and convenient thanks to the keyless X-LOCK system.
- **Suitable for** soft wall tiles through to very hard floor tiles and natural stone.
- For use on X-LOCK angle grinders.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Diameter (D) Inch	Working length (L1) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
14	9/16	30	P1h	1	1	933636	**2 608 599 027**
16	5/8	30	P1h	1	1	933643	**2 608 599 028**
20	25/32	35	P1h	1	1	933650	**2 608 599 029**
22	7/8	35	P1h	1	1	933667	**2 608 599 030**
25	1	35	P1h	1	1	933674	**2 608 599 031**
27	1 1/16	35	P1h	1	1	933681	**2 608 599 032**
30	1 3/16	35	P1h	1	1	933698	**2 608 599 033**
32	1 1/4	35	P1h	1	1	933704	**2 608 599 034**
35	1 3/8	35	P1h	1	1	933711	**2 608 599 035**
38	1 1/2	35	P1h	1	1	933728	**2 608 599 036**
40	1 9/16	35	P1h	1	1	925501	**2 608 599 014**
45	1 49/64	35	P1h	1	1	925518	**2 608 599 015**
51	2	35	P1h	1	1	925525	**2 608 599 016**
55	2 11/64	35	P1h	1	1	925532	**2 608 599 017**
57	2 1/4	35	P1h	1	1	925549	**2 608 599 018**
60	2 3/8	35	P1h	1	1	925556	**2 608 599 019**
65	2 9/16	35	P1h	1	1	925563	**2 608 599 020**
67	2 5/8	35	P1h	1	1	925570	**2 608 599 021**
68	2 11/16	35	P1h	1	1	925587	**2 608 599 022**
70	2 3/4	35	P1h	1	1	925594	**2 608 599 023**
75	2 61/64	35	P1h	1	1	925600	**2 608 599 024**
80	3 5/32	35	P1h	1	1	925617	**2 608 599 025**
83	3 1/4	35	P1h	1	1	925624	**2 608 599 026**



Milling Cutter

20	7/8	35	P1p	1	1	933742	**2 608 599 038**

Diamond cutters Dry Speed

best for Ceramic

fast CUT | long LIFE

- **Suitable for** soft wall tiles through to very hard floor tiles and natural stone.
- For use on angle grinders.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Diameter (D) inch	Working length (L1) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6	15/64	30	P1h	1	1	996594	**2 608 599 039**
8	5/16	30	P1h	1	1	996600	**2 608 599 040**
10	25/64	30	P1h	1	1	996617	**2 608 599 041**
12	15/32	30	P1h	1	1	996624	**2 608 599 042**
14	9/16	30	P1h	1	1	577656	**2 608 587 113**
16	5/8	30	P1h	1	1	577663	**2 608 587 114**
20	25/32	35	P1h	1	1	577670	**2 608 587 115**
22	7/8	35	P1h	1	1	577687	**2 608 587 116**
25	1	35	P1h	1	1	577694	**2 608 587 117**
27	1 1/16	35	P1h	1	1	577700	**2 608 587 118**
30	1 3/16	35	P1h	1	1	577717	**2 608 587 119**
32	1 1/4	35	P1h	1	1	577724	**2 608 587 120**
35	1 3/8	35	P1h	1	1	577731	**2 608 587 121**
38	1 1/2	35	P1h	1	1	577748	**2 608 587 122**
40	1 9/16	35	P1h	1	1	577755	**2 608 587 123**
45	1 49/64	35	P1h	1	1	577762	**2 608 587 124**
51	2	35	P1h	1	1	577779	**2 608 587 125**
55	2 11/64	35	P1h	1	1	577786	**2 608 587 126**
57	2 1/4	35	P1h	1	1	577793	**2 608 587 127**
60	2 3/8	35	P1h	1	1	577809	**2 608 587 128**
65	2 9/16	35	P1h	1	1	577816	**2 608 587 129**
67	2 5/8	35	P1h	1	1	577823	**2 608 587 130**
68	2 11/16	35	P1h	1	1	577830	**2 608 587 131**
70	2 3/4	35	P1h	1	1	577847	**2 608 587 132**
75	2 61/64	35	P1h	1	1	577854	**2 608 587 133**
80	3 5/32	35	P1h	1	1	577861	**2 608 587 134**
83	3 1/4	35	P1h	1	1	577878	**2 608 587 135**



Milling Cutter

20	7/8	35	P1p	1	1	879026	**2 608 599 011**

X-LOCK Diamond cutter set Dry Speed

best for Ceramic

M14



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece diamond cutter set including 20mm milling cutter						
68	33	C0a	5	1	933735	**2 608 599 037**
51	33					
35	33					
25	33					
20	33					

Diamond cutter set Dry Speed

best for Ceramic



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Diameter inches	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
4-piece Set Small diameter DrySpeed. Best for Ceramic							
6	15/64	30	P1k	4	1	996679	**2 607 017 579**
8	15/16	30					
10	25/64	30					
12	15/32	30					



4-piece Set X-LOCK DrySpeed. Best for Ceramic							
68	-	33	C0a	5	1	888660	**2 608 576 669**
51							
35							
25							
20							

BEST FOR CONCRETE WET CORE CUTTERS

Constantly high performance in concrete and reinforced concrete.

HIGH PERFORMANCE AND LONG LIFE

High quality laser welding





LONG LIFE

Very strong connection between the segment and steel body

COMPABILITY WITH THE MOST COMMON DRILL MOTORS

G ½" and 1 ¼" UNC connection

Diamond wet core cutters G 1/2" Best for Concrete

best for Concrete

- Universal segment for concrete. Very high cutting performance and long life.
- **Note:** Can only be used on machines designed for wet drilling. Use Bosch Extractor GAS 25 or GAS 50 Professional for extraction.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Number of segments	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Diamond wet core cutter G 1/2"								
12	300	Ring	10	C0a	1	1	810463	**2 608 601 343**
14	300	Ring	10	C0a	1	1	810470	**2 608 601 344**
16	300	Ring	10	C0a	1	1	810487	**2 608 601 345**
18	300	Ring	10	C0a	1	1	810494	**2 608 601 346**
20	300	Ring	10	C0a	1	1	810500	**2 608 601 347**
22	300	Ring	10	C0a	1	1	810517	**2 608 601 348**
24	300	Ring	10	C0a	1	1	810524	**2 608 601 349**
25	300	Ring	10	C0a	1	1	810531	**2 608 601 350**
28	300	Ring	10	C0a	1	1	810548	**2 608 601 351**
30	300	Ring	10	C0a	1	1	810555	**2 608 601 352**
32	300	Ring	10	C0a	1	1	810562	**2 608 601 353**
35	300	Ring	10	C0a	1	1	810579	**2 608 601 354**
37	400	Ring	10	C0a	1	1	810586	**2 608 601 355**
40	400	Ring	10	C0a	1	1	810593	**2 608 601 356**
42	400	Ring	10	C0a	1	1	810609	**2 608 601 357**
47	400	Ring	10	C0a	1	1	810616	**2 608 601 358**

Diamond wet core cutters 1 1/4" UNC Best for Concrete

best for Concrete

- Universal segment for concrete. Very high cutting performance and long life.
- **Note:** can only be used in machines designed for wet drilling. Use Bosch Extractor GAS 25 or GAS 50 Professional for extraction.
- Suitable for concrete and reinforced concrete with normal to hard aggregates, masonry.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Number of segments	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Diamond wet core cutter 1 1/4" UNC								
52	450	5	11.5	C0a	1	1	810623	**2 608 601 359**
57	450	5	11.5	C0a	1	1	810630	**2 608 601 360**
62	450	6	11.5	C0a	1	1	810647	**2 608 601 361**
72	450	7	11.5	C0a	1	1	810654	**2 608 601 362**
77	450	7	11.5	C0a	1	1	810661	**2 608 601 363**
82	450	7	11.5	C0a	1	1	810678	**2 608 601 364**
92	450	8	11.5	C0a	1	1	810685	**2 608 601 365**
102	450	9	11.5	C0a	1	1	810692	**2 608 601 366**
107	450	9	11.5	C0a	1	1	810708	**2 608 601 367**
112	450	9	11.5	C0a	1	1	810715	**2 608 601 368**
122	450	10	11.5	C0a	1	1	810722	**2 608 601 369**
127	450	11	11.5	C0a	1	1	810739	**2 608 601 370**
132	450	11	11.5	C0a	1	1	810746	**2 608 601 371**
138	450	11	11.5	C0a	1	1	810753	**2 608 601 372**
152	450	12	11.5	C0a	1	1	810760	**2 608 601 373**
162	450	12	11.5	C0a	1	1	810777	**2 608 601 374**
172	450	12	11.5	C0a	1	1	810784	**2 608 601 375**
182	450	13	11.5	C0a	1	1	810791	**2 608 601 376**
186	450	13	11.5	C0a	1	1	810807	**2 608 601 377**
202	450	14	11.5	C0a	1	1	810814	**2 608 601 378**
212	450	14	11.5	C0a	1	1	810821	**2 608 601 379**
226	450	15	11.5	C0a	1	1	810838	**2 608 601 380**
250	450	16	11.5	C0a	1	1	810845	**2 608 601 381**
276	450	17	11.5	C0a	1	1	810852	**2 608 601 382**
300	450	18	11.5	C0a	1	1	810869	**2 608 601 383**

Segments for retipping diamond wet core cutters 1 1/4" UNC Best for Concrete

best for Concrete

- For very high cutting performance and long life.
- **Suitable for** concrete and reinforced concrete with normal to hard aggregates, masonry.



PRODUCT PROPERTIES			ORDERING INFORMATION				
For core cutter diameter mm	Number of segments	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Segments for Best for Concrete diamond core cutters							
52	5	11.5	P0b	5	1	810876	**2 608 601 384**
57	5	11.5	P0b	5	1	810883	**2 608 601 385**
62	6	11.5	P0b	6	1	810890	**2 608 601 386**
72 **78** **82**	7	11.5	P0b	7	1	810906	**2 608 601 387**
92	8	11.5	P0b	8	1	810913	**2 608 601 388**
102 **107** **112**	9	11.5	P0b	9	1	810920	**2 608 601 389**

Segments for retipping diamond wet core cutters 1 1/4" UNC Best for Concrete

PRODUCT PROPERTIES			ORDERING INFORMATION				
For core cutter diameter mm	Number of segments	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
122	10	11.5	P0b	10	1	810937	**2 608 601 390**
127	11	11.5	P0b	11	1	810944	**2 608 601 391**
132	11	11.5	P0b	11	1	810951	**2 608 601 392**
138	11	11.5	P0b	11	1	810968	**2 608 601 393**
162	12	11.5	P0b	12	1	810975	**2 608 601 394**
172	12	11.5	P0b	12	1	810982	**2 608 601 395**
182 **186**	13	11.5	P0b	13	1	810999	**2 608 601 396**
202 **212**	14	11.5	P0b	14	1	811002	**2 608 601 397**
226	15	11.5	P0b	15	1	811019	**2 608 601 398**
250	16	11.5	P0b	16	1	811026	**2 608 601 399**
276	17	11.5	P0b	17	1	811033	**2 608 601 400**
300	18	11.5	P0b	18	1	811040	**2 608 601 401**

STANDARD FOR CONCRETE WET CORE CUTTERS

Fast and reliable core drilling.



CONSTANT HIGH DRILLING SPEED

Segments with high quality diamonds and gritt distribution



LONG LIFE

Very strong connection between the segment and steel body

COMPABILITY WITH THE MOST COMMON DRILL MOTORS

G ½" and 1 ¼" UNC connection

Diamond wet core cutters G 1/2" Standard for Concrete

standard Concrete

- Universal segment for concrete. High cutting performance and long life.
- **Note:** Can only be used on machines designed for wet drilling. Use Bosch Extractor GAS 25 or GAS 50 Professional for extraction.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Number of segments	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Diamond wet core cutter G 1/2"								
28	300	3	10	C0a	1	1	947022	**2 608 601 733**
32	300	3	10	C0a	1	1	947039	**2 608 601 734**
42	400	4	10	C0a	1	1	947046	**2 608 601 735**

Diamond wet core cutter 1 1/4" UNC Standard for Concrete

standard for Concrete

- Universal segment for concrete. Reliable performance and long life.
- **Note:** Can only be used in machines designed for wet drilling. Use Bosch Dust Extractor GAS 25 or GAS 50 Professional for extraction.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Number of segments	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Diamond Core Cutter 1 1/4"								
52	450	5	10	C0a	1	1	947053	**2 608 601 736**
62	450	6	10	C0a	1	1	947060	**2 608 601 737**
72	450	7	10	C0a	1	1	947077	**2 608 601 738**
82	450	7	10	C0a	1	1	947084	**2 608 601 739**
102	450	9	10	C0a	1	1	947091	**2 608 601 740**
122	450	10	10	C0a	1	1	947107	**2 608 601 741**
132	450	11	10	C0a	1	1	947114	**2 608 601 742**
152	450	12	10	C0a	1	1	947121	**2 608 601 743**
202	450	12	10	C0a	1	1	947138	**2 608 601 744**

Segments for retipping diamond wet core cutters Standard for Concrete

standard for Concrete

- Universal segment for concrete. Reliable performance and long life.
- **Note:** Can only be used in machines designed for wet drilling. Use Bosch Dust Extractor GAS 25 or GAS 50 Professional for extraction.



PRODUCT PROPERTIES			ORDERING INFORMATION				
For core cutter diameter mm	Number of segments	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Segments for Standard for Concrete diamond core cutters							
28	3	10	P0b	3	1	947145	**2 608 601 745**
32	3	10	P0b	3	1	947152	**2 608 601 746**
42	4	10	P0b	4	1	947169	**2 608 601 747**
52	5	10	P0b	5	1	947176	**2 608 601 748**
62	6	10	P0b	6	1	947183	**2 608 601 749**
72	7	10	P0b	7	1	947190	**2 608 601 750**
102	7	10	P0b	7	1	947206	**2 608 601 751**
102	9	10	P0b	9	1	947213	**2 608 601 752**
122	10	10	P0b	10	1	947220	**2 608 601 753**
132	11	10	P0b	11	1	947237	**2 608 601 754**
152	12	10	P0b	12	1	947244	**2 608 601 755**
200	12	10	P0b	12	1	947251	**2 608 601 756**

Diamond dry core cutters 1 1/4" UNC Best for Universal

best Universal

- Universal segment for limestone, brick and sandstone.
- **Note:** Use Bosch Extractor GAS 25 or GAS 50 Professional for extraction.
- **Fits on** all brands of diamond drills with 1 1/4" UNC fitting.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Number of segments	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Diamond dry core cutter 1 1/4" UNC								
32	330	3	11.5	C0a	1	1	811057	**2 608 601 402**
42	330	3	11.5	C0a	1	1	811064	**2 608 601 403**
52	330	3	11.5	C0a	1	1	811071	**2 608 601 404**
62	400	4	11.5	C0a	1	1	811088	**2 608 601 405**
68	400	4	11.5	C0a	1	1	811095	**2 608 601 406**
87	400	4	11.5	C0a	1	1	811101	**2 608 601 407**
102	400	6	11.5	C0a	1	1	811118	**2 608 601 408**
112	400	6	11.5	C0a	1	1	811125	**2 608 601 409**
122	400	6	11.5	C0a	1	1	811132	**2 608 601 410**
132	400	6	11.5	C0a	1	1	811149	**2 608 601 411**
142	400	6	11.5	C0a	1	1	811156	**2 608 601 412**
152	400	8	11.5	C0a	1	1	811163	**2 608 601 413**
157	400	8	11.5	C0a	1	1	811170	**2 608 601 414**

Segments for diamond dry core cutters 1 1/4" UNC Best for Universal

best Universal

fast CUT



PRODUCT PROPERTIES			ORDERING INFORMATION				
For core cutter diameter mm	Number of segments	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Segments for Best for Universal diamond core cutters							
52	3	11.5	P0b	3	1	811187	**2 608 601 415**
62	4	11.5	P0b	4	1	811194	**2 608 601 416**
68	4	11.5	P0b	4	1	811200	**2 608 601 417**
87	4	11.5	P0b	4	1	811217	**2 608 601 418**
102	4	11.5	P0b	4	1	811224	**2 608 601 419**
112	6	11.5	P0b	6	1	811231	**2 608 601 420**
122	6	11.5	P0b	6	1	811248	**2 608 601 421**
132	6	11.5	P0b	6	1	811255	**2 608 601 422**
142 152 157	8	11.5	P0b	8	1	811262	**2 608 601 423**

G 1/2" Best for Universal diamond dry core cutter

best Universal

- Universal segment for limestone, brick and sandstone.
- **Note:** Use Bosch Extractor GAS 25 or GAS 50 Professional for extraction.
- Very high cutting performance and long life in masonry.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Number of segments	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Diamond dry core cutter G 1/2"								
22	350	3	7	C0a	1	1	623766	**2 608 587 313**
28	350	3	7	C0a	1	1	623773	**2 608 587 314**
32	350	3	7	C0a	1	1	623780	**2 608 587 315**
38	150	3	7	C0a	1	1	623797	**2 608 587 316**
42	150	3	7	C0a	1	1	623803	**2 608 587 317**
48	150	3	7	C0a	1	1	623810	**2 608 587 318**
52	150	4	7	C0a	1	1	623827	**2 608 587 319**
60	150	4	7	C0a	1	1	623834	**2 608 587 320**
65	150	4	7	C0a	1	1	623841	**2 608 587 321**
68	150	4	7	C0a	1	1	623858	**2 608 587 322**
72	150	4	7	C0a	1	1	623865	**2 608 587 323**
78	150	5	7	C0a	1	1	623872	**2 608 587 324**
82	150	5	7	C0a	1	1	623889	**2 608 587 325**
92	150	5	7	C0a	1	1	623896	**2 608 587 326**
102	150	5	7	C0a	1	1	623902	**2 608 587 327**
107	150	6	7	C0a	1	1	623919	**2 608 587 328**
117	150	6	7	C0a	1	1	623926	**2 608 587 329**
127	150	6	7	C0a	1	1	623933	**2 608 587 330**
132	150	6	7	C0a	1	1	623940	**2 608 587 331**
142	150	7	7	C0a	1	1	623957	**2 608 587 332**
152	150	7	7	C0a	1	1	623964	**2 608 587 333**
162	150	7	7	C0a	1	1	623971	**2 608 587 334**
202	150	9	7	C0a	1	1	623988	**2 608 587 335**

G 1/2" Standard for Universal diamond dry core cutter

standard Universal

- Universal segment for limestone, brick and sandstone.
- High cutting performance and long life in masonry.



Diamond dry core cutter G 1/2"								
28	350	3	7	C0a	1	1	623995	**2 608 587 336**
38	150	3	7	C0a	1	1	624008	**2 608 587 337**
48	150	3	7	C0a	1	1	624015	**2 608 587 338**
52	150	4	7	C0a	1	1	624022	**2 608 587 339**
65	150	4	7	C0a	1	1	624039	**2 608 587 340**
107	150	6	7	C0a	1	1	624046	**2 608 587 341**
117	150	6	7	C0a	1	1	624053	**2 608 587 342**
127	150	6	7	C0a	1	1	624060	**2 608 587 343**

5-piece diamond dry core cutter set G 1/2" Standard for Universal

standard **Universal**

- Universal segment for limestone, brick and sandstone.
- High cutting performance and long life in masonry.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Number of segments	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece diamond dry core cutter set G 1/2" including: 1 x ejector drift 1 x hex adapter – G 1/2" 1 x SDS plus adapter – G 1/2" 1 x hex extension – G 1/2" (240 mm) 1 x SDS plus extension – G 1/2" (240 mm) 1 x 200 mm pilot drill bit								
38 **52** **65** **117** **127**	150	4	7	U0	5	1	625081	**2 608 587 007**

Diamond Dry Socket Core Cutters with M16 shank

best Universal

▶ Suitable for concrete and reinforced concrete with normal to hard aggregates, masonry.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Number of segments	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
68	60	4	10	C0a	1	1	508788	**2 608 599 047**
82	60	4	10	C0a	1	1	508795	**2 608 599 048**

Accessories for diamond core edge sinkers with Power-Change adapter

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Tungsten carbide pilot drill bit for holesaws with cutting capacity <60 mm with 1/4" hex shank, 118° drill bit tip. Centred, special multi-purpose diamond-ground carbide tips						
7.15	120	PC1d	1	1	375924	**2 608 584 777**

Accessories for Diamond Socket Core Cutters with M16 Shank

PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Diameter/key width mm	Adapter for machine side	Total length mm	Shank	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Adapter 5/8"-16UNF with M 16									
-	-	5/8" - 16 UNF	-	-	P0b		1	621502	**2 600 116 081**
Hex shank for core cutters with M16									
-	11	-	80	Hexagon	P1e	1	1	084680	**2 608 550 078**
-	11	-	220	Hexagon	P1e	1	1	096744	**2 608 598 109**
SDS plus shank for core cutters with M16									
-	-	-	105	SDS plus	P1e	1	1	046138	**2 608 550 057**
-	-	-	220	SDS plus	P1e	1	1	096751	**2 608 598 110**
Pilot drill bit for hexagonal toolholder									
8	-	-	120	-	PC1d	1	1	085403	**2 608 550 079**

Accessories **for Bosch diamond drilling systems**

Drilling crosses for 1 1/4" UNC and SDS-DI dry core cutters and SDS-DI core edge sinkers



PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter/key width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
32	C0a	1	1	110013	**2 608 597 475**
42	C0a	1	1	110020	**2 608 597 476**
52	C0a	1	1	110037	**2 608 597 477**
62	C0a	1	1	220057	**2 608 597 904**
68	C0a	1	1	110044	**2 608 597 478**
87	C0a	1	1	110051	**2 608 597 479**
102	C0a	1	1	110068	**2 608 597 480**
112	C0a	1	1	110075	**2 608 597 481**
122	C0a	1	1	220064	**2 608 597 905**
132	C0a	1	1	110082	**2 608 597 482**

Adapter for diamond core cutters















PRODUCT PROPERTIES			ORDERING INFORMATION				
Adapter for machine side	Adapter for core side	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
1 1/4" UNC	G 1/2"	-	P0h	1	1	116169	**2 608 598 043**
G 1/2"	G 1/2"	-	P0h	1	1	639569	**2 608 598 145**
G 1/2"	1 1/4" UNC	-	P0h	1	1	116152	**2 608 598 042**
SDS plus	G 1/2"	115	C0a	1	1	230445	**2 608 598 123**
SDS plus	G 1/2"	240	C0a	1	1	660518	**2 608 580 864**
Hexagonal	G 1/2"	88	C0a	1	1	230438	**2 608 598 122**
Hexagonal	G 1/2"	240	C0a	1	1	660501	**2 608 580 865**

Adapter for diamond core cutters

PRODUCT PROPERTIES			ORDERING INFORMATION				
Adapter for machine side	Adapter for core side	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5/8" x 16 UNF	G 1/2"	-	P1h	1	1	230469	**2 608 598 125**
1/2" 20 UNF	G 1/2"	-	P1h	1	1	230476	**2 608 598 126**
Pixi	1 1/4" UNC	-	P0h	1	1	639613	**2 608 598 150**
1 1/4" UNC	Pixi	-	P0h	1	1	639620	**2 608 598 151**
5/8" x 16 UNF	1 1/4" UNC	-	P0h	1	1	639644	**2 608 598 153**
M16	G 1/2"	-	P0h	1	1	660532	**2 608 000 503**
M18	G 1/2"	-	P0h	1	1	660549	**2 608 000 504**

Extensions for diamond core cutters

PRODUCT PROPERTIES	ORDERING INFORMATION					
Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Extension for core cutters with G 1/2" fitting as of diameter 32 mm					
300	P0h	1	1	116176	**2 608 598 044**
Extension for core cutters with G 1/2" fitting as of diameter 32 mm					
500	P0h	1	1	775670	**2 608 598 143**
Extension for core cutters with 1 1/4" UNC fitting as of diameter 45 mm					
300	P0h	1	1	116183	**2 608 598 045**

Extensions for diamond core cutters



PRODUCT PROPERTIES	ORDERING INFORMATION					
	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Extension for core cutters with 1 1/4" UNC fitting as of diameter 45 mm						
	500	P0h	1	1	639552	**2 608 598 144**



Extension for core cutters with G 1/2" fitting as of diameter 32 mm						
	150	C0a	1	1	230490	**2 608 598 128**



Extension for dry core cutters with G 1/2" fitting						
	150	P0h	1	1	639576	**2 608 598 146**



Extension for dry core cutters with G 1/2" fitting						
	250	P0h	1	1	639583	**2 608 598 147**

Water pressure container

- **Suitable for** wet drilling work on construction sites without water connection.
- Steel container with special plastic coating.
- Filling capacity: 10 litres.



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Water pressure container					
	C0a	1	1	107907	**2 609 390 308**

Water collection ring for Drill Stands S 500 and S 500 A Professional



- Collects the water from the drilled hole.
- Prevents soiling and water damage when used with the all-purpose extractor.

Water collection ring for Drill Stand S 500 Professional Max. core cutter diameter 92 mm **Suitable for** GDB 1600 WE Professional					
	C0a	1	1	107921	**2 609 390 310**

Water collection ring for Drill Stands S 500 and S 500 A Professional

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Water collection ring for Drill Stand S 500 A Professional Max. core cutter diameter 150 mm **Suitable for** GDB 1600 WE; GDB 2200; GDB 2500 WE Professional	C0a	1	1	288774	**2 609 390 389**
 Water collection ring for GCR 350 Professional drill stand max. drilling diameter 200 mm **Suitable for** GCR 180; GCR 350; GDB 350 WE Professional	C0a	1	1	808149	**2 608 550 620**
 Water collection ring for GCR 180 Professional drill stand max. core cutter diameter 132 mm **Suitable for** GCR 180; GDB 180 WE Professional	C0a	1	1	808156	**2 608 550 621**

Sealing cap for water collection ring

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Seal cover for water collection ring 2 609 390 310	**123**	C0a	10	1	107938	**2 609 390 311**
 Seal cover for water collection ring 2 609 390 389 & 2 608 550 620	**235**	C0a	2	1	288798	**2 609 390 391**
Seal cover for water collection ring 2 608 550 621	**132**	C0a	5	1	808187	**2 608 550 624**

Fixing sets



PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
27-piece fixing set Special design for concrete and hard stone.					
16	C0a	27	1	799409	**2 608 002 000**

Wall plug sets



50-piece set of fixings Special design for concrete and hard stone.					
16	C0a	50	1	799416	**2 608 002 001**

Quick fit column



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Quick fit column for drill stands For easy fitting of the drill stand by clamping between floor and ceiling or between two walls. Fitting width: from 1.7 m to 3.0 m **Suitable for** S 500; S 500 A Professional					
	C0a	1	1	107983	**2 608 598 111**

Vacuum set, flushing head and dust extraction head



1-piece vacuum set Consisting of: suction spout with rubber seal, three-way ball valve for rapid venting of the vacuum disc, rubber seal for vacuum base **Suitable for** S 500; S 500 A Professional					
	C0a	1	1	127998	**2 609 390 314**

Vacuum set, flushing head and dust extraction head

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Dust extraction outlet **Suitable for** diamond dry core cutters with G 1/2" BSP connection	C0a	1	1	230629	**2 609 390 380**
 3-piece vacuum set Consisting of: Ball valve for the rapid venting of the vacuum plate, rubber seal for vacuum base Vacuum set for GCR 180 and GCR 350 Professional drill stands **Suitable for** GCR 180; GCR 350 Professional	C0a	1	1	808170	**2 608 550 623**

Accessories for diamond core cutters

 Rubber sealing ring for GCR 180 Professional drill stand **Suitable for** GCR 180 Professional	C0a		1	808194	**2 608 550 625**
 Rubber sealing ring for GCR 350 Professional drill stand **Suitable for** GCR 350 Professional	C0a	1	1	808200	**2 608 550 626**

Accessories for diamond core cutters



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Adapter plate for 350 mm core cutters (extender) **Suitable for** GCR 350 Professional	C0a	1	1	808224	**2 608 550 628**

Pilot drill bit

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Pilot drill bit for short diamond dry core cutters						
	200	C0a	1	1	230551	**2 608 597 921**
Pilot drill bit for short diamond dry core cutters For use with dust extraction outlet						
	300	C0a	1	1	230568	**2 608 597 922**

CUTTING, GRINDING AND BRUSHING

With the innovative X-LOCK changing system

The best your tool can get. Bosch Professional Accessories.





CARBIDE MULTI WHEEL

Make your angle grinder more versatile.



	Carbide Multi Wheel EXPERT
Page number	**299**
Diameter mm	**115 – 125**
Thickness mm	**1**
Fitting tool	**Angle grinder**
X-LOCK	✓
	LONG LIFE CARBIDE TECHNOLOGY

Softwood / hardwood	✓
Construction timber	✓
Plywood/Chipboard	✓
MDF/Laminate board	✓
Wood with nails	✓
Plastic	✓
Plaster	✓
Copper pipe	✓

*Bosch EXPERT products vs. Bosch standard products

LONG LIFE CUTTING MULTIPLE MATERIALS

EXPERT Carbide Multi Wheel X-LOCK Cutting Discs

ASSORTMENT: ⌀ 76 – 125 mm

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Advanced steel body keeps constant speed and depth
3. Extra strong laser bonding of carbide grit and steel body



EXPERT Carbide Multi Wheel X-LOCK Cutting Discs

EXPERT



- Ideal for cutting multiple materials with an angle grinder. Cuts wood and embedded screws and nails; plastic pipes; and makes accurate cut-outs in tough panels such as laminates and drywall.
- Best for shopfitters: long lasting and highly versatile.
- Cuts materials that angle grinders previously couldn't.
- Click it on with X-LOCK – the fastest accessory-changing system on the market. Also fits nut and thread angle grinders.



CARBIDE TECHNOLOGY LONG LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	22,23	PC1d	1	1	567501	**2 608 901 192**
		C1a	10	1	567525	**2 608 901 194**
125	22,23	PC1d	1	1	567518	**2 608 901 193**
		C1a	10	1	567532	**2 608 901 195**

EXPERT Carbide Multi Wheel Cutting Discs

EXPERT



- Ideal for cutting multiple materials with an angle grinder. Cuts wood and embedded screws and nails; plastic pipes; and makes accurate cut-outs in tough panels such as laminates and drywall.
- Best for shopfitters: long lasting and highly versatile.
- Cuts materials that angle grinders previously couldn't.
- With 22.23 mm bore for standard locking nut angle grinders.





CARBIDE TECHNOLOGY LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	115	22,23	PC1d	1	1	567464	**2 608 901 188**
			C1a	10	1	567488	**2 608 901 190**
	125	22,23	PC1d	1	1	567471	**2 608 901 189**
			C1a	10	1	567495	**2 608 901 191**

EXPERT Carbide Multi Wheel Cutting Discs

EXPERT



- Ideal for cutting multiple materials with an angle grinder. Cuts wood and embedded screws and nails; plastic pipes; and makes accurate cut-outs in tough panels such as laminates and drywall.
- Best for shopfitters: long lasting and highly versatile.
- Cuts materials that angle grinders previously couldn't.
- With 10 mm bore for mini grinder.





CARBIDE TECHNOLOGY LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
For cordless angle grinders with 10 mm fitting							
	76	10,00	PC1a	1	1	567549	**2 608 901 196**

DIAMOND METAL WHEEL

The new way of cutting metal.



	Diamond for metal wheel
	EXPERT
Page number	302
Diameter mm	105 - 355
Fitting tool	Angle grinder, marble cutter, chop saw, petrol saw
X-LOCK	✓
	UP TO 100x* LONG LIFE DIAMOND TECHNOLOGY

MATERIALS

Cast iron	✓
Steel profiles	✓
Stainless steel	✓
Brass, bronze	✓
Copper	✓
Fiber glass	✓

*Bosch EXPERT products vs. Bosch standard products

LONG LIFE CUTTING METAL

EXPERT Diamond Metal Wheel X-LOCK Cutting Discs

ASSORTMENT: ⌀ 105 – 355 mm

EXPERT

1. Extremely durable cutting edge using Bosch Diamond Technology
2. Advanced steel body keeps constant speed and depth
3. Does not shatter, no chemical smell, no expiry date



EXPERT Diamond Metal Wheel X-LOCK Cutting Discs

EXPERT



- Ideal for cutting cast iron, rebar, steel and stainless steel. Recommend to cut profiles and sheets; also cuts non-ferrous metal including copper, brass etc, and fiber glass; not designed for aluminium & concrete/stone cutting.
- Best for construction and rescue workers: long lasting and efficient.
- Lasts up to 100x longer than a bonded cutting disc.
- Click it on with X-LOCK – the fastest accessory-changing system on the market. Also fits nut and thread angle grinders.



DIAMOND TECHNOLOGY | UP TO 100x* LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Bore diameter mm	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	22,23	•	C1b	1	1	536811	**2 608 900 532**
125	22,23	•	C1b	1	1	536828	**2 608 900 533**

EXPERT Diamond Metal Wheel Cutting Discs

EXPERT



- Ideal for cutting cast iron, rebar, steel and stainless steel. Recommend to cut profiles and sheets; also cuts non-ferrous metal including copper, brass etc, and fiber glass; not designed for aluminium & concrete/stone cutting.
- Best for construction and rescue workers: long lasting and efficient.
- Lasts up to 50x longer than a bonded cutting disc.
- With 20 mm bore for marble cutter.



DIAMOND TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
105	20/16	PC1a	1	1	536804	**2 608 900 531**

EXPERT Diamond Metal Wheel Large Size Cutting Discs

EXPERT



- Ideal for cutting cast iron, rebar, steel and stainless steel. Recommend to cut profiles and sheets; also cuts non-ferrous metal including copper, brass etc, and fiber glass; not designed for aluminium & concrete/stone cutting.
- Best for construction and rescue workers: long lasting and efficient.
- Lasts up to 30x longer than a bonded cutting disc.
- With 22.23 mm bore for standard locking nut angle grinders.



DIAMOND TECHNOLOGY | UP TO 30x* LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
180	22,23	C1b	1	1	536842	**2 608 900 535**
230	22,23	C1b	1	1	536859	**2 608 900 536**

EXPERT Diamond Metal Wheel Large Size Cutting Discs

EXPERT



- Ideal for cutting cast iron, rebar, steel and stainless steel. Recommend to cut profiles and sheets; also cuts non-ferrous metal including copper, brass etc, and fiber glass; not designed for aluminium & concrete/stone cutting.
- Best for construction and rescue workers: long lasting and efficient.
- Lasts up to 30x Longer than a bonded cutting disc.
- With 25.4 mm bore.





DIAMOND TECHNOLOGY

UP TO 30x* LONG LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
355	25,40	C1b	1	1	536866	**2 608 900 537**

CUTTING DISCS

For angle grinders and petrol saws.



	3-in-1 disc	Best for Inox	Expert for Inox	Standard for Inox	Best for Metal	Expert for Metal	Standard for Metal
Page number	307	308	310	313	318	319	321
Diameter mm	115 / 125	115 – 230	115 – 230	115 – 230	115 – 230	115 – 400	115 – 230
Thickness mm	2.5	0.8 – 2.5	1.0 – 3.0	1.0 – 1.9	1.0 – 2.5	1.0 – 3.5	1.6 – 3.1
Disc types							
Grit	60	46 / 60	30 – 60	36 – 60	30 – 60	30 – 60	30 / 60
Fitting tool	Angle grinder	Angle grinder	Angle grinder	Angle grinder	Angle grinder	Angle grinder, cut-off saw	Angle grinder
X-LOCK	–	✓	–	✓	–	✓	–

MATERIALS

Non-alloyed and alloyed structural steel	✓	✓	✓	✓	✓	✓	✓
Square-edged steel profiles	✓	✓	✓	✓	✓	✓	✓
Tool steel	✓	✓	✓	✓	✓	✓	✓
Stainless and acid-resistant steel	✓	✓	✓	✓	–	–	–
Square-edged stainless steel profiles	✓	✓	✓	✓	–	–	–
Cast iron	–	✓	✓	–	✓	✓	✓

DISC TYPES

 Straight

 With depressed centre


Expert for Stone


Standard for Stone


Multi construction


Expert for Cast iron


Special for Rail

Page number	323	323	324	325	326
Diameter mm	115-230	115-230	115-230	230	355
Thickness mm	2.5-3.0	2.5-3.0	1.0-1.9	3	4
Disc types					
Grit	24	30	46/60	24	30
Fitting tool	Angle grinder	Angle grinder	Angle grinder	Angle grinder	Petrol saw
X-LOCK	–	–	✓	–	–

MATERIALS

Non-alloyed and alloyed steel	–	–	✓	✓	✓
Stainless and acid-resistant steel	–	–	✓	–	–
Rail	–	–	–	–	✓
Aluminium alloy	–	–	✓	–	–
Brass, bronze	–	–	✓	–	–
Cast iron	–	–	✓	✓	–
Copper	–	–	✓	–	–
Slate	✓	✓	✓	–	–
Tiles	✓	✓	✓	–	–
Brick	✓	✓	✓	–	–
Concrete	✓	✓	–	–	–
Marble	✓	✓	✓	–	–
Limestone	✓	✓	–	–	–
Plastics	–	–	✓	–	–

3-in-1 disc



- Cutting, grinding and finishing with one disc
- **Suitable for** metal and Inox
- **Appropriate for** hand-held angle grinders
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- Fe/S/Cl < 0.1%



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
With depressed centre								
A 46 S BF	115	22,23	2.5	U0	1	25	505253	**2 608 602 388**
A 46 S BF	125	22,23	2.5	U0	1	25	505260	**2 608 602 389**

THE MASTERS IN INOX AND METAL

Perfect for cutting.

FAST AND PRECISION CUTTING

Thanks to the 1 mm disc thickness

HIGH DISC STABILITY

Because of the precision manufactured glass fibre net



PERFECT SURFACE QUALITY AFTER CUTTING

Due to high quality abrasive grains and functional fillers

X-LOCK	✓
M14/Ø 22,23	✓

Best for INOX cutting discs

- Top-class cutting discs for INOX for the highest requirements
- **Appropriate for** hand-held angle grinders
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- Fe/S/Cl < 0.1%

Rapido

fast CUT



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Straight								
Rapido, extra-thin cutting disc for extremely fast and clean cuts without burr formation or blue discolouration								
A 60 W INOX BF	115	22,23	0.8	U0	1	25	733380	**2 608 603 486**
A 60 W INOX BF	125	22,23	0.8	U0	1	25	733403	**2 608 603 488**

Best for INOX cutting discs

Rapido



Straight

Rapido, extremely long lifetime, fast and clean cuts without burr formation or blue discolouration

Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
A 60 W INOX BF	115	22,23	1	U0	1	25	733427	**2 608 603 490**
A 60 W INOX BF	125	22,23	1	U0	1	25	733441	**2 608 603 492**
A 46 V INOX BF	180	22,23	1.6	U0	1	25	733502	**2 608 603 498**
A 46 V INOX BF	230	22,23	1.9	U0	1	25	733526	**2 608 603 500**

Rapido



Straight

Rapido Long Life, extremely long life for Inox and metal

Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
AS 60 V BF	115	22,23	1	U0	1	25	449236	**2 608 602 220**
AS 60 V BF	125	22,23	1	U0	1	25	449243	**2 608 602 221**

Rapido



With depressed centre

Rapido, extremely long lifetime, fast and clean cuts without burr formation and blue discolouration

Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
A 60 W INOX BF	115	22,23	1	U0	1	25	733434	**2 608 603 491**
A 60 W INOX BF	125	22,23	1	U0	1	25	733458	**2 608 603 493**
A 46 V INOX BF	180	22,23	1.6	U0	1	25	733519	**2 608 603 499**
A 46 V INOX BF	230	22,23	1.9	U0	1	25	733533	**2 608 603 501**



Straight

Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
A 46 V INOX BF	115	22,23	1.5	U0	1	25	733465	**2 608 603 494**
A 30 V INOX BF	115	22,23	2.5	U0	1	25	733540	**2 608 603 502**
A 46 V INOX BF	125	22,23	1.5	U0	1	25	733489	**2 608 603 496**
A 30 V INOX BF	125	22,23	2.5	U0	1	25	733564	**2 608 603 504**
A 30 V INOX BF	180	22,23	2.5	U0	1	25	733588	**2 608 603 506**
A 30 V INOX BF	230	22,23	2.5	U0	1	25	733601	**2 608 603 508**

Best for INOX cutting discs



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
With depressed centre								
A 46 V INOX BF	115	22,23	1.5	U0	1	25	733472	**2 608 603 495**
A 30 V INOX BF	115	22,23	2.5	U0	1	25	733557	**2 608 603 503**
A 46 V INOX BF	125	22,23	1.5	U0	1	25	733496	**2 608 603 497**
A 30 V INOX BF	125	22,23	2.5	U0	1	25	733571	**2 608 603 505**
A 30 V INOX BF	180	22,23	2.5	U0	1	25	733595	**2 608 603 507**
A 30 V INOX BF	230	22,23	2.5	U0	1	25	733618	**2 608 603 509**

X-LOCK Expert for INOX+Metal cutting discs

expert Inox+Metal

Rapido

X-LOCK ✓

M14/Ø 22,23 ✓

- Changing cutting discs is fast and convenient thanks to the keyless X-LOCK system.
- X-LOCK cutting discs also fit on standard angle grinders.
- Cutting discs for both stainless steel and metal for high requirements
- Maximum circumferential speed: 80 m/s
- Fe/S/Cl < 0.1%



Straight

Rapido, fast and clean cuts without burr formation or blue discolouration

AS 60 T INOX BF	115	22,23	1	U0	1	25	947534	**2 608 619 263**
AS 60 T INOX BF	125	22,23	1	U0	1	25	947541	**2 608 619 264**

X-LOCK Expert for INOX cutting discs

expert for Inox

X-LOCK	✓
M14/Ø 22,23	✓

- Changing cutting discs is fast and convenient thanks to the keyless X-LOCK system.
- X-LOCK cutting discs also fit on standard angle grinders.
- Cutting discs for INOX for high requirements
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- Fe/S/Cl < 0.1%





PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Straight								
AS 46 T INOX BF	115	22,23	1.6	U0	1	25	947503	**2 608 619 260**
AS 46 T INOX BF	125	22,23	1.6	U0	1	25	947558	**2 608 619 265**

Expert for INOX cutting discs

Rapido

fast CUT

- Cutting discs for INOX for high requirements
- **Appropriate for** hand-held angle grinders
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- Fe/S/Cl < 0.1%



Straight

Rapido, fast and clean cuts without burr formation or blue discolouration

A 46 X BF	105	-	1	U0	1	25	642309	**2 608 603 047**
AS 60 T INOX BF	125	-	1	U0	1	25	642323	**2 608 603 049**

Rapido

fast CUT



Straight

Rapido, fast and clean cuts without burr formation or blue discolouration

AS 60 T INOX BF	115	22,23	1	U0	1	25	220927	**2 608 600 545**
				U0	1	25	782319	**2 608 601 252**
AS 60 T INOX BF	125	22,23	1	U0	1	25	219624	**2 608 600 549**
AS 46 T INOX BF	180	22,23	1.6	U0	1	25	706988	**2 608 603 406**
AS 46 T INOX BF	230	22,23	1.9	U0	1	25	706995	**2 608 603 407**

Expert for INOX cutting discs

Rapido



Straight

Rapido, fast and clean cuts without burr formation or blue discolouration

Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
AS 60 T INOX BF	115	-	1	U0	1	25	642316	**2 608 603 048**

Rapido

fast CUT



With depressed centre

Rapido, fast and clean cuts without burr formation or blue discolouration

Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
AS 46 T INOX BF	180	22,23	1.6	U0	1	25	262842	**2 608 600 710**
AS 46 T INOX BF	230	22,23	1.9	U0	1	25	262859	**2 608 600 711**



Straight

Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
AS 46 T INOX BF	115	22,23	1.6	U0	1	25	116367	**2 608 600 215**
AS 46 T INOX BF	115	22,23	2	U0	1	25	070898	**2 608 600 093**
AS 30 S INOX BF	115	22,23	2.5	U0	1	25	149419	**2 608 600 319**
AS 30 S INOX BF	115	22,23	3	U0	1	25	707008	**2 608 603 408**
AS 46 T INOX BF	125	22,23	1.6	U0	1	25	116411	**2 608 600 220**
AS 46 T INOX BF	125	22,23	2	U0	1	25	070904	**2 608 600 094**
AS 46 T INOX BF	150	22,23	1.6	U0	1	25	706971	**2 608 603 405**
AS 46 T INOX BF	180	22,23	2	U0	1	25	070911	**2 608 600 095**
AS 30 S INOX BF	180	22,23	3	U0	1	25	149440	**2 608 600 322**
AS 46 T INOX BF	230	22,23	2	U0	1	25	070928	**2 608 600 096**
AS 30 S INOX BF	230	22,23	3	U0	1	25	149501	**2 608 600 325**

X-LOCK Standard for INOX cutting discs



- Changing cutting discs is fast and convenient thanks to the keyless X-LOCK system.
- X-LOCK cutting discs also fit on standard angle grinders.
- Cutting discs for INOX with good performance at an attractive price
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- Fe/S/Cl < 0.1%

PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Rapido								
Straight **Rapido**, fast and clean cuts without burr formation or blue discolouration								
WA 60 T BF	115	22,23	1	U0	1	25	947510	**2 608 619 261**
Straight Rapido, fast and clean cuts without burr formation or blue discolouration								
WA 60 T BF	125	22,23	1	U0	1	25	947527	**2 608 619 262**
Rapido								
Straight Rapido, fast and clean cuts without burr formation or blue discolouration								
WA 60 T BF	115	22,23	1	M1a	10	10	947565	**2 608 619 266**
Rapido								
Straight 10 Rapido discs in a reclosable tin								
WA 60 T BF	125	22,23	1	M1a	10	10	947572	**2 608 619 267**







X-LOCK Standard for INOX cutting discs



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Straight								
Rapido, fast and clean cuts without burr formation or blue discolouration								
WA 60 T BF	115	22,23	1.6	U0	1	25	991025	**2 608 619 362**
WA 60 T BF	125	22,23	1.6	U0	1	25	991032	**2 608 619 363**



Straight								
Rapido, fast and clean cuts without burr formation or blue discolouration								
WA 60 T BF	125	22,23	1.6	M1a	10	10	991049	**2 608 619 364**

Standard for INOX cutting discs

- Cutting discs for INOX with good performance at an attractive price
- **Appropriate for** hand-held angle grinders
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- Fe/S/Cl < 0.1%

Rapido

+30% LONGER LIFE

fast CUT



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Straight								
Rapido, fast and clean cuts without burr formation or blue discolouration								
WA 60 T BF	115	22,23	1	U0	1	25	588445	**2 608 619 741**
				U0	1	25	658287	**2 608 603 169**
WA 60 T BF	105	16,00	1	U0	1	1	723435	**2 608 603 457**
WA 60 T BF	115	22,23	1	C0a	100	1	786454	**2 608 601 264**
WA 60 T BF	125	22,23	1	U0	1	25	658300	**2 608 603 171**

Standard for INOX cutting discs

Rapido

+30% LONGER LIFE | fast CUT



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Straight **Rapido**, fast and clean cuts without burr formation or blue discolouration								
WA 60 T BF	105	16,00	1	C0a	100	1	786447	**2 608 601 263**

Rapido

+30% LONGER LIFE | fast CUT



Straight **Rapido**, fast and clean cuts without burr formation or blue discolouration								
WA 60 T BF	125	22,23	1	C0a	100	1	786461	**2 608 601 265**

Rapido

+30% LONGER LIFE | fast CUT



Straight 10 Rapido discs in a reclosable tin								
WA 60 T BF	115	22,23	1	M1a	10	10	668866	**2 608 603 254**
WA 60 T BF	125	22,23	1	M1a	10	10	668873	**2 608 603 255**

Standard for INOX cutting discs



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Straight								
WA 60 T BF	115	22,23	1.6	U0	1	25	658294	**2 608 603 170**
WA 60 T BF	125	22,23	1.6	U0	1	25	658317	**2 608 603 172**
WA 60 T BF	115	22,23	1.6	U0	1	25	588452	**2 608 619 742**

Rapido



10pcs Inox cutting discs with counter top display
Straight
Rapido, fast and clean cuts without burr formation or blue discolouration

WA 60 T BF	105	-	1	U0	10	10	723480	**2 608 603 464**
WA 60 T BF	115	-	1	U0	10	10	723503	**2 608 603 467**
WA 60 T BF	125	-	1	U0	10	10	723527	**2 608 603 470**



Straight

WA 46 T BF	150	22,23	1.6	U0	1	50	826594	**2 608 601 513**



Straight
10 discs in a reclosable tin

WA 60 T BF	125	22,23	1.6	M1a	10	10	922685	**2 608 619 050**

Standard for INOX cutting discs



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
With depressed centre								
WA 36 R BF	230	22,23	1.9	U0	1	25	826600	**2 608 601 514**

Cutting discs – Metal

Best for Metal cutting discs

- Top-class cutting discs for metal for the highest requirements
- **Appropriate for** hand-held angle grinders
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)

Rapido

fast CUT extra long LIFE



Straight

Rapido, extremely long lifetime, fast and clean cuts without burr formation and blue discolouration

Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
A 60 W BF	115	22,23	1	U0	1	25	733649	**2 608 603 512**
A 60 W BF	125	22,23	1	U0	1	25	733663	**2 608 603 514**
A 46 V BF	180	22,23	1.6	U0	1	25	733724	**2 608 603 520**
A 46 V BF	230	22,23	1.9	U0	1	25	733748	**2 608 603 522**

Rapido

fast CUT extra long LIFE



With depressed centre

Rapido, extremely long lifetime, fast and clean cuts without burr formation and blue discolouration

Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
A 60 W BF	115	22,23	1	U0	1	25	733656	**2 608 603 513**
A 60 W BF	125	22,23	1	U0	1	25	733670	**2 608 603 515**
A 46 V BF	180	22,23	1.6	U0	1	25	733731	**2 608 603 521**
A 46 V BF	230	22,23	1.9	U0	1	25	733755	**2 608 603 523**



Straight

Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
A 46 V BF	115	22,23	1.5	U0	1	25	733687	**2 608 603 516**
A 30 V BF	115	22,23	2.5	U0	1	25	733762	**2 608 603 524**
A 46 V BF	125	22,23	1.5	U0	1	25	733700	**2 608 603 518**
A 30 V BF	125	22,23	2.5	U0	1	25	733786	**2 608 603 526**
A 30 V BF	180	22,23	2.5	U0	1	25	733809	**2 608 603 528**
A 30 V BF	230	22,23	2.5	U0	1	25	733823	**2 608 603 530**



With depressed centre

Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
A 46 V BF	115	22,23	1.5	U0	1	25	733694	**2 608 603 517**
A 30 V BF	115	22,23	2.5	U0	1	25	733779	**2 608 603 525**
A 46 V BF	125	22,23	1.5	U0	1	25	733717	**2 608 603 519**
A 30 V BF	125	22,23	2.5	U0	1	25	733793	**2 608 603 527**
A 30 V BF	180	22,23	2.5	U0	1	25	733816	**2 608 603 529**
A 30 V BF	230	22,23	2.5	U0	1	25	733830	**2 608 603 531**

X-LOCK Expert for Metal cutting discs

expert for Metal

X-LOCK	✓
M14/⌀ 22,23	✓

- Changing accessories is fast and convenient thanks to the keyless X-LOCK system.
- X-LOCK cutting discs also fit on standard angle grinders.
- Cutting discs for metal for high requirements
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)

Metal





PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Straight								
AS 46 S BF	115	22,23	1.6	U0	1	25	947428	**2 608 619 252**
A 30 S BF	115	22,23	2.5	U0	1	25	947435	**2 608 619 253**
AS 46 S BF	125	22,23	1.6	U0	1	25	947442	**2 608 619 254**
A 30 S BF	125	22,23	2.5	U0	1	25	947459	**2 608 619 255**
With depressed centre								
A 30 S BF	115	22,23	2.5	U0	1	25	947466	**2 608 619 256**
A 30 S BF	125	22,23	2.5	U0	1	25	947473	**2 608 619 257**

Expert for Metal cutting discs

Rapido

fast CUT

- Cutting discs for metal for high requirements
- **Appropriate for** hand-held angle grinders
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)



Straight								
Rapido, fast and clean cuts without burr formation or blue discolouration								
AS 60 T BF	115	22,23	1	U0	1	25	706865	**2 608 603 394**
AS 60 T BF	125	22,23	1	U0	1	25	706889	**2 608 603 396**
AS 46 T BF	180	22,23	1.6	U0	1	25	782333	**2 608 601 254**
				U0	1	25	706919	**2 608 603 399**
AS 46 T BF	230	22,23	1.9	U0	1	25	706926	**2 608 603 400**

Expert for Metal cutting discs

fast CUT

Rapido



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
With depressed centre								
Rapido, fast and clean cuts without burr formation or blue discolouration								
AS 46 T BF	180	22,23	1.6	U0	1	25	706957	**2 608 603 403**
AS 46 T BF	230	22,23	1.9	U0	1	25	706964	**2 608 603 404**



Straight								
A 30 R BF	100	16,00	2.5	U0	1	25	049375	**2 608 600 091**
AS 46 S BF	115	22,23	1.6	U0	1	25	116350	**2 608 600 214**
A 30 S BF	115	22,23	2.5	U0	1	25	149402	**2 608 600 318**
AS 30 S BF	115	22,23	3	U0	1	25	706872	**2 608 603 395**
AS 46 S BF	125	22,23	1.6	U0	1	25	116404	**2 608 600 219**
A 30 S BF	125	22,23	2.5	U0	1	25	181846	**2 608 600 394**
AS 30 S BF	125	22,23	3	U0	1	25	706896	**2 608 603 397**
AS 46 T BF	150	22,23	1.6	U0	1	25	706902	**2 608 603 398**
A 30 S BF	150	22,23	2.5	U0	1	25	181716	**2 608 600 382**
A 30 S BF	180	22,23	3	U0	1	25	149433	**2 608 600 321**
A 30 S BF	230	22,23	3	U0	1	25	149495	**2 608 600 324**
A 30 R BF	300	22,23	3.2	U0	1	10	252829	**2 608 600 649**
A 24 R BF	300	22,23	3.5	U0	1	10	181693	**2 608 600 380**



Straight								
AS 46 S BF	115	22,23	1.6	U0	1	25	782180	**2 608 601 239**
A 30 S BF	115	22,23	2.5	U0	1	25	782197	**2 608 601 240**
AS 46 S BF	125	22,23	1.6	U0	1	25	782203	**2 608 601 241**
A 30 S BF	125	22,23	2.5	U0	1	25	782210	**2 608 601 242**
AS 46 T BF	150	22,23	1.6	U0	1	25	782326	**2 608 601 253**
A 30 S BF	150	22,23	2.5	U0	1	25	782227	**2 608 601 243**



Straight								
Appropriate for chop saws / stationary pendulum action cutters/grinders								
Maximum drive power of 3 bhp/2.4 kW								
Reinforced with 2 outer fabrics								
A 36 R BF	300	25,40	2.8	U0	1	10	218641	**2 608 600 542**
A 36 R BF	355	25,40	2.8	U0	1	10	218658	**2 608 600 543**
A 36 R BF	400	25,40	3.2	U0	1	10	218665	**2 608 600 544**

Straight								
Appropriate for chop saws / stationary pendulum action cutters/grinders								
Maximum drive power of 3 bhp/2.4 kW								
A 36 R BF	350	25,40	2.8	U0	1	10	782234	**2 608 601 244**

Straight								
Appropriate for chop saws / stationary pendulum action cutters/grinders								
Maximum drive power of 3 bhp/2.4 kW								
Reinforced with 1 middle fabric								
A 30 T BF	355	25,40	2.8	U0	1	20	777230	**2 608 601 238**

Expert for Metal cutting discs



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Straight								
Appropriate for petrol-driven freehand cutting machines								
A 24 R BF	300	20,00	3.5	U0	1	10	262071	**2 608 600 706**
With depressed centre								
A 30 S BF	115	22,23	2.5	U0	1	25	031196	**2 608 600 005**
AS 30 S BF	115	22,23	3	U0	1	25	706933	**2 608 603 401**
A 30 S BF	115	22,23	3	U0	1	25	863919	**2 608 601 567**
A 30 S BF	115	22,23	2.5	U0	1	25	984744	**2 608 619 353**
A 30 S BF	125	22,23	2.5	U0	1	25	116428	**2 608 600 221**
AS 30 S BF	125	22,23	3	U0	1	25	706940	**2 608 603 402**
A 30 S BF	180	22,23	3	U0	1	25	149389	**2 608 600 316**
				U0	1	25	785754	**2 608 601 261**
A 30 S BF	230	22,23	2.5	U0	1	25	116466	**2 608 600 225**
A 30 S BF	230	22,23	3	U0	1	25	116473	**2 608 600 226**
				U0	1	25	782241	**2 608 601 245**

Standard for Metal cutting discs

standard for Metal

- Cutting discs for metal with good performance at an attractive price
- **Appropriate for** hand-held angle grinders
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Straight								
A 30 S BF	100	16,00	2.5	U0	1	50	665575	**2 608 603 216**
A 60 T BF	115	22,23	1.6	U0	1	25	658607	**2 608 603 163**
A 30 S BF	115	22,23	2.5	U0	1	25	658614	**2 608 603 164**
A 60 T BF	125	22,23	1.6	U0	1	25	658249	**2 608 603 165**
				P0f	5	5	922678	**2 608 619 049**
A 30 S BF	125	22,23	2.5	U0	1	25	658256	**2 608 603 166**
A 30 S BF	180	22,23	3	U0	1	40	658263	**2 608 603 167**
A 30 S BF	230	22,23	3	U0	1	25	658270	**2 608 603 168**
				U0	1	25	588438	**2 608 619 740**
A 30 S BF	180	22,23	3	U0	1	25	588421	**2 608 619 739**
AS 30 S BF	115	22,23	2.5	U0	1	25	588414	**2 608 619 738**
Straight								
Appropriate for chop saws/stationary pendulum cut-off grinders								
Maximum drive power 3 hp/2.4 kW								
Reinforced with 2 outer fabrics								
A 30 S BF	355	25,40	3.1	U0	1	20	601429	**2 608 602 759**

Standard for Metal cutting discs



Metal



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
With depressed centre								
A 30 S BF	115	22,23	2.5	U0	1	25	658560	**2 608 603 159**
A 30 S BF	125	22,23	2.5	U0	1	25	658577	**2 608 603 160**
A 30 S BF	180	22,23	3	U0	1	20	658584	**2 608 603 161**
A 30 S BF	230	22,23	3	U0	1	25	658591	**2 608 603 162**
Straight								
A 60 T BF	115	22,23	1	U0	1	50	524764	**2 608 619 383**
A 46 S BF	180	22,23	1.6	U0	1	25	524771	**2 608 619 384**

Metal Cutting Discs



PRODUCT PROPERTIES			ORDERING INFORMATION				
Specification	Diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
straight							
A 30 S BF	100	2.5	U0	1	50	642187	**2 608 603 035**
A 30 S BF	115	2.5	U0	1	50	642194	**2 608 603 036**
A 30 S BF	125	2.8	U0	1	50	642200	**2 608 603 037**
A 30 S BF	180	2.8	U0	1	40	642217	**2 608 603 038**
A 30 S BF	230	2.8	U0	1	25	642224	**2 608 603 039**
			U0	1	25	642231	**2 608 603 040**
A 30 S BF	355	3	U0	1	20	642255	**2 608 603 042**
Straight **Appropriate for** chop saws / stationary pendulum action cutters/grinders Maximum drive power of 3 bhp/2.4 kW							
A 30 S BF	300	3	U0	1	25	642248	**2 608 603 041**

Cutting discs – Stone

Expert for Stone cutting discs

expert for Stone

- Cutting discs for stone for high requirements
- **Appropriate for** hand-held angle grinders
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)





PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Straight								
C 24 R BF	115	22,23	2.5	U0	1	25	149426	**2 608 600 320**
				U0	1	25	782258	**2 608 601 246**
C 24 R BF	125	22,23	2.5	U0	1	25	181747	**2 608 600 385**
C 24 R BF	150	22,23	2.5	U0	1	25	181723	**2 608 600 383**
C 24 R BF	180	22,23	3	U0	1	25	149457	**2 608 600 323**
C 24 R BF	230	22,23	3	U0	1	25	149556	**2 608 600 326**
With depressed centre								
C 24 R BF	115	22,23	2.5	U0	1	25	031189	**2 608 600 004**
C 24 R BF	125	22,23	2.5	U0	1	25	116435	**2 608 600 222**
C 24 R BF	180	22,23	3	U0	1	25	149396	**2 608 600 317**
C 24 R BF	230	22,23	3	U0	1	25	116480	**2 608 600 227**
				U0	1	25	782265	**2 608 601 247**

Standard for Stone cutting discs

standard for Stone

- Cutting discs for stone with good performance at an attractive price
- **Appropriate for** hand-held angle grinders
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)





Straight								
C 30 S BF	100	22,23	3.2	U0	1	50	642330	**2 608 603 050**
C 30 S BF	115	22,23	3	U0	1	25	658362	**2 608 603 177**
C 30 S BF	115	22,23	3.2	U0	1	50	642347	**2 608 603 051**
C 30 S BF	125	22,23	3	U0	1	25	658621	**2 608 603 178**
C 30 S BF	125	22,23	3.2	U0	1	50	642354	**2 608 603 052**
C 30 S BF	180	22,23	3	U0	1	25	658638	**2 608 603 179**
C 30 S BF	180	22,23	3.2	U0	1	50	064507	**2 608 603 053**
C 30 S BF	230	22,23	3	U0	1	25	658379	**2 608 603 180**
C 30 S BF	230	22,23	3.2	U0	1	25	642361	**2 608 603 054**
C 30 S BF	230	-	3.2	U0	1	25	642378	**2 608 603 055**
With depressed centre								
C 30 S BF	115	22,23	2.5	U0	1	25	658324	**2 608 603 173**
C 30 S BF	125	22,23	2.5	U0	1	25	658331	**2 608 603 174**
C 30 S BF	180	22,23	3	U0	1	20	658348	**2 608 603 175**
C 30 S BF	230	22,23	3	U0	1	25	658355	**2 608 603 176**

Cutting discs – Multi Material

X-LOCK Multi Material cutting discs

Rapido MultiConstruction

X-LOCK	✓
M14/Ø 22,23	✓



- Changing accessories is fast and convenient thanks to the keyless X-LOCK system.
- X-LOCK cutting discs also fit on standard angle grinders.
- Cutting discs for multi materials
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Straight								
Cut virtually everything without disc changes								
Cutting disc for metal, inox, non-ferrous metal, stone, soft tile, marble and plastic								
ACS 60 V BF	115	22,23	1	U0	1	25	947589	**2 608 619 268**
ACS 60 V BF	125	22,23	1	U0	1	25	947596	**2 608 619 269**
ACS 46 V BF	125	22,23	1.6	U0	1	25	947602	**2 608 619 270**

Multi Material cutting discs

Rapido MultiConstruction



- **Appropriate for** hand-held angle grinders
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- Fe/S/Cl < 0.1%
- The thin Rapido disc offers many advantages: fast and clean cutting with little exertion of force, very accurate, less noise and dust, and no blue discolouration or burr formation

Straight								
Cut virtually everything without disc changes								
Cutting disc for metal, inox, non-ferrous metals, stone, soft tiles, marble and plastics								
AS 60 V BF	105	16,00	1	U0	1	25	642262	**2 608 603 043**
ACS 60 V BF	115	22,23	1	U0	1	25	505208	**2 608 602 384**
AS 60 V BF	115	22,23	1	U0	1	25	642279	**2 608 603 044**
ACS 60 V BF	125	22,23	1	U0	1	25	505215	**2 608 602 385**
ACS 60 V BF	125	22,20	1	U0	1	25	642286	**2 608 603 045**
ACS 46 V BF	125	22,23	1.6	U0	1	25	505192	**2 608 602 383**
ACS 46 V BF	180	22,23	1.6	U0	1	25	629713	**2 608 602 766**
ACS 46 V BF	230	22,23	1.9	U0	1	25	629720	**2 608 602 767**
ACS 60 V BF	230	22,20	1.9	U0	1	25	642293	**2 608 603 046**

Cutting discs – Cast iron

Expert for Cast Iron cutting discs

expert CastIron

- **Appropriate for** hand-held angle grinders
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Straight								
AS 24 R BF	230	22,23	3	U0	1	25	218672	**2 608 600 546**

Cutting discs – Rail

Special for Rail cutting discs









PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Straight								
Appropriate for petrol saw								
Maximum rotation speed 100 m/s (5500 rpm)								
A 30 S BF	355	25,40	4	U0	1	10	804721	**2 608 601 339**

Semi-flexible grinding discs - Vibration Control

- For light grinding work. Thanks to the flexibility of the disc, it is ideally suited to working on curved surfaces. Other advantages of the disc: less vibration and noise development, cool grinding (less heat discolouration). No backing pad required.
- **Suitable for** use in INOX , metal and aluminium.
- Fe/S/Cl < 0.1%



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
WA 46 BF	115	22,23	3	U0	1	10	448826	**2 608 602 217**
WA 46 BF	125	22,23	3	U0	1	10	448833	**2 608 602 218**

Grinding discs – INOX

Best for INOX grinding discs

best for Inox

extra long LIFE

- Top-class grinding discs for INOX for the highest requirements
- **Appropriate for** hand-held angle grinders
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- Fe/S/Cl < 0.1%



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
A 30 V INOX BF	115	22,23	7	U0	1	10	733625	**2 608 603 510**
A 30 V INOX BF	125	22,23	7	U0	1	10	733632	**2 608 603 511**

Expert for INOX grinding discs

expert for Inox

- Grinding discs for INOX for high requirements
- **Appropriate for** hand-held angle grinders
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- Fe/S/Cl < 0.1%



AS 30 S INOX BF	115	22,23	6	U0	1	10	218610	**2 608 600 539**
AS 30 S INOX BF	125	22,23	6	U0	1	10	523042	**2 608 602 488**
AS 30 S INOX BF	150	22,23	6	U0	1	10	523059	**2 608 602 489**
AS 30 S INOX BF	180	22,23	6	U0	1	10	218627	**2 608 600 540**
AS 30 S INOX BF	230	22,23	6	U0	1	10	218634	**2 608 600 541**

Grinding discs – Metal

Best for Metal grinding discs

best for Metal

extra long LIFE

- Top-class grinding discs for metal for the highest requirements
- **Appropriate for** hand-held angle grinders
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
A 2430 T BF	115	22,23	7	U0	1	10	733847	**2 608 603 532**
A 2430 T BF	125	22,23	7	U0	1	10	733854	**2 608 603 533**
A 2430 T BF	180	22,23	7	U0	1	10	733861	**2 608 603 534**
A 2430 T BF	230	22,23	7	U0	1	10	733878	**2 608 603 535**

X-LOCK Expert for Metal grinding discs

expert for Metal

X-LOCK	✓
M14/Ø 22,23	✓

Metal

- Changing accessories is fast and convenient thanks to the keyless X-LOCK system.
- X-LOCK grinding discs also fit on standard angle grinders.
- Grinding discs for metal for high requirements
- **Appropriate for** hand-held angle grinders
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)



A 30 T BF	115	22,23	6	U0	1	10	947480	**2 608 619 258**
A 30 T BF	125	22,23	6	U0	1	10	947497	**2 608 619 259**

Expert for Metal grinding discs

expert for Metal

- Grinding discs for metal for high requirements
- **Appropriate for** hand-held angle grinders
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)



A 24 S BF	100	16,00	6	U0	1	25	049344	**2 608 600 017**
A 30 T BF	115	22,23	4	U0	1	10	056625	**2 608 600 007**
A 30 T BF	115	22,23	4.8	U0	1	10	218597	**2 608 600 537**
A 30 T BF	115	22,23	6	U0	1	10	116398	**2 608 600 218**
				U0	1	10	782272	**2 608 601 248**
A 30 T BF	125	22,23	6	U0	1	10	116442	**2 608 600 223**
				U0	1	10	782289	**2 608 601 249**
A 30 T BF	150	22,23	6	U0	1	10	181785	**2 608 600 389**

Expert for Metal grinding discs

PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
A 30 T BF	180	22,23	4.8	U0	1	10	218603	**2 608 600 538**
A 30 T BF	180	22,23	6	U0	1	10	149372	**2 608 600 315**
A 30 T BF	180	22,23	8	U0	1	10	181686	**2 608 600 379**
A 30 T BF	180	22,23	6	U0	1	10	785761	**2 608 601 262**
A 30 T BF	230	22,23	6	U0	1	10	116497	**2 608 600 228**
				U0	1	10	782296	**2 608 601 250**
A 30 T BF	230	22,23	8	U0	1	10	181754	**2 608 600 386**

X-LOCK Standard for Metal grinding discs

standard Metal

XLOCK	✓
M14/Ø 22,23	✓

Metal

+30% LONGER LIFE





A 24 P BF	115	22,23	6	U0	1	10	991056	**2 608 619 365**
A 24 P BF	125	22,23	6	U0	1	10	991063	**2 608 619 366**

Standard for Metal grinding discs

standard Metal

+30% LONGER LIFE

- Grinding discs for metal with good performance at an attractive price
- **Appropriate for** hand-held angle grinders
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)

PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
A 24 P BF	100	16,00	4	U0	1	25	642385	**2 608 603 056**
A 24 P BF	100	16,00	6	U0	1	25	642392	**2 608 603 057**
A 24 P BF	115	22,20	6	U0	1	25	642408	**2 608 603 058**
A 24 P BF	115	22,23	6	U0	1	10	658386	**2 608 603 181**
A 24 P BF	125	22,20	6.8	U0	1	20	642415	**2 608 603 059**
A 24 P BF	125	22,23	6	U0	1	10	658393	**2 608 603 182**
A 24 P BF	180	22,20	6.8	U0	1	20	642422	**2 608 603 060**
A 24 P BF	180	22,23	6	U0	1	10	658409	**2 608 603 183**
				U0	1	10	588476	**2 608 619 744**



Standard for Metal grinding discs

PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
A 24 P BF	230	22,20	6.8	U0	1	10	642439	**2 608 603 061**
A 24 P BF	230	22,23	6	U0	1	10	658416	**2 608 603 184**
A 24 P BF	-	-	6	U0	1	10	588469	**2 608 619 743**

Stone grinding discs



PRODUCT PROPERTIES			ORDERING INFORMATION				
Specification	Diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
C 24 R BF	100	6	U0	1	25	642446	**2 608 603 062**
C 24 R BF	115	6	U0	1	25	642453	**2 608 603 063**
C 24 R BF	125	6.8	U0	1	20	642460	**2 608 603 064**

X-LOCK Cutting and Grinding Kit



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
X-LOCK 125mm Kit Cutting and Grinding **3x X-LOCK Standard for Inox cutting disc** **1x X-LOCK Carbide Multi Wheel cutting disc** **1x X-LOCK Best for Metal flap disc, straight version with a plastic plate**						
125	22,23	P1p	5	1	995542	**2 608 619 374**

Accessories for **Bosch GWS 12V-76 V-EC Professional cordless angle grinder**

Expert for Inox cutting discs for GWS 12V-76 Professional

expert for Inox

Stainless Inox Nirosta

- **Appropriate for** GWS 12V-76 Professional cordless angle grinder with 10 mm toolholder
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- Fe/S/Cl < 0.1%



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 5								
For cordless angle grinders with 10mm fitting								
A 60 R INOX BF	76	10,00	1	C1a	5	1	830560	**2 608 601 520**

Expert for Inox grinding discs for GWS 12V-76 Professional

expert for Inox

Stainless Inox Nirosta

- **Appropriate for** GWS 12V-76 Professional cordless angle grinder with 10 mm toolholder
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- Fe/S/Cl < 0.1%



Pack of 2								
For cordless angle grinders with 10mm fitting								
A 30 Q INOX BF	76	10,00	4	C1a	2	1	913775	**2 608 601 705**

Tungsten carbide grinding heads for angle grinders

Tungsten carbide grinding heads for angle grinders

- The Carbide Grinding Head for angle grinders has a high material removal rate with minimal force required
- Suitable for grinding and carving cork, soft and hard wood, glass fibre plastic and rubber, removing formwork protrusions on exposed concrete, residual concrete on formwork boards, tile glue from wall, shaping aerated concrete, limstone and marble, hoof care for hoofed animals, removing coatings and paintings on wood and building materials
- For hand-held angle grinders at maximum circumferential speed of 80 m/s (depending on rpm and disc diameter)



Slanted

Suitable for all 100 mm M10 angle grinders

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Grade	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
100	Coarse	16	C1a	1	1	139953	**2 608 600 249**
100	Medium	16	C1a	1	1	139960	**2 608 600 250**
100	Fine	16	C1a	1	1	139977	**2 608 600 251**



Flat

Suitable for all 115 and 125 mm M14 angle grinders

For dust-free working, select the right Bosch extraction guard for your Bosch angle grinder: 2605510224 or 1605510281

115	Coarse	22.23	C1a	1	1	103824	**2 608 600 175**
115	Medium	22.23	C1a	1	1	103831	**2 608 600 176**
115	Fine	22.23	C1a	1	1	103848	**2 608 600 177**



slanted

Suitable for all 115 and 125 mm M14 angle grinders

115	Coarse	22.23	C1a	1	1	103855	**2 608 600 178**
115	Medium	22.23	C1a	1	1	103862	**2 608 600 179**
115	Fine	22.23	C1a	1	1	103879	**2 608 600 180**



Flat

Suitable for all 180 and 230 mm M14 angle grinders

180	Coarse	22.23	C1a	1	1	168434	**2 608 600 364**
180	Medium	22.23	C1a	1	1	168427	**2 608 600 363**
180	Fine	22.23	C1a	1	1	168410	**2 608 600 362**



slanted

Suitable for all 180 and 230 mm M14 angle grinders

180	Coarse	22.23	C1a	1	1	168465	**2 608 600 367**
180	Medium	22.23	C1a	1	1	168458	**2 608 600 366**
180	Fine	22.23	C1a	1	1	168441	**2 608 600 365**

Cup wheels and grinding rings for wet and angle grinders

Conical cup wheels – Metal, cast iron



- Aluminium oxide cup wheel with synthetic resin bond
- **Appropriate for** two-hand angle grinders, maximum speed up to 8,500 rpm
- Clamping with locking nut 1 603 340 040 and two-hole spanner bent at right angles 1 607 950 004

PRODUCT PROPERTIES					ORDERING INFORMATION				
Specification	Min. diameter mm	Max. diameter mm	Height mm	Grit(s)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
A 16 P6 B1215	90	110	55	16	C0a	1	1	026338	**1 608 600 231**
A 24 P6 B1215	90	110	55	24	C0a	1	1	026345	**1 608 600 232**
A 36 P6 B1215	90	110	55	36	C0a	1	1	026352	**1 608 600 233**
A 60 P6 B1215	90	110	55	60	C0a	1	1	071307	**1 608 600 234**

Conical cup wheels – Stone, concrete with synthetic resin bond



- Silicon carbide cup wheel with synthetic resin bond
- **Appropriate for** two-hand angle grinders, maximum speed up to 8,500 rpm
- Clamping with locking nut 1 603 340 040 and two-hole spanner bent at right angles 1 607 950 004

C 24 L5 BRT	90	110	55	24	C0a	1	1	002875	**1 608 600 239**
C 30 L5 BRT	90	110	55	30	C0a	1	1	026383	**1 608 600 240**
C 54 L5 BRT	90	110	55	54	C0a	1	1	002882	**1 608 600 241**

Grinding wheels for double-wheeled bench grinders

Grinding wheels for double-wheeled bench grinders - Aluminium oxide



- With **fine** grit: **Suitable for** fine grinding of hardened and non-hardened steel, twist drill bits (not masonry bits), planer blades, chisels, scrapers, punches, lawn mower blades
- With **coarse** grit: **Suitable for** pre-grinding of hardened and non-hardened steel, wood chisels, planer blades, chisels, axes, etc.
- Ceramic bonding, aluminium oxide, cylindrical

PRODUCT PROPERTIES					ORDERING INFORMATION				
Specification	Disc diameter mm	Thickness (b1) mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Suitable for GBG 35-15 Professional									
A 24 Q4 V6	150	20	20	24	C1a	1	1	008990	**1 609 201 649**
A 60 P4 V6	150	20	20	60	C1a	1	1	009003	**1 609 201 650**
Suitable for GSM 175 Professional									
A 36 P4 V6	175	25	32	36	C1a	1	1	084819	**2 608 600 109**
A 60 P4 V6	175	25	32	60	C1a	1	1	084826	**2 608 600 110**
Suitable for GBG 60-20 Professional									
A 36 P4 V6	200	25	32	36	C1a	1	1	084833	**2 608 600 111**
A 60 P4 V6	200	25	32	60	C1a	1	1	084840	**2 608 600 112**

Grinding wheels for double-wheeled bench grinders - SiC



- **Suitable for** grinding masonry drill bits, tungsten carbide and tungsten carbide tipped tools, and cast iron parts
- Ceramic bonding, SiC, cylindrical

Suitable for GBG 60-20 Professional									
GC 46 M5 VG	200	25	32	46	C1a	1	1	084789	**2 608 600 106**

Grinding wheels for Bosch straight grinders

Grinding wheels for straight grinders - Aluminium oxide

- **Suitable for** coarse grinding work on steel or cast iron
- Synthetic resin bond, aluminium oxide, two-sided conical



PRODUCT PROPERTIES						ORDERING INFORMATION				
Specification	Disc diameter mm	Thickness (b1) mm	Thickness (b2) mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Specially for malleable cast iron										
A 24 Q6 B1175	100	27	32	20	24	C0a	1	1	051385	**1 608 600 059**



Suitable for GGS 6 S Professional										
A 24 Q6 B1175	125	26	32	20	24	C0a	1	1	057301	**1 608 600 069**

Grinding wheels for straight grinders - SiC



- **Suitable for** coarse grinding work on cast iron
- Synthetic resin bond, SiC, two-sided conical

Suitable for GGS 6 S Professional										
A 20 Q6 B1175	125	26	32	20	20	C0a	1	1	127875	**1 608 600 068**

WIRE BRUSHES
For angle grinders and drills.



	Steel brushes	Stainless steel brushes	Brass brushes	Steel brushes	Stainless steel brushes	Brass brushes	Nylon bristle
Page number	340	342	343	344	346	347	352
Wire types	Crimped + Knotted	Crimped + Knotted	Crimped	Crimped + Knotted	Crimped + Knotted	Crimped	Crimped
Wire thickness mm	0.30	0.30 – 0.50	0.30	0.20 – 0.50	0.20 – 0.35	0.20	1.00 / 1.10
X-LOCK	✓	✓	✓	–	–	–	–
BRUSH TYPES							
Pencil brush ⌀ mm	–	–	–	10 – 25	10 – 25	–	–
Cup brush ⌀ mm	75 – 101	65 – 100	70 / 75	50 – 70	50 / 60	50	50 / 75
Tapered brush ⌀ mm	100 / 115	100 / 115	–	–	–	–	–
Wire wheel ⌀ mm	115	115	–	30 – 100	30 – 100	75 / 80	75 / 100
TOOLS							
Angle grinder	M14 / M10	M14 / M10	M14 / M10	–	–	–	–
Drill	–	–	–	⌀ 6 mm	⌀ 6 mm	⌀ 6 mm	⌀ 6 mm
MATERIALS							
Metal	✓	✓	✓	✓	✓	✓	✓
Inox	–	✓	–	–	✓	–	–
Non-ferrous metals	–	–	✓	–	–	✓	–
Wood	–	–	✓	–	–	✓	✓
Paint	–	–	✓	–	–	✓	✓
PVC	–	–	–	–	–	–	✓

WIRE TYPES

Crimped wires

Knotted wires

BRUSHES – SOLUTIONS FOR ALL APPLICATIONS

Appropriate for angle grinders and drills.

THE RIGHT BRUSH FOR AN OPTIMUM WORK RESULT WITH DIFFERENT TOOLS

X-LOCK and M14 for angle grinders, ⌀ 6mm shank for drills



THE OPTIMUM SOLUTION FOR LIGHT AND HEAVY DUTY APPLICATIONS

Knotted and crimped wire with different thickness

FOR USE ON DIFFERENT MATERIALS

Steel, stainless steel, non-ferrous metal, wood, paint, PVC

X-LOCK

X-LOCK Steel brushes



▶ Changing brushes is fast and convenient thanks to the keyless X-LOCK system.

heavy for Metal





PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Wire cup brush – knotted wire									
Suitable for heavy duty cleaning work on medium to large metal surfaces, such as removing heavy rust, underseal, paint or varnish.									
Appropriate for X-LOCK angle grinders									
75	0.35	12,500	-	125	C1a	1	1	954129	**2 608 620 726**
75	0.5	12,500	-	125	C1a	1	1	954136	**2 608 620 727**

X-LOCK Steel brushes

PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

clean for Metal



Wire cup brush – crimped wire

Suitable for light to medium duty cleaning work on medium to large metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping.

Appropriate for X-LOCK angle grinders

75	0.3	12,500	-	125	C1a	1	1	954112	**2 608 620 725**



heavy for Metal



Wire wheel – knotted wire

Ideal for cleaning welded seams.

Suitable for heavy duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing heavy rust, paint stripping, deslagging, deburring, descaling.

Appropriate for X-LOCK angle grinders

115	0.5	12,500	12	-	C1a	1	1	954174	**2 608 620 731**



clean for Metal



Wire wheel – crimped wire

Ideal for removing annealing colour on welded seams.

Suitable for light to medium duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing rust, roughing, matt sanding, paint stripping.

Appropriate for X-LOCK angle grinders

115	0.3	12,500	-	-	C1a	1	1	954181	**2 608 620 732**



X-LOCK Stainless steel brushes



▶ Changing brushes is fast and convenient thanks to the keyless X-LOCK system.

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

heavy for Inox



Wire cup brush – knotted wire, stainless

Suitable for heavy duty cleaning work on medium to large stainless steel, aluminium and non-ferrous metal surfaces, such as removing heavy rust or removing paint or varnish.

Appropriate for X-LOCK angle grinders

75	0.5	12,500	125	C1a	1	1	954150	**2 608 620 729**



clean for Inox



Wire cup brush – crimped wire, stainless

Suitable for light to medium duty cleaning work on medium to large stainless steel, aluminium and non-ferrous metal surfaces, such as removing coatings, removing rust, roughing, matt sanding, paint stripping, texturing.

Appropriate for X-LOCK angle grinders

75	0.3	12,500	125	C1a	1	1	954143	**2 608 620 728**



heavy for Inox



Wire wheel – knotted wire, stainless

Ideal for cleaning welded seams on stainless steel.

Suitable for heavy duty cleaning work at high circumferential speeds on smaller surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing heavy rust, paint stripping, deslagging, deburring, descaling.

Appropriate for X-LOCK angle grinders

115	0.5	12,500	-	C1a	1	1	954198	**2 608 620 733**



X-LOCK Brass brushes

clean for Metal

▶ Changing brushes is fast and convenient thanks to the keyless X-LOCK system.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Wire cup brush – crimped wire, brass-coated								
Suitable for light to medium duty cleaning work on medium to large metal and non-ferrous metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping. **Appropriate for** X-LOCK angle grinders **Advantage:** corrosion protection provided by brass-coated wire.								
75	0.3	12,500	115	C1a	1	1	954167	**2 608 620 730**



Wire brushes for angle grinders and straight grinders with thread M10 / M14



Steel brushes



PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Thread M	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

heavy for Metal



Wire cup brush – knotted wire

Suitable for heavy duty cleaning work on medium to large metal surfaces, such as removing heavy rust, underseal, paint or varnish.

Appropriate for angle grinders with M10

75	0.5	12,500	-	10	125	C1d	1	1	102711	**2 608 622 063**



Wire cup brush – knotted wire

Suitable for heavy duty cleaning work on medium to large metal surfaces, such as removing heavy rust, underseal, paint or varnish.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

75	0.35	12,500	-	14	125	C1a	1	1	631792	**2 608 622 099**
75	0.5	12,500	-	14	125	C1a	1	1	026628	**1 608 622 029**
90	0.5	8,500	-	14	150	C1a	1	1	003124	**1 608 614 001**
90	0.8	8,500	-	14	150	C1a	1	1	026567	**1 608 614 000**
100	0.5	8,500	-	14	180	C1a	1	1	036016	**2 608 622 010**
100	0.8	8,500	-	14	180	C1a	1	1	026574	**1 608 614 002**

clean for Metal



Wire cup brush – crimped wire

Suitable for light to medium duty cleaning work on medium to large metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional



75	0.3	12,500	-	14	125	C1a	1	1	631785	**2 608 622 098**
100	0.5	8,500	-	14	180	C1a	1	1	026611	**1 608 614 011**

heavy for Metal



Wire wheel – knotted wire

Ideal for cleaning welded seams.

Suitable for heavy duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing heavy rust, paint stripping, deslagging, deburring, descaling.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

115	0.5	12,500	12	14	-	C1a	1	1	087254	**2 608 622 059**



Steel brushes

clean Metal





Wire wheel – crimped wire

Ideal for removing annealing colour on welded seams.

Suitable for light to medium duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing rust, roughing, matt sanding, paint stripping.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Thread M	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	0.3	11,000	-	14	-	C1a	1	1	631808	**2 608 622 100**

heavy Metal





Tapered brush – knotted wire

Ideal for working on hard-to-reach areas (due to the conical shape of the brush).

Suitable for heavy duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing heavy rust, paint stripping, deslagging, deburring, descaling, cleaning welded seams.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

100	0.5	12,500	12	14	-	C1a	1	1	036023	**2 608 622 011**
115	0.5	12,500	-	14	-	C1a	1	1	087247	**2 608 622 058**

clean Metal





Tapered brush – crimped wire

Ideal for working on hard-to-reach areas (due to the conical shape of the brush).

Suitable for light to medium duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing rust, roughing, matt sanding, paint stripping, removing annealing colour on welded seams.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

100	0.3	12,500	-	14	-	C1a	1	1	087230	**2 608 622 057**
115	0.3	12,500	-	14	-	C1a	1	1	631815	**2 608 622 101**

Stainless steel brushes



heavy for Inox





Wire cup brush – knotted wire, stainless

Suitable for heavy duty cleaning work on medium to large stainless steel, aluminium and non-ferrous metal surfaces, such as removing heavy rust or removing paint or varnish.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

Diameter mm	Wire thickness mm	Max. speed rpm	Thread M	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
65	0.35	12,500	14	125	C1a	1	1	631846	**2 608 622 104**
75	0.5	12,500	14	125	C1a	1	1	087261	**2 608 622 060**
100	0.35	8,500	14	180	C1a	1	1	631853	**2 608 622 105**

clean for Inox





Wire cup brush – crimped wire, stainless

Suitable for light to medium duty cleaning work on medium to large stainless steel, aluminium and non-ferrous metal surfaces, such as removing coatings, removing rust, roughing, matt sanding, paint stripping, texturing.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

Diameter mm	Wire thickness mm	Max. speed rpm	Thread M	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
65	0.3	12,500	14	115	C1a	1	1	087278	**2 608 622 061**
75	0.3	12,500	14	125	C1a	1	1	631822	**2 608 622 102**
100	0.3	8,500	14	180	C1a	1	1	631839	**2 608 622 103**

heavy for Inox





Wire wheel – knotted wire, stainless

Ideal for cleaning welded seams on stainless steel.

Suitable for heavy duty cleaning work at high circumferential speeds on smaller surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing heavy rust, paint stripping, deslagging, deburring, descaling.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

Diameter mm	Wire thickness mm	Max. speed rpm	Thread M	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	0.5	12,500	14	-	C1a	1	1	631860	**2 608 622 106**

clean for Inox





Wire wheel – crimped wire, stainless

Ideal for removing annealing colour from welded seams on stainless steel.

Suitable for light to medium duty cleaning work at high circumferential speeds on smaller surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing rust, roughing, matt sanding, paint stripping, texturing.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

Diameter mm	Wire thickness mm	Max. speed rpm	Thread M	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	0.3	8,500	14	-	C1a	1	1	631877	**2 608 622 107**

Stainless steel brushes

heavy for Inox





Tapered brush – knotted wire, stainless

Ideal for working on hard-to-reach areas (due to the conical shape of the brush).

Suitable for heavy duty cleaning work at high circumferential speeds on smaller surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing heavy rust, paint stripping, deslagging, deburring, descaling, cleaning welded seams.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Thread M	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	0.35	12,500	14	-	C1a	1	1	631891	**2 608 622 109**

clean for Inox





Tapered brush – crimped wire, stainless

Ideal for working on hard-to-reach areas (due to the conical shape of the brush).

Suitable for light to medium duty cleaning work at high circumferential speeds on smaller surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing rust, roughing, matt sanding, paint stripping, texturing, removing annealing colour on welded seams.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

100	0.35	12,500	14	-	C1a	1	1	631884	**2 608 622 108**

Brass brushes

clean for Metal



Wire cup brush – crimped wire, brass-coated

Suitable for light to medium duty cleaning work on medium to large metal and non-ferrous metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping.

Appropriate for angle grinders with M10 or M14 thread and GGS 6 S Professional

Advantage: corrosion protection provided by brass-coated wire.



70	0.3	12,500	14	115	C1a	1	1	003131	**1 608 614 020**
75	0.3	12,500	10	125	C1d	1	1	102704	**2 608 622 062**

Wire brushes for drills (6 mm shank)



Steel brushes





Wire cup brush – knotted wire

Suitable for heavy duty cleaning work on small to medium metal surfaces, such as removing heavy rust, underseal, paint or varnish.

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
65	0.5	4,500	-	C1b	1	1	082099	**2 608 622 050**





Wire cup brush – crimped wire

Suitable for light to medium duty cleaning work on small to medium metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping.

50	0.2	4,500	-	C1b	1	1	049832	**2 608 622 022**
50	0.3	4,500	-	C1b	1	1	035972	**2 608 622 006**
70	0.2	4,500	-	C1b	1	1	004527	**1 609 200 271**
70	0.3	4,500	-	C1b	1	1	004510	**1 609 200 270**





Wire wheel – knotted wire

Ideal for cleaning welded seams.

Suitable for heavy duty cleaning work on small metal surfaces, in grooves or on edges, such as removing heavy rust, paint stripping, deslagging, deburring, descaling.

75	0.5	4,500	13	C1b	1	1	631938	**2 608 622 113**

Steel brushes





Wire wheel – crimped wire

Ideal for removing annealing colour on welded seams.

Suitable for light to medium duty cleaning work on small metal surfaces, in grooves or on edges, such as removing rust, roughing, matt sanding, paint stripping.

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
30	0.2	4,500	6	C1b	1	1	631907	**2 608 622 110**
50	0.2	4,500	15	C1b	1	1	631914	**2 608 622 111**
50	0.3	4,500	8	C1b	1	1	631921	**2 608 622 112**
75	0.2	4,500	10	C1b	1	1	041119	**1 608 622 015**
75	0.3	4,500	16	C1b	1	1	082129	**2 608 622 053**
75	0.3	4,500	8	C1b	1	1	035989	**2 608 622 007**
100	0.2	4,500	10	C1b	1	1	004558	**1 609 200 274**
100	0.3	4,500	10	C1b	1	1	004541	**1 609 200 273**



Pencil brush – knotted wire

Ideal for working on very hard-to-reach areas.

Suitable for medium duty cleaning work in corners and working on the inside of pipes and profiles, such as removing heavy rust, removing paint or varnish.

10	0.35	4,500	-	C1b	1	1	631952	**2 608 622 115**
19	0.35	4,500	-	C1b	1	1	631969	**2 608 622 116**





Pencil brush – crimped wire

Ideal for working on very hard-to-reach areas.

Suitable for light duty cleaning work in corners and working on the inside of pipes and profiles, such as removing rust, roughing, matt sanding, paint stripping.

15	0.2	4,500	-	C1b	1	1	631945	**2 608 622 114**
25	0.3	4,500	-	C1b	1	1	004503	**1 609 200 269**



Stainless steel brushes







Wire cup brush – crimped wire

Suitable for light to medium duty cleaning work on small to medium stainless steel, aluminium and non-ferrous metal surfaces, such as removing coatings, removing rust, roughing, matt sanding, paint stripping, texturing.

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
50	0.3	4,500	-	C1b	1	1	631976	**2 608 622 117**
60	0.3	4,500	-	C1b	1	1	631983	**2 608 622 118**







Wire wheel – knotted wire

Ideal for cleaning welded seams on stainless steel.

Suitable for heavy duty cleaning work on small surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing heavy rust, paint stripping, deslagging, deburring, descaling.

70	0.35	4,500	14	C1b	1	1	632058	**2 608 622 125**







Wire wheel – crimped wire

Ideal for removing annealing colour from welded seams on stainless steel.

Suitable for light to medium duty cleaning work on small surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing rust, roughing, matt sanding, paint stripping, texturing.

30	0.3	4,500	6	C1b	1	1	631990	**2 608 622 119**
50	0.2	4,500	15	C1b	1	1	632003	**2 608 622 120**
70	0.3	4,500	10	C1b	1	1	632010	**2 608 622 121**
70	0.3	4,500	15	C1b	1	1	632027	**2 608 622 122**
80	0.2	4,500	4	C1b	1	1	632034	**2 608 622 123**
100	0.3	4,500	10	C1b	1	1	632041	**2 608 622 124**







Pencil brush – knotted wire

Ideal for working on very hard-to-reach areas on stainless steel.

Suitable for medium duty cleaning work in corners and working on the inside of pipes and profiles made of stainless steel, aluminium or non-ferrous metals, such as removing heavy rust, removing paint or varnish.

10	0.35	4,500	-	C1b	1	1	632089	**2 608 622 128**
19	0.35	4,500	-	C1b	1	1	632096	**2 608 622 129**

Stainless steel brushes





PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pencil brush – crimped wire								
Ideal for working on very hard-to-reach areas on stainless steel.								
Suitable for light duty cleaning work in corners and working on the inside of pipes and profiles made of stainless steel, aluminium or non-ferrous metals, such as removing rust, roughing, matt sanding, paint stripping.								
15	0.2	4,500	-	C1b	1	1	632065	**2 608 622 126**
25	0.3	4,500	-	C1b	1	1	632072	**2 608 622 127**

Brass brushes













Wire cup brush – crimped wire, brass-coated								
Suitable for light to medium duty cleaning work on small to medium metal and non-ferrous metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping, working on wood.								
Advantage: corrosion protection provided by brass-coated wire.								
50	0.2	4,500	-	C1b	1	1	035996	**2 608 622 008**
Wire wheel – crimped wire, brass-coated								
Ideal for removing annealing colour on welded seams.								
Suitable for light to medium duty cleaning work on small surfaces, in grooves or on edges on metal or non-ferrous metal, such as removing rust, roughing, matt sanding, paint stripping, working on wood.								
Advantage: corrosion protection provided by brass-coated wire.								
75	0.2	4,500	10	C1b	1	1	036009	**2 608 622 009**
75	0.2	4,500	16	C1b	1	1	082136	**2 608 622 054**

Brass brushes





PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Wire wheel – crimped wire, brass-coated **Ideal for** texturing wood.								
80	0.2	4,500	35	C1b	1	1	632102	**2 608 622 130**

Nylon bristle with aluminium oxide







Wire cup brush – Nylon bristle with aluminium oxide coated abrasive K80
Suitable for paint stripping, removing rust, smoothing, matt sanding and cleaning wood, metal and PVC on smaller to medium surfaces, texturing wood.
Adapts perfectly to the contours of the workpiece, without severely altering the surface.
Works at constant material removal rate because abrasive grains are continuously released.

50	1	4,500	-	C1b	1	1	082112	**2 608 622 052**
75	1	4,500	-	C1b	1	1	082105	**2 608 622 051**





Wire wheel – Nylon bristle with aluminium oxide coated abrasive K80
Suitable for paint stripping, removing rust, smoothing, matt sanding and cleaning wood, metal and PVC on small surfaces, in grooves or on edges, texturing wood and removing annealing colour from welded seams on stainless steel.
Adapts perfectly to the contours of the workpiece, without severely altering the surface.
Works at constant material removal rate because abrasive grains are continuously released.

75	1	4,500	8	C1b	1	1	082150	**2 608 622 056**
100	1	4,500	8	C1b	1	1	082143	**2 608 622 055**

Grinding stones for straight grinders and drills

Grinding stones – Aluminium oxide, for straight grinders and drills

- **Appropriate for** all straight grinders with collets and for drills
- For non-hardened and hardened steel
- Shapes of stones: round (a), half-round (b), cylindrical (c), disc-shaped (d), tapered (e)



PRODUCT PROPERTIES				ORDERING INFORMATION				
Straight shank mm	Grit	Diameter mm	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece grinding stone set								
6 (a)	60	25	24	C1d	5	1	004565	**1 609 200 286**
6 (b)	60	15	30					
6 (c)	60	15	30					
6 (d)	60	25	25					
6 (e)	60	20	25					
Grinding stone Cylindrical, hard								
6	60	20	26	P0b	1	1	047814	**2 608 620 012**
Grinding stone Cylindrical, medium-hard								
6	60	20	25	P0b	1	1	047784	**1 608 620 056**
6	60	25	20	P0b	1	1	047777	**1 608 620 055**
Grinding stone Conical, medium-hard								
6	60	20	25	P0b	1	1	047838	**2 608 620 014**







CIRCULAR SAW BLADES

Incomparable precision

The best your tool can get. Bosch Professional Accessories.





CIRCULAR SAW BLADES FOR A VARIETY OF WOODWORKING APPLICATIONS

High precision of cuts and outstanding blade lifetime.



	Best for Wood	Expert for Wood	Expert for Wood	Standard for Wood	Optiline Wood	Speedline Wood	Eco for Wood
Page number	360	373	367	402	395	400	421
Optimized for cordless saws	–	✓	–	✓	–	–	–
Diameter mm	165 – 500	120 – 305	120 – 450	85 – 305	85 – 400	130 – 400	130 – 305
TOOLS							
Hand-held / Plunge	✓	✓	✓	✓	✓	✓	✓
Mitre	✓	✓	✓	✓	✓	–	✓
Table	✓	✓	✓	✓	✓	✓	✓
Panel-sizing	✓	–	✓	–	–	–	–
Hand dry cutters	–	✓	–	✓	–	–	–
MATERIALS							
Hardwood and softwood	✓	✓	✓	✓	✓	✓	✓
Timber and composites for construction	–	–	–	–	–	–	–
Wooden panel composites	✓	✓	✓	✓	✓	✓	✓
Plywood	✓	✓	✓	✓	✓	✓	✓
Fiberboards	✓	✓	✓	✓	✓	–	✓
Laminate flooring	✓	✓	✓	✓	✓	–	✓



	Expert for Construct Wood	Construct Wood	Best for Laminated Panel	Expert for Laminated Panel	Expert for Laminated Panel	Best for Laminate	Eco for MDF
	376	405	362	379	377	365	423
	–	–	–		–	–	–
	160 – 235	150 – 700	80 – 350	160 – 254	140 – 350	216 – 305	184
	✓	✓	–	✓	✓	–	✓
	–	–	–	–	–	✓	–
	–	✓	✓	✓	✓	–	–
	–	–	✓	–	✓	–	–
	–	–	–	–	–	–	–
	–	–	–	–	–	–	–
	✓	✓	–	–	–	–	–
	✓	✓	–	✓	✓	✓	–
	–	–	✓	–	–	–	–
	–	–	✓	–	–	–	✓
	–	–	–	–	–	✓	–

Tool reference list

CIRCULAR SAW BLADES FOR UNIVERSAL AND SPECIAL APPLICATIONS

High precision of cuts and outstanding blade lifetime.



	Best for Multi Material	Expert for Multi Material	Standard for Multi Material	Standard for Multi Material	Expert for High Pressure Laminate	Expert for Sandwich Panel	Expert for Fiber Cement	Expert for Fiber Cement
Page number	366	390	411	413	380	391	393	392
Optimized for cordless saws	–	–	–	✓	–	–	✓	–
Diameter mm	165 – 305	210 – 305	130 – 350	85	140 – 305	160 – 450	160 – 305	140 – 305
TOOLS								
Hand-held / Plunge	✓	–	✓	✓	✓	✓	✓	✓
Mitre	✓	✓	✓	–	✓	–	✓	✓
Table	–	–	✓	–	✓	–	–	–
MATERIALS								
Hardwood and softwood	✓	✓	✓	✓	–	–	–	–
Wooden panel composites	✓	✓	✓	✓	–	–	–	–
Fiberboards	✓	✓	✓	✓	–	–	–	–
Laminate flooring	✓	✓	✓	✓	–	–	–	–
High pressure laminate panels, Trespa©	✓	✓	–	–	✓	–	–	–
Sandwich panels	–	–	–	–	–	✓	–	–
Porous concrete	–	–	–	–	–	–	✓	✓
Fiber cement, Eternit©	–	–	–	–	–	–	✓	✓
Plasterboard		–	–	–	–	–	✓	✓
Corian©	–	–	–	–	✓	–	✓	✓
Aluminium and other non-ferrous metals	✓	✓	✓	✓	–	–	–	–
Plastics, Epoxy	✓	✓	✓	✓	–	–	–	–

CIRCULAR SAW BLADES FOR METALWORKING APPLICATIONS

High precision of cuts and outstanding blade lifetime.



	Expert for Aluminium	Expert for Aluminium	Standard for Aluminium	Eco for Aluminium	Expert for Steel	Standard for Steel	Expert for Stainless Steel	Expert for Stainless Steel
Page number	385	382	407	424	387	410	388	389
Optimized for cordless saws	✓	–	✓	–	–	✓	✓	–
Diameter mm	120 – 305	140 – 315	136 – 305	130 – 305	160 – 355	136 – 173	136 – 160	185 – 355
TOOLS								
Hand-held / Plunge	✓	✓	✓	✓	–	–	–	–
Mitre	✓	✓	✓	✓	–	–	–	–
Table	✓	✓	✓	–	–	–	–	–
Hand dry cutters	✓	–	✓	–	✓	✓	✓	✓
Mitre dry cutters	–	–	–	–	✓	–	–	✓
MATERIALS								
Steel*	–	–	–	–	✓	✓	✓	✓
Stainless steel, Inox	–	–	–	–	–	–	✓	✓
Aluminium and other non-ferrous metals	✓	✓	✓	✓	–	–	–	–
Plastics, Epoxy	✓	✓	✓	✓	–	–	–	–
Hardwood and softwood	✓	✓	✓	✓	–	–	–	–
Panel composites	✓	✓	✓	✓	–	–	–	–
Fiberboards	✓	✓	✓	✓	–	–	–	–
Laminate boards	✓	✓	✓	✓	–	–	–	–

*Not for Inox

Top Precision Best for Wood

Circular saw blades for plunge and hand-held circular saws



- For precise, clean and quiet cuts in all types of wood with plunge and hand-held circular saws.



TOP Precision best for **Wood**







PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
165	20	1.8/1.3	48	ATB	11,500	5	15	C1a	1	1	636858	**2 608 642 384**
165	20	1.8/1.3	20	ATB	11,500	15	15	C1a	1	1	636865	**2 608 642 385**
165	20	1.8/1.3	32	ATB	11,500	10	15	C1a	1	1	636872	**2 608 642 386**

Circular saw blades for mitre saws and sliding mitre saws



- For precise, clean and quiet cuts in all types of wood.



TOP Precision best for **Wood**







210	30	2.3/1.8	48	ATB	9,000	-5	15	C1c	1	1	574402	**2 608 642 100**
216	30	2.3/1.8	48	ATB	8,800	-5	15	C1c	1	1	574419	**2 608 642 101**
254	30	2.3/1.8	60	ATB	7,500	-5	15	C1c	1	1	574426	**2 608 642 102**
305	30	2.3/1.8	72	ATB	6,200	-5	15	C1c	1	1	574433	**2 608 642 103**

Circular saw blades for horizontal/vertical panel sizing and table saws





TOP Precision best **Wood**









PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
250	30	3.2/2.2	40	ATB	7,600	7/42 9/46,4 10/60	15	15	C1c	1	1	574518	**2 608 642 111**
250	30	3.2/2.2	60	ATB	7,600	7/42 9/46,4 10/60	10	15	C1c	1	1	574525	**2 608 642 112**
250	30	3.2/2.2	80	ATB	7,600	7/42 9/46,4 10/60	5	18	C1c	1	1	574532	**2 608 642 113**
300	30	3.2/2.2	48	ATB	6,300	7/42 9/46,4 10/60	15	15	C1c	1	1	574549	**2 608 642 114**
300	30	3.2/2.2	60	ATB	6,300	7/42 9/46,4 10/60	10	15	C1c	1	1	574556	**2 608 642 115**
300	30	3.2/2.2	72	ATB	6,300	7/42 9/46,4 10/60	10	15	C1c	1	1	574563	**2 608 642 116**
300	30	3.2/2.2	96	ATB	6,300	7/42 9/46,4 10/60	5	18	C1c	1	1	574570	**2 608 642 117**
315	30	3.2/2.2	72	ATB	6,000	7/42 9/46,4 10/60	10	15	C1c	1	1	574587	**2 608 642 118**
315	30	3.2/2.2	48	ATB	6,000	7/42 9/46,4 10/60	15	15	C1c	1	1	574594	**2 608 642 119**
350	30	3.5/2.5	54	ATB	5,400	9/46 10/60	15	15	C1c	1	1	574600	**2 608 642 120**
350	30	3.5/2.5	84	ATB	5,400	9/46 10/60	10	15	C1c	1	1	574617	**2 608 642 121**
400	30	4/2.8	60	ATB	4,700	10/60	15	15	C0a	1	1	574624	**2 608 642 122**
400	30	4/2.8	96	ATB	4,700	10/60	10	15	C0a	1	1	574631	**2 608 642 123**
450	30	4.4/3	66	ATB	4,200	2/10/60	15	15	C0a	1	1	574648	**2 608 642 124**
500	30	4.4/3.2	60	ATB	3,800	2/10/80	15	15	C0a	1	1	574655	**2 608 642 125**

Top Precision Best for Laminated Panel

Circular saw blades for horizontal/vertical panel sizing and table saws





- For perfect cuts in abrasive panel materials coated on one or two sides.
  DH: Scoring blade not required when used on panel sizing saws.

TOP Precision best **LaminatedPanel** abrasive



DH



HLTCG







PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
250	30	3.2/2.2	48	DH	7,600	7/42 9/46,4 10/60	10	15	C1c	1	1	574440	**2 608 642 104**
250	30	3.2/2.2	80	HLTCG	7,600	7/42 9/46,4 10/60	5	18	C1c	1	1	574495	**2 608 642 109**
300	30	3.2/2.2	96	HLTCG	6,300	7/42 9/46,4 10/60	5	18	C1c	1	1	574501	**2 608 642 110**
303	30	3.2/2.2	60	DH	6,300	7/42 9/46,4 10/60	10	15	C1c	1	1	574464	**2 608 642 106**
350	30	3.2/2.2	72	DH	5,400	7/42 9/46,4 10/60	10	15	C1c	1	1	574488	**2 608 642 108**

Circular saw blades for horizontal/vertical panel sizing and table saws





- For perfect cuts in all single and double-sided coated and veneered panels.

TOP Precision best **LaminatedPanel** fine



ATB





300	30	3.2/2.2	96	ATB	6,300	7/42 9/46,4 10/60	2	25	C1c	1	1	574457	**2 608 642 105**

Circular saw blades for horizontal/vertical panel sizing and table saws

PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
350	30	3.5/2.5	108	ATB	5,400	9/46,4 10/60	5	25	C1c	1	1	574471	**2 608 642 107**

Scoring blades for horizontal/vertical panel sizing saws





- Adjustable scoring blades for cutting single or double-side coated or veneered panels.

TOP Precision best **LaminatedPanel**



ES





PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
80	20	2.8/3.6	10+10	ES	23,800	11	17	C1c	1	1	574662	**2 608 642 126**
100	20	2.8/3.6	12+12	ES	19,100	11	17	C1c	1	1	574679	**2 608 642 127**
100	22	2.8/3.6	12+12	ES	19,100	11	17	C1c	1	1	574686	**2 608 642 128**
120	20	2.8/3.6	12+12	ES	15,900	11	17	C1c	1	1	574693	**2 608 642 129**
120	22	2.8/3.6	12+12	ES	15,900	11	17	C1c	1	1	574716	**2 608 642 130**
125	20	2.8/3.6	12+12	ES	15,200	11	17	C1c	1	1	574709	**2 608 642 131**

Conical scoring blades for horizontal/vertical panel sizing saws





- Conical scoring blades for cutting single and double-side coated and veneered panels.

best LaminatedPanel







PRODUCT PROPERTIES							ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
100	20	3.1/4.3	24	ATB (Con)	15,300	0	15	C1c	1	1	666602	**2 608 642 607**
100	22	3.1/4.3	24	ATB (Con)	15,300	0	15	C1c	1	1	666596	**2 608 642 606**
120	20	3.1/4.3	24	ATB (Con)	12,000	0	15	C1c	1	1	666633	**2 608 642 610**
125	20	3.1/4.3	24	ATB (Con)	12,000	0	15	C1c	1	1	666626	**2 608 642 609**
125	22	3.1/4.3	24	ATB (Con)	12,000	0	15	C1c	1	1	666619	**2 608 642 608**

Best for Laminate

Circular saw blades for mitre saws and sliding mitre saws





▶ A durable blade for all types of laminate flooring.

best Laminate







PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
216	30	2.5/1.8	60	HLTCG	8,800	5	15	C1c	1	1	579568	**2 608 642 133**
254	30	2.5/1.8	84	HLTCG	7,500	5	15	C1c	1	1	579575	**2 608 642 135**
305	30	2.5/1.8	96	HLTCG	6,200	5	18	C1c	1	1	579582	**2 608 642 137**

Top Precision Best for Multi Material

Circular saw blades for plunge and hand-held circular saws



- For excellent results in non-ferrous metals, aluminium, plastics, epoxy and wood with plunge and hand-held circular saws.

TOP Precision best **MultiMaterial**



HLTCG





PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
165	20	1.8/1.3	56	HLTCG	11,500	-5	15	C1a	1	1	636889	**2 608 642 387**
165	20	1.8/1.3	48	HLTCG	11,500	0	17	C1a	1	1	636896	**2 608 642 388**

Circular saw blades for mitre saws and sliding mitre saws



- For excellent results in non-ferrous metals, aluminium, plastics, epoxy and wood.
- Using the universal cutting oil 2 607 001 409 increases the lifetime several times when cutting in metals such as aluminium.

TOP Precision best **MultiMaterial**



TCG





210	30	2.3/1.8	54	HLTCG	9,000	-5	15	C1c	1	1	574365	**2 608 642 096**
216	30	2.3/1.8	64	HLTCG	8,800	-5	15	C1c	1	1	574372	**2 608 642 097**
254	30	2.3/1.8	80	HLTCG	7,500	-5	15	C1c	1	1	574389	**2 608 642 098**
305	30	2.3/1.8	96	HLTCG	6,200	-5	15	C1c	1	1	574396	**2 608 642 099**

Expert for Wood

Circular saw blades for plunge and hand-held circular saws



- For effortlessly clean cross and rip cuts in all types of wood and wood-based materials. Microteq teeth for long lifetime.



expert for Wood







PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
120	20	1.8/1.3	12	ATB	15,900	-	15	15	C1a	1	1	795692	**2 608 644 003**
120	20	1.8/1.3	40	ATB	15,900	-	5	15	C1a	1	1	795708	**2 608 644 004**
130	20	2.4/1.6	16	ATB	14,600	2/6/32,5	15	15	C1a	1	1	795715	**2 608 644 005**
130	20	2.4/1.6	24	ATB	14,600	2/6/32,5	10	15	C1a	1	1	795722	**2 608 644 006**
130	20	2.4/1.6	36	ATB	14,600	2/6/32,5	5	15	C1a	1	1	795739	**2 608 644 007**
140	20	1.8/1.3	24	ATB	13,600	2/6/32,5	15	15	C1a	1	1	795746	**2 608 644 008**
140	20	1.8/1.3	36	ATB	13,600	2/6/32,5	10	15	C1a	1	1	795753	**2 608 644 009**
140	20	1.8/1.3	42	ATB	13,600	2/6/32,5	5	15	C1a	1	1	795760	**2 608 644 010**
150	20	2.6/1.6	24	ATB	12,700	2/6/32,5	15	15	C1a	1	1	795777	**2 608 644 011**
150	20	2.6/1.6	36	ATB	12,700	2/6/32,5	10	15	C1a	1	1	795784	**2 608 644 012**
160	20	1.8/1.3	24	ATB	11,900	2/6/32,5	15	15	C1a	1	1	795791	**2 608 644 013**
160	20	1.8/1.3	36	ATB	11,900	2/6/32,5	10	15	C1a	1	1	795807	**2 608 644 014**
160	20	1.8/1.3	48	ATB	11,900	2/6/32,5	5	15	C1a	1	1	795814	**2 608 644 015**
160	20	2.2/1.6	24	ATB	11,900	2/6/32,5	15	15	C1a	1	1	795821	**2 608 644 016**
160	20	2.2/1.6	36	ATB	11,900	2/6/32,5	10	15	C1a	1	1	795838	**2 608 644 017**
160	20	2.2/1.6	48	ATB	11,900	2/6/32,5	5	15	C1a	1	1	795845	**2 608 644 018**
160	20	2.6/1.6	24	ATB	11,900	2/6/32,5	15	15	C1a	1	1	795852	**2 608 644 019**
160	20	2.6/1.6	36	ATB	11,900	2/6/32,5	10	15	C1a	1	1	795869	**2 608 644 020**
160	20	2.6/1.6	48	ATB	11,900	2/6/32,5	5	15	C1a	1	1	795876	**2 608 644 021**
165	20	2.6/1.6	24	ATB	11,500	2/6/32,5	15	15	C1a	1	1	795883	**2 608 644 022**
165	20	2.6/1.6	36	ATB	11,500	2/6/32,5	10	15	C1a	1	1	795890	**2 608 644 023**
165	20	2.6/1.6	48	ATB	11,500	2/6/32,5	5	15	C1a	1	1	795906	**2 608 644 024**
165	30	2.6/1.6	24	ATB	11,500	2/7/42	15	15	C1a	1	1	795913	**2 608 644 025**
165	30	2.6/1.6	36	ATB	11,500	2/7/42	10	15	C1a	1	1	795920	**2 608 644 026**
165	30	2.6/1.6	48	ATB	11,500	2/7/42	5	15	C1a	1	1	795937	**2 608 644 027**
170	30	2.6/1.6	40	ATB	11,200	2/7/42	10	15	C1a	1	1	795944	**2 608 644 028**
180	20	2.6/1.6	24	ATB	10,600	2/6/32,5	15	15	C1a	1	1	795951	**2 608 644 029**
180	20	2.6/1.6	36	ATB	10,600	2/6/32,5	10	15	C1a	1	1	795968	**2 608 644 030**
180	20	2.6/1.6	48	ATB	10,600	2/6/32,5	5	15	C1a	1	1	795975	**2 608 644 031**
180	30	2.6/1.6	24	ATB	10,600	2/7/42	15	15	C1a	1	1	795982	**2 608 644 032**
180	30	2.6/1.6	36	ATB	10,600	2/7/42	10	15	C1a	1	1	795999	**2 608 644 033**
180	30	2.6/1.6	48	ATB	10,600	2/7/42	5	15	C1a	1	1	796002	**2 608 644 034**
184	16	2.6/1.6	24	ATB	10,300	2/6/32,5	15	15	C1a	1	1	796019	**2 608 644 035**
184	16	2.6/1.6	40	ATB	10,300	2/6/32,5	10	15	C1a	1	1	796026	**2 608 644 036**
184	16	2.6/1.6	56	ATB	10,300	2/6/32,5	5	15	C1a	1	1	796033	**2 608 644 037**
184	20	2.6/1.6	24	ATB	10,300	2/6/32,5	15	15	C1a	1	1	796040	**2 608 644 038**
184	20	2.6/1.6	40	ATB	10,300	2/6/32,5	10	15	C1a	1	1	796057	**2 608 644 039**

Circular saw blades for plunge and hand-held circular saws

PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
184	20	2.6/1.6	56	ATB	10,300	2/6/32,5	5	15	C1a	1	1	796064	**2 608 644 040**
184	30	2.6/1.6	24	ATB	10,300	2/7/42	15	15	C1a	1	1	796071	**2 608 644 041**
184	30	2.6/1.6	40	ATB	10,300	2/7/42	15	15	C1a	1	1	796088	**2 608 644 042**
184	30	2.6/1.6	56	ATB	10,300	2/7/42	5	15	C1a	1	1	796095	**2 608 644 043**
190	20	2.6/1.6	24	ATB	10,000	2/6/32,5	15	15	C1a	1	1	796101	**2 608 644 044**
190	20	2.6/1.6	48	ATB	10,000	2/6/32,5	10	15	C1a	1	1	796118	**2 608 644 045**
190	20	2.6/1.6	56	ATB	10,000	2/6/32,5	5	15	C1a	1	1	796125	**2 608 644 046**
190	30	2.6/1.6	24	ATB	10,000	2/7/42	15	15	C1a	1	1	796132	**2 608 644 047**
190	30	2.6/1.6	40	ATB	10,000	2/7/42	10	15	C1a	1	1	796149	**2 608 644 048**
190	30	2.6/1.6	48	ATB	10,000	2/7/42	10	15	C1a	1	1	796156	**2 608 644 049**
190	30	2.6/1.6	56	ATB	10,000	2/7/42	5	15	C1a	1	1	796163	**2 608 644 050**
200	30	2.8/1.8	24	ATB	9,500	2/7/42	15	15	C1a	1	1	796170	**2 608 644 051**
200	30	2.8/1.8	30	ATB	9,500	2/7/42	15	15	C1a	1	1	796187	**2 608 644 052**
200	30	2.8/1.8	48	ATB	9,500	2/7/42	10	15	C1a	1	1	796194	**2 608 644 053**
200	32	2.8/1.8	24	ATB	9,500	2/7/42	15	15	C1a	1	1	796200	**2 608 644 054**
200	32	2.8/1.8	48	ATB	9,500	2/7/42	10	15	C1a	1	1	796217	**2 608 644 055**
210	30	2.4/1.8	40	ATB	9,000	2/7/42	10	15	C1a	1	1	796224	**2 608 644 056**
210	30	2.4/1.8	56	ATB	9,000	2/7/42	5	15	C1a	1	1	796231	**2 608 644 057**
210	30	2.8/1.8	30	ATB	9,000	2/7/42	15	15	C1a	1	1	796248	**2 608 644 058**
210	30	2.8/1.8	40	ATB	9,000	2/7/42	10	15	C1a	1	1	796255	**2 608 644 059**
210	30	2.8/1.8	48	ATB	9,000	2/7/42	10	15	C1a	1	1	796262	**2 608 644 060**
210	30	2.8/1.8	56	ATB	9,000	2/7/42	5	15	C1a	1	1	796279	**2 608 644 061**
230	30	2.8/1.8	36	ATB	8,300	2/7/42	15	15	C1a	1	1	796286	**2 608 644 062**
230	30	2.8/1.8	48	ATB	8,300	2/7/42	10	15	C1a	1	1	796293	**2 608 644 063**
235	30	2.8/1.8	36	ATB	8,100	2/7/42	15	15	C1a	1	1	796309	**2 608 644 064**
235	30	2.8/1.8	48	ATB	8,100	2/7/42	10	15	C1a	1	1	796316	**2 608 644 065**
235	30	2.8/1.8	56	ATB	8,100	2/7/42	10	15	C1a	1	1	796323	**2 608 644 066**
237	30	2.5/1.8	24	ATB	8,000	2/7/42	15	15	C1a	1	1	796330	**2 608 644 067**
237	30	2.5/1.8	56	ATB	8,000	2/7/42	10	15	C1a	1	1	796347	**2 608 644 068**
240	30	2.8/1.8	48	ATB	7,900	2/7/42	10	15	C1a	1	1	796354	**2 608 644 069**
270	30	2.8/1.8	60	ATB	7,000	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	10	15	C1a	1	1	796361	**2 608 644 070**
330	30	3.5/2.2	40	ATB	5,700	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	10	15	C1a	1	1	796378	**2 608 644 071**
335	30	3/2.2	40	ATB	5,700	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	10	15	C1a	1	1	796385	**2 608 644 072**
350	30	3.5/2.2	24	ATB	5,400	2/7/42	10	15	C1a	1	1	796392	**2 608 644 073**
355	30	3/2.2	60	ATB	5,300	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	10	15	C1a	1	1	796408	**2 608 644 074**
370	30	4.2/2.2	26	ATB	5,100	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	20	15	C1a	1	1	796415	**2 608 644 075**
410	30	4.2/2.5	28	ATB	4,600	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	20	15	C1a	1	1	796422	**2 608 644 076**

Circular saw blades for plunge and hand-held circular saws

PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
420	30	3.5/2.5	28	ATB	4,500	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	20	15	C1a	1	1	796439	**2 608 644 077**
450	30	4.5/3	34	ATB	4,200	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	20	15	C1a	1	1	796446	**2 608 644 078**

EXPERT FOR WOOD FOR MITRE SAWS

Perfect cuts in wood and wood based materials.





LONG LIFETIME

Due to the MicroteQ teeth made of extra hard durable carbide grains from in-house production



DURABLE CUTTING PERFORMANCE

Due to friction reducing, anti-corrosive ProteQtion coating

Circular saw blades for mitre saws and sliding mitre saws



- For effortlessly clean cuts in all types of wood and wood-based materials. Microteq teeth for long lifetime.



expert for Wood







PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
210	30	2.4/1.8	48	ATB	9,000	2/7/42	-5	15	C1a	1	1	648219	**2 608 642 496**
216	30	2.4/1.8	48	ATB	8,800	2/7/42	-5	15	C1a	1	1	648226	**2 608 642 497**
216	30	2.4/1.8	40	ATB	8,800	2/7/42	-5	15	C1a	1	1	796453	**2 608 644 079**
250	30	2.4/1.8	60	ATB	7,600	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-5	15	C1a	1	1	648233	**2 608 642 498**

Circular saw blades for mitre saws and sliding mitre saws

PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
250	30	2.4/1.8	40	ATB	7,600	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-5	15	C1a	1	1	796460	**2 608 644 080**
254	30	2.4/1.8	60	ATB	7,500	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-5	15	C1a	1	1	650120	**2 608 642 530**
260	30	2.4/1.8	60	ATB	7,300	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-5	15	C1a	1	1	796484	**2 608 644 082**
300	30	2.4/1.8	72	ATB	6,300	4/12/64 2/9/55	-5	15	C1a	1	1	648240	**2 608 642 499**
305	30	2.4/1.8	72	ATB	6,200	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-5	15	C1a	1	1	650137	**2 608 642 531**
315	30	2.4/1.8	72	ATB	6,000	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-5	15	C1a	1	1	796477	**2 608 644 081**

Circular saw blades for table saws



- For effortlessly clean cuts in all types of wood and wood-based materials. Microteq teeth for a long lifetime.



expert for Wood







190	30	2/1.3	24	ATB	10,000	2/7/42	15	15	C1a	1	1	796491	**2 608 644 083**
190	30	2/1.3	40	ATB	10,000	2/7/42	10	15	C1a	1	1	796507	**2 608 644 084**
190	30	2/1.3	48	ATB	10,000	2/7/42	5	15	C1a	1	1	796514	**2 608 644 085**
190	Star	2.4/1.6	24	ATB	10,000	-	15	15	C1a	1	1	796521	**2 608 644 086**
190	Star	2.4/1.6	48	ATB	10,000	-	5	15	C1a	1	1	796538	**2 608 644 087**
220	30	2.6/1.6	48	ATB	8,600	2/7/42	10	15	C1a	1	1	796545	**2 608 644 088**
225	30	2.6/1.6	32	ATB	8,400	2/7/42	15	15	C1a	1	1	796552	**2 608 644 089**
225	30	2.6/1.6	48	ATB	8,400	2/7/42	10	15	C1a	1	1	796569	**2 608 644 090**
250	30	2.5/1.8	80	ATB	7,600	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	5	15	C1a	1	1	648257	**2 608 642 500**
254	30	2.6/1.8	22	ATB	7,500	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	15	15	C1a	1	1	880909	**2 608 644 340**

Circular saw blades for table saws

PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
254	30	2.6/1.8	32	ATB	7,500	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	15	15	C1a	1	1	880916	**2 608 644 341**
254	30	2.6/1.8	54	ATB	7,500	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	10	15	C1a	1	1	880923	**2 608 644 342**
254	30	2.6/1.8	80	ATB	7,500	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	5	15	C1a	1	1	880930	**2 608 644 343**
260	30	2.8/1.8	80	ATB	7,300	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	10	15	C1a	1	1	796576	**2 608 644 091**
300	30	2.5/1.8	100	ATB	6,300	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	5	15	C1a	1	1	648264	**2 608 642 501**

Circular saw blades for horizontal/vertical panel sizing and table saws





- Long life and constantly high cut quality in all types of wood.

expert for Wood









250	30	3.2/2.2	22	ATB	7,600	2/7/42 2/9/46,4 2/10/60	20	15	C1c	1	1	648271	**2 608 642 502**
250	30	3.2/2.2	40	ATB	7,600	2/7/42 2/9/46,4 2/10/60	15	15	C1c	1	1	648301	**2 608 642 505**
250	30	3.2/2.2	60	ATB	7,600	2/7/42 2/9/46,4 2/10/60	10	15	C1c	1	1	648318	**2 608 642 506**
250	30	3.2/2.2	80	ATB	7,600	2/7/42 2/9/46,4 2/10/60	5	18	C1c	1	1	648325	**2 608 642 507**
300	30	3.2/2.2	26	ATB	6,300	2/7/42 2/9/46,4 2/10/60	20	15	C1c	1	1	648288	**2 608 642 503**
300	30	3.2/2.2	48	ATB	6,300	2/7/42 2/9/46,4 2/10/60	15	15	C1c	1	1	648332	**2 608 642 508**
300	30	3.2/2.2	60	ATB	6,300	2/7/42 2/9/46,4 2/10/60	10	15	C1c	1	1	648349	**2 608 642 509**

Circular saw blades for horizontal/vertical panel sizing and table saws

PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
300	30	3.2/2.2	72	ATB	6,300	2/7/42 2/9/46,4 2/10/60	10	15	C1c	1	1	648356	**2 608 642 510**
300	30	3.2/2.2	96	ATB	6,300	2/7/42 2/9/46,4 2/10/60	5	18	C1c	1	1	648363	**2 608 642 511**
350	30	3.5/2.5	30	ATB	5,400	2/7/42 2/9/46,4 2/10/60	20	15	C1c	1	1	648295	**2 608 642 504**
350	30	3.5/2.5	54	ATB	5,400	2/7/42 2/9/46,4 2/10/60	15	15	C1c	1	1	648370	**2 608 642 512**
350	30	3.5/2.5	72	ATB	5,400	2/7/42 2/9/46,4 2/10/60	10	15	C1c	1	1	648387	**2 608 642 513**

Circular saw blades for cordless plunge and hand-held circular saws





- Extra thin kerf for **maximum battery runtime**.
- Aggressive tooth angles enable smooth cutting performance.
- MicroteQ carbide teeth ensure high durability and a superior performance in wooden applications.



expert for Wood







PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
120	20	-	1.7/1.2	24	ATB	12,500	20	12	PC1b	1	1	957274	**2 608 644 497**
136	20	15.875	1.5/1	24	ATB	10,000	20	12	PC1b	1	1	957281	**2 608 644 498**
140	20	12.7 10	1.8/1.3	24	ATB	10,000	15	15	PC1b	1	1	957298	**2 608 644 499**
140	20	12.7 11	1.8/1.3	42	ATB	10,000	5	15	PC1b	1	1	957304	**2 608 644 500**
160	20	15.875	1.5/1	12	ATB	8,500	25	10	PC1b	1	1	957328	**2 608 644 502**
160	20	15.875	1.5/1	24	ATB	8,500	25	10	PC1b	1	1	957335	**2 608 644 503**
160	20	15.875	1.5/1	36	ATB	8,500	15	13	PC1b	1	1	957342	**2 608 644 504**
160	20	15.875	1.5/1	48	ATB	8,500	10	15	PC1b	1	1	957359	**2 608 644 505**
165	20	15.875	1.5/1	12	ATB	8,500	25	10	PC1b	1	1	957366	**2 608 644 506**
165	20	15.875	1.5/1	24	ATB	8,500	25	10	PC1b	1	1	957373	**2 608 644 507**
165	20	15.875	1.5/1	36	ATB	8,500	15	13	PC1b	1	1	957380	**2 608 644 508**
165	20	15.875	1.5/1	48	ATB	8,500	10	15	PC1b	1	1	957397	**2 608 644 509**
184	20	16	1.6/1	24	ATB	8,000	25	10	PC1b	1	1	957403	**2 608 644 510**
184	20	16	1.6/1	48	ATB	8,000	10	15	PC1b	1	1	957410	**2 608 644 511**
190	30	20	1.5/1	18	ATB	8,000	25	10	PC1b	1	1	957427	**2 608 644 512**

Circular saw blades for cordless plunge and hand-held circular saws

PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
190	30	20	1.5/1	24	ATB	8,000	25	10	PC1b	1	1	957434	**2 608 644 513**
190	30	20	1.5/1	48	ATB	8,000	15	13	PC1b	1	1	957441	**2 608 644 514**
190	30	20	1.5/1	60	ATB	8,000	10	15	PC1b	1	1	957458	**2 608 644 515**

Circular saw blades for cordless mitre and sliding mitre saws





- Extra thin kerf for **maximum battery runtime**.
- Aggressive tooth angles enable smooth cutting performance.
- MicroteQ carbide teeth ensure high durability and a superior performance in wooden applications.

expert for Wood







PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
216	30	1.7/1.2	24	ATB	7,000	5	15	PC1b	1	1	957489	**2 608 644 518**
216	30	1.7/1.2	48	ATB	7,000	5	15	PC1b	1	1	957496	**2 608 644 519**
250	30	2.1/1.6	24	ATB	6,000	5	15	PC1b	1	1	957526	**2 608 644 522**
250	30	2.1/1.6	48	ATB	6,000	5	15	PC1b	1	1	957533	**2 608 644 523**
305	30	2.2/1.6	42	ATB	5,000	5	15	PC1b	1	1	957571	**2 608 644 527**
305	30	2.2/1.6	60	ATB	5,000	5	15	PC1b	1	1	957588	**2 608 644 528**
305	30	2.2/1.6	96	ATB	5,000	5	15	PC1b	1	1	957595	**2 608 644 529**

Circular saw blades for cordless table saws



- Extra thin kerf for **maximum battery runtime**.
- Aggressive tooth angles enable smooth cutting performance.



expert for Wood







PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
210	30	2/1.4	24	ATB	7,000	25	10	PC1b	1	1	957465	**2 608 644 516**
210	30	2/1.4	48	ATB	7,000	15	13	PC1b	1	1	957472	**2 608 644 517**
216	30	2/1.4	24	ATB	7,000	25	10	PC1b	1	1	957502	**2 608 644 520**
216	30	2/1.4	48	ATB	7,000	15	13	PC1b	1	1	957519	**2 608 644 521**
254	30	2.1/1.6	24	ATB	6,000	25	10	PC1b	1	1	957540	**2 608 644 524**
254	30	2.1/1.6	40	ATB	6,000	20	12	PC1b	1	1	957557	**2 608 644 525**
254	30	2.1/1.6	60	ATB	6,000	15	13	PC1b	1	1	957564	**2 608 644 526**

Expert for Construct Wood

Circular saw blades for plunge and hand-held circular saws



- The special tooth design and the wide support in the tooth spine ensure high resistance when cutting construction site timber with foreign bodies such as nails and concrete residues. Also suitable for cutting formwork boards, raw chipboard, acoustic panels, lightweight building panels and aerated concrete. Microteq teeth for long lifetime.



expert **ConstructWood**







PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
160	20	2/1.3	24	ATB+ Pyramid	11,900	2/6/32,5	18	13	C1a	1	1	797023	**2 608 644 136**
165	20	2/1.3	24	ATB+ Pyramid	11,500	2/6/32,5	18	13	C1a	1	1	797030	**2 608 644 137**
184	16	2/1.3	24	ATB+ Pyramid	10,300	2/6/32,5	18	13	C1a	1	1	797047	**2 608 644 138**
190	30	2/1.3	24	ATB+ Pyramid	10,000	2/7/42	18	13	C1a	1	1	797054	**2 608 644 139**
200	30	2/1.3	30	ATB+ Pyramid	9,500	2/7/42	18	13	C1a	1	1	797061	**2 608 644 140**
210	30	2/1.3	30	ATB+ Pyramid	9,000	2/7/42	18	13	C1a	1	1	797078	**2 608 644 141**
230	30	2.2/1.6	30	ATB+ Pyramid	8,300	2/7/42	18	13	C1a	1	1	880886	**2 608 644 338**
235	30	2.2/1.6	30	ATB+ Pyramid	8,100	2/7/42	18	13	C1a	1	1	880893	**2 608 644 339**

Expert for Laminated Panel

Circular saw blades for cordless table saws





- Extra thin kerf for **maximum battery runtime**.
- MicroteQ carbide teeth ensure high durability and a superior performance in one- or two-sided laminated panels.

expert **LaminatedPanel**







PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
210	30	2.1/1.4	66	ATB	7,000	-5	15	PC1b	1	1	957816	**2 608 644 551**
216	30	2.1/1.4	66	ATB	7,000	-5	15	PC1b	1	1	957823	**2 608 644 552**
254	30	2.6/1.8	78	ATB	6,000	-5	15	PC1b	1	1	957830	**2 608 644 553**

Circular saw blades for plunge and hand-held circular saws





- For effortlessly clean cuts in panel materials (laminated on one or two sides), abrasive panels, and fine-coated or veneered panels. Also suitable for cutting raw chipboard, acoustic panels and lightweight building panels. Microteq teeth for long lifetime.

expert **LaminatedPanel**







PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
140	20	1.8/1.3	42	ATB	13,600	2/6/32,5	-5	15	C1a	1	1	796927	**2 608 644 126**
160	20	2.2/1.6	48	ATB	11,900	2/6/32,5	-5	15	C1a	1	1	796934	**2 608 644 127**
165	20	2.6/1.6	48	ATB	11,500	2/6/32,5	-5	15	C1a	1	1	796941	**2 608 644 128**
190	20	2.6/1.6	60	ATB	10,000	2/6/32,5	-5	15	C1a	1	1	796958	**2 608 644 129**
190	30	2.6/1.6	60	ATB	10,000	2/7/42	-5	15	C1a	1	1	796965	**2 608 644 130**

Circular saw blades for horizontal/vertical panel sizing and table saws





- Long life and constantly high cut quality in panels coated on one or two sides. DH: Scoring blade not required when used on panel sizing saws.

expert LaminatedPanel



DH





PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
250	30	3.2/2.2	48	DH	7,600	2/7/42 2/9/46,4 2/10/60	10	15	C1c	1	1	648394	**2 608 642 514**
303	30	3.2/2.2	60	DH	6,300	2/7/42 2/9/46,4 2/10/60	10	15	C1c	1	1	648400	**2 608 642 515**

Circular saw blades for horizontal/vertical panel sizing and table saws





expert LaminatedPanel



HLTCG





250	30	3.2/2.2	80	HLTCG	7,600	2/7/42 2/9/46,4 2/10/60	5	18	C1c	1	1	648417	**2 608 642 516**
300	30	3.2/2.2	96	HLTCG	6,300	2/7/42 2/9/46,4 2/10/60	5	18	C1c	1	1	648424	**2 608 642 517**
350	30	3.5/2.5	108	HLTCG	5,400	2/7/42 2/9/46,4 2/10/60	5	18	C1c	1	1	648431	**2 608 642 518**

Circular saw blades for cordless plunge and hand-held circular saws





- Extra thin kerf for **maximum battery runtime**.
- MicroteQ carbide teeth ensure high durability and a superior performance in one- or two-sided laminated panels.

expert for LaminatedPanel







PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
160	20	15.875	1.8/1.2	48	ATB	8,500	-5	15	PC1b	1	1	957786	**2 608 644 548**
165	20	15.875	1.8/1.2	48	ATB	8,500	-5	15	PC1b	1	1	957793	**2 608 644 549**
190	30	20	2.1/1.4	60	ATB	8,000	-5	15	PC1b	1	1	957809	**2 608 644 550**

Expert for High Pressure Laminate

Circular saw blades for plunge and hand-held circular saws



- For clean cuts in High Pressure Laminate panels. Suitable for cutting Trespa ® panels. Microteq teeth for long lifetime.

expert **HighPressureLaminate**







PRODUCT PROPERTIES											ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
140	20	-	1.8/1.3	42	HLTCG	13,600	2/6/32,5	0	17	C1a	1	1	796972	**2 608 644 131**
160	20	-	2.2/1.6	48	HLTCG	11,900	2/6/32,5	0	17	C1a	1	1	796989	**2 608 644 132**
165	20	-	2.6/1.6	48	HLTCG	11,500	2/6/32,5	0	17	C1a	1	1	796996	**2 608 644 133**
190	20	-	2.6/1.6	56	HLTCG	10,000	2/6/32,5	0	17	C1a	1	1	797009	**2 608 644 134**
190	30	-	2.6/1.6	56	HLTCG	10,000	2/7/42	0	17	C1a	1	1	797016	**2 608 644 135**
210	30	0	2.8/1.8	60	HLTCG	9,000	2/7/42	0	17	C1a	1	1	881043	**2 608 644 354**
230	30	0	2.8/1.8	64	HLTCG	8,300	2/7/42	0	17	C1a	1	1	881067	**2 608 644 356**
235	30	0	2.8/1.8	64	HLTCG	8,100	2/7/42	0	17	C1a	1	1	881180	**2 608 644 357**

Circular saw blades for mitre saws and sliding mitre saws



- For clean cuts in High Pressure Laminate panels. Suitable for cutting Trespa ® panels. Microteq teeth for a long lifetime.

expert **HighPressureLaminate**







216	30	0	2.8/1.8	64	HLTCG	8,800	2/7/42	-3	15	C1a	1	1	881050	**2 608 644 355**
250	30	0	2.8/1.8	80	HLTCG	7,600	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-3	15	C1a	1	1	881081	**2 608 644 358**
254	30	0	2.8/1.8	80	HLTCG	7,500	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-3	15	C1a	1	1	881104	**2 608 644 360**

Circular saw blades for mitre saws and sliding mitre saws

PRODUCT PROPERTIES										ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
260	30	0	2.8/1.8	80	HLTCG	7,300	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-3	15	C1a	1	1	881111	**2 608 644 361**
300	30	0	3.2/2.2	96	HLTCG	6,300	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-3	15	C1a	1	1	881128	**2 608 644 362**
305	30	0	3.2/2.2	96	HLTCG	6,200	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-3	15	C1a	1	1	881142	**2 608 644 364**

Circular saw blades for table saws





- For clean cuts in High Pressure Laminate panels. Suitable for cutting Trespa ® panels. Microteq teeth for long lifetime.

expert **HighPressureLaminate**







250	30	0	2.8/1.8	80	HLTCG	7,600	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	10	15	C1a	1	1	881098	**2 608 644 359**
300	30	0	3.2/2.2	96	HLTCG	6,300	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	10	15	C1a	1	1	881135	**2 608 644 363**

Expert for Aluminium

Circular saw blades for plunge and hand-held circular saws



- For clean cuts in non-ferrous metals such as aluminium. Also suitable for cutting plastics and epoxy, raw chipboard, acoustic panels, lightweight building panels, abrasive panel materials laminated on one or two sides, and fibre materials such as MDF and OSB boards. Microteq teeth for long lifetime.
- Using the universal cutting oil 2 607 001 409 increases the lifetime several times when cutting in metal such as aluminium.



expert Aluminium







PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
140	20	1.8/1.3	42	HLTCG	13,600	2/6/32,5	-5	15	C1a	1	1	796583	**2 608 644 092**
150	20	2.6/1.6	42	HLTCG	12,700	2/6/32,5	-5	15	C1a	1	1	796590	**2 608 644 093**
160	20	2.2/1.6	52	HLTCG	11,900	2/6/32,5	-5	15	C1a	1	1	796606	**2 608 644 094**
165	20	2.6/1.6	52	HLTCG	11,500	2/6/32,5	-5	15	C1a	1	1	796613	**2 608 644 095**
165	30	2.6/1.6	52	HLTCG	11,500	2/7/42	-5	15	C1a	1	1	796620	**2 608 644 096**
180	30	2.6/1.6	56	HLTCG	10,600	2/7/42	-5	15	C1a	1	1	796637	**2 608 644 097**
184	16	2.6/1.6	48	HLTCG	10,300	2/6/32,5	-5	15	C1a	1	1	796644	**2 608 644 098**
184	20	2.6/1.6	56	HLTCG	10,300	2/6/32,5	-5	15	C1a	1	1	796651	**2 608 644 099**
184	30	2.6/1.6	56	HLTCG	10,300	2/7/42	-5	15	C1a	1	1	796668	**2 608 644 100**
190	20	2.6/1.6	56	HLTCG	10,000	2/6/32,5	-5	15	C1a	1	1	796675	**2 608 644 101**
190	30	2.6/1.6	56	HLTCG	10,000	2/7/42	-5	15	C1a	1	1	796682	**2 608 644 102**
200	30	2.8/1.8	60	HLTCG	9,500	2/7/42	-5	15	C1a	1	1	796699	**2 608 644 103**
200	32	2.8/1.8	60	HLTCG	9,500	2/7/42	-5	15	C1a	1	1	796705	**2 608 644 104**
210	30	2.8/1.8	72	HLTCG	9,000	2/7/42	-5	15	C1a	1	1	796712	**2 608 644 105**
230	30	2.8/1.8	64	HLTCG	8,300	2/7/42	-5	15	C1a	1	1	796729	**2 608 644 106**
235	30	2.6/1.8	80	HLTCG	8,100	2/7/42	-5	15	C1a	1	1	796736	**2 608 644 107**
240	30	2.8/1.8	80	HLTCG	7,900	2/7/42	-5	15	C1a	1	1	796743	**2 608 644 108**

Circular saw blades for mitre saws and sliding mitre saws





- For clean cuts in non-ferrous metals such as aluminium. Also suitable for cutting plastics and epoxy, raw chipboard, acoustic panels, lightweight building panels, abrasive panel materials laminated on one or two sides, and fibre materials such as MDF and OSB boards. Microteq teeth for long lifetime.
- Using the universal cutting oil 2 607 001 409 increases the lifetime several times when cutting in metal such as aluminium.

expert for **Aluminium**







PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
210	30	2.6/1.8	54	HLTCG	9,000	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-5	15	C1a	1	1	796750	**2 608 644 109**
216	30	2.6/1.8	64	HLTCG	8,800	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-5	15	C1a	1	1	796767	**2 608 644 110**
250	30	2.8/2	80	HLTCG	7,600	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-5	15	C1a	1	1	796774	**2 608 644 111**
254	30	2.8/2	80	HLTCG	7,500	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-5	15	C1a	1	1	796781	**2 608 644 112**
260	30	2.8/2	80	HLTCG	7,300	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-5	15	C1a	1	1	796798	**2 608 644 113**
300	30	2.8/2	96	HLTCG	6,300	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-5	15	C1a	1	1	796804	**2 608 644 114**
305	30	2.8/2	96	HLTCG	6,200	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-5	15	C1a	1	1	796811	**2 608 644 115**
315	30	2.8/2.2	96	HLTCG	6,000	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-5	15	C1a	1	1	796828	**2 608 644 116**

Circular saw blades for table saws





- For clean cuts in non-ferrous metals such as aluminium. Also suitable for cutting plastics and epoxy, raw chipboard, acoustic panels, lightweight building panels, abrasive panel materials laminated on one or two sides, and fibre materials such as MDF and OSB boards. Microteq teeth for long lifetime.
- Using the universal cutting oil 2 607 001 409 increases the lifetime several times when cutting in metal, such as aluminium.

expert for Aluminium







PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
190	Star	2.6/1.8	58	HLTCG	10,000	-	-5	15	C1a	1	1	796835	**2 608 644 117**
225	30	2.6/1.8	68	HLTCG	8,400	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-5	15	C1a	1	1	796842	**2 608 644 118**
250	30	2.8/2	68	HLTCG	7,600	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-5	15	C1a	1	1	796859	**2 608 644 119**

Circular saw blades for cordless plunge and hand-held circular saws and cordless dry-cutters



- Extra thin kerf for **maximum battery runtime**.
- MicroteQ carbide teeth ensure high durability and a superior performance in non-ferrous metal applications.



expert **Aluminium**







PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
120	20	-	1.8/1.2	42	HLTCG	12,500	0	15	PC1b	1	1	957649	**2 608 644 534**
136	20	15.875	1.6/1	48	HLTCG	10,000	0	15	PC1b	1	1	957656	**2 608 644 535**
140	20	12.7 10	1.8/1.3	48	HLTCG	10,000	-5	15	PC1b	1	1	957663	**2 608 644 536**
150	20	15.875 10	1.8/1.3	48	HLTCG	10,000	0	15	PC1b	1	1	957670	**2 608 644 537**
160	20	15.875	1.8/1.3	54	HLTCG	8,500	0	15	PC1b	1	1	957687	**2 608 644 538**
165	20	15.875	1.8/1.3	54	HLTCG	8,500	0	15	PC1b	1	1	957694	**2 608 644 539**
184	20	16	1.8/1.3	54	HLTCG	8,000	0	15	PC1b	1	1	957700	**2 608 644 540**
190	30	20	1.8/1.3	54	HLTCG	8,000	0	15	PC1b	1	1	957717	**2 608 644 541**

Circular saw blades for cordless mitre and sliding mitre saws



- Extra thin kerf for **maximum battery runtime**.
- MicroteQ carbide teeth ensure high durability and a superior performance in non-ferrous metal applications.



expert for Aluminium







PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
216	30	2/1.4	66	HLTCG	7,000	0	15	PC1b	1	1	957731	**2 608 644 543**
250	30	2.4/1.8	78	HLTCG	6,000	0	15	PC1b	1	1	957755	**2 608 644 545**
305	30	2.4/1.8	96	HLTCG	5,000	0	15	PC1b	1	1	957779	**2 608 644 547**

Circular saw blades for cordless table saws



- Extra thin kerf for **maximum battery runtime**.
- MicroteQ carbide teeth ensure high durability and a superior performance in non-ferrous metal applications.



expert for Aluminium







210	30	2/1.4	66	HLTCG	7,000	0	15	PC1b	1	1	957724	**2 608 644 542**
216	30	2/1.4	66	HLTCG	7,000	0	15	PC1b	1	1	957748	**2 608 644 544**
254	30	2.4/1.8	78	HLTCG	6,000	0	15	PC1b	1	1	957762	**2 608 644 546**

Expert for Steel

Circular saw blades for hand dry cutters



- Clean and safe cuts through mild steel.
- Long lifetime.

expert Steel







PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
160	20	2/1.6	30	HLTCG	3,200	0	12	C1a	1	1	737678	**2 608 643 054**
184	20	2/1.6	48	HLTCG	3,000	0	12	C1a	1	1	737685	**2 608 643 055**
190	20	2/1.6	40	HLTCG	2,600	0	12	C1a	1	1	737692	**2 608 643 056**
210	30	2/1.6	48	HLTCG	2,300	0	12	C1a	1	1	737708	**2 608 643 057**
230	25.4	2/1.6	48	HLTCG	2,100	0	12	C1a	1	1	737715	**2 608 643 058**

Circular saw blades for mitre dry cutters



- Clean and safe cuts through mild steel.
- Long lifetime.

expert Steel







254	25.4	2.6/2.2	60	HLTCG	1,900	0	12	C1a	1	1	737722	**2 608 643 059**
305	25.4	2.6/2.2	60	HLTCG	1,800	0	12	C1a	1	1	737739	**2 608 643 060**
305	25.4	2.6/2.2	80	HLTCG	1,800	0	12	C1a	1	1	737746	**2 608 643 061**
355	25.4	2.6/2.2	80	HLTCG	1,600	0	12	C1a	1	1	737753	**2 608 643 062**
355	25.4	2.6/2.2	90	HLTCG	1,600	0	12	C1a	1	1	737760	**2 608 643 063**

Expert for Stainless Steel

Circular saw blades for cordless hand dry cutters



- Extra thin kerf for **maximum battery runtime**.
- Clean and save cuts in stainless steel materials.
- ResisteQ teeth manufactured from advanced metallic composites for extreme wear resistance.
- Long lifetime.

expert **StainlessSteel**





PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
136	20	15.875	1.5/1.2	30	HLTCG	5,600	0	12	PC1b	1	1	957601	**2 608 644 530**
140	20	-	1.5/1.2	30	HLTCG	5,400	0	12	PC1b	1	1	957618	**2 608 644 531**
150	20	15.875	1.6/1.3	32	HLTCG	5,000	0	12	PC1b	1	1	957625	**2 608 644 532**
160	20	15.875	1.6/1.3	40	HLTCG	4,700	0	12	PC1b	1	1	957632	**2 608 644 533**

Circular saw blades for Hand Dry Cutters





- Circular saw blade developed for sawing stainless steel. Not suitable for high-alloy steel.
- Clean and safe cuts in stainless steel materials.
- ResisteQ teeth manufactured from advanced metallic composites for extreme wear resistance.
- Long lifetime.

expert **StainlessSteel**



HLTCG



PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
185	20	1.9/1.6	36	HLTCG	4,100	0	10	C1a	1	1	839914	**2 608 644 289**
192	20	1.9/1.6	38	HLTCG	3,900	0	10	C1a	1	1	839921	**2 608 644 288**
230	25.4	1.9/1.6	46	HLTCG	3,300	0	10	C1a	1	1	839938	**2 608 644 287**

Circular saw blades for Mitre Dry Cutters





- Clean and safe cuts in stainless steel material.
- ResisteQ teeth manufactured from advanced metallic composites for extreme wear resistance.
- Long lifetime.

expert **StainlessSteel**



HLTCG



255	25.4	2.5/2.2	50	HLTCG	2,900	0	10	C1a	1	1	839945	**2 608 644 286**
305	25.4	2.5/2.2	80	HLTCG	2,500	0	10	C1a	1	1	839969	**2 608 644 284**
305	25.4	2.5/2.2	60	HLTCG	2,500	0	10	C1a	1	1	839952	**2 608 644 285**
355	25.4	2.5/2.2	90	HLTCG	2,100	0	10	C1a	1	1	839983	**2 608 644 282**
355	25.4	2.5/2.2	70	HLTCG	2,100	0	10	C1a	1	1	839976	**2 608 644 283**

Expert for Multi Material

Circular saw blades for mitre saws and sliding mitre saws



- For excellent results in non-ferrous metals, aluminium, plastics, epoxy and wood.



expert **MultiMaterial**







PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
210	30	2.4/1.8	54	TCG	9,000	-5	15	C1a	1	1	648172	**2 608 642 492**
216	30	2.4/1.8	64	TCG	8,800	-5	15	C1a	1	1	648189	**2 608 642 493**
250	30	2.4/1.8	80	TCG	7,600	-5	15	C1a	1	1	648196	**2 608 642 494**
254	30	2.4/1.8	80	TCG	7,500	-5	15	C1a	1	1	650106	**2 608 642 528**
300	30	2.4/1.8	96	TCG	6,300	-5	15	C1a	1	1	648202	**2 608 642 495**
305	30	2.4/1.8	96	TCG	6,200	-5	15	C1a	1	1	650113	**2 608 642 529**

Circular saw blades for plunge and hand-held circular saws



- For clean cuts in sandwich panels with sheet steel (laminated on one or two sides). Microteq teeth for long lifetime.

expert **SandwichPanel**







PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
160	20	2/1.6	30	HLTCG	11,900	2/6/32,5	0	12	C1a	1	1	881159	**2 608 644 365**
165	20	2/1.6	30	HLTCG	11,500	2/6/32,5	0	12	C1a	1	1	881166	**2 608 644 366**
190	30	2/1.6	36	HLTCG	10,000	2/7/42	0	12	C1a	1	1	881074	**2 608 644 367**
210	30	2.4/2	36	HLTCG	9,000	2/7/42	0	12	C1a	1	1	797085	**2 608 644 142**
230	30	2.2/1.8	48	HLTCG	8,300	2/7/42	0	12	C1a	1	1	881173	**2 608 644 368**
235	30	2.2/1.8	50	HLTCG	8,100	2/7/42	0	12	C1a	1	1	797092	**2 608 644 143**
240	30	2.6/1.6	48	HLTCG	7,900	2/7/42	0	12	C1a	1	1	797108	**2 608 644 144**
270	30	2.4/2	60	HLTCG	7,000	2/7/42	0	12	C1a	1	1	797115	**2 608 644 145**
330	30	2.6/2.2	54	HLTCG	5,700	2/7/42	0	12	C1a	1	1	797122	**2 608 644 146**
350	30	2.9/2.5	60	HLTCG	5,400	2/7/42	0	12	C1a	1	1	799539	**2 608 644 165**
355	30	2.6/2.2	80	HLTCG	5,300	2/7/42	0	12	C1a	1	1	797139	**2 608 644 147**
450	30	3.4/3	86	HLTCG	4,200	2/7/42	0	12	C1a	1	1	797146	**2 608 644 148**

Expert for Fibre Cement

Circular saw blades for plunge and hand-held circular saws



- For cuts in fibre cement and plasterboard. Suitable for Eternit ®. Polycrystalline diamond teeth for extremely long lifetime.



expert **FiberCement**







PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
140	20	1.8/1.3	4	TCG	13,600	2/6/32,5	10	10	C1a	1	1	796866	**2 608 644 120**
160	20	2.2/1.6	4	TCG	11,900	2/6/32,5	10	10	C1a	1	1	796873	**2 608 644 121**
165	20	2.2/1.6	4	TCG	11,500	2/6/32,5	10	10	C1a	1	1	796880	**2 608 644 122**
170	30	2.2/1.6	4	TCG	11,200	2/7/42	10	10	C1a	1	1	796897	**2 608 644 123**
184	30	2.2/1.6	4	TCG	10,300	2/7/42	10	10	C1a	1	1	880947	**2 608 644 344**
190	20	2.2/1.6	4	TCG	10,000	2/6/32,5	10	10	C1a	1	1	796903	**2 608 644 124**
190	30	2.2/1.6	4	TCG	10,000	2/7/42	10	10	C1a	1	1	796910	**2 608 644 125**
210	30	2.2/1.6	6	TCG	9,000	2/7/42	10	10	C1a	1	1	880954	**2 608 644 345**
230	30	2.2/1.6	6	TCG	8,300	2/7/42	10	10	C1a	1	1	880978	**2 608 644 347**
235	30	2.2/1.6	6	TCG	8,100	2/7/42	10	10	C1a	1	1	880985	**2 608 644 348**

Circular saw blades for mitre saws and sliding mitre saws



- For cuts in fibre cement and plasterboard. Suitable for Eternit ®. Polycrystalline diamond teeth for extremely long lifetime.



expert **FiberCement**







216	30	2.2/1.6	6	TCG	8,800	2/7/42	10	10	C1a	1	1	880961	**2 608 644 346**
250	30	2.4/1.8	6	TCG	7,600	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	10	10	C1a	1	1	880992	**2 608 644 349**
254	30	2.4/1.8	6	TCG	7,500	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	10	10	C1a	1	1	881005	**2 608 644 350**

Circular saw blades for mitre saws and sliding mitre saws

PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
260	30	2.4/1.8	6	TCG	7,300	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	10	10	C1a	1	1	881012	**2 608 644 351**
300	30	2.4/1.8	8	TCG	6,300	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	10	10	C1a	1	1	881029	**2 608 644 352**
305	30	2.4/1.8	8	TCG	6,200	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	10	10	C1a	1	1	881036	**2 608 644 353**

Circular saw blades for cordless plunge and hand-held circular saws





- Extra thin kerf for **maximum battery runtime**.
- Extremely long lifetime due to polycrystalline diamond (PCD) teeth.

expert **FiberCement**







PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
160	20	15.875	1.8/1.2	4	TCG	8,500	10	10	PC1b	1	1	957847	**2 608 644 554**
165	20	15.875	1.8/1.2	4	TCG	8,500	10	10	PC1b	1	1	957854	**2 608 644 555**
190	30	20	1.8/1.2	4	TCG	8,000	10	10	PC1b	1	1	957861	**2 608 644 556**

Circular saw blades for cordless mitre and sliding mitre saws





- Extra thin kerf for **maximum battery runtime**.
- Extremely long lifetime due to polycrystalline diamond (PCD) teeth.

expert **FiberCement**







PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
216	30	2/1.4	6	TCG	7,000	10	10	PC1b	1	1	957878	**2 608 644 557**
250	30	2.2/1.6	6	TCG	6,000	10	10	PC1b	1	1	957885	**2 608 644 558**
305	30	2.2/1.6	8	TCG	5,000	10	10	PC1b	1	1	957892	**2 608 644 559**

Optiline Wood

Optiline Wood for hand-held circular saws



▶ The precise blade for quality cuts in all types of wood.



optiline WOOD







PRODUCT PROPERTIES										ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
85	15	-	1.1/0.7	20	ATB	18,000	-	15	13	C1a	1	1	754279	**2 608 643 071**
110	20	16	2.4/1.5	20	ATB	13,500	-	20	10	C1a	1	1	276290	**2 608 640 839**
130	20	16	2.4/1.4	20	ATB	11,500	-	15	15	C1a	1	1	193764	**2 608 640 582**
130	20	16	2.4/1.4	30	ATB	11,500	-	15	15	C1a	1	1	193771	**2 608 640 583**
130	20	16	2.4/1.4	12	ATB	11,500	-	15	15	C1a	1	1	373494	**2 608 641 167**
140	20	12.75	2.4/1.4	20	ATB	10,500	-	15	15	C1a	1	1	193801	**2 608 640 586**
140	20	12.75	2.4/1.4	12	ATB	10,500	-	15	15	C1a	1	1	373500	**2 608 641 168**
150	20	16	2.4/1.4	24	ATB	10,000	7/42	15	15	C1a	1	1	193863	**2 608 640 592**
150	20	16	2.4/1.4	36	ATB	10,000	7/42	17	13	C1a	1	1	193870	**2 608 640 593**
150	20	16	2.4/1.4	12	ATB	10,000	7/42	15	15	C1a	1	1	373517	**2 608 641 169**
160	20	16	2.6/1.6	24	ATB	9,500	6/32	15	15	C1a	1	1	193900	**2 608 640 596**
160	20	16	2.6/1.6	36	ATB	9,500	6/32	15	15	C1a	1	1	193917	**2 608 640 597**
160	20	16	2.6/1.6	48	ATB	9,500	6/32	15	15	C1a	1	1	195072	**2 608 640 732**
160	20	16	1.8/1.2	12	ATB	9,500	6/32	15	15	C1a	1	1	373524	**2 608 641 170**
160	20	16	1.8/1.2	24	ATB	9,500	6/32	15	15	C1a	1	1	373531	**2 608 641 171**
160	20	16	1.8/1.2	48	ATB	9,500	6/32	15	15	C1a	1	1	373548	**2 608 641 172**
160	20	16	2.6/1.6	12	ATB	9,500	6/32	15	15	C1a	1	1	373555	**2 608 641 173**
165	20	16	1.7/1.2	36	ATB	9,000	-	15	15	C1a	1	1	660273	**2 608 642 602**
165	30	-	2.6/1.6	24	ATB	9,500	-	15	15	C1a	1	1	193962	**2 608 640 602**
165	30	-	2.6/1.6	36	ATB	9,500	-	15	15	C1a	1	1	193979	**2 608 640 603**
165	30	-	2.6/1.6	48	ATB	9,500	-	15	15	C1a	1	1	373579	**2 608 641 175**
180	30	20	2.6/1.6	24	ATB	8,500	-	15	15	C1a	1	1	194020	**2 608 640 608**
180	30	20	2.6/1.6	36	ATB	8,500	-	15	15	C1a	1	1	194037	**2 608 640 609**
184	20	16 15.875	2.5/1.5	24	ATB	8,000	-	20	10	C1a	1	1	350747	**2 608 640 852**
184	20	16 15.875	2.5/1.5	40	ATB	8,000	-	18	12	C1a	1	1	350754	**2 608 640 853**
184	20	16 15.875	2.5/1.5	60	ATB	8,000	-	16	14	C1a	1	1	350761	**2 608 640 854**
184	25	16 19 20 15.875	2.5/1.5	60	ATB	8,000	-	15	15	C1a	1	1	350853	**2 608 640 863**
184	16	-	2.6/1.6	24	ATB	8,000	-	17	13	C1a	1	1	263429	**2 608 640 817**
184	16	-	2.6/1.6	36	ATB	8,000	-	15	15	C1a	1	1	263436	**2 608 640 818**
184	16	-	2.6/1.6	48	ATB	8,000	-	15	15	C1a	1	1	373630	**2 608 641 181**
184	20	16 15.875	2.5/1.5	16	ATB	8,000	-	20	10	C1a	1	1	350723	**2 608 640 850**
184	30	-	2.6/1.6	24	ATB	8,000	-	17	13	C1a	1	1	194044	**2 608 640 610**
184	30	-	2.6/1.6	36	ATB	8,000	-	15	15	C1a	1	1	194051	**2 608 640 611**

Optiline Wood for hand-held circular saws

PRODUCT PROPERTIES										ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
190	20	16	2.6/1.6	24	ATB	8,000	-	15	15	C1a	1	1	194068	**2 608 640 612**
190	20	16	2.6/1.6	48	ATB	8,000	-	15	15	C1a	1	1	194082	**2 608 640 614**
190	30	-	2.6/1.6	36	ATB	8,000	7/42	15	15	C1a	1	1	194105	**2 608 640 616**
190	30	-	2.6/1.6	48	ATB	8,000	7/42	15	15	C1a	1	1	194112	**2 608 640 617**
190	30	-	2/1.3	24	ATB	8,000	7/42	15	15	C1a	1	1	373678	**2 608 641 185**
190	30	-	2/1.3	48	ATB	8,000	7/42	15	15	C1a	1	1	373685	**2 608 641 186**
190	30	-	2.6/1.6	60	ATB	8,000	7/42	15	15	C1a	1	1	373708	**2 608 641 188**
190	20	16	2.6/1.6	36	ATB	8,000	-	15	15	C1a	1	1	194075	**2 608 640 613**
190	30	-	2.6/1.6	24	ATB	8,000	7/42	15	15	C1a	1	1	194099	**2 608 640 615**
190	30	-	2/1.3	16	ATB	8,000	7/42	15	15	C1a	1	1	373661	**2 608 641 184**
190	30	-	2.6/1.6	12	ATB	8,000	7/42	15	15	C1a	1	1	373692	**2 608 641 187**
200	30	-	2.8/1.8	24	ATB	7,500	7/42	17	10	C1a	1	1	194129	**2 608 640 618**
200	30	-	2.8/1.8	48	ATB	7,500	7/42	15	15	C1a	1	1	194143	**2 608 640 620**
203	30	25.4 25 20	2.5/1.5	40	ATB	7,500	-	15	15	C1a	1	1	350969	**2 608 640 871**
203	30	25.4 25 20	2.5/1.5	60	ATB	7,500	-	12	16	C1a	1	1	350976	**2 608 640 872**
210	25	20 16 15.875	2.5/1.5	40	ATB	7,000	-	15	15	C1a	1	1	351010	**2 608 640 876**
210	30	-	2.8/1.8	24	ATB	7,500	-	15	15	C1a	1	1	194150	**2 608 640 621**
210	30	-	2.8/1.8	36	ATB	7,000	-	15	15	C1a	1	1	194167	**2 608 640 622**
210	30	-	2.8/1.8	48	ATB	7,500	-	15	15	C1a	1	1	194174	**2 608 640 623**
210	30	-	2.8/1.8	60	ATB	7,500	-	15	15	C1a	1	1	373722	**2 608 641 190**
230	30	-	2.8/1.8	24	ATB	6,500	7/42	15	15	C1a	1	1	194211	**2 608 640 627**
230	30	-	2.8/1.8	36	ATB	6,500	7/42	15	15	C1a	1	1	195157	**2 608 640 628**
230	30	-	2.8/1.8	48	ATB	6,500	7/42	15	15	C1a	1	1	194228	**2 608 640 629**
235	25	20 16 15.875	2.5/1.8	24	ATB	6,500	-	15	15	C1a	1	1	351102	**2 608 640 885**
235	25	20 16 15.875	2.5/1.8	40	ATB	6,500	-	15	15	C1a	1	1	351119	**2 608 640 886**
235	25	20 16 15.875	2.5/1.8	60	ATB	6,500	-	16	13	C1a	1	1	351126	**2 608 640 887**
235	35	30 25.4 25	2.5/1.8	40	ATB	6,500	-	15	15	C1a	1	1	351195	**2 608 640 894**
235	35	30 25.4 25	2.5/1.8	60	ATB	6,500	-	15	15	C1a	1	1	351201	**2 608 640 895**
235	30	25	2.8/1.8	24	ATB	6,500	-	15	15	C1a	1	1	194990	**2 608 640 725**
235	30	25	2.8/1.8	48	ATB	6,500	-	15	15	C1a	1	1	195010	**2 608 640 727**
235	30	25	2.8/1.8	60	ATB	6,500	-	15	15	C1a	1	1	373746	**2 608 641 192**
250	30	-	3.2/2.2	40	ATB	6,000	7/42	15	15	C1a	1	1	195027	**2 608 640 728**
250	30	-	3.2/2.2	60	ATB	6,000	7/42	15	15	C1a	1	1	195034	**2 608 640 729**

Optiline Wood for mitre saws





optiline WOOD









PRODUCT PROPERTIES										ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
210	30	-	2/1.4	48	ATB	7,000	-	-5	15	C1a	1	1	314398	**2 608 640 430**
216	30	-	2/1.4	24	ATB	7,000	-	-5	15	C1a	1	1	314404	**2 608 640 431**
216	30	-	2/1.4	48	ATB	7,000	-	-5	15	C1a	1	1	314411	**2 608 640 432**
216	30	-	2/1.4	60	ATB	7,000	-	-5	15	C1a	1	1	314428	**2 608 640 433**
216	30	-	2.8/1.8	48	ATB	7,000	-	-5	15	C1a	1	1	194327	**2 608 640 641**
216	30	-	2.8/1.8	60	ATB	7,000	-	-5	15	C1a	1	1	194334	**2 608 640 642**
250	30	-	3.2/2.2	40	ATB	6,000	7/42	-5	18	C1a	1	1	194341	**2 608 640 643**
250	30	-	3.2/2.2	60	ATB	6,000	7/42	-5	18	C1a	1	1	194358	**2 608 640 644**
250	30	-	3.2/2.2	80	ATB	6,000	7/42	-5	18	C1a	1	1	194365	**2 608 640 645**
254	30	-	2/1.4	24	ATB	6,000	-	-5	15	C1a	1	1	314435	**2 608 640 434**
254	30	-	2/1.4	40	ATB	6,000	-	-5	15	C1a	1	1	314442	**2 608 640 435**
254	30	-	2/1.4	60	ATB	6,000	-	-5	15	C1a	1	1	314459	**2 608 640 436**
254	30	-	2.5/1.8	80	ATB	6,000	-	-5	15	C1a	1	1	314466	**2 608 640 437**
254	30	-	2/1.4	40	ATB	6,000	-	5	15	C1a	1	1	314473	**2 608 640 438**
254	30	-	3.2/2.2	60	ATB	6,000	-	5	15	C1a	1	1	455534	**2 608 641 765**
260	30	-	3.2/2.2	48	ATB	6,000	-	-5	18	C1a	1	1	373845	**2 608 641 202**
305	25.4	20 16 15.875	2.8/1.8	60	ATB	5,000	-	10	15	C1a	1	1	351393	**2 608 640 914**
305	30	-	2.5/1.8	40	ATB	5,000	-	-5	15	C1a	1	1	317382	**2 608 640 440**
305	30	-	2.5/1.8	60	ATB	5,000	-	-5	15	C1a	1	1	317399	**2 608 640 441**
305	30	-	2.5/1.8	96	ATB	5,000	-	-5	15	C1a	1	1	317405	**2 608 640 442**
305	30	-	3.2/2.2	60	ATB	5,000	7/42 10/60	5	15	C1a	1	1	455565	**2 608 641 768**
305	30	-	3.2/2.2	80	ATB	5,000	-	5	15	C1a	1	1	455572	**2 608 641 769**

Optiline Wood for table saws



▶ The precise blade for quality cuts in all types of wood.



optiline WOOD







PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
216	30	-	2.6/1.6	34	ATB	7,000	15	15	C1b	1	1	964609	**2 608 838 409**
216	30	-	2.6/1.6	22	ATB	7,000	20	10	C1b	1	1	964616	**2 608 838 410**
216	30	-	2.6/1.6	54	ATB	7,000	10	15	C1b	1	1	964623	**2 608 838 411**
250	30	-	3.2/2.2	80	ATB	6,000	10	15	C1a	1	1	194501	**2 608 640 660**
250	30	-	3.2/2.2	60	ATB	6,000	10	15	C1a	1	1	194532	**2 608 640 665**
250	30	-	3.2/2.2	40	ATB	6,000	10	15	C1a	1	1	194587	**2 608 640 670**
254	30	25.4 25	2.5/1.8	40	ATB	6,000	10	17	C1a	1	1	351324	**2 608 640 907**
254	30	25.4 25	2.5/1.8	60	ATB	6,000	10	16	C1a	1	1	351331	**2 608 640 908**
254	30	25.4 25	2.5/1.8	80	ATB	6,000	10	15	C1a	1	1	351348	**2 608 640 909**
254	30	25.4 25	2.5/1.8	100	ATB	6,000	10	16	C1a	1	1		**2 608 640 910**
254	30	-	2.8/1.8	40	ATB	6,000	18	12	C1a	1	1	317412	**2 608 640 443**
254	30	-	2.8/1.8	60	ATB	6,000	19	10	C1a	1	1	317429	**2 608 640 444**
254	30	-	2.8/1.8	24	ATB	6,000	20	10	C1b	1	1	964630	**2 608 838 412**
300	30	-	3.2/2.2	48	ATB	5,000	10	15	C1a	1	1	194600	**2 608 640 672**
305	30	25.4 25 20	2.8/1.8	40	ATB	5,000	10	17	C1a	1	1	351454	**2 608 640 920**
305	30	25.4 25 20	2.8/1.8	60	ATB	5,000	10	16	C1a	1	1	351461	**2 608 640 921**
305	30	25.4 25 20	2.8/1.8	80	ATB	-	-	-	C1a	1	1	351478	**2 608 640 922**
305	30	25.4 25 20	2.8/1.8	100	ATB	5,000	8	18	C1a	1	1	351485	**2 608 640 923**
305	30	-	3.2/2.2	72	ATB	5,000	10	15	C1a	1	1	455596	**2 608 641 771**
315	30	-	3.2/2.2	60	ATB	5,000	10	15	C1a	1	1	194440	**2 608 640 651**
315	30	-	3.2/2.2	48	ATB	5,000	10	15	C1a	1	1	194617	**2 608 640 673**
350	30	-	3.5/2.5	54	ATB	4,500	10	15	C1a	1	1	194624	**2 608 640 674**
356	30	25.4 25 20	3.5/2.5	60	ATB	4,500	13	16	C1a	1	1	351560	**2 608 640 931**
356	30	25.4 25 20	3.5/2.5	80	ATB	4,500	15	15	C1a	1	1	351577	**2 608 640 932**
356	30	25.4 25 20	3.5/2.5	100	ATB	4,500	15	15	C1a	1	1	351584	**2 608 640 933**
400	30	-	3.5/2.5	60	ATB	4,000	10	15	C1a	1	1	194631	**2 608 640 675**
406	30	25.4 25 20	3.5/2.5	30	ATB	4,000	13	15	C1a	1	1	351607	**2 608 640 935**

Optiline Wood for benchtop table saws



optiline WOOD







PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
254	25	20 16 15.875	2.5/1.8	40	ATB	6,000	10	17	C1a	1	1	351263	**2 608 640 901**
254	25	20 16 15.875	2.5/1.8	60	ATB	6,000	10	16	C1a	1	1	351270	**2 608 640 902**
305	25	20 16 15.875	2.8/1.8	40	ATB	5,000	10	17	C1a	1	1	351386	**2 608 640 913**

Speedline Wood

Speedline Wood for hand-held circular saws





▶ The fast blade for rip and cross cuts in all types of wood.







PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
130	16	-	2/1.4	9	ATB/FT	11,500	16	15	C1a	1	1	239851	**2 608 640 774**
130	16	-	2/1.4	18	ATB/FT	11,500	16	15	C1a	1	1	239868	**2 608 640 775**
150	20	-	2/1.4	18	ATB/FT	10,000	16	15	C1a	1	1	239929	**2 608 640 781**
160	16	-	2.2/1.6	12	ATB/FT	9,500	16	15	C1a	1	1	239950	**2 608 640 784**
160	16	-	2.2/1.6	18	ATB/FT	9,500	16	15	C1a	1	1	239967	**2 608 640 785**
160	20	-	2.2/1.6	12	ATB/FT	9,500	16	15	C1a	1	1	239974	**2 608 640 786**
160	20	-	2.2/1.6	18	ATB/FT	9,500	16	15	C1a	1	1	239981	**2 608 640 787**
165	20	16	1.7/1.2	12	ATB/FT	9,000	15	15	C1a	1	1	660259	**2 608 642 600**
165	20	16	1.7/1.2	24	ATB/FT	9,000	15	15	C1a	1	1	660266	**2 608 642 601**
165	30	-	2.2/1.6	18	ATB/FT	9,000	16	15	C1a	1	1	240000	**2 608 640 789**
184	16	-	2.2/1.6	24	ATB/FT	8,000	16	15	C1a	1	1	240062	**2 608 640 795**
190	20	16	2.4/1.6	24	ATB/FT	8,000	16	15	C1a	1	1	240109	**2 608 640 799**
190	30	-	2.4/1.8	12	ATB/FT	8,000	17	15	C1a	1	1	240116	**2 608 640 800**
190	30	-	2.4/1.8	24	ATB/FT	8,000	16	15	C1a	1	1	240123	**2 608 640 801**
210	30	-	2.4/1.8	30	ATB/FT	7,000	16	15	C1a	1	1	240147	**2 608 640 803**
230	30	-	2.4/1.8	18	ATB/FT	6,500	16	15	C1a	1	1	240154	**2 608 640 804**
230	30	-	2.4/1.8	30	ATB/FT	6,500	16	15	C1a	1	1	240161	**2 608 640 805**
235	30	25	2.4/1.8	30	ATB/FT	6,000	16	15	C1a	1	1	240185	**2 608 640 807**

Speedline Wood for table saws





speedline WOOD









PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
250	30	3.2/2.2	24	ATB	6,000	7/42	20	10	C1a	1	1	194655	**2 608 640 680**
300	30	3.2/2.2	28	ATB	5,000	7/42 10/60	20	10	C1a	1	1	194662	**2 608 640 681**
315	30	3.2/2.2	28	ATB	5,000	7/42	20	10	C1a	1	1	194679	**2 608 640 682**
350	30	3.5/2.5	32	ATB	4,500	10/60	20	10	C1a	1	1	194686	**2 608 640 683**
400	30	3.5/2.5	36	ATB	4,000	10/60	20	10	C1a	1	1	194693	**2 608 640 684**

Standard for Wood

Circular saw blades for cordless plunge and hand-held circular saws





- Extra thin kerf for **maximum battery runtime**.
- High-quality carbide teeth guarantee reliable cutting results.
- Aggressive tooth angles enable smooth cutting performance.



standard for **Wood**







PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
85	15	-	1.1/0.7	20	ATB	18,000	15	13	PC1a	1	1	958134	**2 608 837 666**
136	15.875	-	1.5/1	24	ATB	11,000	20	12	PC1a	1	1	958141	**2 608 837 667**
136	20	-	1.5/1	24	ATB	11,000	20	12	PC1a	1	1	958158	**2 608 837 668**
140	10	-	1.5/1	24	ATB	10,500	20	12	PC1a	1	1	958165	**2 608 837 669**
140	12.7	-	1.5/1	24	ATB	10,500	20	12	PC1a	1	1	958172	**2 608 837 670**
140	20	-	1.5/1	24	ATB	10,500	20	12	PC1a	1	1	958189	**2 608 837 671**
140	20	-	1.5/1	42	ATB	10,500	10	15	PC1a	1	1	958196	**2 608 837 672**
150	10	-	1.6/1	24	ATB	10,000	20	12	PC1a	1	1	958202	**2 608 837 673**
150	20	16	1.6/1	24	ATB	10,000	20	12	PC1a	1	1	958219	**2 608 837 674**
160	20	15.875	1.5/1	12	ATB	9,500	25	10	PC1a	1	1	958226	**2 608 837 675**
160	20	15.875	1.5/1	24	ATB	9,500	25	10	PC1a	1	1	958233	**2 608 837 676**
160	20	15.875	1.5/1	36	ATB	9,500	15	13	PC1a	1	1	958240	**2 608 837 677**
160	20	15.875	1.5/1	48	ATB	9,500	10	15	PC1a	1	1	958257	**2 608 837 678**
165	10	-	1.5/1	24	ATB	9,500	25	10	PC1a	1	1	958264	**2 608 837 679**
165	15.875	-	1.5/1	12	ATB	9,500	25	10	PC1a	1	1	958271	**2 608 837 680**
165	15.875	-	1.5/1	24	ATB	9,500	25	10	PC1a	1	1	958288	**2 608 837 681**
165	15.875	-	1.5/1	36	ATB	9,500	15	13	PC1a	1	1	958295	**2 608 837 682**
165	15.875	-	1.5/1	48	ATB	9,500	10	15	PC1a	1	1	958301	**2 608 837 683**
165	20	16	1.5/1	12	ATB	9,500	25	10	PC1a	1	1	958318	**2 608 837 684**
165	20	-	1.5/1	24	ATB	9,500	25	10	PC1a	1	1	958325	**2 608 837 685**
165	20	16	1.5/1	36	ATB	9,500	15	13	PC1a	1	1	958332	**2 608 837 686**
165	20	-	1.5/1	48	ATB	9,500	10	15	PC1a	1	1	958349	**2 608 837 687**
165	30	-	1.5/1	24	ATB	9,500	25	10	PC1a	1	1	958356	**2 608 837 688**
165	30	-	1.5/1	48	ATB	9,500	10	15	PC1a	1	1	958363	**2 608 837 689**
173	20	-	1.5/1	24	ATB	8,500	25	10	PC1a	1	1	958370	**2 608 837 690**
184	16	-	1.6/1.1	16	ATB	7,900	25	10	PC1a	1	1	958387	**2 608 837 697**
184	16	-	1.6/1.1	24	ATB	7,900	25	10	PC1a	1	1	958400	**2 608 837 698**
184	16	-	1.6/1.1	48	ATB	7,900	10	15	PC1a	1	1	958417	**2 608 837 699**
184	20	-	1.6/1.1	24	ATB	7,900	25	10	PC1a	1	1	958448	**2 608 837 702**
184	20	-	1.6/1.1	48	ATB	7,900	10	15	PC1a	1	1	958455	**2 608 837 703**
190	20	-	1.6/1.1	24	ATB	7,900	25	10	PC1a	1	1	958462	**2 608 837 704**
190	30	20	1.6/1.1	16	ATB	7,900	25	10	PC1a	1	1	958486	**2 608 837 706**
190	30	-	1.6/1.1	24	ATB	7,900	25	10	PC1a	1	1	958493	**2 608 837 708**
190	30	20	1.6/1.1	48	ATB	7,900	15	13	PC1a	1	1	958509	**2 608 837 710**
190	30	20	1.6/1.1	60	ATB	7,900	10	15	PC1a	1	1	958516	**2 608 837 711**

Circular saw blades for cordless mitre and sliding mitre saws



- Extra thin kerf for **maximum battery runtime**.
- High-quality carbide teeth guarantee reliable cutting results.
- Aggressive tooth angles enable smooth cutting performance.



standard for **Wood**







PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
184	16	1.6/1	24	ATB	7,900	5	15	PC1a	1	1	958424	**2 608 837 700**
184	16	1.6/1	48	ATB	7,900	5	15	PC1a	1	1	958431	**2 608 837 701**
190	20	1.6/1.1	48	ATB	7,900	5	15	PC1a	1	1	958479	**2 608 837 705**
216	30	1.7/1.2	24	ATB	7,000	5	15	PC1a	1	1	958554	**2 608 837 721**
216	30	1.7/1.2	48	ATB	7,000	5	15	PC1a	1	1	958561	**2 608 837 723**
250	30	2.2/1.6	24	ATB	6,000	5	15	PC1a	1	1	958592	**2 608 837 727**
250	30	2.2/1.6	48	ATB	6,000	5	15	PC1a	1	1	958608	**2 608 837 728**
305	30	2.2/1.6	40	ATB	5,000	5	15	PC1a	1	1	958646	**2 608 837 741**
305	30	2.2/1.6	60	ATB	5,000	5	15	PC1a	1	1	958653	**2 608 837 742**
305	30	2.2/1.6	96	ATB	5,000	5	15	PC1a	1	1	958660	**2 608 837 744**

Circular saw blades for cordless table saws



- Extra thin kerf for **maximum battery runtime**.
- High-quality carbide teeth guarantee reliable cutting results.
- Aggressive tooth angles enable smooth cutting performance.



standard for **Wood**







PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
210	30	1.7/1.2	24	ATB	7,000	25	10	PC1a	1	1	958530	**2 608 837 713**
210	30	1.7/1.2	48	ATB	7,000	15	13	PC1a	1	1	958547	**2 608 837 714**
216	30	1.7/1.2	24	ATB	7,000	25	10	PC1a	1	1	958578	**2 608 837 724**
216	30	1.7/1.2	48	ATB	7,000	15	13	PC1a	1	1	958585	**2 608 837 726**
254	30	2.2/1.6	24	ATB	6,000	25	10	PC1a	1	1	958615	**2 608 837 733**
254	30	2.2/1.6	40	ATB	6,000	20	12	PC1a	1	1	958622	**2 608 837 734**
254	30	2.2/1.6	60	ATB	6,000	15	13	PC1a	1	1	958639	**2 608 837 736**

Standard for Construct Wood

Circular saw blades for hand-held circular saws (nail-proof)





- The special tooth design and the wide support in the tooth spine ensure high resistance when cutting construction site timber with foreign bodies such as nails and concrete residues.

CONSTRUCT WOOD







PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
150	20	16	2.4/1.4	12	HB	10,000	12	10	C1a	1	1	373814	**2 608 641 199**
160	20	16	2.6/1.6	12	HB	9,500	12	10	C1a	1	1	194235	**2 608 640 630**
180	30	20	2.6/1.6	12	HB	8,500	13	12	C1a	1	1	194259	**2 608 640 632**
184	16	-	2.6/1.6	12	HB	8,000	13	12	C1a	1	1	373821	**2 608 641 200**
190	20	16	2.6/1.6	12	HB	8,000	12	10	C1a	1	1	373838	**2 608 641 201**
190	30	-	2.6/1.6	12	HB	8,000	12	10	C1a	1	1	194266	**2 608 640 633**
210	30	-	2.8/1.8	14	HB	7,500	12	10	C1a	1	1	194273	**2 608 640 634**
230	30	-	2.8/1.8	16	HB	6,500	10	12	C1a	1	1	194280	**2 608 640 635**
235	30	25	2.8/1.8	16	HB	6,500	10	12	C1a	1	1	194297	**2 608 640 636**

Circular saw blades for table saws (standard)





CONSTRUCT WOOD







PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
300	30	2.8/1.8	20	ATB	5,000	7/42 10/60	20	10	C1a	1	1	194792	**2 608 640 700**
315	30	3.2/2.2	20	ATB	5,000	7/42	20	10	C1a	1	1	194808	**2 608 640 701**
350	30	3.2/2.2	24	ATB	4,500	10/60	18	12	C1a	1	1	194815	**2 608 640 702**
400	30	3.2/2.2	28	ATB	4,000	10/60	17	13	C1a	1	1	194822	**2 608 640 703**
450	30	3.8/2.8	32	ATB	3,500	10/60	16	14	C1a	1	1	194839	**2 608 640 704**
500	30	3.8/2.8	36	ATB	3,000	-	15	10	C0a	1	1	194846	**2 608 640 705**
600	30	4/3	40	ATB	2,500	-	15	10	C0a	1	1	236843	**2 608 640 761**
700	30	4.2/3.2	46	ATB	2,000	-	15	10	C0a	1	1	236850	**2 608 640 762**

Circular saw blades for table saws (nail-proof)





CONSTRUCT WOOD







250	30	3.2/2.2	20	HB	6,000	7/42	20	10	C1a	1	1	455626	**2 608 641 774**
300	30	3.2/2.2	20	HB	5,000	7/42 10/60	17	10	C1a	1	1	194730	**2 608 640 690**
315	30	3.2/2.2	20	HB	5,000	7/42	18	10	C1a	1	1	194747	**2 608 640 691**
350	30	3.5/2.5	24	HB	4,500	10/60	16	10	C1a	1	1	194754	**2 608 640 692**
400	30	3.5/2.5	28	HB	4,000	10/60	15	10	C1a	1	1	194761	**2 608 640 693**
450	30	3.8/2.8	32	HB	3,500	10/60	14	10	C1a	1	1	194778	**2 608 640 694**
500	30	3.8/2.8	36	HB	3,000	10/60	14	10	C0a	1	1	195294	**2 608 640 695**

Standard for Aluminium

Circular saw blades for cordless plunge and hand-held circular saws and cordless dry-cutters



- Extra thin kerf for **maximum battery runtime**.
- High-quality carbide teeth support clean and precise results.



standard for **Aluminium**







PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
136	15.875	-	1.6/1.1	50	HLTCG	11,000	0	15	PC1a	1	1	958752	**2 608 837 753**
136	20	-	1.6/1.1	50	HLTCG	11,000	0	15	PC1a	1	1	958769	**2 608 837 754**
140	10	-	1.6/1.1	50	HLTCG	11,000	0	15	PC1a	1	1	958837	**2 608 837 761**
140	20	-	1.6/1.1	50	HLTCG	11,000	0	15	PC1a	1	1	958776	**2 608 837 755**
150	10	-	1.8/1.3	52	HLTCG	10,000	0	15	PC1a	1	1	958844	**2 608 837 762**
150	20	-	1.8/1.3	52	HLTCG	10,000	0	15	PC1a	1	1	958783	**2 608 837 756**
160	20	15.875	1.8/1.3	52	HLTCG	9,500	0	15	PC1a	1	1	958790	**2 608 837 757**
165	15.875	-	1.8/1.3	54	HLTCG	9,500	0	15	PC1a	1	1	958806	**2 608 837 758**
165	20	-	1.8/1.3	54	HLTCG	9,500	0	15	PC1a	1	1	958851	**2 608 837 763**
165	30	-	1.8/1.3	54	HLTCG	9,500	0	15	PC1a	1	1	958868	**2 608 837 764**
173	20	-	1.8/1.3	60	HLTCG	8,500	0	15	PC1a	1	1	958813	**2 608 837 759**
184	16	-	2/1.5	56	HLTCG	7,900	0	15	PC1a	1	1	958875	**2 608 837 766**
184	20	-	2/1.5	56	HLTCG	7,900	0	15	PC1a	1	1	958899	**2 608 837 768**
190	20	-	2/1.5	56	HLTCG	7,900	0	15	PC1a	1	1	958905	**2 608 837 769**
190	30	-	2/1.5	56	HLTCG	7,900	0	15	PC1a	1	1	958929	**2 608 837 771**

Circular saw blades for cordless mitre and sliding mitre saws



- Extra thin kerf for **maximum battery runtime**.
- High-quality carbide teeth support clean and precise results.



standard for **Aluminium**



HLTCG





PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
184	16	2/1.5	56	HLTCG	7,900	0	15	PC1a	1	1	958882	**2 608 837 767**
190	20	2/1.5	56	HLTCG	7,900	0	15	PC1a	1	1	958912	**2 608 837 770**
216	30	2.2/1.6	64	HLTCG	7,000	0	15	PC1a	1	1	958950	**2 608 837 776**
250	30	2.4/1.8	68	HLTCG	6,000	0	15	PC1a	1	1	958974	**2 608 837 778**
305	30	2.4/1.8	96	HLTCG	5,000	0	15	PC1a	1	1	958998	**2 608 837 782**

Circular saw blades for cordless table saws



- Extra thin kerf for **maximum battery runtime**.
- High-quality carbide teeth support clean and precise results.



standard for **Aluminium**



ATB





PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
210	30	1.9/1.3	54	HLTCG	7,000	0	15	PC1a	1	1	958943	**2 608 837 773**
254	30	2.4/1.8	68	HLTCG	6,000	0	15	PC1a	1	1	958981	**2 608 837 780**

Standard for Steel

Circular saw blades for cordless hand dry cutters



- Extra thin kerf for **maximum battery runtime**.
- High-quality carbide teeth support clean and precise results.



standard for Steel







PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
136	20	1.6/1.2	30	HB	5,400	6	10	C1a	1	1	813860	**2 608 644 225**
136	15.875	1.6/1.2	30	HB	5,400	6	10	PC1a	1	1	958677	**2 608 837 745**
136	20	1.6/1.2	30	HB	5,400	6	10	PC1a	1	1	958684	**2 608 837 746**
140	20	1.6/1.2	30	HB	5,400	6	10	PC1a	1	1	958691	**2 608 837 747**
150	20	1.6/1.2	32	HB	5,000	6	10	PC1a	1	1	958707	**2 608 837 748**
160	20	1.6/1.2	36	HB	4,600	6	10	PC1a	1	1	958714	**2 608 837 749**
173	20	1.6/1.2	36	HB	4,100	6	10	PC1a	1	1	958721	**2 608 837 750**

Standard for Multi Material

Circular saw blades for hand-held circular saws





- The perfect blade for powerful cuts with clean cut edges in all different kinds of materials.
- Using the universal cutting oil 2 607 001 409 increases the lifetime several times when cutting in metals such as aluminium.

MULTI MATERIAL







PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
130	20	16	2/1.4	42	HLTCG	11,500	-5	15	C1a	1	1	373777	**2 608 641 195**
150	20	16	2/1.4	42	HLTCG	10,000	-5	15	C1a	1	1	192910	**2 608 640 501**
160	25.4	16 19 20	2/1.5	60	TCG	9,500	-5	15	C1a	1	1	601993	**2 608 642 192**
160	20	16	2.4/1.8	42	HLTCG	9,500	-5	15	C1a	1	1	192934	**2 608 640 503**
165	30	-	2.4/1.8	42	HLTCG	9,500	-5	15	C1a	1	1	193092	**2 608 640 519**
180	30	20	2.4/1.8	48	HLTCG	8,500	-5	15	C1a	1	1	192972	**2 608 640 507**
184	16	-	2.4/1.8	48	HLTCG	8,000	-5	15	C1a	1	1	263405	**2 608 640 815**
184	20	16	2/1.5	60	TCG	8,000	-5	15	C1a	1	1	602006	**2 608 642 193**
184	30	-	2.4/1.8	48	HLTCG	8,000	-5	15	C1a	1	1	192965	**2 608 640 506**
190	20	16	2.4/1.8	54	HLTCG	8,000	-5	15	C1a	1	1	192989	**2 608 640 508**
190	30	-	2.4/1.8	54	HLTCG	8,000	-5	15	C1a	1	1	192996	**2 608 640 509**
200	30	-	2.4/1.8	54	HLTCG	7,500	-5	15	C1a	1	1	193009	**2 608 640 510**
210	30	-	2.4/1.8	54	HLTCG	7,000	-5	15	C1a	1	1	193016	**2 608 640 511**
230	30	-	2.4/1.8	64	HLTCG	6,500	-5	15	C1a	1	1	193030	**2 608 640 513**
235	25	16 20	2/1.5	80	TCG	6,500	-5	15	C1a	1	1	602037	**2 608 642 197**
235	30	25	2.4/1.8	64	HLTCG	6,500	-5	15	C1a	1	1	193047	**2 608 640 514**

Circular saw blades for mitre saws and table saws





- Using the universal cutting oil 2 607 001 409 increases the lifetime several times when cutting in metals such as aluminium.

MULTI MATERIAL





PRODUCT PROPERTIES										ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
210	25	16 20	2/1.5	60	TCG	7,000	no	-5	15	C1a	1	1	602020	**2 608 642 195**
210	30	-	2.5/1.8	80	HLTCG	7,000	-	-5	15	C1a	1	1	317436	**2 608 640 445**
216	30	-	2.5/1.8	60	HLTCG	7,000	-	-5	15	C1a	1	1	317443	**2 608 640 446**
216	30	-	2.5/1.8	80	HLTCG	7,000	-	-5	15	C1a	1	1	317450	**2 608 640 447**
250	30	-	3.2/2.5	80	HLTCG	6,000	7/42	-5	18	C1a	1	1	193061	**2 608 640 516**
254	30	-	3.2/2.5	60	HLTCG	6,000	-	-5	15	C1a	1	1	317474	**2 608 640 449**
254	30	25	2.7/2	60	TCG	6,000	no	-5	15	C1a	1	1	602075	**2 608 642 200**
254	30	25	2.7/2	80	TCG	6,000	no	-5	15	C1a	1	1	602082	**2 608 642 201**
254	30	25	2.7/2	120	TCG	6,000	no	-5	15	C1a	1	1	602105	**2 608 642 203**
254	30	-	3.2/2.5	80	HLTCG	6,000	-	-5	15	C1a	1	1	317481	**2 608 640 450**
254	30	-	3.2/2.5	96	HLTCG	6,000	-	-5	15	C1a	1	1	317498	**2 608 640 451**
260	30	-	3.2/2.5	80	HLTCG	6,000	-	-5	18	C1a	1	1	373869	**2 608 641 204**
300	30	-	3.2/2.5	96	HLTCG	5,000	7/42 10/60	-5	18	C1a	1	1	193085	**2 608 640 518**
305	30	25.4 25 20	3.2/2.5	60	TCG	5,000	-	-5	15	C1a	1	1	352628	**2 608 640 981**
305	30	20 25	2.7/2	80	TCG	5,000	no	-5	15	C1a	1	1	602150	**2 608 642 208**
305	30	20 25	2.7/2	100	TCG	5,000	no	-5	15	C1a	1	1	602167	**2 608 642 209**
305	30	20 25	2.7/2	120	TCG	5,000	no	-5	15	C1a	1	1	602174	**2 608 642 210**
305	30	-	3.2/2.5	80	HLTCG	5,000	-	-5	15	C1a	1	1	317504	**2 608 640 452**
305	30	-	3.2/2.5	96	HLTCG	5,000	-	-5	15	C1a	1	1	317511	**2 608 640 453**
350	30	-	3.2/2.5	96	HLTCG	4,500	-	-5	18	C1a	1	1	236935	**2 608 640 770**
355	30	20 25	3/2.4	80	TCG	4,500	no	-5	18	C1a	1	1	602198	**2 608 642 212**
355	30	20 25	3/2.4	100	TCG	4,500	no	-5	18	C1a	1	1	602204	**2 608 642 213**
355	30	20 25	3/2.4	120	TCG	4,500	no	-5	18	C1a	1	1	602211	**2 608 642 214**
254	30	25	2.7/2	100	TCG	6,000	no	-5	15	C1a	1	1	602099	**2 608 642 202**

Circular saw blades for cordless hand-held circular saws



- Extra thin kerf for **maximum battery runtime**.
- High-quality carbide teeth support clean and precise results.



standard for **MultiMaterial**



HLTCG





PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
85	15	1.5/1	30	HLTCG	18,000	0	15	PC1a	1	1	958745	**2 608 837 752**

General Purpose

General purpose circular saw blades for handheld circular saws







PRODUCT PROPERTIES							ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
160	25.4	16 19 20	24	ATB	9,500	16	PC1b	1	1	965682	**2 608 644 560**
160	25.4	16 19 20	40	ATB	9,500	13	PC1b	1	1	965699	**2 608 644 561**
160	25.4	16 19 20	60	ATB	9,500	13	PC1b	1	1	965705	**2 608 644 562**
184	20	16	20	ATB	8,000	13	PC1b	1	1	965712	**2 608 644 563**
184	20	16	40	ATB	8,000	12	PC1b	1	1	965729	**2 608 644 564**
184	20	16	60	ATB	8,000	14	PC1b	1	1	965736	**2 608 644 565**
210	25	16 20	24	ATB	7,000	14	PC1b	1	1	965743	**2 608 644 566**
210	25	16 20	40	ATB	7,000	15	PC1b	1	1	965750	**2 608 644 567**
210	25	16 20	60	ATB	7,000	15	PC1b	1	1	965767	**2 608 644 568**
235	25	16 20	20	ATB	6,500	14	PC1b	1	1	965798	**2 608 644 571**
235	25	16 20	40	ATB	6,500	14	PC1b	1	1	965804	**2 608 644 572**
235	25	16 20	60	ATB	6,500	13	PC1b	1	1	965811	**2 608 644 573**
184	20	16	20	ATB	8,000	13	PC1b	10	1	965934	**2 608 644 585**
235	25	20 16	20	ATB	6,500	14	PC1b	10	1	965958	**2 608 644 587**

General purpose circular saw blade sets for handheld circular saws







184	20	16	20 40	ATB	8,000 8,000	13 12	PC1b	2	1	965910	**2 608 644 583**
184	20	16	16 24 40	ATB	8,000 8,000 8,000	10 10 12	PC1b	3	1	965927	**2 608 644 584**
235	25	20 16	20 40 60	ATB	6,500 6,500 6,500	14 14 13	PC1b	3	1	965941	**2 608 644 586**

General purpose circular saw blades for mitre saws and table saws







PRODUCT PROPERTIES						ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
216	30	25	24	ATB	7,000	PC1b	1	1	965774	**2 608 644 569**
216	30	25	48	ATB	7,000	PC1b	1	1	965781	**2 608 644 570**
254	30	25.4 25 20 16	24	ATB	6,000	PC1b	1	1	965828	**2 608 644 574**
254	30	25.4 25 20 16	40	ATB	6,000	PC1b	1	1	965835	**2 608 644 575**
254	30	25.4 25 20 16	60	ATB	6,000	PC1b	1	1	965842	**2 608 644 576**
254	30	25.4 25 20 16	80	ATB	6,000	PC1b	1	1	965859	**2 608 644 577**
254	30	25.4 25 20 16	100	ATB	6,000	PC1b	1	1	965866	**2 608 644 578**
305	30	25.4 25 20 16	40	ATB	5,000	PC1b	1	1	965873	**2 608 644 579**
305	30	25.4 25 20 16	60	ATB	5,000	PC1b	1	1	965880	**2 608 644 580**
305	30	25.4 25 20 16	80	ATB	5,000	PC1b	1	1	965897	**2 608 644 581**
305	30	25.4 25 20 16	100	ATB	5,000	PC1b	1	1	965903	**2 608 644 582**

Cordless Wood

Wood circular saw blades for cordless handheld circular saws











PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
136	20	-	1.4/0.76	24	ATB	10,400	14	PC1b	1	1	229663	**2 608 840 001**
160	20	16	1.6/1.05	20	ATB	9,500	10	PC1b	1	1	965965	**2 608 644 588**
160	20	16	1.6/1.05	40	ATB	9,500	15	PC1b	1	1	965972	**2 608 644 589**
165	20	10	1.6/1.02	18	ATB	8,800	14	PC1b	1	1	229670	**2 608 840 002**
165	20	10	1.6/1.02	24	ATB	8,800	14	PC1b	1	1	229687	**2 608 840 003**
165	20	10	1.6/1.02	40	ATB	8,800	14	PC1b	1	1	229694	**2 608 840 004**
184	20	16	1.6/1.05	20	ATB	8,000	12	PC1b	1	1	965989	**2 608 644 590**
184	20	16	1.6/1.05	40	ATB	8,000	11	PC1b	1	1	965996	**2 608 644 591**
210	25	16	1.8/1.25	20	ATB	7,000	12	PC1b	1	1	966009	**2 608 644 592**
210	25	16	1.8/1.25	40	ATB	7,000	15	PC1b	1	1	966016	**2 608 644 593**
235	25	16 20	1.8/1.25	60	ATB	6,500	15	PC1b	1	1	966023	**2 608 644 594**
160	20	16	2.5/1.8	40	ATB	6,000	14	PC1b	10	1	966047	**2 608 644 596**

Wood Circular Saw Blades for Cordless Mitre and Table Saws











PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Circular saw blade wood for cordless table saws.					
	PC1b	1	1	986168	**2 608 644 648**
	PC1c	1	1	986144	**2 608 644 646**
	PC1b	1	1	986151	**2 608 644 647**

Wood circular saw blade sets for cordless handheld circular saws











PRODUCT PROPERTIES							ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
184	20	16	20	ATB	8,000	12	PC1b	2	1	966030	**2 608 644 595**
			40		8,000	11					

Ferrous Metal

Ferrous Metal circular saw blades for handheld dry-cutters







PRODUCT PROPERTIES						ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
160	20	32	ATB	5,000	12	PC1b	1	1	966160	**2 608 644 608**
180	20	38	ATB	4,500	12	PC1b	1	1	966177	**2 608 644 609**

Fibre Cement

Fibre Cement circular saw blades for handheld circular saws







PRODUCT PROPERTIES							ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
182	20	16	6	HLTCG	10,000	15	PC1b	1	1	966184	**2 608 644 610**

Multi Material

Multi Material circular saw blades for handheld circular saws







PRODUCT PROPERTIES							ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
160	25.4	16 19 20	60	HLTCG	9,500	16	PC1b	1	1	966054	**2 608 644 597**
184	20	16	60	HLTCG	8,000	15	PC1b	1	1	966061	**2 608 644 598**
210	25	16 20	60	HLTCG	7,000	16	PC1b	1	1	966078	**2 608 644 599**
235	25	16 20	80	HLTCG	6,500	15	PC1b	1	1	966092	**2 608 644 601**

Multi Material circular saw blades for mitre saws and table saws







216	30	25	80	HLTCG	7,000	16	PC1b	1	1	966085	**2 608 644 600**
254	30	25.4 25 20	60	HLTCG	6,000	16	PC1b	1	1	966108	**2 608 644 602**
254	30	25.4 25 20	80	HLTCG	6,000	16	PC1b	1	1	966115	**2 608 644 603**
254	30	25.4 25 20	100	HLTCG	6,000	17	PC1b	1	1	966122	**2 608 644 604**
254	30	25.4 25 20	120	HLTCG	6,000	17	PC1b	1	1	966139	**2 608 644 605**
305	30	25.4 25 20	60	HLTCG	5,000	15	PC1b	1	1	966146	**2 608 644 606**
305	30	25.4 25 20	100	HLTCG	5,000	15	PC1b	1	1	966153	**2 608 644 607**

Eco for Wood

Circular saw blades for hand-held circular saws



PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 25													
110	-	-	1.8/1.1	30	ATB	-	-	17	C0a	25	1	991537	**2 608 644 660**
110	-	-	1.8/1.1	40	ATB	-	-	17	C0a	25		991544	**2 608 644 661**
130	20	16	1.8/1.1	36	ATB	11,500	18	13	PC1b	1	1	890922	**2 608 644 370**
150	20	16	2.2/1.4	36	ATB	10,000	16	13	PC1b	1	1	890939	**2 608 644 371**
160	20	16	2.2/1.4	18	ATB	9,500	16	15	PC1b	1	1	890946	**2 608 644 372**
160	20	16	2.2/1.4	24	ATB	9,500	16	15	PC1b	1	1	890953	**2 608 644 373**
160	20	16	2.2/1.4	36	ATB	9,500	16	15	PC1b	1	1	890960	**2 608 644 374**
184	20	16	2.2/1.4	24	ATB	8,000	18	13	PC1b	1	1	891196	**2 608 644 398**
184	20	16	2.2/1.4	40	ATB	8,000	16	15	PC1b	1	1	891202	**2 608 644 399**
184	20	16	2.2/1.4	60	ATB	8,000	16	15	PC1b	1	1	891219	**2 608 644 400**
184	30	-	2.2/1.4	40	ATB	8,000	16	15	PC1b	1		891363	**2 608 644 415**
184	30	-	2.2/1.4	60	ATB	8,000	16	15	PC1b	1	1	891370	**2 608 644 416**
190	20	16	2.2/1.4	48	ATB	8,000	16	15	PC1b	1	1	891004	**2 608 644 378**
									PC1b	1	1	891233	**2 608 644 402**
190	30	-	2.2/1.4	24	ATB	8,000	16	15	PC1b	1	1	890984	**2 608 644 376**
190	30	-	2.2/1.4	48	ATB	8,000	16	15	PC1b	1	1	890991	**2 608 644 377**
									PC1b	1	1	891226	**2 608 644 401**
200	32	-	2.6/1.6	24	ATB	7,500	16	15	PC1b	1	1	891011	**2 608 644 379**
200	32	-	2.6/1.6	48	ATB	7,500	16	15	PC1b	1	1	891028	**2 608 644 380**
230	30	-	2.8/1.8	24	ATB	6,500	16	15	PC1b	1	1	891035	**2 608 644 381**
230	30	-	2.8/1.8	48	ATB	6,500	16	15	PC1b	1	1	891042	**2 608 644 382**
235	25	-	2.8/1.8	60	ATB	6,500	15	15	PC1b	1	1	891394	**2 608 644 418**
235	30	25 20	2.8/1.8	24	ATB	6,500	18	13	PC1b	1	1	891240	**2 608 644 403**
235	30	25 21	2.8/1.8	40	ATB	6,500	15	15	PC1b	1	1	891257	**2 608 644 404**
235	30	25 22	2.8/1.8	60	ATB	6,500	15	15	PC1b	1	1	891264	**2 608 644 405**
160	20	-	2.2/1.4	40	-	-	-	-	PC1a	1	1	999298	**2 608 644 662**

Circular saw blades for mitre saws and table saws





eco for Wood









PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
254	30	-	3/2	40	ATB	6,000	15	15	PC1b	1	1	891059	**2 608 644 383**
254	30	-	3/2	80	ATB	6,000	13	17	PC1b	1	1	891066	**2 608 644 384**
254	30	25.4	3/2	40	ATB	6,000	15	15	PC1b	1	1	891271	**2 608 644 406**
254	30	25.4	3/2	60	ATB	6,000	15	15	PC1b	1	1	891288	**2 608 644 407**
254	30	25.4	3/2	100	ATB	6,000	15	15	PC1b	1	1	891295	**2 608 644 408**
254	30	25.4	3/2	80	ATB	6,000	13	17	PC1b	1	1	891400	**2 608 644 419**
305	30	-	3.2/2.2	40	ATB	5,000	15	15	PC1b	1	1	891462	**2 608 644 385**
305	30	-	3.2/2.2	100	ATB	5,000	15	4	PC1b	1	1	891073	**2 608 644 386**
305	30	25.4	3.2/2.2	40	ATB	5,000	15	15	PC1b	1	1	891301	**2 608 644 409**
305	30	25.4	3.2/2.2	80	ATB	5,000	15	15	PC1b	1	1	891318	**2 608 644 410**
305	30	25.4	3.2/2.2	60	ATB	5,000	15	15	PC1b	1	1	891417	**2 608 644 420**

Eco for MDF

Circular saw blades for hand-held circular saws

eco for MDF









PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
184	20	16	2.2/1.4	60	ATB	8,000	10	17	PC1b	1	1	891455	**2 608 644 424**

Eco for Aluminium

Circular saw blades for hand-held circular saws





eco FOR Aluminium









PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
150	20	16	2/1.4	42	TCG	10,000	5	13	PC1b	1	1	891080	**2 608 644 387**
160	20	16	2/1.4	42	TCG	9,500	5	13	PC1b	1	1	891097	**2 608 644 388**
184	20	16	2.2/1.6	60	TCG	8,000	5	13	PC1b	1	1	891325	**2 608 644 411**
190	20	16	2.2/1.6	54	TCG	8,000	5	13	PC1b	1	1	891110	**2 608 644 390**
190	30	-	2.2/1.6	54	TCG	8,000	5	13	PC1b	1	1	891103	**2 608 644 389**
210	30	-	2.4/1.8	64	TCG	7,000	5	13	PC1b	1	1	891127	**2 608 644 391**
230	30	-	3/2.2	64	TCG	6,500	5	13	PC1b	1	1	891134	**2 608 644 392**
235	30	25	3/2.2	60	TCG	6,500	5	13	PC1b	1	1	891424	**2 608 644 421**
235	30	25	3/2.2	80	TCG	6,500	5	13	PC1b	1	1	891431	**2 608 644 422**

Circular saw blades for mitre saws and table saws



eco FOR Aluminium





250	30	-	3/2.2	80	TCG	6,000	7	13	PC1b	1	1	891141	**2 608 644 393**
254	30	-	3/2.2	80	TCG	6,000	7	13	PC1b			891158	**2 608 644 394**
254	30	-	3/2.2	96	TCG	6,000	7	13	PC1b	1	1	891165	**2 608 644 395**
254	30	25.4	3/2.2	96	TCG	6,000	7	13	PC1b	1	1	891332	**2 608 644 412**
254	30	25.4	3/2.2	80	TCG	6,000	7	13	PC1b	1	1	891349	**2 608 644 413**
305	30	-	3/2.2	96	TCG	5,000	7	13	PC1b	1	1	891172	**2 608 644 396**
305	30	-	3/2.2	80	TCG	5,000	7	13	PC1b	1	1	891189	**2 608 644 397**
305	30	25.4	3/2.2	80	TCG	5,000	7	13	PC1b	1	1	891356	**2 608 644 414**
305	30	25.4	3/2.2	96	TCG	5,000	7	13	PC1b	1	1	891448	**2 608 644 423**

Circular saw blades for mitre saws and table saws

PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
254	30	-	3/2.2	100	-	-	-	-	PC1a	1	1	999304	**2 608 644 663**

Accessories for Circular Saws

Reducing Rings for Circular Saw Blades



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Bore size mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Reduction rings for circular saw blades Base blade thickness of 0.7 mm up to max. 1.0 mm							
15	12.7	0.6	P1c	1	1	527635	**2 600 100 371**
15	10	0.6	P1c	1	1	527642	**2 600 100 372**
Reduction rings for circular saw blades Base blade thickness of 1.0 mm up to max. 1.2 mm							
20	10	0.8	P1c	1	1	527659	**2 600 100 373**
20	15.875	0.8	P1c	1	1	527666	**2 600 100 374**
20	16	0.8	P1c	1	1	527680	**2 600 100 376**
30	20	0.8	P1c	1	1	527703	**2 600 100 378**
Reduction rings for circular saw blades Base blade thickness of 1.2 mm up to max. 1.5 mm							
20	15.875	1	P1c	1	1	527673	**2 600 100 375**
20	16	1	P1c	1	1	527697	**2 600 100 377**
30	20	1	P1c	1	1	527710	**2 600 100 379**
Reduction rings for circular saw blades Base blade thickness of 1.6 mm up to max. 1.8 mm							
30	25.4	1.2	P1c	1	1	527727	**2 600 100 380**
Reduction rings for circular saw blades Base blade thickness of 1.0 mm up to max. 1.3 mm							
20	12.75	0.8	P1b	1	1	433518	**2 600 100 185**
20	15.875	0.8	P1b	1	1	433525	**2 600 100 186**
20	16	0.8	P1b	1	1	433532	**2 600 100 187**
Reduction rings for circular saw blades Base blade thickness of 1.25 mm up to max. 1.4 mm							
20	16	1	P1b	1	1	433549	**2 600 100 188**
Reduction rings for circular saw blades Base blade thickness of 1.4 mm up to max. 1.7 mm							
16	12.75	1.2	P1b	1	1	433587	**2 600 100 192**
20	10	1.2	P1b	1	1	433594	**2 600 100 193**
20	12.75	1.2	P1b	1	1	433600	**2 600 100 194**
20	13	1.2	P1b	1	1	433617	**2 600 100 195**
20	16	1.2	P1b	1	1	433631	**2 600 100 197**
25	15.875	1.2	P1b	1	1	433679	**2 600 100 201**
25	16	1.2	P1b	1	1	433686	**2 600 100 202**
25	20	1.2	P1b	1	1	433693	**2 600 100 203**
25.4	20	1.2	P1b	1	1	433730	**2 600 100 207**
30	20	1.2	P1b	1	1	433747	**2 600 100 208**
30	24	1.2	P1b	1	1	433754	**2 600 100 209**
30	25	1.2	P1b	1	1	433761	**2 600 100 210**
30	25.4	1.2	P1b	1	1	433778	**2 600 100 211**

Reducing Rings for Circular Saw Blades

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Bore size mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Reduction rings for circular saw blades Base blade thickness of 1.7 mm up to max. 2.2 mm							
20	16	1.5	P1b	1	1	433785	**2 600 100 212**
25	16	1.5	P1b	1	1	433808	**2 600 100 214**
25	20	1.5	P1b	1	1	433815	**2 600 100 215**
25.4	16	1.5	P1b	1	1	433839	**2 600 100 217**
25.4	20	1.5	P1b	1	1	433853	**2 600 100 219**
30	20	1.5	P1b	1	1	433860	**2 600 100 220**
30	25	1.5	P1b	1	1	433877	**2 600 100 221**
30	25.4	1.5	P1b	1	1	433884	**2 600 100 222**
35	30	1.5	P1b	1	1	433914	**2 600 100 225**
Reduction rings for circular saw blades Base blade thickness of 2.2 mm up to max. 3.0 mm							
25.4	16	1.8	P1b	1	1	433938	**2 600 100 227**
25.4	20	1.8	P1b	1	1	433945	**2 600 100 228**
30	20	1.8	P1b	1	1	433969	**2 600 100 230**
30	25	1.8	P1b	1	1	433976	**2 600 100 231**
30	25.4	1.8	P1b	1	1	433983	**2 600 100 232**





ROUTER BITS AND PLANER KNIVES

Fine-finish performance

The best your tool can get. Bosch Professional Accessories.





Expert for Wood Straight bits

Expert for Wood Straight bits, two flutes, solid carbide





▸ **Suitable for** laminated workpieces made of wood-based materials or soft and hard solid wood and panel materials

expert Wood





PRODUCT PROPERTIES				ORDERING INFORMATION				
Shank mm	Diameter (D) mm	Working length (L) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8	3	9.5	50.7	P1p	1	1	802000	**2 608 629 353**
8	4	15.8	50.7	P1p	1	1	802017	**2 608 629 354**
8	5	12.7	50.8	P1p	1	1	802031	**2 608 629 356**
8	6	16	50.8	P1p	1	1	802048	**2 608 629 357**
8	6	25.4	76.2	P1p	1	1	802024	**2 608 629 355**

Expert for Wood Straight bits, two flutes, carbide





▸ **Suitable for** laminated workpieces made of wood-based materials or soft and hard solid wood and panel materials

expert Wood





8	8	19	52	P1p	1	1	802055	**2 608 629 358**
8	8	31.8	70	P1p	1	1	802062	**2 608 629 359**
8	10	25.4	62.4	P1p	1	1	802390	**2 608 629 392**
8	10	31.8	69	P1p	1	1	802406	**2 608 629 393**
8	12	31.8	63.8	P1p	1	1	802079	**2 608 629 360**
8	16	31.8	66	P1p	1	1	802086	**2 608 629 361**
8	20	19	56	P1p	1	1	802093	**2 608 629 362**
12	8	31.8	76	P1p	1	1	802109	**2 608 629 363**
12	10	31.8	76	P1p	1	1	802116	**2 608 629 364**
12	12	38.1	80	P1p	1	1	802123	**2 608 629 365**
12	12	50.5	98	P1p	1	1	802130	**2 608 629 366**

Expert for Wood Hinge mortising bits

Expert for Wood Hinge mortising bits, two flutes, carbide





- **Suitable for** laminated workpieces made of wood-based materials or soft and hard solid wood and panel materials

expert Wood







PRODUCT PROPERTIES				ORDERING INFORMATION				
Shank mm	Diameter (D) mm	Working length (L) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8	19	12.5	51	P1p	1	1	802147	**2 608 629 367**

Expert for Wood Laminate trim bits

Expert for Wood Laminate trim bits with ball bearing pilot at bottom, two flutes, carbide





- For flush-trimming laminated and protruding material, for example laminated furniture panels
- Ball bearing enables work without a template
- **Suitable for** laminated workpieces made of wood-based materials or soft and hard solid wood and panel materials

expert for Wood





PRODUCT PROPERTIES				ORDERING INFORMATION				
Shank mm	Diameter (D) mm	Working length (L) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8	9.5	25.8	72.4	P1p	1	1	802277	**2 608 629 380**
8	12.7	25.7	72.9	P1p	1	1	802284	**2 608 629 381**
8	12.7	40	83.9	P1p	1	1	802307	**2 608 629 383**
12	12.7	38.5	94.1	P1p	1	1	802291	**2 608 629 382**
12	12.7	50.8	106.8	P1p	1	1	802314	**2 608 629 384**

Expert for Wood Laminate trim bits with ball bearing pilot at top, two flutes, carbide





- **Highly suitable for** routing with templates or guides
- **Suitable for** laminated workpieces made of wood-based materials or soft and hard solid wood and panel materials

expert for Wood





8	16	20	60	P1p	1	1	802321	**2 608 629 385**

Expert for Wood Slotting cutters

Expert for Wood Slotting cutters, three flutes, carbide





- **Suitable for** laminated workpieces made of wood-based materials or soft and hard solid wood and panel materials
- Slotting cutter 2 608 629 387 is excellent for insert biscuit dowels

expert Wood







PRODUCT PROPERTIES			ORDERING INFORMATION				
Shank mm	Working length (L) mm	Diameter (D) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8	2	50.8	PC1a	1	1	802338	**2 608 629 386**
8	2.5	50.8	PC1a	1	1	802352	**2 608 629 388**
8	3	50.8	PC1a	1	1	802369	**2 608 629 389**
8	4	50.8	PC1a	1	1	802345	**2 608 629 387**

Shank for Expert for Wood slotting cutter with ball bearing pilot



- Shank for use with “Expert for” slotting cutters

expert Wood





PRODUCT PROPERTIES				ORDERING INFORMATION				
Shank mm	Diameter (D) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8	22	60.3	P1p	1	1	802376	**2 608 629 390**

EXPERT FOR WOOD CARBIDE ROUNDOVER ROUTER BIT

Outstanding precision of cuts.



LONG LIFETIME

Due to the MicroteQ teeth made of extra hard durable carbide grains from in-house production

DURABLE CUTTING PERFORMANCE

Due to friction reducing, anti-corrosive ProteQtion coating

DIRECT, EASY GUIDING ON THE WORKPIECE

Due to high-quality ball bearing pilots designed for high speed

Expert for Wood Rounding over bits with ball bearing pilot, two flutes, carbide





- **Suitable for** soft and hard solid wood and panel materials

expert for Wood







PRODUCT PROPERTIES					ORDERING INFORMATION				
Shank mm	Radius (R1) mm	Diameter (D) mm	Working length (L) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8	2	16.7	12.7	54.9	P1p	1	1	802185	**2 608 629 371**
8	3	18.7	12.7	55.2	P1p	1	1	802192	**2 608 629 372**
8	4.8	22.2	13.2	54.9	P1p	1	1	802208	**2 608 629 373**
8	6.4	25.4	12.7	55.2	P1p	1	1	802215	**2 608 629 374**
8	7.9	28.6	12.7	55.2	P1p	1	1	802222	**2 608 629 375**
8	9.5	31	18	59.7	P1p	1	1	802239	**2 608 629 376**

Expert for Wood Rounding over bits with ball bearing pilot, two flutes, carbide

PRODUCT PROPERTIES					ORDERING INFORMATION				
Shank mm	Radius (R1) mm	Diameter (D) mm	Working length (L) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8	12.7	38.1	19	61.2	P1p	1	1	802246	**2 608 629 377**
8	15.9	44.4	22.2	64.7	P1p	1	1	802253	**2 608 629 378**

Expert for Wood Chamfer bits

Expert for Wood Chamfer bits with ball bearing pilot, two flutes, carbide





- **Suitable for** laminated workpieces made of wood-based materials or soft and hard solid wood and panel materials

expert Wood







PRODUCT PROPERTIES						ORDERING INFORMATION				
Shank mm	Angle degrees	Working length (L) mm	Width (B) mm	Diameter (D) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8	45	18.5	15.7	44	61	P1p	1	1	802260	**2 608 629 379**

Expert for Wood Core box bits, solid carbide

Expert for Wood Core box bits, two flutes, solid carbide



▶ **Suitable for** soft and hard solid wood and panel materials



expert Wood





PRODUCT PROPERTIES					ORDERING INFORMATION				
Shank mm	Radius (R1) mm	Diameter (D) mm	Working length (L) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8	3	6	12.7	50.8	P1p	1	1	802154	**2 608 629 368**

Expert for Wood V-groove bits

Expert for Wood V-groove bits, two flutes, carbide



▶ **Suitable for** soft and hard solid wood and panel materials





PRODUCT PROPERTIES					ORDERING INFORMATION				
Shank mm	Angle degrees	Diameter (D) mm	Working length (L) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8	90	12.7	10	44.4	P1p	1	1	802161	**2 608 629 369**
8	90	31.8	19	51	P1p	1	1	802178	**2 608 629 370**

Expert for Wood Ball bearing pilot sets



- Ball bearing pilots and washers as spare parts for all router bits in the “Expert for” line.
- A different routing result can be achieved by fitting different-sized ball bearing pilots, for example with rounding over bits.





PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
1 x 9.5 mm (a) / 4.76 mm (b) + washer 2 x 12.7 mm (a) / 4.76 mm (b) + washer 1 x 16 mm (a) / 8 mm (b) 1 x 22 mm (a) / 8 mm (b)	PC1a	1	1	802383	**2 608 629 391**	

Standard for Wood Straight bits

Straight bits, one flute, carbide



- For routing small grooves for chipboard tongue joints, for decorative grooves in surfaces or grooves in rubber seal profiles
- **Suitable for** solid wood and panel materials









PRODUCT PROPERTIES								ORDERING INFORMATION				
Shank mm	Shank Inch	Diameter (D) mm	Diameter (D) Inch	Working length (L) mm	Working length (L) Inch	Total length (G) mm	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6	-	3.2	-	7.7	-	51	-	P2a	1	1	374118	**2 608 628 438**
6	-	4.8	-	12.4	-	51	-	P2a	1	1	374125	**2 608 628 439**
8	-	3	-	8	-	51	-	P2a	1	1	358378	**2 608 628 376**
8	-	4	-	8	-	51	-	P2a	1	1	358385	**2 608 628 377**
8	-	5	-	12.7	-	51	-	P2a	1	1	358392	**2 608 628 378**
-	1/4	3.2	1/8	7.7	19/64	51	2 1/64	P2a	1	1	360975	**2 608 628 427**
-	1/4	4.8	3/16	12.4	31/64	51	2 1/64	P2a	1	1	360982	**2 608 628 428**

Straight bits, two flutes, carbide



- **Suitable for** solid wood and panel materials such as chipboard or MDF boards, plastics or abrasive materials such as Corian









6	-	6	-	15.6	-	48	-	P2a	1	1	374132	**2 608 628 440**
6	-	8	-	19.6	-	51	-	P2a	1	1	374149	**2 608 628 441**
6	-	9.5	-	19.6	-	51	-	P2a	1	1	374156	**2 608 628 442**
6	-	12.7	-	19.6	-	51	-	P2a	1	1	374163	**2 608 628 443**
6	-	19	-	19.6	-	51	-	P2a	1	1	374170	**2 608 628 444**
8	-	6	-	15.7	-	48	-	P2a	1	1	358408	**2 608 628 379**
8	-	7	-	19.6	-	51	-	P2a	1	1	358415	**2 608 628 380**
8	-	8	-	19.6	-	51	-	P2a	1	1	358422	**2 608 628 381**
8	-	9	-	19.6	-	51	-	P2a	1	1	358439	**2 608 628 382**
8	-	10	-	19.6	-	51	-	P2a	1	1	358446	**2 608 628 383**
8	-	11	-	19.6	-	51	-	P2a	1	1	358453	**2 608 628 384**
8	-	12	-	19.6	-	51	-	P2a	1	1	358460	**2 608 628 385**
8	-	13	-	19.6	-	51	-	P2a	1	1	358477	**2 608 628 386**
8	-	14	-	19.6	-	51	-	P2a	1	1	358361	**2 608 628 375**
8	-	15	-	19.6	-	51	-	P2a	1	1	358484	**2 608 628 387**

Straight bits, two flutes, carbide

PRODUCT PROPERTIES								ORDERING INFORMATION				
Shank mm	Shank Inch	Diameter (D) mm	Diameter (D) Inch	Working length (L) mm	Working length (L) Inch	Total length (G) mm	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8	-	16	-	19.6	-	51	-	P2a	1	1	358491	**2 608 628 388**
8	-	18	-	24.6	-	56	-	P2a	1	1	358507	**2 608 628 389**
8	-	20	-	24.6	-	56	-	P2a	1	1	358514	**2 608 628 390**
8	-	22	-	25	-	56	-	P2a	1	1	358521	**2 608 628 391**
8	-	25	-	19.6	-	51	-	P1a	1	1	358538	**2 608 628 392**
-	1/4	6.4	1/4	15.7	5/8	48	1 57/64	P2a	1	1	358729	**2 608 628 411**
-	1/4	7.9	5/16	19.6	49/64	51	2 1/64	P2a	1	1	360999	**2 608 628 429**
-	1/4	9.5	3/8	19.6	49/64	51	2 1/64	P2a	1	1	358736	**2 608 628 412**
-	1/4	12.7	1/2	19.6	49/64	51	2 1/64	P2a	1	1	358743	**2 608 628 413**
-	1/4	19	3/4	19.6	49/64	51	2 1/64	P2a	1	1	358750	**2 608 628 414**

Straight bits with extra length, two flutes, carbide





- Longer working length for greater flexibility in the application
- **Suitable for** solid wood and panel materials such as chipboard or MDF boards, plastics or abrasive materials such as Corian







PRODUCT PROPERTIES				ORDERING INFORMATION				
Shank mm	Diameter (D) mm	Working length (L) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8	8	25	56	P2a	1	1	358330	**2 608 628 372**
8	10	25	56	P2a	1	1	358347	**2 608 628 373**
8	12	31.5	62	P2a	1	1	358354	**2 608 628 374**
12	10	40	81	P2a	1	1	420273	**2 608 628 464**
12	12	40	81	P2a	1	1	420280	**2 608 628 465**
12	16	40	81	P2a	1	1	420297	**2 608 628 466**
12	18	40	81	P2a	1	1	420303	**2 608 628 467**
12	20	40	81	P2a	1	1	420310	**2 608 628 468**
12	25	40	81	P2a	1	1	420327	**2 608 628 469**
12	30	40	81	P2a	1	1	420334	**2 608 628 470**

Hinge mortising bits, two flutes, carbide



- **Suitable for** solid wood or board materials









PRODUCT PROPERTIES				ORDERING INFORMATION				
Shank mm	Diameter (D) mm	Working length (L) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8	12.7	12.7	50.8	P2a	1	1	358606	**2 608 628 399**

Standard for Wood Laminate trim bits

Laminate trim bits with ball bearing pilot, two flutes, carbide

▶ **Suitable for** solid wood and abrasive board materials.







PRODUCT PROPERTIES								ORDERING INFORMATION				
Shank mm	Shank Inch	Diameter (D) mm	Diameter (D) Inch	Working length (L) mm	Working length (L) Inch	Total length (G) mm	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6	-	6.4	-	16.2	-	54	-	P2a	1	1	374347	**2 608 628 461**
6	-	9.5	-	13.7	-	56	-	P2a	1	1	374354	**2 608 628 462**
6	-	12.7	-	12.7	-	56	-	P2a	1	1	374361	**2 608 628 463**
8	-	9.5	-	25.4	-	68	-	P2a	1	1	358071	**2 608 628 346**
8	-	12.7	-	13	-	56	-	P2a	1	1	358088	**2 608 628 347**
8	-	12.7	-	25.4	-	68	-	P2a	1	1	358095	**2 608 628 348**
-	1/4	6.4	1/4	16.7	41/64	54	2 1/8	P2a	1	1	361057	**2 608 628 635**
-	1/4	9.5	3/8	13.7	17/32	56	2 13/64	P2a	1	1	361064	**2 608 628 636**
-	1/4	12.7	1/2	12.7	1/2	56	2 13/64	P2a	1	1	361071	**2 608 628 637**

Standard for Wood Pilot panel bits

Pilot panel bit, carbide



- **Suitable for** laminated workpieces made of wooden materials or solid wood









PRODUCT PROPERTIES				ORDERING INFORMATION				
Shank mm	Diameter (D) mm	Working length (L) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8	8	18.6	66	P2a	1	1	358323	**2 608 628 371**

Standard for Wood Rabbeting bits

Rabbeting bits with ball bearing pilot, two flutes, carbide





▶ **Suitable for** solid wood and panel materials







PRODUCT PROPERTIES										ORDERING INFORMATION				
Shank mm	Shank Inch	Width (B) mm	Width (B) Inch	Working length (L) mm	Working length (L) Inch	Diameter (D) mm	Diameter (D) Inch	Total length (G) mm	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6	-	6.4	-	12.4	-	25.4	-	54	-	P2a	1	1	374224	**2 608 628 449**
8	-	9.6	-	12.5	-	31.8	-	54	-	P2a	1	1	358118	**2 608 628 350**
-	1/4	6.4	1/4	12.4	31/64	25.4	1	54	2 1/8	P1a	1	1	358781	**2 608 628 417**

Standard for Wood Dovetail bits

Dovetail bits, two flutes, carbide



- **Suitable for** solid wood









PRODUCT PROPERTIES					ORDERING INFORMATION				
Shank mm	Angle degrees	Diameter (D) mm	Working length (L) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8	15	14	14	55	P1a	1	1	358699	**2 608 628 408**

Standard for Wood Slotting cutters

Slotting cutters with ball bearing pilot, two flutes, tungsten carbide





▶ **Suitable for** solid wood and panel materials







PRODUCT PROPERTIES				ORDERING INFORMATION				
Shank mm	Working length (L) mm	Diameter (D) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8	3	32	51	P1a	1	1	358620	**2 608 628 401**
8	4	32	51	P1a	1	1	358637	**2 608 628 402**
8	5	32	51	P1a	1	1	358644	**2 608 628 403**
8	6	32	51	P1a	1	1	358651	**2 608 628 404**

Standard for Wood Tongue jointing bits

Tongue jointing bit, two flutes, carbide





▶ **Suitable for** solid wood







PRODUCT PROPERTIES					ORDERING INFORMATION				
Shank mm	Working length (L) mm	Width (B) mm	Diameter (D) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8	5	8	25	58	P1a	1	1	358149	**2 608 628 353**

Standard for Wood Cove bits

Cove bits with ball bearing pilot, two flutes, carbide



- Cove bits with ball bearing pilot for easy guiding directly on the workpiece without a template
- **Suitable for** soft and hard solid wood





PRODUCT PROPERTIES										ORDERING INFORMATION				
Shank mm	Shank Inch	Radius (R1) mm	Radius (R1) Inch	Diameter (D) mm	Diameter (D) Inch	Working length (L) mm	Working length (L) Inch	Total length (G) mm	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6	-	6.4	-	25.4	-	12.7	-	54	-	P2a	1	1	374286	**2 608 628 455**
8	-	4	-	20.7	-	8.7	-	53	-	P2a	1	1	358224	**2 608 628 361**
8	-	6	-	24.7	-	12.7	-	53	-	P1a	1	1	358231	**2 608 628 362**
8	-	8	-	28.7	-	12.7	-	54	-	P1a	1	1	358248	**2 608 628 363**
8	-	10	-	32.7	-	13.7	-	55	-	P1a	1	1	358255	**2 608 628 364**
8	-	12	-	36.7	-	15.6	-	58	-	P1a	1	1	358262	**2 608 628 365**
12	-	12	-	36.7	-	16	-	70	-	P2a	1	1	420372	**2 608 628 474**
-	1/4	6.3	1/4	25.4	1	12.7	1/2	54	2 1/8	P1a	1	1	358811	**2 608 628 420**

Standard for Wood Rounding over bits

Rounding over bits with ball bearing pilot, two flutes, carbide





- **Suitable for** solid woods such as spruce, beech, oak, alder and abrasive materials.







PRODUCT PROPERTIES								ORDERING INFORMATION				
Shank mm	Shank Inch	Radius (R1) mm	Radius (R1) Inch	Diameter (D) mm	Diameter (D) Inch	Working length (L) mm	Working length (L) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6	-	6.3	-	25.4	-	13.2	-	P1a	1	1	374293	**2 608 628 456**
6	-	9.5	-	31.8	-	16.2	-	P1a	1	1	374309	**2 608 628 457**
6	-	12.7	-	38.1	-	18.6	-	P2a	1	1	374316	**2 608 628 458**
8	-	3	-	18.7	-	10.2	-	P2a	1	1	358057	**2 608 628 344**
8	-	4	-	20.7	-	10.2	-	P2a	1	1	358002	**2 608 628 339**
8	-	6	-	24.7	-	13.2	-	P1a	1	1	358019	**2 608 628 340**
8	-	8	-	28.7	-	15.2	-	P1a	1	1	358026	**2 608 628 341**
8	-	10	-	32.7	-	16.2	-	P1a	1	1	358033	**2 608 628 342**
8	-	12	-	36.7	-	18.6	-	P1a	1	1	358040	**2 608 628 343**
8	-	15	-	42.7	-	21.6	-	P1a	1	1	358064	**2 608 628 345**
12	-	12	-	36.7	-	19	-	P2a	1	1	420341	**2 608 628 471**
-	1/4	6.3	1/4	25.4	1	13.2	33/64	P1a	1	1	358828	**2 608 628 421**
-	1/4	9.5	3/8	31.8	1 1/4	16.2	41/64	P1a	1	1	358835	**2 608 628 422**
-	1/4	12.7	1/2	38.1	1 1/2	18.6	47/64	P1a	1	1	358842	**2 608 628 423**

Standard for Wood Chamfer bits

Chamfer bits with ball bearing pilot, two flutes, carbide





- **Suitable for** solid wood and panel materials







PRODUCT PROPERTIES											ORDERING INFORMATION				
Shank mm	Shank Inch	Angle degrees	Working length (L) mm	Working length (L) Inch	Width (B) mm	Width (B) Inch	Diameter (D) mm	Diameter (D) Inch	Total length (G) mm	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6	-	45	14.7	-	11.1	-	34.9	-	56	-	P1a	1	1	374217	**2 608 628 448**
8	-	45	14.7	-	11.2	-	35	-	56	-	P1a	1	1	358132	**2 608 628 352**
-	1/4	45	14.7	37/64	11.1	7/16	34.9	1 3/8	56	2 13/64	P1a	1	1	358774	**2 608 628 416**

Chamfer/laminate trim bits with ball bearing pilot, two flutes, carbide





- For flush trimming and chamfering laminated boards, wood beams, corner beads in furniture manufacture and shop fitting
- **Suitable for** laminated workpieces made of wood-based materials, solid wood and panel materials







PRODUCT PROPERTIES						ORDERING INFORMATION				
Shank mm	Angle degrees	Working length (L) mm	Width (B) mm	Diameter (D) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8	25	11.7	5.5	23.7	54	P1a	1	1	358125	**2 608 628 351**

Standard for Wood staff bead bits

Guided staff bead bits with ball bearing pilot, carbide



- **Suitable for** solid wood







PRODUCT PROPERTIES					ORDERING INFORMATION				
Shank mm	Radius (R1) mm	Diameter (D) mm	Working length (L) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8	6	27.8	18.6	63	P1a	1	1	358217	**2 608 628 360**

Staff bead bits, two flutes, carbide



- **Suitable for** soft and hard solid wood







8	16	20.6	31.5	63	P1a	1	1	358156	**2 608 628 354**

Standard for Wood Edge forming bits

Edge forming bit A with ball bearing pilot, two flutes, carbide



▶ **Suitable for** soft and hard solid wood







PRODUCT PROPERTIES							ORDERING INFORMATION				
Shank mm	Radius (R1) mm	Width (B) mm	Diameter (D) mm	Working length (L) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8	4.8	11.2	35	14	57	P1a	1	1	358545	**2 608 628 393**

Edge forming bit B with ball bearing pilot, two flutes, carbide



▶ **Suitable for** soft and hard solid wood







PRODUCT PROPERTIES												ORDERING INFORMATION				
Shank mm	Shank Inch	Radius (R1) mm	Radius (R1) Inch	Width (B) mm	Width (B) Inch	Diameter (D) mm	Diameter (D) Inch	Working length (L) mm	Working length (L) Inch	Total length (G) mm	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6	-	4	-	8	-	28.6	-	12.4	-	54	-	P1a	1	1	374279	**2 608 628 454**
8	-	4	-	8	-	28.6	-	12.4	-	54	-	P1a	1	1	358552	**2 608 628 394**
8	-	6.3	-	12.7	-	38.1	-	17.1	-	61	-	P1a	1	1	358569	**2 608 628 395**
-	1/4	4	5/32	8	5/16	28.6	1 1/8	12.4	31/64	54	2 1/8	P1a	1	1	358804	**2 608 628 419**

Edge forming bit C with ball bearing pilot, two flutes, carbide



▶ **Suitable for** soft and hard solid wood







PRODUCT PROPERTIES						ORDERING INFORMATION				
Shank mm	Radius (R1) mm	Width (B) mm	Diameter (D) mm	Working length (L) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8	4.8	9.6	31.8	14	57	P1a	1	1	358576	**2 608 628 396**

Edge forming bit D with ball bearing pilot, two flutes, carbide



▶ **Suitable for** soft and hard solid wood







8	6.3	15.1	42.9	17.7	60	P1a	1	1	358583	**2 608 628 397**

Edge forming bits E, two flutes, carbide



▶ **Suitable for** soft and hard solid wood









PRODUCT PROPERTIES										ORDERING INFORMATION				
Shank mm	Shank Inch	Radius (R1) mm	Radius (R1) Inch	Diameter (D) mm	Diameter (D) Inch	Working length (L) mm	Working length (L) Inch	Total length (G) mm	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
6	-	6.3	-	25.4	-	14	-	46	-	P1a	1	1	374323	**2 608 628 459**
8	-	6.3	-	25.4	-	14	-	46	-	P1a	1	1	358163	**2 608 628 355**
-	1/4	6.3	1/4	25.4	1	14	35/64	46	1 13/16	P1a	1	1	358859	**2 608 628 424**

Edge forming bit F with ball bearing pilot, two flutes, carbide



▶ **Suitable for** soft and hard solid wood







PRODUCT PROPERTIES					ORDERING INFORMATION				
Shank mm	Radius (R1) mm	Diameter (D) mm	Working length (L) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
8	6.3	28.5	13.2	54	P1a	1	1	358170	**2 608 628 356**
8	9.5	35	16.2	59	P1a	1	1	358194	**2 608 628 358**

Edge forming bit G with ball bearing pilot, two flutes, carbide



▶ **Suitable for** soft and hard solid wood







PRODUCT PROPERTIES					ORDERING INFORMATION				
Shank mm	Radius (R1) mm	Diameter (D) mm	Working length (L) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8	4.8	31.8	12.4	54	P1a	1	1	358187	**2 608 628 357**
8	6.4	38	15.7	57	P1a	1	1	358200	**2 608 628 359**

Edge forming bits H, two flutes, carbide



▶ **Suitable for** soft and hard solid wood







8	2.4	12.7	12.4	46	P2a	1	1	358590	**2 608 628 398**

Standard for Wood Core box bits

Core box bits, two flutes, carbide





▶ **Suitable for** soft and hard solid wood







PRODUCT PROPERTIES										ORDERING INFORMATION				
Shank mm	Shank Inch	Radius (R1) mm	Radius (R1) Inch	Diameter (D) mm	Diameter (D) Inch	Working length (L) mm	Working length (L) Inch	Total length (G) mm	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6	-	3.2	-	6.4	-	9.2	-	40	-	P2a	1	1	374330	**2 608 628 460**
6	-	4.7	-	9.5	-	9.2	-	40	-	P2a	1	1	374248	**2 608 628 451**
6	-	6.3	-	12.7	-	9.2	-	40	-	P2a	1	1	374231	**2 608 628 450**
6	-	8	-	15.9	-	12.4	-	45	-	P2a	1	1	374255	**2 608 628 452**
6	-	12.7	-	25.4	-	15.6	-	49	-	P2a	1	1	374262	**2 608 628 453**
8	-	4	-	8	-	9.2	-	40	-	P2a	1	1	358286	**2 608 628 367**
8	-	6	-	12	-	9.2	-	40	-	P2a	1	1	358293	**2 608 628 368**
8	-	8	-	16	-	12.4	-	45	-	P2a	1	1	358309	**2 608 628 369**
8	-	10	-	20	-	12.4	-	46	-	P2a	1	1	358316	**2 608 628 370**
12	-	8	-	16	-	12.7	-	54	-	P2a	1	1	420358	**2 608 628 472**
12	-	12	-	24	-	15.9	-	57	-	P2a	1	1	420365	**2 608 628 473**
-	1/4	3.2	1/8	9.5	1/4	9.2	23/64	40	1 37/64	P2a	1	1	358866	**2 608 628 425**
-	1/4	4.7	3/16	9.5	3/8	9.2	23/64	40	1 37/64	P2a	1	1	361026	**2 608 628 632**
-	1/4	6.3	1/4	12.7	1/2	9.2	23/64	40	1 37/64	P2a	1	1	358798	**2 608 628 418**
-	1/4	8	5/16	15.9	5/8	12.3	31/64	45	1 49/64	P2a	1	1	361033	**2 608 628 633**
-	1/4	12.7	1/2	25.4	1	15.6	39/64	49	1 59/64	P1a	1	1	361040	**2 608 628 634**

Standard for Wood V-groove bits

V-groove bits, two flutes, carbide



▶ **Suitable for** solid wood







PRODUCT PROPERTIES									ORDERING INFORMATION				
Shank mm	Shank Inch	Angle degrees	Diameter (D) mm	Diameter (D) Inch	Working length (L) mm	Working length (L) Inch	Total length (G) mm	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6	-	90	9.5	-	12.4	-	45	-	P2a	1	1	374194	**2 608 628 446**
6	-	90	12.7	-	12.4	-	45	-	P2a	1	1	374200	**2 608 628 447**
8	-	60	11	-	13.7	-	45	-	P2a	1	1	358675	**2 608 628 406**
8	-	90	16	-	15.7	-	45	-	P2a	1	1	358682	**2 608 628 407**
-	1/4	90	6.3	1/4	9.2	23/64	45	1 49/64	P2a	1	1	361002	**2 608 628 630**
-	1/4	90	12.7	1/2	12.4	31/64	45	1 49/64	P2a	1	1	358767	**2 608 628 415**
-	1/4	90	9.5	3/8	12.4	31/64	45	1 49/64	P2a	1	1	361019	**2 608 628 631**

V-groove bits, one flute, carbide



▶ **Suitable for** solid wood







PRODUCT PROPERTIES					ORDERING INFORMATION				
Shank mm	Angle degrees	Diameter (D) mm	Working length (L) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6	90	6.4	9.2	45	P2a	1	1	374187	**2 608 628 445**

Standard for Wood Beading bits

Beading bits, one flute, carbide





- **Suitable for** solid wood and abrasive materials







PRODUCT PROPERTIES					ORDERING INFORMATION				
Shank mm	Radius (R1) mm	Diameter (D) mm	Working length (L) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8	3.2	9.5	10.2	41	P2a	1	1	358668	**2 608 628 405**

ROUTER BIT SETS

Fine cuts for a wide variety of applications.



6 pcs Straight Router Bit Set



6 pcs Trim and Edging Router Bit Set



15 pcs Mixed Router Bit Set



30 pcs Mixed Router Bit Set

Page number	461	462	463	465
SHANK				
6 mm; 8 mm; 1/4 inch	✓	✓	✓	✓
MATERIALS				
Hardwood	✓	✓	✓	✓
Softwood	✓	✓	✓	✓
Wooden composites	✓	✓	✓	✓
SET CONTENT				
Straight bit 1-cutter	–	–	–	✓
Straight bit 2-cutter	✓	–	✓	✓
Straight bit 3-cutter	✓	–	✓	✓
Rounding over bit	–	✓	✓	✓
Chamfer bit	–	✓	✓	✓
Flush trim bit	–	✓	✓	✓
Flush pattern bit	–	✓	✓	✓
Dovetail bit	–	–	✓	✓
V-groove bit	–	–	✓	✓
Slotting cutter	–	–	✓	✓
Rebating cutter	–	–	✓	✓
Roman ogee bit	–	–	✓	✓
Cove bit	–	–	✓	✓
Pilot panel bit	–	–	–	✓
Core box bit	–	–	–	✓
Classical moulding bit	–	–	–	✓
Hinge mortising bit	–	–	–	✓

Mixed Router Bit Sets

6-piece Straight Router Bit Sets

▶ **Set contents:** Straight bit 2-cutters (1), Straight bit 3-cutters (2)



PRODUCT PROPERTIES				ORDERING INFORMATION				
Type, router bit	Diameter (D) mm	Working length (G) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Set with 6mm shank diameter bits.								
1	6	20	54	P1k	6	1	957960	**2 607 017 465**
1	8	20	50					
1	10	30	60					
2	12	30	60					
2	16	30	60					
2	20	30	60					
Set with 8mm shank diameter bits.								
1	6	20	54	P1k	6	1	957977	**2 607 017 466**
1	8	20	50					
1	10	30	60					
2	12	30	60					
2	16	30	60					
2	20	30	60					

6-piece Straight Router Bit Sets

▶ **Set contents:** Straight bit 2-cutters (1), Straight bit 3-cutters (2)



PRODUCT PROPERTIES				ORDERING INFORMATION				
Type, router bit	Diameter (D) Inch	Working length (G) Inch	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Set with 1/4" shank diameter bits.								
1	1/4	25/32	2 1/8	P1k	6	1	957984	**2 607 017 467**
1	5/16	25/32	1 31/32					
1	3/8	1	2 11/64					
2	1/2	1 3/16	2 23/64					
2	5/8	1 3/16	2 23/64					
2	3/4	1 3/16	2 23/64					

6-piece Trim and Edging Router Bit Sets

▶ **Set contents:** Rounding over bits (1), Chamfer bits (2), Flush trim bit (3), Flush pattern bit (4)



PRODUCT PROPERTIES						ORDERING INFORMATION				
Type, router bit	Radius (R1) mm	Angle degrees	Diameter (D) mm	Working length (G) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Set with 6mm shank diameter bits.										
1	3	-	19	10	51	P1k	6	1	957991	**2 607 017 468**
1	6	-	25	13	55					
2	-	25	25	13	54					
2	-	45	35	16	56					
3	-	-	13	25	65					
4	-	-	16	25	65					
Set with 8mm shank diameter bits.										
1	3	-	19	10	51	P1k	6	1	958004	**2 607 017 469**
1	6	-	25	13	55					
2	-	25	25	13	54					
2	-	45	35	16	56					
3	-	-	13	25	65					
4	-	-	16	25	65					

6-piece Trim and Edging Router Bit Sets

▶ **Set contents:** Rounding over bits (1), Chamfer bits (2), Flush trim bit (3), Flush pattern bit (4)



PRODUCT PROPERTIES						ORDERING INFORMATION				
Type, router bit	Radius (R1) Inch	Angle degrees	Diameter (D) Inch	Working length (G) Inch	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Set with 1/4" shank diameter bits.										
1	1/8	-	3/4	3/8	2 1/64	P1k	6	1	958011	**2 607 017 470**
1	1/4	-	1	1/2	2 11/64					
2	-	25	1	1/2	2 1/8					
2	-	45	1 3/8	5/8	2 13/64					
3	-	-	1/2	1	2 9/16					
4	-	-	5/8	1	2 9/16					

15-piece Mixed Application Router Bit Sets

▶ **Set contents:** Flush trim bit (1), Flush pattern bit (2), Dovetail bit (3), Chamfer bits (4), V-groove bit (5), Slotting cutter (6), Rebating bit (7), Roman ogee bit (8), Cove bit (9), Rounding over bits (10), Straight bit 2 cutters (11), Straight bit 3 cutters (12)



PRODUCT PROPERTIES						ORDERING INFORMATION				
Type, router bit	Radius (R1) mm	Angle degrees	Diameter (D) mm	Working length (G) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Set with 6mm shank diameter.										
1	-	-	13	25	65	P1k	15	1	958028	**2 607 017 471**
2	-	-	16	25	65					
3	-	12	13	12	49					
4	-	45	35	16	56					
4	-	25	25	13	54					
5	-	60	16	18	50					
6	-	-	32	4	50					
7	-	-	32	13	54					
8	4	-	27	12	52					
9	10	-	29	12	54					
10	3	-	19	10	51					
10	6	-	25	13	55					
11	-	-	8	20	50					
11	-	-	10	30	60					
12	-	-	16	30	60					

15-piece Mixed Application Router Bit Sets

PRODUCT PROPERTIES						ORDERING INFORMATION				
Type, router bit	Radius (R1) mm	Angle degrees	Diameter (D) mm	Working length (G) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Set with 8mm shank diameter bits.										
1	-	-	13	25	65	P1k	15	1	958035	**2 607 017 472**
2	-	-	16	25	65					
3	-	12	13	12	49					
4	-	45	35	16	56					
4	-	25	25	13	54					
5	-	60	16	18	50					
6	-	-	32	4	50					
7	-	-	32	13	54					
8	4	-	27	12	52					
9	10	-	29	12	54					
10	3	-	19	10	51					
10	6	-	25	13	55					
11	-	-	8	20	50					
11	-	-	10	30	60					
12	-	-	16	30	60					

15-piece Mixed Application Router Bit Sets

- **Set contents:** Flush trim bit (1), Flush pattern bit (2), Dovetail bit (3), Chamfer bits (4), V-groove bit (5), Slotting cutter (6), Rebating bit (7), Roman ogee bit (8), Cove bit (9), Rounding over bits (10), Straight bit 2 cutters (11), Straight bit 3 cutters (12)



PRODUCT PROPERTIES						ORDERING INFORMATION				
Type, router bit	Radius (R1) Inch	Angle degrees	Diameter (D) Inch	Working length (G) Inch	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Set with 1/4" shank diameter bits.										
1	-	-	1/2	1	2 9/16	P1k	15	1	958042	**2 607 017 473**
2	-	-	5/8	1	2 9/16					
3	-	12	9/16	1/2	1 59/64					
4	-	45	1 3/8	5/8	2 13/64					
4	-	25	1	1/2	2 1/8					
5	-	60	5/8	11/16	1 31/32					
6	-	-	1 1/4	5/32	1 31/32					
7	-	-	1 1/4	1/2	2 1/8					
8	5/32	-	1 1/16	1/2	2 3/64					
9	3/8	-	1 1/8	1/2	2 1/8					
10	1/8	-	3/4	3/8	2 1/64					
10	1/4	-	1	1/2	2 11/64					
11	-	-	1/4	25/32	2 1/8					
11	-	-	1/2	1 3/16	2 23/64					
12	-	-	5/8	1 3/16	2 23/64					

30-piece Mixed Application Router Bit Sets

- **Set contents:** Straight bit 1 cutter (1), Straight bit 2 cutters (2), Straight bit 3 cutters (3), Rounding over bits (4), Flush trim bits (5), Flush pattern bit (6), Pilot panel bit (7), Slotting cutter (8), Rebating bit (9), Chamfer bits (10), V-groove bits (11), Dovetail bit (12), Roman ogee bit (13), Core box bits (14), Cove bits (15), Classical moulding bit (16), Hinge mortising bit (17)



PRODUCT PROPERTIES						ORDERING INFORMATION				
Type, router bit	Radius (R1) mm	Angle degrees	Diameter (D) mm	Working length (G) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Set with 6mm shank diameter bits.										
1	-	-	4	15	50	P1k	30	1	958059	**2 607 017 474**
2	-	-	6	20	54					
2	-	-	8	20	50					
2	-	-	10	30	60					
3	-	-	12	30	60					
3	-	-	16	30	60					
3	-	-	20	30	60					
4	3	-	19	10	51					
4	6	-	25	13	55					
4	8	-	29	13	55					
4	10	-	32	16	58					
4	12	-	38	19	60					
5	-	-	13	25	65					
5	-	-	13	13	52					
6	-	-	16	25	65					
7	-	-	8	19	60					
8	-	-	32	4	50					
9	-	-	32	13	54					
10	-	45	35	16	56					
10	-	25	25	13	54					
11	-	60	16	18	50					
11	-	90	16	16	48					
12	-	12	13	12	49					
13	4	-	27	12	52					
14	6	-	12	10	43					
14	10	-	20	13	45					
15	6	-	22	12	54					
15	10	-	29	12	54					
16	5	-	32	14	54					
17	-	-	12	13	42					

30-piece Mixed Application Router Bit Sets

PRODUCT PROPERTIES						ORDERING INFORMATION				
Type, router bit	Radius (R1) mm	Angle degrees	Diameter (D) mm	Working length (G) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Set with 8mm shank diameter bits.										
1	-	-	4	15	50	P1k	30	1	958066	**2 607 017 475**
2	-	-	6	20	54					
2	-	-	8	20	50					
2	-	-	10	30	60					
3	-	-	12	30	60					
3	-	-	16	30	60					
3	-	-	20	30	60					
4	3	-	19	10	51					
4	6	-	25	13	55					
4	8	-	29	14	55					
4	10	-	32	16	58					
4	12	-	38	19	60					
5	-	-	13	25	65					
5	-	-	13	13	52					
6	-	-	16	25	65					
7	-	-	8	19	60					
8	-	-	32	4	50					
9	-	-	32	13	54					
10	-	45	35	16	56					
10	-	25	25	13	54					
11	-	60	16	18	50					
11	-	90	16	16	48					
12	-	12	13	12	49					
13	4	-	27	12	52					
14	6	-	12	10	43					
14	10	-	20	13	45					
15	6	-	22	12	54					
15	10	-	29	12	54					
16	5	-	32	14	54					
17	-	-	12	13	42					

30-piece Mixed Application Router Bit Sets

- **Set contents:** Straight bit 1 cutter (1), Straight bit 2 cutters (2), Straight bit 3 cutters (3), Rounding over bits (4), Flush trim bits (5), Flush pattern bit (6), Pilot panel bit (7), Slotting cutter (8), Rebating bit (9), Chamfer bits (10), V-groove bits (11), Dovetail bit (12), Roman ogee bit (13), Core box bits (14), Cove bits (15), Classical moulding bit (16), Hinge mortising bit (17)



PRODUCT PROPERTIES						ORDERING INFORMATION				
Type, router bit	Radius (R1) Inch	Angle degrees	Diameter (D) Inch	Working length (G) Inch	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Set with 1/4" shank diameter bits.										
1	-	-	5/32	19/32	1 31/32	P1k	30	1	958073	**2 607 017 476**
2	-	-	1/4	25/32	2 1/8					
2	-	-	5/16	25/32	1 31/32					
2	-	-	3/8	1	2 11/64					
3	-	-	1/2	1 3/16	2 23/64					
3	-	-	5/8	1 3/16	2 23/64					
3	-	-	3/4	1 3/16	2 23/64					
4	1/8	-	3/4	3/8	2 1/64					
4	1/4	-	1	1/2	2 11/64					
4	5/16	-	1 1/8	9/16	2 11/64					
4	3/8	-	1 1/4	5/8	2 9/32					
4	1/2	-	1 1/2	3/4	2 23/64					
5	-	-	1/2	1	2 9/16					
5	-	-	1/2	1/2	2 3/64					
6	-	-	5/8	1	2 9/16					
7	-	-	5/16	3/4	2 23/64					
8	-	-	1 1/4	5/32	1 31/32					
9	-	-	1 1/4	1/2	2 1/8					
10	-	45	1 3/8	5/8	2 13/64					
10	-	25	1	1/2	2 1/8					
11	-	60	5/8	11/16	1 31/32					
11	-	90	5/8	5/8	1 57/64					
12	-	12	9/16	1/2	1 59/64					
13	5/32	-	1 1/16	1/2	2 3/64					
14	1/4	-	1/2	3/8	1 11/16					
14	3/8	-	3/4	1/2	1 49/64					
15	1/4	-	7/8	1/2	2 1/8					
15	3/8	-	1 1/8	1/2	2 1/8					
16	3/16	-	1 1/4	9/16	2 1/8					
17	-	-	1/2	1/2	1 21/32					

Accessories for Biscuit Joiners

Backing Flanges for Bosch biscuit joiners



PRODUCT PROPERTIES	ORDERING INFORMATION					
	Bore size mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Backing flange **Suitable for** GFF 22 A Professional						
	20	P1c	1	1	184380	**3 605 700 155**

Blade cutters for Bosch biscuit joiners

- For cutting grooves, biscuit joints and flat dowels in wood.
- Easy production of country style look with the versatile Bosch universal router and the appropriate Bosch straight bit.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore size mm	Number of teeth	Width [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Blade cutter **Suitable for** GUF 4-22 A Professional; PSF 22 A								
105	20	8	4	C1c	1	1	013802	**3 608 641 008**



Blade cutter **Suitable for** GUF 4-22 A Professional; PSF 22 A								
105	20	10	2.8	C1c	1	1	012546	**3 608 641 001**



Blade cutter for Universal Router GUF 4-22 A, Wall Chaser PSF 22 A, only together with backing flange 3 605 700 155 also for Biscuit Joiner GFF 22 A **Suitable for** GOF 900 A; GOF 900 ACE; GOF 1200 A; GOF 1300 ACE Professional; POF 800 ACE; POF 1100; POF 1300								
105	20	22	2.8	C1c	1	1	012560	**3 608 641 002**



Blade cutter **Suitable for** GFF 22 A Professional								
105	22	8	4	C1c	1	1	184359	**3 608 641 013**

Biscuit dowels for Bosch biscuit joiners

- For perfect joints.



PRODUCT PROPERTIES				ORDERING INFORMATION				
	Length mm	Width [mm]	Height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Biscuit dowels GR 0								
	45	15	4	P1d	50	1	081443	**2 607 000 796**
				C0a	1,000	1	032971	**2 607 000 147**
Biscuit dowels GR 10								
	55	19	4	P1d	50	1	093880	**2 607 000 797**
				C0a	1,000	1	032988	**2 607 000 148**
Biscuit dowels GR 20								
	60	23	4	P1d	50	1	012829	**2 607 000 103**
				C0a	1,000	1	032995	**2 607 000 149**

UNIVERSAL PLANER KNIVES

Fit for use on all common handheld planers.



Woodrazor Carbide Riversible Planer Knife



Standard for Wood Carbide Riversible Planer Knife



HSS Planer Knife

Page number	471	471	472
MEASUREMENT			
82.4 × 5.5 × 1.1 mm	✓	✓	–
56.0 × 5.5 × 1.1 mm	✓	✓	–
82.0 × 29.0 × 3.0 mm	–	–	✓
MATERIALS			
Hardwood	✓	✓	✓
Softwood	✓	✓	✓
Wooden composites	✓	✓	✓

Universal planer knives for hand-held planers

Carbide reversible planer knives

▶ **Appropriate for** planers from the brands Bosch, AEG, Black+Decker, Fein, Haffner, Hitachi, Holz-Her, Mafell, Makita, Metabo, Skil



Planer blade
straight, tungsten carbide, 40°
length x width: 82.4 mm x 5.5 mm

PRODUCT PROPERTIES			ORDERING INFORMATION				
Length mm	Width [mm]	Height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
82.4	5.5	1.1	PC1c	2	5	010450	**2 607 000 096**
			PC1d	10	1	117685	**2 607 001 292**



Planer blade
Sharp, straight, tungsten carbide, 40°
Sharp planing blade, ideal for Bosch Woodrazor System.
length x width: 82.4 mm x 5.5 mm

82.4	5.5	1.1	PC1c	1	5	200783	**2 608 635 376**
			PC1c	2	5	200639	**2 608 635 350**



Planer blade for GHO 12V-20
Straight, tungsten carbide, 40°
length x width: 56 mm x 5.5 mm

56	5.5	1.1	PC1d	2	1	934084	**2 608 000 672**
			PC1d	10	1	934091	**2 608 000 673**

Conventional HSS planer knives

- **Appropriate for** planers from the brands Bosch, AEG, Black+Decker, Fein, Haffner, Hitachi, Holz-Her, Mafell, Makita, Metabo, Skil



PRODUCT PROPERTIES				ORDERING INFORMATION				
	Length mm	Width [mm]	Height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Planer blade High Speed Steel, 40° length x width: 82 mm x 29 mm								
	82	29	3	PC1d	2	1	087100	**2 607 000 193**

JIGSAW BLADES

Unrivalled capability in every material

The best your tool can get. Bosch Professional Accessories.





JIGSAW BLADES FOR WOOD
The classics.



	Hardwood Fast	Hardwood 2-Side Clean	Laminate Clean	Wood 2-Side Clean	Clean for Hardwood	Speed for Hardwood
	EXPERT	EXPERT	EXPERT	EXPERT		
Page number	481	482	486	488	484	484
Available blade types	1	2	1	3	5	2
T-Shank	✓	✓	✓	✓	✓	✓
U-Shank	–	–	–	–	✓	–
	UP TO 50× LONG LIFE CARBIDE TECHNOLOGY	PRECISION	UP TO 50× LONG LIFE CARBIDE TECHNOLOGY	PRECISION		

MATERIALS

Softwood	–	–	–	✓	–	–
Plywood	–	–	–	✓	–	–
Hardwood, chipboard, MDF	✓	✓	–	–	✓	✓
Laminated boards, kitchen worktops	–	✓	–	–	✓	–
Laminate, vinyl flooring	–	–	✓	–	–	–
WPC (wood plastic composites)	✓	–	–	–	–	–
Construction wood	✓	–	–	–	–	✓

*Bosch EXPERT products vs. Bosch standard products








	Special for Laminate	Progressor for Wood	Precision for Wood	Clean for Wood	Speed for Wood	Basic for Wood
	487	490	489	490	491	492
	1	1	5	5	4	3
	✓	✓	✓	✓	✓	✓
	–	✓	–	✓	✓	✓
	–	✓	✓	✓	✓	✓
	–	✓	✓	✓	–	–
	–	–	–	–	–	–
	–	–	–	–	–	–
	✓	–	–	–	–	–
	–	–	–	–	–	–
	–	–	✓	–	✓	–

JIGSAW BLADES FOR METAL

Make the cut you need.



	Stainless Steel	Basic for Inox	Progressor for Metal	Speed for Metal
	EXPERT			
Page number	494	495	495	496
Available blade types	2	2	1	5
T-Shank	✓	✓	✓	✓
U-Shank	–	–	–	–
	UP TO 50x* LONG LIFE CARBIDE TECHNOLOGY			
MATERIALS				
Sheet metal	–	–	✓	✓
Perforated sheet metal	–	–	✓	✓
Aluminium, non-ferrous metals	–	–	✓	–
Stainless steel sheets	✓	✓	–	–
Profiles, pipes (closed)	–	–	–	✓
Profiles (open)	–	–	–	✓
Metal sandwich	–	–	–	–

*Bosch EXPERT products vs. Bosch standard products







	Flexible for Metal	Basic for Metal	Special for Alu	Flexible for Metal-Sandwich	Precision for Metal-Sandwich
	496	497	499	499	500
	5	6	2	1	1
	✓	✓	✓	✓	✓
	–	✓	✓	–	–
	✓	✓	–	–	–
	✓	–	–	–	–
	–	–	✓	–	–
	–	–	–	–	–
	✓	✓	–	–	–
	✓	–	–	–	–
	–	–	–	✓	✓

JIGSAW BLADES FOR WOOD AND METAL

Nails? No problem.



	Multi Material	Progressor for Wood and Metal
	EXPERT	
Page number	**501**	**502**
Available blade types	1	1
T-Shank	✓	✓
U-Shank	–	–
	UP TO 50×* LONG LIFE CARBIDE TECHNOLOGY	

MATERIALS

Construction timber with hardened screws and nails	✓	–
Construction timber with nails	✓	✓
Profiles, pipes, thickwalled	✓	✓
Aluminium, non-ferrous metals	✓	✓
Glass fibre reinforced plastic/epoxy	✓	✓

*Bosch EXPERT products vs. Bosch standard products

JIGSAW BLADES FOR PLASTICS

For the most advanced materials.



	Plastic Composites clean	Carbon Fiber clean	Clean for PVC	Precision for PVC	Clean for PP	Clean for PMMA	Clean for PC
	EXPERT	EXPERT					
Page number	503	504	505	505	505	505	506
Available blade types	1	1	2	1	1	1	1
T-Shank	✓	✓	✓	✓	✓	✓	✓
U-Shank	–	–	–	–	–	–	–
	LONG LIFE CARBIDE TECHNOLOGY	LONG LIFE CARBIDE TECHNOLOGY					
MATERIALS							
PP, PE	–	–	–	–	✓	–	–
PVC, PA, PS	–	–	✓	✓	–	–	–
PMMA	–	–	–	–	–	✓	–
PC	–	–	–	–	–	–	✓
WPC (wood plastic composites)	✓	–	–	–	–	–	–
CFRP (carbon fiber reinforced polymer)	–	✓	–	–	–	–	–
GFRP (glass fiber reinforced polymer)	✓	✓	–	–	–	–	–
Solid surface composites (Corian, Varicor)	✓	–	–	–	–	–	–

JIGSAW BLADES FOR SPECIAL APPLICATIONS

Unusual jigsaw jobs.



	Fiber Plaster	Soft Tile clean	Special for Ceramics	Special for Soft-Materials	Precision for Soft-Materials
	EXPERT	EXPERT			
Page number	507	509	510	510	510
Available blade types	2	1	1	2	1
T-Shank	✓	✓	✓	✓	✓
U-Shank	–	–	–	–	–
	LONG LIFE, CARBIDE TECHNOLOGY	PRECISION, DIAMOND TECHNOLOGY			

MATERIALS

Drywall board, fiber cement board	✓	–	–	–	–
Porous concrete	✓	–	–	–	–
Ceramic tiles	–	✓	✓	–	–
Polystyrene, cardboard	–	–	–	✓	✓
Rubber	–	–	–	✓	–
Fiber insulation materials	–	–	–	✓	✓

LONG LIFE CUTTING HARDWOOD AND ABRASIVE WOODWORKING MATERIALS

EXPERT ‘Hardwood Fast’ Blades

ASSORTMENT: T 144 DHM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Progressive tooth pitch to cut material of every thickness
3. Fast cutting with tapered blade body
4. Sharp Carbide teeth produced by ‘top bevel’ grinding



CARBIDE TECHNOLOGY

EXPERT ‘Hardwood Fast’ T 144 DHM Jigsaw Blades

EXPERT



- Ideal for fast, straight cuts in hard wood or abrasive materials, for example when installing patio decking; for WPC terrace installation; and cutting plaster or cement fibre boards.
- Best for joiners: long lasting and efficient.
- Lasts up to 50x longer than an HCS blade in tough materials.
- Fits all T-shank jigsaws.





CARBIDE TECHNOLOGY | UP TO 50×* LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length mm	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952…	Part number
100	3.5-5.0	5-7	5	50	C1b	3	1	537658	**2 608 900 541**

HIGHEST PRECISION TEAR-FREE CUTTING LAMINATED WORKTOPS

EXPERT ‘Hardwood 2-Side Clean’ Blades

ASSORTMENT: T 308 BF

EXPERT

1. Cuts tear-free on both sides with 2-Side Clean geometry
2. Extra sharp teeth produced by precision grinding
3. Combines hard teeth and flexible body through Bi-Metal welding



EXPERT ‘Hardwood 2-Side Clean’ T 308 BF Jigsaw Blades

EXPERT



- Ideal for making tear-free straight cuts in plastic-coated board materials such as kitchen counter tops.
- Best for shopfitters and carpenters: precise and quality finish.
- Very clean finish top and bottom.
- Fits all T-shank jigsaws.





PRECISION

PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length mm	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
117	2	13	5	50	C1b	3	10	537672	**2 608 900 543**
					C1b	5	10	537689	**2 608 900 544**
					P1h	25	1	537696	**2 608 900 545**
					C0a	100	1	537702	**2 608 900 546**

HIGHEST PRECISION TEAR-FREE CUTTING LAMINATED WORKTOPS

EXPERT ‘Hardwood 2-Side Clean’ Blades

ASSORTMENT: T 308 BFP

EXPERT

1. Cuts tear-free on both sides with 2-side clean geometry
2. Extra sharp teeth produced by precision grinding
3. Combines hard teeth and flexible body through Bi-Metal welding
4. Thicker blade offers added stability for a precise cut



EXPERT ‘Hardwood 2-Side Clean’ T 308 BFP Jigsaw Blades

EXPERT



- Ideal for making tear-free accurate angle cuts in very thick materials such as kitchen counter tops.
- Best for shopfitters and carpenters: precise and quality finish.
- Very clean finish top and bottom.
- Fits all T-shank jigsaws.





PRECISION

PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length mm	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
117	2	13	5	50	C1b	3	10	537719	**2 608 900 547**
					C1b	5	10	537726	**2 608 900 548**
					P1h	25	1	549682	**2 608 901 181**

Jigsaw blades - Clean for Hard Wood

Clean cut

clean HardWood

PRODUCT PROPERTIES			ORDERING INFORMATION					
	Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T 101 AOF							
BIM, pointed teeth, ground teeth and taper ground Hardwood, laminated panels/HPL (1.5-15 mm), plywood, especially for curve cuts, no tears							
	83	1.4	C1b	3	10	264341	**2 608 636 225**
			C1b	5	10	091848	**2 608 634 233**
T 101 AIF							
BIM, pointed teeth, ground teeth and taper ground Hardwood, laminates, laminated panels/HPL (2-30 mm), no tearing							
	100	1.7	C1b	3	10	264334	**2 608 636 224**
			C1b	5	10	096355	**2 608 634 897**
T 101 BF							
BIM, ground teeth and taper ground Hardwood, laminates, laminated panels/HPL (3-30 mm)							
	100	2.7	C1b	3	10	264358	**2 608 636 226**
			C1b	5	10	091855	**2 608 634 234**
			C1b	5	5	979610	**2 608 636 974**
			P1a	25	1	127714	**2 608 634 988**
T 101 BRF							
BIM, ground teeth and taper ground Hardwood, laminates, laminated panels (3-30 mm), kitchen worktops (<45 mm), clean surface							
	100	2.5	C1b	3	10	264365	**2 608 636 227**
			C1b	5	10	091862	**2 608 634 235**
			P1a	25	1	127721	**2 608 634 989**
T 301 CDF							
BIM, ground teeth and taper ground Hardwood and softwood (4-65 mm), laminated panels/HPL							
	117	3.0	C1b	3	10	264372	**2 608 636 228**
			C1b	5	10	264389	**2 608 636 229**

Jigsaw blades - Speed for Hard Wood

Fast cut

speed HardWood

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T 144 DF							
BIM, side set, ground Hardwood and softwood (5-50 mm), all types of panels, including laminates							
	100	4-5.2	C1b	3	10	264310	**2 608 636 222**
			C1b	5	10	009430	**2 608 634 567**
			P1a	25	1	127738	**2 608 634 990**

Jigsaw blades - Speed for Hard Wood

Fast cut

speed HardWood

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T 344 DF						
BIM, side set, ground Thick hardwood and softwood (5-100 mm), all types of panels, including laminates						
152	4.0	C1b	3	10	264327	**2 608 636 223**
		C1b	5	10	091947	**2 608 634 243**

LONG LIFE CLEAN CUTTING LAMINATE

EXPERT ‘Laminate Clean’ Blades

ASSORTMENT: T 128 BHM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Carbide strip provides rigidity and strength
3. Fine teeth cut thinner material with ease
4. Cuts clean on both sides with counter-directed teeth



CARBIDE TECHNOLOGY

EXPERT ‘Laminate Clean’ T 128 BHM Jigsaw Blades

EXPERT



- Ideal for cutting laminate floorboards to length during shop fitting or other commercial installations; cutting fibre reinforced vinyl flooring boards; cutting HPL (high pressure laminate) such as cladding for houses.
- Best for shopfitters: long lasting and quality finish.
- Lasts up to 50x longer than an HCS blade in tough materials.
- Fits all T-shank jigsaws.





CARBIDE TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length mm	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
92	1.8	14	2	15	C1b	3	1	537665	**2 608 900 542**

Jigsaw blades - Special for Laminate

Precise, clean cuts on both sides

special Laminate

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T 101 BIF							
BIM, ground teeth and taper ground Laminates (1.5 - 15 mm), laminated panels/HPL (1.5 - 15 mm), multiplex panels (1.5 - 15 mm)							
	83	1.7	C1b	5	10	393416	**2 608 636 431**
T 101 AOF							
BIM, ground teeth and taper ground Laminates (1.5 - 15 mm), laminated panels/HPL (1.5 - 15 mm), multiplex panels (1.5 - 15 mm)							
	83	1.4	C1b	3	10	393423	**2 608 636 432**

HIGHEST PRECISION TEAR-FREE CUTTING WOOD

EXPERT ‘Wood 2-Side Clean’ Blades

ASSORTMENT: T 308 B, T 308 BO, T 308 BP

EXPERT

1. Cuts tear-free on both sides with 2-Side Clean Geometry
2. Extra sharp teeth produced by precision grinding



EXPERT ‘Wood 2-Side Clean’ T 308 B Jigsaw Blades

EXPERT



- Ideal for making tear-free straight cuts. Cuts solid wood up to 50mm, for example for building furniture without the need for sanding.
- Best for joiners: precise and quality finish.
- Very clean finish top and bottom.
- Fits all T-shank jigsaws.





PRECISION

PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length mm	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
117	2.2	12	5	50	C1b	3	10	537740	**2 608 900 550**
					C1b	5	10	537757	**2 608 900 551**
					P1h	25	1	537764	**2 608 900 552**
					C0a	100	1	537771	**2 608 900 553**

EXPERT 'Wood 2-Side Clean' T 308 BO Jigsaw Blades

EXPERT



- Ideal for making tear-free curved cuts. Cuts solid wood up to 50mm, for example for building furniture without the need for sanding.
- Best for joiners: precise and quality finish.
- Very clean finish top and bottom.
- Fits all T-shank jigsaws.





PRECISION

PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length mm	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
117	2.2	12	5	50	C1b	3	10	537788	**2 608 900 554**
					C1b	5	10	537795	**2 608 900 555**
					P1h	25	1	537801	**2 608 900 556**

EXPERT 'Wood 2-Side Clean' T 308 BP Jigsaw Blades

EXPERT



- Ideal for making tear-free accurate angle cuts. Cuts solid wood up to 50mm, for example for building furniture without the need for sanding.
- Best for joiners: precise and quality finish.
- Very clean finish top and bottom.
- Fits all T-shank jigsaws.





PRECISION

PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length mm	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
117	2.2	12	5	50	C1b	3	10	537818	**2 608 900 557**
					C1b	5	10	537825	**2 608 900 558**

Jigsaw blades - Precision for Wood

Cuts at accurate angles

precision Wood

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number





fast CUT

T 144 DP



HCS, side set, ground

Softwood, chipboards, wood core plywood, fibre boards (5-50 mm), doors, kitchen worktops (<50 mm)

100	4.0	C1b	3	10	264143	**2 608 633 A31**
		C1b	5	10	264181	**2 608 633 A35**
		C1b	5	5	979498	**2 608 665 052**

Jigsaw blades - Precision for Wood

Cuts at accurate angles

precision Wood

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
100	4.0	P1a	25	1	264228	**2 608 633 A39**
		C1a	100	1	264259	**2 608 633 A42**



T 344 DP



HCS, side set, ground
Thick construction timber, softwood (5-100 mm), chipboards, wood core plywood, fibre boards

152	4.0	C1b	3	10	264150	**2 608 633 A32**
		C1b	5	10	264198	**2 608 633 A36**



T 1044 DP



HCS, side set, ground
Thick construction timber, softwood (5-150 mm), chipboards, wood core plywood, fibre boards

250	4.0	C1c	3	5	623605	**2 608 667 394**



T 301 BCP



HCS, ground teeth and taper ground
Softwood, chipboards, wood core plywood, fibre boards (3-65 mm), doors, kitchen worktops (<50 mm)

117	2.5	C1b	3	10	264167	**2 608 633 A33**
		C1b	5	10	264204	**2 608 633 A37**
		P1a	25	1	264235	**2 608 633 A40**

Jigsaw blades - Progressor for Wood

Universal, clean through thin and thick

progressor Wood



T 234 X



HCS, ground teeth and taper ground
Softwood (3-65 mm), chipboards, wood core plywood, fibre boards

117	2-3	C1b	3	10	169493	**2 608 633 523**
			3	5	979580	**2 608 665 061**
		C1b	5	10	169509	**2 608 633 528**
		P1a	25	1	169516	**2 608 633 524**
		C1a	100	1	264242	**2 608 633 A41**

Jigsaw blades - Clean for Wood

Clean cut

clean Wood



T 101 AO



HCS, pointed teeth, ground teeth and taper ground
Softwood, plywood, laminated panels (1.5-15 mm), especially for curve cuts

83	1.4	C1b	3	10	006972	**2 608 630 559**

Jigsaw blades - Clean for Wood

Clean cut

clean Wood

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
83	1.4	C1b	5	10	006798	**2 608 630 031**
		C1b	5	5	979528	**2 608 665 055**



T 101 B



HCS, ground teeth and taper ground
Softwood, chipboard, wood core plywood, fibre boards (3-30 mm)

100	2.7	C1b	3	10	006958	**2 608 630 557**
		C1b	5	10	006781	**2 608 630 030**
		C1b	5	5	979535	**2 608 665 056**
		P1a	25	1	127660	**2 608 633 622**
		C1a	100	1	067430	**2 608 637 876**



T 101 BR



HCS, ground teeth and taper ground
Softwood, chipboard, wood core plywood, fibre boards (3-30 mm), laminated panels, clean surface

100	2.5	C1b	3	10	091374	**2 608 633 779**
		C1b	5	10	012454	**2 608 630 014**
		C1b	5	5	979542	**2 608 665 057**
		P1a	25	1	127677	**2 608 633 623**



T 101 D



HCS, ground teeth and taper ground
Softwood, chipboards, wood core plywood, fibre boards (10-45 mm)

100	4-5.2	C1b	3	10	006965	**2 608 630 558**
		C1b	5	10	006804	**2 608 630 032**
		C1b	5	5	979559	**2 608 665 058**
		P1a	25	1	148726	**2 608 633 577**
		C1a	100	1	067447	**2 608 637 877**



T 301 CD



HCS, ground teeth and taper ground
Softwood, chipboards, wood core plywood, fibre boards (10-65 mm)

117	3.0	C1b	3	10	016315	**2 608 637 591**
		C1b	5	10	016308	**2 608 637 590**
		C1b	5	5	979566	**2 608 665 059**

Jigsaw blades - Speed for Wood

Fast cut

speed Wood



T 144 D



HCS, side set, ground
Softwood (5-50 mm), chipboards, wood core plywood, fibre boards

100	4-5.2	C1b	3	10	006989	**2 608 630 560**
		C1b	5	10	006842	**2 608 630 040**
		P1a	25	1	127691	**2 608 633 625**

Jigsaw blades - Speed for Wood

Fast cut

speed Wood

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
100	4-5.2	C1a	100	1	067478	**2 608 637 880**



T 244 D



HCS, side set, ground
Softwood (5-50 mm), chipboards, wood core plywood, fibre boards, especially for curve cuts

100	4-5.2	C1b	3	10	007221	**2 608 630 879**
		C1b	5	10	006859	**2 608 630 058**
		C1b	5	5	979504	**2 608 665 053**
		P1a	25	1	127707	**2 608 633 626**
		C1a	100	1	067485	**2 608 637 881**



T 344 D



HCS, side set, ground
Thick construction timber, softwood (5-100 mm), chipboards, wood core plywood, fibre boards

152	4.0	C1b	3	10	070942	**2 608 637 944**
		C1b	5	5	979511	**2 608 665 054**
		C1b	5	10	264174	**2 608 633 A34**



T 744 D



HCS, side set, ground
Softwood/boards, thick construction timber, sandwich materials

180	4.0	C1c	3	5	348591	**2 608 663 314**

Jigsaw blades - Basic for Wood

Good and cost-effective

basic Wood



T 119 BO



HCS, wavy set, milled
Softwood (2-15 mm), plywood, chipboard, wood core plywood, fibre boards, especially for curve cuts

83	2.0	C1b	3	5	045940	**2 608 637 788**
		C1b	5	10	006941	**2 608 630 310**
		C1a	100	1	067461	**2 608 637 879**
		C1b	5	5	979474	**2 608 665 050**



T 119 B



HCS, wavy set, milled
Softwood (2-15 mm), plywood, chipboards, wood core plywood, fibre boards

92	1.9-2.3	C1b	3	10	007245	**2 608 630 878**
		C1b	5	10	006835	**2 608 630 037**

Jigsaw blades - Basic for Wood

Good and cost-effective

basic Wood



T 111 C



HCS, side set, milled
Softwood (4-50 mm), chipboard, wood core plywood, fibre boards, quick cut

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
100	3.0	C1b	3	10	007139	**2 608 630 808**
		C1b	5	10	006811	**2 608 630 033**
		P1a	25	1	264211	**2 608 633 A38**
		C1a	100	1	067454	**2 608 637 878**
		C1b	5	5	979481	**2 608 665 051**

LONG LIFE CUTTING STAINLESS STEEL SHEET

EXPERT ‘Stainless Steel’ Blades

ASSORTMENT: T 118 AHM, T 118 EHM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Carbide strip provides rigidity and strength



CARBIDE TECHNOLOGY

EXPERT ‘Stainless Steel’ T 118 AHM Jigsaw Blades

EXPERT



- Ideal for making straight cuts in stainless steel sheets, for example adjustment cuts in industrial fittings; mechanical engineering and machinery; and construction applications such as elevators and escalators.
- Best for metalworkers: long lasting and precise.
- Lasts up to 50x longer than a Bi-Metal jigsaw blade in tough materials.
- Fits all T-shank jigsaws.





CARBIDE TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length mm	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
83	1.1	23	1.5	3	C1b	3	1	537856	**2 608 900 561**

EXPERT 'Stainless Steel' T 118 EHM Jigsaw Blades

EXPERT



- Ideal for making straight cuts in stainless steel sheets, for example adjustment cuts in industrial fittings; mechanical engineering and machinery; and construction applications such as elevators and escalators.
- Best for metalworkers: long lasting and precise.
- Lasts up to 50x longer than a Bi-Metal jigsaw blade in tough materials.
- Fits all T-shank jigsaws.





CARBIDE TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length mm	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
83	1.4	18	2	5	C1b	3	1	537863	**2 608 900 562**

Jigsaw blades - Basic for Inox

Good and cost-effective

basic for Inox

T 118 GFS



BIM, wavy set, milled
Sawing in Inox / stainless steel

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
83	0.8	C1b	3	10	451864	**2 608 636 498**
		C1b	5	10	451840	**2 608 636 496**

T 118 EFS



BIM, wavy set, milled
Sawing in Inox / stainless steel

83	1.4	C1b	3	10	451871	**2 608 636 499**
		C1b	5	10	371018	**2 608 636 420**
		C1b	5	10	451857	**2 608 636 497**
		C1b	5	5	979641	**2 608 636 977**

Jigsaw blades - Progressor for Metal

Universal. Fast in thin and thick material.

PROGRESSOR for Metal

T 123 XF



BIM, side set, milled
Thin to thick sheet metals (1.5-10 mm), pipes + profiles, including aluminium (diameter <30 mm)

100	1.2-2.6	C1b	3	10	128049	**2 608 638 472**
		C1b	5	10	128056	**2 608 638 473**
		P1a	25	1	128063	**2 608 638 474**
		C1a	100	1	264488	**2 608 638 700**

Jigsaw blades - Speed for Metal

Fast, breakproof and durable

speed Metal

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T 121 GF							
BIM, wavy set, milled Very thin metal plate, perforated metal plates (0.5 - 1.5 mm)	**92**	0.8	C1b	3	10	596824	**2 608 636 695**
			C1b	5	10	596831	**2 608 636 696**
			P1a	25	1	596848	**2 608 636 697**
T 121 AF							
BIM, wavy set, milled Thin sheet metals, perforated sheet metals (1-3 mm)	**92**	1.2	C1b	3	10	596855	**2 608 636 698**
			C1b	5	10	596862	**2 608 636 699**
			P1a	25	1	596947	**2 608 636 700**
T 121 BF							
BIM, wavy set, milled Medium-thick sheet metals, perforated sheet metals (2.5-6 mm)	**92**	2.0	C1b	3	10	596954	**2 608 636 701**
			C1b	5	10	596961	**2 608 636 702**
			P1a	25	1	596978	**2 608 636 703**
T 321 AF							
BIM, wavy set, milled Thin sheet metals, perforated sheet metals (1-3 mm), sandwich materials (<65 mm), thin-walled pipes, closed + open profiles, including aluminium (<65 mm), glass fibre reinforced plastic/epoxy (<65 mm)	**132**	1.2	C1b	3	10	596985	**2 608 636 704**
			C1b	5	10	596992	**2 608 636 705**
T 321 BF							
BIM, wavy set, milled Medium-thick sheet metals, perforated sheet metals (2.5-6 mm), sandwich materials (<65 mm), thick-walled pipes, closed + open profiles, including aluminium (<65 mm), glass fibre reinforced plastic/epoxy (<65 mm)	**132**	2.0	C1b	3	10	597005	**2 608 636 706**
			C1b	5	10	597012	**2 608 636 707**

Jigsaw blades - Flexible for Metal

Breakproof and durable

flexible Metal

T 118 EOF							
BIM, wavy set, milled Thin sheet metals, perforated sheet metals (1.5-4 mm), especially for curve cuts	**83**	1.5	C1b	3	10	264402	**2 608 636 231**
			C1b	5	10	091893	**2 608 634 237**

Jigsaw blades - Flexible for Metal

Breakproof and durable

flexible for Metal

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T 118 AF							
BIM, wavy set, milled Thin sheet metals, perforated sheet metals (1-3 mm)							
	92	1.1-1.5	C1b	3	10	035309	**2 608 634 694**
			C1b	5	10	007627	**2 608 634 505**
			P1a	25	1	127745	**2 608 634 991**
			C1a	100	1	067522	**2 608 634 774**
			C1b	5	5	979634	**2 608 636 976**
T 118 BF							
BIM, wavy set, milled Medium-thick sheet metals, perforated sheet metals (2.5-6 mm)							
	92	1.9-2.3	C1b	3	10	264419	**2 608 636 232**
			C1b	5	10	007603	**2 608 634 503**
			P1a	25	1	127752	**2 608 634 992**
			C1a	100	1	009751	**2 608 634 586**
T 318 AF							
BIM, wavy set, milled Thin sheet metals, perforated sheet metals (1-3 mm), sandwich materials (<65 mm), pipes + open profiles, including aluminium (diameter <65 mm), glass fibre reinforced plastic/epoxy (<65 mm)							
	132	1.1	C1b	3	10	264396	**2 608 636 230**
			C1b	5	10	091923	**2 608 634 241**
T 318 BF							
BIM, side set, milled Medium-thick sheet metals, perforated sheet metals (2.5-6 mm), sandwich materials (<65 mm), pipes + profiles, including aluminium (diameter <65 mm), glass fibre reinforced plastic/epoxy (<65 mm)							
	132	1.8	C1b	3	10	264426	**2 608 636 233**
			C1b	5	10	091930	**2 608 634 242**

Jigsaw blades - Basic for Metal

Good and cost-effective

basic for Metal

T 118 G							
HSS, wavy set, milled Very thin metal plate (0.5 - 1.5 mm)							
	92	0.7	C1b	3	10	007566	**2 608 631 674**
			C1b	5	10	007283	**2 608 631 012**
			C1b	5	5	979658	**2 608 668 643**

Jigsaw blades - Basic for Metal

Good and cost-effective

basic Metal

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number



T 218 A



HSS, wavy set, milled
Thin sheet metals (1-3 mm), especially for curve cuts

92	1.1-1.5	C1b	3	10	007542	**2 608 631 672**
		C1b	5	10	007337	**2 608 631 032**
		C1a	100	1	279482	**2 608 631 706**



T 118 A



HSS, wavy set, milled
Thin sheet metals (1-3 mm)

92	1.1-1.5	C1b	3	10	007399	**2 608 631 507**
		C1b	5	10	007290	**2 608 631 013**
		P1a	25	1	127769	**2 608 638 470**
		C1a	100	1	067492	**2 608 631 964**
		C1b	5	5	979665	**2 608 668 644**



T 118 B



HSS, wavy set, milled
Medium-thick sheet metals (2.5-6 mm)

92	1.9-2.3	C1b	3	10	007559	**2 608 631 673**
		C1b	5	10	007306	**2 608 631 014**
		P1a	25	1	127776	**2 608 638 471**
		C1a	100	1	067508	**2 608 631 965**
		C1b	5	5	979672	**2 608 668 645**



T 318 A



HSS, wavy set, milled
Thin sheet metals (1-3 mm), pipes + profiles, including aluminium (diameter <65 mm)

132	1.2	C1b	3	10	264464	**2 608 638 698**
		C1b	5	10	007375	**2 608 631 319**
		C1a	100	1	279499	**2 608 631 808**



T 318 B



HSS, wavy set, milled
Medium-thick sheet metals (2.5-6 mm), pipes + profiles, including aluminium (diameter <65 mm), cutting at accurate angles

132	2.0	C1b	3	10	264471	**2 608 638 699**
		C1b	5	10	007382	**2 608 631 404**

Jigsaw blades - Special for Alu

Aluminium and non-ferrous metal

T 127 D



HSS, side set, milled
Thin to thick sheet metals (3-15 mm), pipes + profiles (diameter <30 mm)

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
100	3.0	C1b	3	10	007405	**2 608 631 508**
		C1b	5	10	007313	**2 608 631 017**
		C1b	5	5	979689	**2 608 668 646**
		C1a	100	1	067515	**2 608 631 966**

T 127 D



HSS, side set, milled
Thin to thick sheet metals (3-15 mm), pipes + profiles, (diameter <30 mm)

100	-	C1b	2	10	639118	**2 608 668 173**

T 227 D



HSS, side set, milled
Thin to thick sheet metals (3-15 mm), pipes + profiles (diameter <30 mm), especially for curve cuts

100	3.0	C1b	3	10	007535	**2 608 631 671**
		C1b	5	10	007320	**2 608 631 030**
		C1a	100	1	279475	**2 608 638 382**

T 227 D



HSS, side set, milled
Thin to thick sheet metals (3-15 mm), pipes + profiles (diameter <30 mm), especially for curve cuts

100	3.0	C1b	5	5	979696	**2 608 668 647**

Jigsaw blades - Flexible for Metal-Sandwich

Breakproof and durable

flexible MetalSandwich

T 718 BF



BIM, side set, milled
Sandwich materials (<120 mm)

180	2.0	C1b	3	5	309042	**2 608 636 335**

Jigsaw blades - Precision for Metal-Sandwich

precision MetalSandwich

PRODUCT PROPERTIES			ORDERING INFORMATION					
	Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
T 1018 AFP 								
BIM, wavy set, milled Sandwich materials (<160 mm)								
	250	1.1	C1c	3	5	704892	**2 608 636 793**	

LONG LIFE CUTTING MULTIPLE BUILDING MATERIALS

EXPERT ‘Multi Material’ Blades

ASSORTMENT: T 367 XHM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Progressive tooth pitch to cut material of every thickness
3. Side set teeth to cut thicker materials effectively



CARBIDE TECHNOLOGY

EXPERT ‘Multi Material‘ T 367 XHM Jigsaw Blades

EXPERT



- Ideal for making straight rough cuts in wooden panels with metal borders used in concrete formwork sheathing; cuts in wood with embedded steel components like hardened screws and nails.
- Best for construction workers: long lasting and versatile.
- Lasts up to 50x longer than a Bi-Metal blade in tough materials.
- Fits all T-shank jigsaws.



CARBIDE TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
Total length mm	Tooth spacing [mm]	Tooth pitch [TPI]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
132	3.5-5.0	5-7	C1b	3	1	537849	**2 608 900 560**

Jigsaw blades - Progressor for Wood and Metal

Universal, fast through thick and thin



T 345 XF



BIM, side set, milled
Construction timber with nails (<65 mm), wood materials, plastics, sheet metals, pipes/profiles, including aluminium (diameter 3-10 mm)

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	132	2.4-5	C1b	3	10	128018	**2 608 634 993**
			C1b	5	10	128025	**2 608 634 994**
			P1a	25	1	128032	**2 608 634 995**
			C1a	100	1	266208	**2 608 634 486**

T 345 XF



BIM, side set, milled
Construction timber with nails (<65 mm), wood materials, plastics, sheet metals, pipes/profiles, including aluminium (diameter 3-10 mm)

	132	2.4-5	C1b	3	5	979627	**2 608 636 975**

LONG LIFE CLEAN CUTTING SOLID SURFACE AND WPC

EXPERT ‘Plastic Composites Clean’ Blades

ASSORTMENT: T 301 CHM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Very sharp Carbide teeth produced by cross-grinding
3. Carbide strip provides rigidity and strength



CARBIDE TECHNOLOGY

EXPERT ‘Plastic Composites Clean’ T 301 CHM Jigsaw Blades

EXPERT



- Ideal for straight cuts in solid surface panels, required for building solid surface kitchens and bathrooms; straight cuts in Wood-Plastic Composite (WPC) boards during patio installation.
- Best for kitchen fitters: long lasting and quality finish.
- Cuts materials that other blades simply can’t.
- Fits all T-shank jigsaws.





CARBIDE TECHNOLOGY | LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length mm	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
117	3.3	8	6	65	C1b	3	1	537900	**2 608 900 566**

LONG LIFE CLEAN CUTTING CARBON FIBER

EXPERT ‘Carbon Fiber Clean’ Blades

ASSORTMENT: T 108 BHM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Very sharp Carbide teeth produced by cross-grinding
3. Carbide strip provides rigidity and strength



CARBIDE TECHNOLOGY

EXPERT ‘Carbon Fiber Clean’ T 108 BHM Jigsaw Blades

EXPERT



- Ideal for making straight cuts into carbon fibre boards and profiles, such as trimming structural components in advanced modern vehicles; jigsaw cutting in the aerospace and boatbuilding industries.
- Best for boatbuilders: long lasting and quality finish.
- Cuts materials that other blades simply can’t.
- Fits all T-shank jigsaws.





CARBIDE TECHNOLOGY | LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length mm	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
92	2.2	12	2	20	C1b	3	1	537894	**2 608 900 565**

Jigsaw blades - Clean for PP

clean for PP

PRODUCT PROPERTIES			ORDERING INFORMATION					
	Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T 102 D							
HCS, ground teeth and taper ground Clean cuts in PP and PE sheets, profiles, bars.							
	100	4.0	C1b	3	10	691475	**2 608 667 443**
			C1b	5	10	691482	**2 608 667 444**

Jigsaw blades - Clean for PVC

clean for PVC

PRODUCT PROPERTIES			ORDERING INFORMATION					
	Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T 102 H							
HCS, ground teeth and taper ground Clean cuts in PVC, PA, PS sheets, profiles, bars.							
	100	2.3	C1b	3	10	691499	**2 608 667 445**
			C1b	5	10	691505	**2 608 667 446**
T 302 H							
HCS, ground teeth and taper ground Clean cuts in PVC, PA, PS pipes and profiles.							
	132	2.3	C1b	3	10	691512	**2 608 667 447**
			C1b	5	10	691529	**2 608 667 448**

Jigsaw blades - Precision for PVC

precision for PVC

PRODUCT PROPERTIES			ORDERING INFORMATION					
	Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T 1044 HP							
HCS, side set, ground Cuts at accurate angles up to 160 mm in plastic pipes and profiles							
	250	2.3	C1c	3	5	814980	**2 608 667 843**

Jigsaw blades - Clean for PMMA

clean for PMMA

PRODUCT PROPERTIES			ORDERING INFORMATION					
	Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T 102 BF							
BIM, side set, flank ground teeth Clean cuts in PMMA sheets.							
	92	1.8	C1b	3	10	691581	**2 608 636 780**
			C1b	5	10	691598	**2 608 636 781**

Jigsaw blades - Clean for PC

clean for PC

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T 101 A 						
HSS, ground teeth and taper ground Perspex, polycarbonate (2-20 mm)						
100	2.0	C1b	3	10	007528	**2 608 631 670**
		C1b	5	10	007276	**2 608 631 010**

LONG LIFE CUTTING ABRASIVE CONSTRUCTION MATERIALS

EXPERT ‘Fiber Plaster’ Blades

ASSORTMENT: T 141 HM, T 341 HM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Side set teeth to cut thicker materials effectively
3. Large, constant tooth pitch to handle thick, tough materials



CARBIDE TECHNOLOGY

EXPERT ‘Fiber Plaster’ T 141 HM Jigsaw Blades

EXPERT



- Ideal for making straight cuts in plasterboard, such as cut outs in drywall; and adjustment cuts when installing fiber cement boards.
- Best for construction workers: long lasting and versatile.
- Cuts materials that other blades simply can’t.
- Fits all T-shank jigsaws.





CARBIDE TECHNOLOGY | LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length mm	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
100	4.3	6	5	20	C1b	3	1	537870	**2 608 900 563**

EXPERT ‘Fiber Plaster’ T 341 HM Jigsaw Blades

EXPERT



- Ideal for making straight cuts in plasterboard, such as cut outs in drywall; and adjustment cuts when installing fiber cement boards.
- Best for construction workers: long lasting and versatile.
- Cuts materials that other blades simply can’t.
- Fits all T-shank jigsaws.





CARBIDE TECHNOLOGY

LONG LIFE

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Total length mm	Tooth spacing [mm]	Tooth pitch [TPI]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	132	4.3	6	C1b	3	1	537887	**2 608 900 564**

HIGHEST PRECISION CLEAN CUTTING SOFT TILES

EXPERT ‘Soft Tile clean’ Blade

ASSORTMENT: T 150 RD

EXPERT

1. Clean, high quality cutting with Bosch Diamond Technology
2. Fine Diamond Grit for extra clean finish



DIAMOND TECHNOLOGY

EXPERT ‘Soft Tile Clean’ T 150 RD Jigsaw Blades

EXPERT



- Ideal for straight clean cuts in soft wall tiles, for example when making small cut-outs before fixing the tile to the wall during bathroom or kitchen tiling.
- Best for kitchen fitters: precise and quality finish.
- Cuts materials that other blades simply can’t.
- Fits all T-shank jigsaws.





DIAMOND TECHNOLOGY PRECISION

PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length mm	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
83	GRIT 50	GRIT 50	5	10	C1b	3	1	537917	**2 608 900 567**

Jigsaw blades - Special for Ceramics

Ceramic materials

special Ceramics

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T 130 RF						
Carbide Technology, with grit of 30 Soft ceramic wall tiles, cast iron (5-15 mm), coarse cut	**83**	C1b	3	1	035286	**2 608 633 104**
T 150 RF						
Carbide Technology, with grit of 50 Soft ceramic wall tiles, cast iron (5-10 mm), fine cut	**83**	C1b	3	1	035293	**2 608 633 105**

Jigsaw blades – Special for Soft Material

Soft materials

special Soft-Material

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T 113 A						
HCS, ground blade Cardboard, polystyrene, carpet, leather, rubber (<50 mm)	**100**	C1b	3	5	035323	**2 608 635 177**
T 313 AW						
HCS, blade with serrated edge Cardboard, polystyrene, carpet, leather, rubber (<100 mm)	**152**	C1b	3	5	045926	**2 608 635 187**

Jigsaw blades – Precision for Soft Material

precision SoftMaterial

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T 1013 AWP							
HCS, blade with serrated edge Specially for fibre insulation materials (<160 mm)	**250**	12.0	C1c	3	5	623629	**2 608 667 396**

Jigsaw Blades for Hardwood

Jigsaw blades - Clean for Hard Wood

Clean cut

clean HardWood

PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	

U 101 BF



BIM, ground teeth and taper ground
Hardwood and softwood, glass fibre reinforced plastics/epoxy (3-30 mm), laminated boards/HPL

100	2.7	C1b	3	10	264457	**2 608 636 236**	

Jigsaw Blades for Wood

Jigsaw blades - Progressor for Wood

Universal. Clean in thin and thick material

PROGRESSOR for Wood

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

U 234 X



HCS, ground teeth and taper ground
Softwood (2-65 mm), chipboards, wood core plywood, fibre boards

108	2-3	C1b	3	10	169530	**2 608 633 525**

Jigsaw blades - Clean for Wood

Clean cut

clean for Wood

U 1 AO



HCS, pointed teeth, ground teeth and taper ground
Softwood, plywood, laminated panels (1.5-15 mm), especially for curve cuts

70	1.4	C1b	3	10	038553	**2 608 637 724**

U 101 B



HCS, ground teeth and taper ground
Softwood, chipboard, wood core plywood, fibre boards (3-30 mm), plastics (3-30 mm)

100	2.7	C1b	3	10	006996	**2 608 630 565**

U 101 D



HCS, ground teeth and taper ground
Softwood (10-45 mm), chipboards, wood core plywood, fibre boards

100	4-5.2	C1b	3	10	038546	**2 608 637 723**

Jigsaw blades - Speed for Wood

Fast cut

speed for Wood

U 144 D



HCS, side set, ground
Softwood (5-50 mm), chipboards, wood core plywood, fibre boards

100	4-5.2	C1b	3	10	007023	**2 608 630 568**

Jigsaw blades - Basic for Wood

Good and cost-effective

basic for Wood

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
U 111 C						
						
HCS, side set, milled Softwood (4-50 mm), chipboards, wood core plywood, fibre boards						
92	3.0	C1b	3	10	007009	**2 608 630 566**
92	-	C1b	2	10	638920	**2 608 667 411**
U 111 D						
						
HCS, side set, milled Softwood (5-65 mm), chipboards, wood core plywood, fibre boards						
92	4.0	C1b	3	10	014083	**2 608 637 559**

Jigsaw Blades for Metal

Jigsaw blades - Basic for Metal

Good and cost-effective

basic Metal

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number



U 118 G



HSS, wavy set, milled
Very thin metal plate (0.5 - 1.5 mm)

70	0.7	C1b	3	10	014069	**2 608 631 770**



U 118 A



HSS, wavy set, milled
Thin sheet metals (1-3 mm)

80	1.1-1.5	C1b	3	10	007412	**2 608 631 511**



U 118 B



HSS, wavy set, milled
Medium-thick sheet metals (2.5-6 mm)

80	1.9-2.3	C1b	3	10	014076	**2 608 631 771**

Jigsaw blades - Special for Alu

Aluminium and non-ferrous metal

special Alu



fast CUT

U 127 D



HSS, side set, milled
Thin to thick sheet metals (3-15 mm), pipes + profiles (diameter <30 mm)

92	3.0	C1b	3	10	007429	**2 608 631 512**

EXPERT 'Wood 2-Side Clean' Jigsaw Blade Sets

EXPERT



- Ideal for making tear-free cuts; T308BO for making tear-free curved cuts; T308BP for making tear-free accurate angle cuts. All cut solid wood up to 50mm, for example for building furniture without the need for sanding.
- Best for joiners: precise and quality finish.
- Set with T 308 B and T 308 BO for cleaner cuts.
- Fits all T-shank jigsaws.



PRECISION

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Set contents	Material thickness [mm]	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3-piece jigsaw blade set								
EXPERT 'Wood 2-side clean' T 308 B **EXPERT 'Wood 2-side clean' T 308 BO**		50	117	PC1a	3	10	537832	**2 608 900 559**

EXPERT 'Hardwood 2-Side Clean' Jigsaw Blade Sets

EXPERT



- Ideal for making tear-free cuts. T308BF for making tear-free straight cuts in plastic-coated board materials; T308BFP for making tear-free accurate angle cuts in very thick materials such as kitchen counter tops.
- Best for shopfitters and carpenters: precise and quality finish.
- Set with T 308 BF and T 308 BFP for cleaner cuts.
- Fits all T-shank jigsaws.



PRECISION

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Set contents	Material thickness [mm]	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3-piece jigsaw blade set								
EXPERT 'Hardwood 2-side clean' T 308 BF **EXPERT 'Hardwood 2-side clean' T 308 BFP**		50	117	PC1a	3	10	537733	**2 608 900 549**

Jigsaw blade sets Tough Box (single lug shank)



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
30-piece jigsaw blade set Wood and Metal					
T 119 BO Basic for Wood **T 111 C Basic for Wood** **T 118 A Basic for Metal**	P1k	30	1	846493	**2 607 010 903**

Jigsaw blade sets Tough Box (single lug shank)

PRODUCT PROPERTIES	ORDERING INFORMATION				
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
30-piece jigsaw blade set Wood Precision					
T 144 DP Precision for Wood **T 301 BCP Precision for Wood** **T 308 BP Precision for Wood**	P1k	30	1	846516	**2 607 010 905**
40-piece jigsaw blade set Wood and Metal					
T 244 D Speed for Wood **T 144 D Speed for Wood** **T 101 B Clean for Wood** **T 121 AF Speed for Metal**	P1k	40	1	846509	**2 607 010 904**
Tough Box small, empty.					
-	P1k	1	1	846554	**2 607 010 909**

Robust Line 10-piece jigsaw blade sets (single lug shank)



10-piece Robust Line jigsaw blade set Wood Expert					
T 101 AO Clean for Wood **T 101 B Clean for Wood** **T 101 BR Clean for Wood** **T 101 AOF Clean for Hard Wood** **T 101 BF Clean for Hard Wood** **T 101 BRF Clean for Hard Wood** **T 244 D Speed for Wood** **T 144 D Speed for Wood** **T 144 DF Speed for Hard Wood** **T 144 DP Precision for Wood**	P1k	10	1	446242	**2 607 010 540**



10-piece Robust Line jigsaw blade set Metal Expert					
T 118 G Basic for Metal **T 118 A Basic for Metal** **T 118 B Basic for Metal** **T 118 EOF Flexible for Metal** **T 118 AF Flexible for Metal** **T 118 BF Flexible for Metal** **T 118 GFS Basic for Inox** **T 227 D Special for Alu** **T 127 D Special for Alu** **T 123 X Progressor for Metal**	P1k	10	1	446259	**2 607 010 541**

Robust Line 10-piece jigsaw blade sets (single lug shank)



PRODUCT PROPERTIES	ORDERING INFORMATION				
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
10-piece Robust Line jigsaw blade set Wood and Metal					
T 244 D Speed for Wood **T 144 D Speed for Wood** **T 101 AO Clean for Wood** **T 101 B Clean for Wood** **T 101 AOF Clean for Hard Wood** **T 101 BF Clean for Hard Wood** **T 118 EOF Flexible for Metal** **T 118 AF Flexible for Metal** **T 118 BF Flexible for Metal** **T 123 X Progressor for Metal**	P1k	10	1	446266	**2 607 010 542**



10-piece Robust Line jigsaw blade set Top Expert					
T 130 RIFF Special for Ceramics **T 118 AHM Special for Inox** **T 141 HM Special for Fibre and Plaster** **T 101 A Special for Acrylic** **T 113 A Special for Soft Material** **T 101 BF Clean for Hard Wood** **T 101 BIF Special for Laminate** **T 118 AF Flexible for Metal** **T 227 D Special for Alu** **T 123 X Progressor for Metal**	P1k	10	1	475990	**2 607 010 574**

Robust Line 6-piece jigsaw blade sets (single lug shank)



6-piece Robust Line jigsaw blade set Progressor					
T 123 X Progressor for Metal **T 234 X Progressor for Wood** **T 345 XF Progressor for Wood and Metal**	P1k	6	1	446150	**2 607 010 531**
6-piece Robust Line jigsaw blade set Wood Expert					
T 308 B Extra-Clean for Wood **T 308 BF Extra-Clean for Hard Wood** **T 301 BCP Precision for Wood** **T 234 X Progressor for Wood**	P1k	6	1	475976	**2 607 010 572**
6-piece Robust Line jigsaw blade set Metal Profile					
T 318 AF Flexible for Metal **T 318 BF Flexible for Metal** **T 345 XF Progressor for Wood and Metal**	P1k	6	1	475983	**2 607 010 573**

18-piece jigsaw blade sets (single lug shank)



The perfect selection for all standard applications					
T 144 D Speed for Wood **T 101 B Clean for Wood** **T 118 B Basic for Metal** **T 121 BF Speed for Metal**	P1h	18	1	997775	**2 607 011 439**

15-piece jigsaw blade sets (single lug shank)

PRODUCT PROPERTIES	ORDERING INFORMATION				
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
The perfect selection for all Wood working applications					
T 144 DP Precision for Wood **T 101 BF Clean for Hard Wood** **T 144 DHM EXPERT Hardwood fast**	P1h	15	1	997744	**2 607 011 436**
The perfect selection for common Wood and occasional Metal applications					
T 101 BF Clean for Hard Wood **T 144 DP Precision for Wood** **T 121 BF Speed for Metal** **T 144 DHM EXPERT Hardwood fast**	P1h	15	1	997751	**2 607 011 437**
The perfect selection for different materials and material thicknesses					
T 144 DP Precision for Wood **T 101 BF Clean for Hard Wood** **T 121 BF Speed for Metal** **T 345 XF Progressor for Wood and Metal** **T 367 XHM EXPERT Multi Material**	P1h	15	1	997768	**2 607 011 438**





10-piece jigsaw blade sets (single lug shank)



10-piece jigsaw blade set Basic for Wood					
T 119 BO Basic for Wood **T 119 B Basic for Wood** **T 111 C Basic for Wood**	P1k	10	1	579353	**2 607 010 629**

10-piece jigsaw blade sets (single lug shank)

PRODUCT PROPERTIES	ORDERING INFORMATION				
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 10-piece jigsaw blade set Basic for Metal and Wood					
T 119 BO Basic for Wood **T 119 B Basic for Wood** **T 111 C Basic for Wood** **T 218 A Basic for Metal** **T 118 G Basic for Metal** **T 118 A Basic for Metal** **T 118 B Basic for Metal**	P1k	10	1	579360	**2 607 010 630**
 10-piece jigsaw blade set Basic for Metal					
T 218 A Basic for Metal **T 118 G Basic for Metal** **T 118 A Basic for Metal** **T 118 B Basic for Metal**	P1k	10	1	579377	**2 607 010 631**
 10-piece jigsaw blade set Clean for Wood and Hard Wood					
T 101 AO Clean for Wood **T 101 B Clean for Wood** **T 101 B Clean for Wood** **T 101 BR Clean for Wood** **T 101 D Clean for Wood** **T 101 AOF Special for Laminate** **T 101 BF Clean for Hard Wood** **T 101 BF Clean for Hard Wood** **T 101 BRF Clean for Hard Wood** **T 144 DP Precision for Wood**	PC1a	10	5	913430	**2 607 011 172**
 10-piece jigsaw blade set Wood and Metal					
T 119 BO Basic for Wood **T 119 B Basic for Wood** **T 111 C Basic for Wood** **T 244 D Speed for Wood** **T 144 D Speed for Wood** **T 101 AO Clean for Wood** **T 101 B Clean for Wood** **T 118 A Basic for Metal** **T 118 B Basic for Metal** **T 127 D Special for Alu**	PC1a	10	5	913416	**2 607 011 170**
 10-piece jigsaw blade set Allrounder					
T 244 D Speed for Wood **T 144 D Speed for Wood** **T 101 AO Clean for Wood** **T 101 B Clean for Wood** **T 101 BF Clean for Hard Wood** **T 118 A Basic for Metal** **T 118 B Basic for Metal** **T 127 D Special for Alu** **T 118 GFS Basic for Inox** **T 102 H Clean for PVC**	PC1a	10	5	913423	**2 607 011 171**

10-piece jigsaw blade sets (single lug shank)



PRODUCT PROPERTIES	ORDERING INFORMATION				
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
10-piece jigsaw blade set Wood					
T 119 BO Basic for Wood **T 119 B Basic for Wood** **T 111 C Basic for Wood** **T 244 D Speed for Wood** **T 144 D Speed for Wood** **T 144 D Speed for Wood** **T 101 AO Clean for Wood** **T 101 B Clean for Wood** **T 101 B Clean for Wood** **T 101 D Clean for Wood**	PC1a	10	5	913409	**2 607 011 169**

5-piece jigsaw blade sets (single lug shank)



5-piece jigsaw blade set Allrounder					
T 144 D Speed for Wood **T 101 B Clean for Wood** **T 102 H Clean for PVC** **T 113 A Special for Soft Material** **T 121 AF Speed for Metal**	PC1a	5	10	839532	**2 608 667 856**



5-piece jigsaw blade set Wood and Plastics					
T 101 AO Clean for Wood **T 101 B Clean for Wood** **T 101 D Clean for Wood** **T 102 H Clean for PVC** **T 102 D Clean for PP**	PC1a	5	10	839556	**2 608 667 858**



5-piece jigsaw blade set Wood and Metal Basic					
T 119 BO Basic for Wood **T 119 B Basic for Wood** **T 111 C Basic for Wood** **T 118 A Basic for Metal** **T 118 B Basic for Metal**	PC1a	5	10	839549	**2 608 667 857**

3-piece jigsaw blade sets (single lug shank)



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
3-piece jigsaw blade set Universal, fast through thick and thin. For wood, plastic and metal						
T 123 XF Progressor for Metal T 234 X Progressor for Wood T 345 XF Progressor for Wood and Metal	-	PC1a	3	10	198868	**2 607 010 515**



3-piece jigsaw blade set Precise, clean cuts in laminate						
T 101 BIF Special for Laminate T 101 AOF Special for Laminate	15	PC1a	3	10	393393	**2 608 636 429**

Robust Line 6-piece jigsaw blade set (universal shank)



PRODUCT PROPERTIES	ORDERING INFORMATION				
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
6-piece Robust Line jigsaw blade set Progressor					
U 123 X Progressor for Metal U 234 X Progressor for Wood U 345 XF Progressor for Wood and Metal	P1k	6	1	446167	**2 607 010 532**

5-piece jigsaw blade set (universal shank)



PRODUCT PROPERTIES	ORDERING INFORMATION				
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece jigsaw blade set					
U 111 C Basic for Wood **U 111 D Basic for Wood** **U 118 A Basic for Metal**	PC1a	5	10	839525	**2 608 667 855**

3-piece jigsaw blade sets (universal shank)



3-piece jigsaw blade set Universal, fast through thick and thin. For wood, plastic and metal					
U 123 XF Progressor for Metal **U 234 X Progressor for Wood** **U 345 XF Progressor for Wood and Metal**	PC1a	3	10	198875	**2 607 010 516**



3-piece jigsaw blade set Precise, clean cuts in laminate					
U 1 BIF Special for Laminate **U 1 AOF Special for Laminate**	PC1a	3	10	393409	**2 608 636 430**

5-piece jigsaw blade sets (Makita shank)



PRODUCT PROPERTIES	ORDERING INFORMATION				
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece jigsaw blade set Wood					
MA 111 C Basic for Wood **MA 101 BC Clean for Wood**	PC1a	5	10	839518	**2 608 667 854**

5-piece jigsaw blade set (Fein shank)



5-piece jigsaw blade set					
F 18 G Basic for Metal **F 18 AF Flexible for Metal** **F 18 BF Flexible for Metal** **F 127 DF Special for Alu**	PC1a	5	10	839495	**2 608 636 879**

5-piece jigsaw blade set (double lug shank)



5-piece jigsaw blade set					
T 44 D Speed for Wood **T 1 B Clean for Wood** **T 18 A Basic for Metal**	PC1a	5	10	839501	**2 608 667 853**

Accessories for **jigsaws**

Anti-splinter guard for jigsaws

- The anti-splinter guard effectively prevents tearing out on the top of the material. All you have to do is insert it into the sole plate. Another **tip:** it is best to saw with the grain or diagonal to the grain.

Anti-splinter guard

Suitable for GST 14.4 V; GST 18 V; GST 75 BE; GST 80 Professional; PST 650; PST 650 L; PST 680 E; PST 680 EL; PST 700 PE; PST 800 PEL; PST 900 PEL; PST 1000 CE

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	C1d	5	5	006651	**2 607 010 079**

Anti-splinter guard

Suitable for GST 120 BCE; GST 120 E; GST 135 BCE; GST 135 CE Professional

	C1d	5	5	356732	**2 607 010 305**



Anti-splinter guard

Suitable for GST 12V-70; GST 140 BCE; GST 140 CE; GST 150 BCE; GST 150 CE; GST 1400 BCE; GST 1400 CE Professional

	P1d	5	5	516297	**2 601 016 096**

Universal Cutting Oil

- Universal cutting oil in a spray can increases the lifetime of the tool by up to +30%, whilst also increasing the cutting speed.



Universal cutting oil

Use of the universal cutting oil increases the operational life several times over when cutting metal

	M0b	1	1	271240	**2 607 001 409**

Saw blades for **the Bosch Foam Rubber Cutter GSG 300 Professional**

Saw blade set for Bosch Foam Rubber Cutter GSG 300 Professional



PRODUCT PROPERTIES	ORDERING INFORMATION				
Material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
2-piece saw blade set					
70	C0h	2	1	029858	**2 607 018 013**
130	C0h	2	1	029827	**2 607 018 010**
200	C0h	2	1	029834	**2 607 018 011**
300	C0h	2	1	029841	**2 607 018 012**

Saw blade guides for Bosch Foam Rubber Cutter GSG 300 Professional



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Saw blade guide for saw blade 2 607 018 010					
	C0h	1	1	030540	**2 608 135 020**
Saw blade guide for saw blade 2 607 018 011					
	C0h	1	1	030557	**2 608 135 021**
Saw blade guide for saw blade 2 607 018 012					
	C0h	1	1	030564	**2 608 135 022**
Saw blade guide for saw blade 2 607 018 013					
	C0h	1	1	030571	**2 608 135 023**



Sole plate

Suitable for GSG 300 Professional

	P1d	1	5	052153	**2 608 000 908**

LONGEST LIFETIME IN TOUGHEST MATERIALS

Reciprocating Saw Blades

The best your tool can get. Bosch Professional Accessories.





BLADES FOR METAL

For reciprocating saw.



	Thick Tough Metal	Medium-Thick Tough Metal	Thin Tough Metal	Vehicle Rescue
	EXPERT	EXPERT	EXPERT	EXPERT
Page number	535	538	540	542
Available blade types	4	3	3	2
	UP TO 100×* LONG LIFE CARBIDE TECHNOLOGY EXTRA	UP TO 50×* LONG LIFE CARBIDE TECHNOLOGY	UP TO 50×* LONG LIFE CARBIDE TECHNOLOGY	UP TO 50×* LONG LIFE CARBIDE TECHNOLOGY

MATERIAL AND APPLICATION RECOMMENDATIONS

Cuts High Strength Steel	✓	✓	✓	✓
Cuts Hardened Steel	✓	✓	✓	✓
Cuts Stainless Steel	✓	✓	✓	✓
Cuts Cement Cast Iron Pipes	–	–	–	–
Ideal for non-cement Cast Iron Pipes	✓	✓	–	–
Ideal for Rescue & Car Dismantling	–	–	–	✓
Ideal for regular strength 'mild' steel	–	–	–	–
Ideal for precise cuts in pipes & profiles	✓	✓	–	–
Ideal for thin and thick metal	–	–	–	–
Sufficient for non-ferrous metal	–	–	–	–

*Bosch EXPERT products vs. Bosch standard products








Cement Cast Iron	Heavy for Metal	Progressor for Metal	Flexible for Metal	Basic for Metal
EXPERT				
544	547	549	549	551
1	12	1	10	2
LONG LIFE DIAMOND TECHNOLOGY				
–	–	–	–	–
–	–	–	–	–
–	–	–	–	–
✓	–	–	–	–
–	–	–	–	–
–	–	–	–	–
–	✓	✓	✓	✓
–	✓	–	–	–
–	–	✓	–	–
–	–	–	✓	✓

BLADES FOR MULTI-MATERIAL

For reciprocating saw.



	Wood with Metal Demolition	Window Demolition	Hard Nail Pallets	Wood with Metal
	EXPERT	EXPERT	EXPERT	EXPERT
Page number	552	554	555	556
Available blade types	3	1	1	1
	UP TO 50×* LONG LIFE CARBIDE TECHNOLOGY	UP TO 50×* LONG LIFE CARBIDE TECHNOLOGY	UP TO 50×* LONG LIFE CARBIDE TECHNOLOGY	UP TO 50×* LONG LIFE CARBIDE TECHNOLOGY

MATERIAL AND APPLICATION RECOMMENDATIONS

Cuts High Strength Steel Screws & Fasteners**	✓	✓	✓	✓
Cuts Hardened Steel Nails**	✓	✓	✓	✓
Cuts Stainless Steel Screws & Fasteners**	✓	✓	✓	✓
Cuts non-cement Cast Iron Pipes	✓	–	✓	–
Ideal for Demolition	✓	✓	–	–
Ideal for Pallet Repair	–	–	✓	–
Ideal for regular strength 'mild' steel**	–	–	–	–
Ideal for thin and thick material	–	–	–	–
Sufficient for non-ferrous metal**	–	–	–	–

* Bosch EXPERT products vs. Bosch standard products
** embedded in wood








	Multi Material	Heavy for Wood and Metal	Special for Pallet Repair	Progressor for Wood and Metal	Flexible for Wood and Metal
	EXPERT				
	557	559	560	561	561
	3	7	4	1	7
	UP TO 50x+ LONG LIFE CARBIDE TECHNOLOGY				
	✓	–	–	–	–
	✓	–	–	–	–
	✓	–	–	–	–
	✓	–	–	–	–
	–	✓	–	–	–
	–	–	✓	–	–
	–	✓	✓	✓	✓
	–	–	–	✓	–
	–	–	–	✓	✓

BLADES FOR MINERAL MATERIAL

For reciprocating saw.



	Hollow Brick	Aerated Concrete	Fiber Plaster
	EXPERT	EXPERT	EXPERT
Page number	563	565	567
Available blade types	3	3	1
	LONG LIFE CARBIDE TECHNOLOGY	LONG LIFE CARBIDE TECHNOLOGY	LONG LIFE CARBIDE TECHNOLOGY

MATERIAL AND APPLICATION RECOMMENDATIONS

Cuts hollow brick blocks	✓	–	–
Cuts Aerated Concrete blocks	–	✓	–
Cuts Fiber Cement board	–	–	✓
Cuts Concrete Backerboard	–	–	✓
Cuts Drywall board	–	–	✓
Cuts thick dense Fiber Insulation	–	–	–
Ideal for clean cuts in thin Fiber Insulation	–	–	–
Ideal for clean cuts in Soft Material	–	–	–
Ideal for frozen material	–	–	–

*Bosch EXPERT products vs. Bosch standard products






	Special for Plaster	Precision for Fiber Insulation	Clean for Fiber Insulation	Special for Ice
	568	568	569	569
	2	3	1	1
	–	–	–	–
	–	–	–	–
	–	–	–	–
	–	–	–	–
	✓	–	–	–
	–	✓	–	–
	–	✓	✓	–
	–	–	✓	–
	–	–	–	✓

BLADES FOR WOOD

For reciprocating saw.



	Tough Wood	Top for Wood	Progressor for Wood	Basic for Wood
	EXPERT			
Page number	570	571	572	572
Available blade types	2	3	1	3
	UP TO 50x* LONG LIFE CARBIDE TECHNOLOGY			

MATERIAL AND APPLICATION RECOMMENDATIONS

Cuts Thick Tough Wood	✓	–	–	–
Cuts Thick Pressure Treated Lumber	✓	–	–	–
Cuts Thick Moist Wood	✓	–	–	–
Cuts Tough WPC Composites	✓	–	–	–
Sufficient for dry softwood	–	✓	✓	✓
Ideal for Wooden Roots and Soil Work	✓	–	–	–
Ideal for clean cuts in softwood	–	–	✓	–
Ideal for thin and thick material	–	–	✓	–
Ideal for firewood	✓	–	–	✓

*Bosch EXPERT products vs. Bosch standard products

LONG LIFE CUTTING THICK TOUGH METAL

EXPERT ‘Thick Tough Metal’ Blades

ASSORTMENT: S555CHC, S955CHC, S1155CHC, S1255CHC

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Thick gauge blade offers extra robustness and stability
3. Wide body for precise, straight cuts
4. Extra coating makes Carbide even tougher



CARBIDE TECHNOLOGY EXTRA

EXPERT ‘Thick Tough Metal’ S 555 CHC Reciprocating Saw Blades

EXPERT



- Ideal for cutting thick tough metal, such as: cast iron pipe, for example water mains; high alloy steel in construction work; and high strength steel.
- Best for utilities workers: long lasting and powerful.
- Lasts up to 100x longer than a Bi-Metal blade in tough material.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY EXTRA | UP TO 100x LONG LIFE

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3	8	100 x 25 x 1.25	CT	4	12	50	C1c	1	1	534541	**2 608 900 364**

EXPERT 'Thick Tough Metal' S 955 CHC Reciprocating Saw Blades

EXPERT



- Ideal for cutting thick tough metal, such as: cast iron pipe, for example water mains; high alloy steel in construction work; and high strength steel.
- Best for utilities workers: long lasting and powerful.
- Lasts up to 100x longer than a Bi-Metal blade in tough material.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY EXTRA | UP TO 100x LONG LIFE

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3	8	150 x 25 x 1.25	CT	4	12	100	C1c	1	1	534558	**2 608 900 365**
							C1c	3	1	534565	**2 608 900 366**
							P1h	10	1	534572	**2 608 900 367**

EXPERT 'Thick Tough Metal' S 1155 CHC Reciprocating Saw Blades

EXPERT



- Ideal for cutting thick tough metal, such as: cast iron pipe, for example water mains; high alloy steel in construction work; and high strength steel.
- Best for utilities workers: long lasting and powerful.
- Lasts up to 100x longer than a Bi-Metal blade in tough material.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY EXTRA | UP TO 100x LONG LIFE

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3	8	225 x 25 x 1.25	CT	4	12	175	C1c	1	1	534589	**2 608 900 368**
							C1c	3	1	534596	**2 608 900 369**
							P1h	10	1	534602	**2 608 900 370**

EXPERT 'Thick Tough Metal' S 1255 CHC Reciprocating Saw Blades

EXPERT



- Ideal for cutting thick tough metal, such as: cast iron pipe, for example water mains; high alloy steel in construction work; and high strength steel.
- Best for utilities workers: long lasting and powerful.
- Lasts up to 100x longer than a Bi-Metal blade in tough material.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY EXTRA

UP TO 100x* LONG LIFE

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3	8	300 x 25 x 1.25	CT	4	12	250	C1c	1	1	534619	**2 608 900 371**
							P1h	10	1	534626	**2 608 900 372**

LONG LIFE CUTTING MEDIUM-THICK TOUGH METAL

EXPERT ‘Medium-Thick Tough Metal’ Blades

ASSORTMENT: S955HHM, S1155HHM, S1255HHM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Wide body for precise, straight cuts
3. Fine teeth cut thinner material with ease



CARBIDE TECHNOLOGY

EXPERT ‘Medium-Thick Tough Metal’ S 955 HHM Reciprocating Saw Blades

EXPERT



- Ideal for cutting tough metal pipes and profiles with medium wall thickness; capable of cutting stainless steel; and any hardened, high alloy or high strength steel.
- Best for recycling and demolition workers: long lasting and powerful.
- Lasts up to 50x longer than a Bi-Metal blade in tough material.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
2.5	10	150 x 25 x 1	CT	3	8	100	C1c	1	1	534633	**2 608 900 373**

EXPERT 'Medium-Thick Tough Metal' S 1155 HHM Reciprocating Saw Blades

EXPERT



- Ideal for cutting tough metal pipes and profiles with medium wall thickness; capable of cutting stainless steel; and any hardened, high alloy or high strength steel.
- Best for recycling and demolition workers: long lasting and powerful.
- Lasts up to 50x longer than a Bi-Metal blade in tough material.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
2.5	10	225 x 25 x 1.1	CT	3	8	175	C1c	1	1	534640	**2 608 900 374**
							C1c	3	1	534657	**2 608 900 375**
							P1h	10	1	534664	**2 608 900 376**

EXPERT 'Medium-Thick Tough Metal' S 1255 HHM Reciprocating Saw Blades

EXPERT



- Ideal for cutting tough metal pipes and profiles with medium wall thickness; capable of cutting stainless steel; and any hardened, high alloy or high strength steel.
- Best for recycling and demolition workers: long lasting and powerful.
- Lasts up to 50x longer than a Bi-Metal blade in tough material.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
2.5	10	300 x 25 x 1.25	CT	3	8	250	C1c	1	1	534671	**2 608 900 377**

LONG LIFE CUTTING THIN TOUGH METAL

EXPERT ‘Thin Tough Metal’ Blades

ASSORTMENT: S522EHM, S922EHM, S1022EHM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Extra-fine teeth cut very thin material with ease



CARBIDE TECHNOLOGY

EXPERT ‘Thin Tough Metal’ S 522 EHM Reciprocating Saw Blades

EXPERT



- Ideal for cutting thin stainless steel sheet
- Best for kitchen fitters: long lasting and quality finish.
- Lasts up to 50x longer than a Bi-Metal blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50x LONG LIFE

PRODUCT PROPERTIES						ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
1.4	18	115 x 19 x 1	CT	1.5	4	C1c	1	1	534497	**2 608 900 359**

EXPERT 'Thin Tough Metal' S 922 EHM Reciprocating Saw Blades

EXPERT



- Ideal for cutting thin stainless steel pipes and profiles.
- Best for kitchen fitters: long lasting and quality finish.
- Lasts up to 50x longer than a Bi-Metal blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
1.4	18	150 x 19 x 1	CT	1.5	4	100	C1c	1	1	534503	**2 608 900 360**
							C1c	3	1	534510	**2 608 900 361**
							P1h	10	1	534527	**2 608 900 362**

EXPERT 'Thin Tough Metal' S 1022 EHM Reciprocating Saw Blades

EXPERT



- Ideal for cutting thin stainless steel pipes and profiles.
- Best for kitchen fitters: long lasting and quality finish.
- Lasts up to 50x longer than a Bi-Metal blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
1.4	18	200 x 19 x 1	CT	1.5	4	150	C1c	1	1	534534	**2 608 900 363**

LONG LIFE CUTTING MODERN AUTOMOTIVE STEEL

EXPERT ‘Vehicle Rescue’ Blades

ASSORTMENT: S957CHM, S1157CHM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Thick gauge blade offers extra robustness and stability
3. First tooth designed to allow plunge cut
4. Tapered tip reaches deeper into tight spaces



CARBIDE TECHNOLOGY

EXPERT ‘Vehicle Rescue’ S 957 CHM Reciprocating Saw Blades

EXPERT



- Ideal for rescue cuts into a vehicle at a road accident site. Designed for specific cuts common in modern rescue techniques; for example cutting a car’s B column and window; or creating a ‘third door’.
- Best for firefighters and rescue workers: long lasting and reliable.
- Lasts up to 50x longer than a Bi-Metal blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3	8	150 x 20 x 1.35	CT	4	12	100	C1c	1	1	534688	**2 608 900 378**
							P1h	10	1	534695	**2 608 900 379**

EXPERT 'Vehicle Rescue' S 1157 CHM Reciprocating Saw Blades

EXPERT



- Ideal for rescue cuts into a vehicle at a road accident site. Designed for specific cuts common in modern rescue techniques; for example cutting a car's B column and window; or creating a 'third door'.
- Best for firefighters and rescue workers: long lasting and reliable.
- Lasts up to 50x longer than a Bi-Metal blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3	8	225 x 20 x 1.35	CT	4	12	175	C1c	1	1	534701	**2 608 900 380**
							C1c	3	1	534718	**2 608 900 381**
							P1h	10	1	534725	**2 608 900 382**

LONG LIFE CUTTING CEMENT CAST IRON PIPES

EXPERT ‘Cement Cast Iron’ Blades

ASSORTMENT: S1750RD

EXPERT

1. Extremely durable cutting edge using Bosch Diamond Technology
2. Thick gauge blade offers extra robustness and stability



DIAMOND TECHNOLOGY

EXPERT ‘Cement Cast Iron’ S 1750 RD Reciprocating Saw Blades

EXPERT



- Ideal for straight cut-offs to cement cast iron pipes such as ductus ZMA or ductus ZMU, during municipal water repair works; also cuts non-cement cast iron pipes.
- Best for utilities workers: long lasting and specialised.
- Cuts materials that other blades simply can’t.
- Fits all S-shank reciprocating saws.





DIAMOND TECHNOLOGY LONG LIFE

PRODUCT PROPERTIES								ORDERING INFORMATION				
	Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
GRIT 50	GRIT 50	250 x 19 x 1.25	DIA	2	6	200	C1c	1	1	534732	**2 608 900 383**	

Reciprocating saw blades - Endurance for HeavyMetal - BIM

Long life in metal

endurance HeavyMetal

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

S 925 HBF



BIM, Micro Edge Geometry, 3x3 Tooth Geometry
For metal demolition work. Medium-thick to thick sheet metals (2-10 mm), thin-walled closed and open profiles and pipes (<100 mm).

1.8+ 2.1+2.5	10+12+ 14	150 x 22 x 1.35	BIM	2	10	100	C1c	5	5	744799	**2 608 658 009**

S 1025 HBF



BIM, Micro Edge Geometry, 3x3 Tooth Geometry
For metal demolition work. Medium-thick to thick sheet metals (2-10 mm), thin-walled closed and open profiles and pipes (<150 mm).

1.8+ 2.1+2.5	10+12+ 14	200 x 22 x 1.35	BIM	2	10	150	C1c	5	5	744805	**2 608 658 010**

S 1125 HBF



BIM, Micro Edge Geometry, 3x3 Tooth Geometry
For metal demolition work. Medium-thick to thick sheet metals (2-10 mm), thin-walled closed and open profiles and pipes (<175 mm).

1.8+ 2.1+2.5	10+12+ 14	225 x 22 x 1.35	BIM	2	10	175	C1c	5	5	744812	**2 608 658 011**

S 1225 HBF



BIM, Micro Edge Geometry, 3x3 Tooth Geometry
For metal demolition work. Medium-thick to thick sheet metals (2-10 mm), thin-walled closed and open profiles and pipes (<250 mm).

1.8+ 2.1+2.5	10+12+ 14	300 x 22 x 1.35	BIM	2	10	250	C1c	5	5	744836	**2 608 658 013**

S 927 BEF



BIM, Micro Edge Geometry, patented 2x2 Tooth Geometry with Full Contact Design
Medium-thick to thick sheet metals (2-6 mm), thin-walled closed and open profiles and pipes (<100 mm). Fine, precise cuts at accurate angles.

1.4+1.8	14+18	150 x 25 x 1.1	BIM	2	6	100	C1c	5	5	507158	**2 608 657 523**
							P1h	25	1	695398	**2 608 657 936**

S 1127 BEF



BIM, Micro Edge Geometry, patented 2x2 Tooth Geometry with Full Contact Design
Medium-thick to thick sheet metals (2-6 mm), thin-walled closed and open profiles and pipes (<175 mm). Fine, precise cuts at accurate angles.

1.4+1.8	14+18	225 x 25 x 1.1	BIM	2	6	175	C1c	5	5	507165	**2 608 657 524**
							P1h	25	1	695367	**2 608 657 933**

Reciprocating saw blades - Endurance for HeavyMetal - BIM

Long life in metal

endurance HeavyMetal

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

S 1227 BEF



BIM, Micro Edge Geometry, patented 2x2 Tooth Geometry with Full Contact Design
Medium-thick to thick sheet metals (2-6 mm), thin-walled closed and open profiles and pipes (<250 mm). Fine, precise cuts at accurate angles

1.4+1.8	14+18	300 x 25 x 1.1	BIM	2	6	250	C1c	5	5	836562	**2 608 658 147**
							P1h	25	1	836579	**2 608 658 148**

S 930 CF



BIM, Micro Edge Geometry, patented 2x2 Tooth Geometry
Thick sheet metal (4-12 mm), thick-walled, solid pipes and profiles (<100 mm). Ideal for pipe cutting device, for rescue/demolition work. Powerful, coarse cut.

2.5+3.2	8+10	150 x 22 x 1.6	BIM	4	12	100	C1c	5	5	507196	**2 608 657 527**
							P1h	25	1	695381	**2 608 657 935**

S 1130 CF



BIM, Micro Edge Geometry, patented 2x2 Tooth Geometry
Thick sheet metals (4-12 mm), thick-walled, solid pipes and profiles (<175 mm). Ideal for pipe cutting device, for rescue/demolition work. Powerful, coarse cut

2.5+3.2	8+10	225 x 22 x 1.6	BIM	4	12	175	P1h	25	1	695350	**2 608 657 932**
							C1c	5	5	507202	**2 608 657 528**

S 936 CHF



BIM, Micro Edge Geometry, patented 2x2 Tooth Geometry
Thick sheet metals (4-12 mm), thick-walled closed and open profiles and pipes (<100 mm). Fast, precise cuts at accurate angles.

2.5+3.2	8+10	150 x 25 x 1.1	BIM	4	12	100	C1c	5	5	507172	**2 608 657 525**

S 1136 CHF



BIM, Micro Edge Geometry, patented 2x2 Tooth Geometry
Thick sheet metals (4-12 mm), thick-walled closed and open profiles and pipes (<175 mm). Fast, precise cuts at accurate angles.

2.5+3.2	8+10	225 x 25 x 1.1	BIM	4	12	175	C1c	5	5	507189	**2 608 657 526**
							P1h	25	1	695374	**2 608 657 934**

Reciprocating saw blades - Heavy for Metal - BIM

Heavy-duty work, sturdy, precise

heavy for Metal

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

S 926 BEF



BIM, patented 2x2 Tooth Geometry
Medium-thick to thick sheet metals (3-8 mm), thin-walled closed and open profiles and pipes (<100 mm). Fine, precise cuts at accurate angles.

1.4+1.8	14+18	150 x 25 x 1.1	BIM	3	8	100	C1c	5	5	451888	**2 608 657 394**
							P1h	25	1	695343	**2 608 653 067**

S 1126 BEF



BIM, patented 2x2 Tooth Geometry
Medium-thick to thick sheet metals (3-8 mm), thin-walled closed and open profiles and pipes (<175 mm). Fine, precise cuts at accurate angles.

1.4+1.8	14+18	225 x 25 x 1.1	BIM	3	8	175	C1c	5	5	451895	**2 608 657 395**
							P1h	25	1	515221	**2 608 657 554**

S 1226 BEF



BIM, patented 2x2 Tooth Geometry
Medium-thick to thick sheet metals (3-8 mm), thin-walled closed and open profiles and pipes (<250 mm). Fine, precise cuts at accurate angles

1.4+1.8	14+18	300 x 25 x 1.1	BIM	3	8	250	C1c	5	5	451901	**2 608 657 396**

S 926 CHF



BIM, patented 2x2 Tooth Geometry
Thick sheet metals (4-12 mm), thick-walled closed and open profiles and pipes (<100 mm). Fast, precise cuts at accurate angles.

2.5+3.2	8+10	150 x 25 x 1.1	BIM	4	12	100	C1c	5	5	451918	**2 608 657 397**

S 1126 CHF



BIM, patented 2x2 Tooth Geometry
Thick sheet metals (4-12 mm), thick-walled closed and open profiles and pipes (<175 mm). Fast, precise cuts at accurate angles.

2.5+3.2	8+10	225 x 25 x 1.1	BIM	4	12	175	C1c	5	5	451925	**2 608 657 398**
2.5+3.2	8+10	225 x 25 x 1.1	BIM	4	12	100	P1h	25	1	515238	**2 608 657 555**

S 1226 CHF



BIM, patented 2x2 Tooth Geometry
Thick sheet metals (4-12 mm), thick-walled closed and open profiles and pipes (<250 mm). Fast, precise cuts at accurate angles.

2.5+3.2	8+10	300 x 25 x 1.1	BIM	4	12	250	C1c	5	5	451932	**2 608 657 406**

Reciprocating saw blades - Heavy for Metal - BIM

Heavy-duty work, sturdy, precise

heavy for Metal

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

S 925 VF



BIM, vario-pitched teeth
Medium-thick to thick sheet metals (2.5-10 mm), thin-walled and thick-walled pipes and profiles (<100 mm). Ideal for demolition work in metal. Effortless, fine cut.

1.8-2.6	10-14	150 x 19 x 1.25	BIM	2.5	10	100	C1c	5	5	451949	**2 608 657 407**

S 1025 VF



BIM, vario-pitched teeth
Medium-thick to thick sheet metals (2.5-10 mm), thin-walled and thick-walled pipes and profiles (<150 mm). Ideal for demolition work in metal. Effortless, fine cut

1.8-2.6	10-14	200 x 19 x 1.25	BIM	2.5	10	150	C1c	5	5	235570	**2 608 656 265**

S 1125 VF



BIM, vario-pitched teeth
Medium-thick to thick sheet metals (2.5-10 mm), thin-walled and thick-walled pipes and profiles (<175 mm). Ideal for demolition work in metal. Effortless, fine cut.

1.8-2.6	10-14	225 x 19 x 1.25	BIM	2.5	10	175	C1c	5	5	451956	**2 608 657 408**
							P1h	25	1	515245	**2 608 657 556**

S 1225 VF



BIM, vario-pitched teeth
Medium-thick to thick sheet metals (2.5-10 mm), thin-walled and thick-walled pipes and profiles (<250 mm). Ideal for demolition work in metal. Effortless, fine cut.

1.8-2.6	10-14	300 x 19 x 1.25	BIM	2.5	10	250	C1c	5	5	451963	**2 608 657 409**

S 920 CF



BIM, patented 2x2 Tooth Geometry
Thick sheet metal (4-12 mm), thick-walled, solid pipes and profiles (<100 mm). Ideal for pipe cutting device, for rescue/demolition work. Powerful, coarse cut.

2.5+3.2	8+10	150 x 22 x 1.6	BIM	4	12	100	C1c	5	5	019262	**2 608 654 820**
							P1h	25	1	695336	**2 608 653 066**

S 1120 CF



BIM, patented 2x2 Tooth Geometry
Thick sheet metals (4-12 mm), thick-walled, solid pipes and profiles (<175 mm). Ideal for pipe cutting device, for rescue/demolition work. Powerful, coarse cut

2.5+3.2	8+10	225 x 22 x 1.6	BIM	4	12	175	C1c	5	5	235471	**2 608 656 255**
							P1h	25	1	515252	**2 608 657 557**
							C0a	100	1	283663	**2 608 656 571**

Reciprocating saw blades - Progressor for Metal - BIM

Universal, fast

progressor Metal

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
S 123 XF											
BIM, side set, milled Thin to thick sheet metals (1-8 mm), thin to thick profiles (diameter <100 mm)											
1.4-3.4	8-18	150 x 19 x 0.9	BIM	1	8	100	C1c	2	5	169554	**2 608 654 401**
							C1c	5	5	169561	**2 608 654 402**
							P1h	25	1	695404	**2 608 657 937**
							C0a	100	1	184816	**2 608 654 416**

Reciprocating saw blades - Flexible for Metal - BIM

flexible, break-resistant

flexible Metal

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
S 522 AF											
BIM, wavy set, milled Especially optimised for use in compact saws. Thin sheet metals (0.7-3 mm), effortless, fine cut											
1	24	100 x 19 x 0.9	BIM	0.7	3	-	C1c	2	5	235594	**2 608 656 267**
							C1c	5	5	093460	**2 608 656 010**
S 922 AF											
BIM, wavy set, milled Thin sheet metals (0.7-2 mm), fine pipes/profiles (diameter <100 mm), effortless, fine cut											
1.1	24	150 x 19 x 0.9	BIM	0.7	2	100	C1c	2	5	093385	**2 608 656 036**
							C1c	5	5	093491	**2 608 656 013**
S 1122 AF											
BIM, wavy set, milled Thin sheet metals (0.7-2 mm), fine pipes/profiles (diameter <175 mm), effortless, fine cut, flexible flush cut											
1.1	24	225 x 19 x 0.9	BIM	0.7	2	175	C1c	5	5	093545	**2 608 656 018**
S 522 EF											
BIM, side set, milled Especially optimised for use in compact saws. Thin sheet metals (1.5-4 mm)											
1.4	18	100 x 19 x 0.9	BIM	1.5	4	-	C1c	2	5	612050	**2 608 657 721**
							C1c	5	5	093484	**2 608 656 012**

Reciprocating saw blades - Flexible for Metal - BIM

flexible, break-resistant

flexible for Metal

S 922 EF



BIM, side set, milled
Thin sheet metals (1.5-4 mm), pipes/profiles (diameter <100 mm)

Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
1.4	18	150 x 19 x 0.9	BIM	1.5	4	100	C1c	2	5	093408	**2 608 656 038**
							C1c	5	5	093514	**2 608 656 015**
							P1h	25	1	515191	**2 608 657 551**
							C0a	100	1	206112	**2 608 656 028**

S 1122 EF



BIM, side set, milled
Thin sheet metals (1.5-4 mm), pipes/profiles (diameter <175 mm), flexible flush cut

Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
1.4	18	225 x 19 x 0.9	BIM	1.5	4	175	C1c	2	5	093446	**2 608 656 042**
							C1c	5	5	093569	**2 608 656 020**
							P1h	25	1	515207	**2 608 657 553**

S 422 BF



BIM, side set, milled
Especially optimised for use in compact saws.
Medium-thick sheet metals (1.5-6 mm), especially for curve cuts

Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
1.8	14	100 x 16 x 0.9	BIM	1.5	6	-	C1c	2	5	235600	**2 608 656 268**
							C1c	5	5	235457	**2 608 656 253**

S 522 BF



BIM, side set, milled
Especially optimised for use in compact saws.
Thick sheet metals (2.5-8 mm), quick cut

Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
2	14	100 x 19 x 0.9	BIM	2.5	8	-	C1c	2	5	235846	**2 608 656 269**
							C1c	5	5	093477	**2 608 656 011**

S 922 BF



BIM, side set, milled
Thick sheet metals (2.5-8 mm), solid pipes/profiles (diameter <100 mm), quick cut

Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
2	14	150 x 19 x 0.9	BIM	2.5	8	100	C1c	2	5	093392	**2 608 656 037**
							C1c	5	5	093507	**2 608 656 014**
							P1h	25	1	515184	**2 608 657 550**
							C0a	100	1	206105	**2 608 656 027**

S 1122 BF



BIM, side set, milled
Thick sheet metals (2.5-8 mm), solid pipes/profiles (diameter <175 mm), flexible flush cut, quick cut

Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
2	14	225 x 19 x 0.9	BIM	2.5	8	175	C1c	2	5	093439	**2 608 656 041**
							C1c	5	5	093552	**2 608 656 019**
							P1h	25	1	515214	**2 608 657 552**
							C0a	100	1	206150	**2 608 656 032**

Reciprocating saw blades - Basic for Metal - BIM

Good and cost-effective

basic Metal

S 918 AF



BIM, wavy set, milled
Thin sheet metals (1-3 mm), fine, closed pipes/profiles (diameter <100 mm)

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
1	24	150 x 16 x 0.9	BIM	1	3	100	C1c	2	5	235839	**2 608 651 944**
							C1c	5	5	016117	**2 608 651 780**

S 918 BF



BIM, side set, milled
Medium-thick sheet metals (2-8 mm), closed pipes/profiles (diameter <100 mm)

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
1.8	14	150 x 16 x 0.9	BIM	2	8	100	C1c	2	5	035354	**2 608 651 821**
							C1c	5	5	016124	**2 608 651 781**

LONG LIFE CUTTING METAL EMBEDDED WOOD

EXPERT ‘Wood with Metal Demolition’ Blades

ASSORTMENT: S967XHM, S1167XHM, S1267XHM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Reinforced teeth withstand the extreme abuse of demolition work
3. Progressive tooth pitch to cut material of every thickness
4. Tapered tip reaches deeper into tight spaces
5. Thick gauge blade offers extra robustness and stability



CARBIDE TECHNOLOGY

EXPERT ‘Wood with Metal Demolition’ S 967 XHM Reciprocating Saw Blades

EXPERT



- Ideal for all-round demolition use, including the toughest jobs such as cutting thick roof beams fixed with nail plate on a building renovation site; or cutting through mixed materials with hard nails and screws.
- Best for demolition workers: long lasting and versatile.
- Lasts up to 50x longer than a Bi-Metal blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3.5-5.0	5-7	150 x 25 x 1.25	CT	100	C1c	1	1	534862	**2 608 900 396**
					P1h	10	1	534879	**2 608 900 397**

EXPERT 'Wood with Metal Demolition' S 1167 XHM Reciprocating Saw Blades

EXPERT



- Ideal for all-round demolition use, including the toughest jobs such as cutting thick roof beams fixed with nail plate on a building renovation site; or cutting through mixed materials with hard nails and screws.
- Best for demolition workers: long lasting and versatile.
- Lasts up to 50x longer than a Bi-Metal blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3.5-5.0	5-7	225 x 25 x 1.25	CT	175	C1c	1	1	534886	**2 608 900 398**
					C1c	3	1	534893	**2 608 900 399**
					P1h	10	1	534909	**2 608 900 400**

EXPERT 'Wood with Metal Demolition' S 1267 XHM Reciprocating Saw Blades

EXPERT



- Ideal for all-round demolition use, including the toughest jobs such as cutting thick roof beams fixed with nail plate on a building renovation site; or cutting through mixed materials with hard nails and screws.
- Best for demolition workers: long lasting and versatile.
- Lasts up to 50x longer than a Bi-Metal blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3.5-5.0	5-7	300 x 25 x 1.25	CT	250	C1c	1	1	534916	**2 608 900 401**
					P1h	10	1	534923	**2 608 900 402**

LONG LIFE CUTTING WINDOW STOCKS OF ANY MATERIAL

EXPERT ‘Window Demolition’ Blades

ASSORTMENT: S956DHM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Tapered tip reaches deeper into tight spaces
3. Side set teeth to cut thicker materials effectively
4. First tooth designed to allow plunge cut



CARBIDE TECHNOLOGY

EXPERT ‘Window Demolition’ S 956 DHM Reciprocating Saw Blades

EXPERT



- Ideal for cutting out windows; can cut through a window fixing screw so window parts can be removed; can cut though composite window stocks of any kind; and it can also cut through doors and hinges.
- Best for window fitters: long lasting and powerful.
- Lasts up to 50x longer than a Bi-Metal blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
4	6	150 x 25 x 1.25	CT	100	C1c	1	1	534756	**2 608 900 385**
					P1h	10	1	534763	**2 608 900 386**

LONG LIFE CUTTING HARD NAILS PALLETS

EXPERT ‘Hard Nail Pallets’ Blades

ASSORTMENT: S1122CHM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Highly flexible body can be bent for flush cuts
3. Reverse tip prevents jamming and kickback
4. Reinforced shank transition for longer shank life



CARBIDE TECHNOLOGY

EXPERT ‘Hard Nail Pallets’ S 1122 CHM Reciprocating Saw Blades

EXPERT



- Ideal for pallet repair - replacing broken parts of a pallet.
- Best for pallet repair workers: long lasting and specialised.
- Lasts up to 50x longer than a Bi-Metal blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50x LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3	8	225 x 19 x 1	CT	175	C1c	1	1	534770	**2 608 900 387**
					P1h	10	1	534787	**2 608 900 388**

LONG LIFE CURVE CUTTING WOOD WITH EMBEDDED METAL

EXPERT ‘Wood with Metal’ Blades

ASSORTMENT: S715LHM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Narrow blade is perfect for curved cuts



CARBIDE TECHNOLOGY

EXPERT ‘Wood with Metal’ S 715 LHM Reciprocating Saw Blades

EXPERT



- Ideal for curved cuts in wood with metal, such as those required for chimney pipe or ventilation pipe outlets through a roof; curved cuts in plaster board during renovation work.
- Best for construction workers: long lasting and versatile.
- Lasts up to 50x longer than a Bi-Metal blade in tough material.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
5	5	190 x 12 x 1.5	CT	140	C1c	1	1	534749	**2 608 900 384**

LONG LIFE CUTTING TOUGH BUILDING MATERIALS

EXPERT ‘Multi Material’ Blades

ASSORTMENT: S956XHM, S1156XHM, S1256XHM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Progressive tooth pitch to cut material of every thickness
3. Tapered tip reaches deeper into tight spaces
4. Thick gauge blade offers extra robustness and stability
5. Wide body for precise, straight cuts



CARBIDE TECHNOLOGY

EXPERT ‘Multi Material’ S 956 XHM Reciprocating Saw Blades

EXPERT



- Ideal for cutting all materials found in construction; ideal for roofing or renovation work as it cuts all building materials tradesmen are likely to encounter.
- Best for construction workers: long lasting and versatile.
- Lasts up to 50x longer than a Bi-Metal blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3.0-4.0	6-8	150 x 25 x 1.25	CT	100	C1c	1	1	534794	**2 608 900 389**
					P1h	10	1	534800	**2 608 900 390**

EXPERT 'Multi Material' S 1156 XHM Reciprocating Saw Blades

EXPERT



- Ideal for cutting all materials found in construction; ideal for roofing or renovation work as it cuts all building materials tradesmen are likely to encounter.
- Best for construction workers: long lasting and versatile.
- Lasts up to 50x longer than a Bi-Metal blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3.0-4.0	6-8	225 x 25 x 1.25	CT	175	C1c	1	1	534817	**2 608 900 391**
					C1c	3	1	534824	**2 608 900 392**
					P1h	10	1	534831	**2 608 900 393**

EXPERT 'Multi Material' S 1256 XHM Reciprocating Saw Blades

EXPERT



- Ideal for cutting all materials found in construction; ideal for roofing or renovation work as it cuts all building materials tradesmen are likely to encounter.
- Best for construction workers: long lasting and versatile.
- Lasts up to 50x longer than a Bi-Metal blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3.0-4.0	6-8	300 x 25 x 1.25	CT	250	C1c	1	1	534848	**2 608 900 394**
					P1h	10	1	534855	**2 608 900 395**

Reciprocating saw blades - Heavy for Wood and Metal - BIM — Heavy-duty work, sturdy, fast

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

S 511 DF



BIM, side set, milled
Especially optimised for use in compact saws.
Wood with nails/metal, wood, chipboard, plastic pipes and profiles, glass fibre plastic / epoxy resin.

4	6	100 x 19 x 0.9	BIM	50	C1c	2	5	612067	**2 608 657 722**
					C1c	5	5	612074	**2 608 657 723**

S 611 DF



BIM, side set, milled
Wood with nails/metal, chipboard (<100 mm), plastic profiles (<100 mm), glass fibre reinforced plastic/ epoxy (<50 mm), window frames: wood + metal, especially for plunge cuts

4.3	6	150 x 22 x 1.25	BIM	100	C1c	2	5	235860	**2 608 656 271**
					C1c	5	5	235501	**2 608 656 258**
					P1h	25	1	515290	**2 608 657 561**
					C0a	100	1	235518	**2 608 656 259**

S 711 DF



BIM, side set, milled
Wood with nails/metal, chipboard (<100 mm), glass fibre reinforced plastic/epoxy (<50 mm), especially for curve cuts

4.3	6	150 x 12 x 1.25	BIM	100	C1c	2	5	235877	**2 608 656 272**
					C1c	5	5	235525	**2 608 656 260**

S 1111 DF



BIM, side set, milled
Wood with nails/metal, chipboard (<175 mm), plastic profiles (diameter <175 mm), glass fibre reinforced plastic/epoxy (<50 mm)

4.3	6	225 x 19 x 1.25	BIM	175	C1c	2	5	235884	**2 608 656 273**
					C1c	5	5	235532	**2 608 656 261**

S 1411 DF



BIM, side set, milled
Wood with nails/metal, chipboard (<250 mm), glass fibre reinforced plastic/epoxy (<60 mm)

4.3	6	300 x 19 x 1.25	BIM	250	C1c	2	5	036139	**2 608 654 834**
					C1c	5	5	016285	**2 608 654 763**
					P1h	25	1	515306	**2 608 657 562**
					C0a	100	1	283625	**2 608 656 567**

S 610 VF



BIM, special vario-pitched teeth for wood
Wood with nails/metal, wood, chipboard (<100 mm), glass fibre reinforced plastic/epoxy, wall cutouts: wood+metal (<100 mm), for rescue/demolition work

3.2-5.1	5-8	150 x 22 x 1.6	BIM	100	C1c	5	5	543347	**2 608 657 608**

Reciprocating saw blades - Heavy for Wood and Metal - BIM

Heavy-duty work, sturdy, fast

S 1110 VF



BIM, special vario-pitched teeth for wood
Wood with nails/metal, wood, chipboard (<175 mm), glass fibre reinforced plastic/epoxy, wall cutouts: wood+metal (<175 mm), for rescue/demolition work

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3.2-5.1	5-8	225 x 22 x 1.6	BIM	175	C1c	5	5	543354	**2 608 657 610**
					P1h	25	1	543361	**2 608 657 611**

S 1210 VF



BIM, special vario-pitched teeth for wood
Wood with nails/metal, wood, chipboard (<250 mm), glass fibre reinforced plastic/epoxy, wall cutouts: wood+metal (<250 mm), for rescue/demolition work

3.2-5.1	5-8	300 x 22 x 1.6	BIM	250	C1c	5	5	543378	**2 608 657 612**

Reciprocating saw blades - Special for Pallet Repair - BIM

special PalletRepair

S 722 VFR



BIM, vario-pitched teeth
Pallets, cutting depth up to 125 mm, maximum flexibility

1.8/2.6	10/14	190 x 19 x 0.9	BIM	125	C1c	5	5	749282	**2 608 658 027**
					C0a	100	1	749299	**2 608 658 028**

S 725 VFR



BIM, vario-pitched teeth
Pallets, cutting depth up to 125 mm, minimal vibration

1.8-2.6	10-14	190 x 19 x 1.25	BIM	125	C1c	5	5	749343	**2 608 658 033**
					C0a	100	1	749350	**2 608 658 034**

S 1122 VFR



BIM, vario-pitched teeth
Pallets, cutting depth up to 165 mm, maximum flexibility

1.8-2.6	10-14	225 x 19 x 0.9	BIM	165	C1c	5	5	749312	**2 608 658 030**
					C0a	100	1	749329	**2 608 658 031**

S 1125 VFR



BIM, vario-pitched teeth
Pallets, cutting depth up to 165 mm, maximum stability and lifetime

1.8-2.6	10-14	225 x 19 x 1.25	BIM	165	C1c	5	5	749367	**2 608 658 036**
					C0a	100	1	749374	**2 608 658 037**

Reciprocating saw blades - Progressor for Wood and Metal - BIM — Universal, fast

PROGRESSOR for Wood and Metal

PRODUCT PROPERTIES						ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
S 3456 XF										
2.2-4.6	6-12	200 x 19 x 1.25	BIM	150		C1c	2	5	169592	**2 608 654 405**
						C1c	5	5	169608	**2 608 654 406**
						P1h	25	1	695411	**2 608 657 938**
						C0a	100	1	184830	**2 608 654 418**



BIM, side set, milled
Wood with nails/metal, chipboard (<150 mm), sheet metals, aluminium profiles (3-18 mm), glass fibre reinforced plastic/epoxy (<150 mm)

Reciprocating saw blades - Flexible for Wood and Metal - BIM — flexible, break-resistant

flexible for Wood and Metal

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
S 922 HF											
2.5	10	150 x 19 x 0.9	BIM	-	-	100	C1c	2	5	093415	**2 608 656 039**
							C1c	5	5	093521	**2 608 656 016**
							C0a	100	1	346184	**2 608 656 320**
S 1022 HF											
2.5	10	200 x 19 x 0.9	BIM	-	-	150	C0a	100	1	293426	**2 608 656 636**
S 1122 HF											
2.5	10	225 x 19 x 0.9	BIM	-	-	175	C1c	2	5	235853	**2 608 656 270**
							C1c	5	5	093576	**2 608 656 021**
							P1h	25	1	515283	**2 608 657 560**
							C0a	100	1	206174	**2 608 656 034**



BIM, side set, milled
For pallet repair, wood with nails/metal (<100 mm), sheet metals, pipes, aluminium profiles (3-12 mm)



BIM, side set, milled
For pallet repair, wood with nails/metal (<150 mm), sheet metals, pipes, aluminium profiles (3-12 mm), flexible flush cut



BIM, side set, milled
For pallet repair, wood with nails/metal (<175 mm), sheet metals, pipes, aluminium profiles (3-12 mm), flexible flush cut

Reciprocating saw blades - Flexible for Wood and Metal - BIM — flexible, break-resistant

flexible WoodMetal

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

S 922 VF



BIM, vario-pitched teeth
Wood with nails/metal (<100 mm), sheet metals, pipes, aluminium profiles (3-10 mm), glass fibre reinforced plastic/epoxy (<100 mm)

1.8-2.6	10-14	150 x 19 x 0.9	BIM	3	10	100	C1c	2	5	093422	**2 608 656 040**
							C1c	5	5	093538	**2 608 656 017**
							P1h	25	1	515269	**2 608 657 558**

S 1122 VF



BIM, vario-pitched teeth
Wood with nails/metal (<175 mm), sheet metals, aluminium profiles (3-10 mm), glass fibre reinforced plastic/epoxy (<175 mm), flexible flush cut

1.8-2.6	10-14	225 x 19 x 0.9	BIM	-	-	175	C1c	5	5	079365	**2 608 654 981**
							P1h	25	1	515276	**2 608 657 559**

S 1222 VF



BIM, vario-pitched teeth
Wood with nails/metal (<250 mm), sheet metals, aluminium profiles (3-10 mm), glass fibre reinforced plastic/epoxy (<250 mm), flexible flush cut

1.8-2.6	10-14	300 x 19 x 0.9	BIM	-	-	250	C1c	2	5	093453	**2 608 656 043**
							C1c	5	5	093583	**2 608 656 022**

LONG LIFE CUTTING HOLLOW BRICK

EXPERT ‘Hollow Brick’ Blades

ASSORTMENT: S1543HM, S1243HM, S2243HM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Thick gauge blade offers extra robustness and stability
3. Wide body for precise, straight cuts
4. Large gullet teeth chew through the toughest materials fast



CARBIDE TECHNOLOGY

EXPERT ‘Hollow Brick’ S 1243 HM Reciprocating Saw Blades

EXPERT



- Ideal for cutting hollow bricks during construction work, for example cutting down a large format hollow brick block to fit into wall; or making a cut-out in a brick wall to increase access for electricity and/or water installation.
- Best for builders: long lasting and powerful.
- Cuts materials that other blades simply can’t.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
12.7	2	300 x 50 x 1.5	CT	250	C1c	1	1	535074	**2 608 900 417**

EXPERT 'Hollow Brick' S 1543 HM Reciprocating Saw Blades

EXPERT



- Ideal for cutting hollow bricks during construction work, for example cutting down a large format hollow brick block to fit into wall; or making a cut-out in a brick wall to increase access for electricity and/or water installation.
- Best for builders: long lasting and powerful.
- Cuts materials that other blades simply can't.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
12.7	2	240 x 23 x 1.5	CT	190	C1c	1	1	535043	**2 608 900 414**
					C1c	3	1	535050	**2 608 900 415**
					P1h	10	1	535067	**2 608 900 416**

EXPERT 'Hollow Brick' S 2243 HM Reciprocating Saw Blades

EXPERT



- Ideal for cutting hollow bricks during construction work, for example cutting down a large format hollow brick block to fit into wall; or making a cut-out in a brick wall to increase access for electricity and/or water installation.
- Best for builders: long lasting and powerful.
- Cuts materials that other blades simply can't.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
12.7	2	455 x 50 x 1.5	CT	405	C1c	1	1	535081	**2 608 900 418**

LONG LIFE CUTTING AERATED CONCRETE

EXPERT ‘Aerated Concrete’ Blades

ASSORTMENT: S1141HM, S1241HM, S2041HM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Thick gauge blade offers extra robustness and stability
3. Wide body for precise, straight cuts
4. Large gullet teeth chew through the toughest materials fast



CARBIDE TECHNOLOGY

EXPERT ‘Aerated Concrete’ S 1141 HM Reciprocating Saw Blades

EXPERT



- Ideal for precise straight cuts in aerated concrete, such as cutting a large format Ytong AAC block to fit into a wall; cutting Siporex on a new building construction site; cutting other aerated concrete building materials.
- Best for builders: long lasting and powerful.
- Cuts materials that other blades simply can’t.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
8.5	3	225 x 19 x 1.25	CT	175	C1c	1	1	534985	**2 608 900 408**
					P1h	10	1	534992	**2 608 900 409**

EXPERT 'Aerated Concrete' S 1241 HM Reciprocating Saw Blades

EXPERT



- Ideal for precise straight cuts in aerated concrete, such as cutting a large format Ytong AAC block to fit into a wall; cutting Siporex on a new building construction site; cutting other aerated concrete building materials.
- Best for builders: long lasting and powerful.
- Cuts materials that other blades simply can't.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
8.5	3	300 x 22 x 1.5	CT	250	C1c	1	1	535005	**2 608 900 410**
					C1c	3	1	535012	**2 608 900 411**
					P1h	10	1	535029	**2 608 900 412**

EXPERT 'Aerated Concrete' S 2041 HM Reciprocating Saw Blades

EXPERT



- Ideal for precise straight cuts in aerated concrete, such as cutting a large format Ytong AAC block to fit into a wall; cutting Siporex on a new building construction site; cutting other aerated concrete building materials.
- Best for builders: long lasting and powerful.
- Cuts materials that other blades simply can't.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
12.7	2	400 x 22 x 1.5	CT	350	C1c	1	1	535036	**2 608 900 413**

LONG LIFE CUTTING FIBRE PLASTER MATERIAL

EXPERT ‘Fiber Plaster’ Blades

ASSORTMENT: S641HM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Tapered tip reaches deeper into tight spaces
3. Thick gauge blade offers extra robustness and stability



CARBIDE TECHNOLOGY

EXPERT ‘Fiber Plaster’ S 641 HM Reciprocating Saw Blades

EXPERT



- Ideal for cut-outs in drywall, Gypsum fibreboard, concrete backer board or similar materials; working in drywall construction environments such as kitchen or bathroom renovation.
- Best for construction workers: long lasting and powerful.
- Lasts up to 50x longer than a Bi-Metal blade in tough material.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
4.3	6	150 x 19 x 1.25	CT	100	C1c	1	1	534978	**2 608 900 407**

Reciprocating saw blades - Special for Plaster - BIM

Plasterboard

special Plaster

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

S 528 DF



BIM, side set, milled
Especially optimised for use in compact saws.
Plasterboard, Gypsum fibreboard (<50 mm), especially for plunge cuts, tear-free cuts

4.3	6	100 x 19 x 0.9	BIM	50	C1c	2	5	612081	**2 608 657 724**
					C1c	5	5	612098	**2 608 657 725**

S 628 DF



BIM, side set, milled
Plasterboard, Gypsum fibreboard (<100 mm), especially for plunge cuts, tear-free cuts

4.2	6	150 x 19 x 1.25	BIM	100	C1c	2	5	235891	**2 608 656 274**
					C1c	5	5	235556	**2 608 656 263**

Reciprocating saw blades - Precision for Fibre Insulation - HCS

Precise, clean cut

clean FiberInsulation

S 1113 AWP



HCS, blade with serrated edge
For cutting fibre insulation materials up to 175mm material thickness.

-	-	225 x 22 x 1.5	HCS	175	C1c	2	5	746168	**2 608 635 527**

S 1213 AWP



HCS, blade with serrated edge
For cutting fibre insulation materials up to 230mm material thickness.

5	5	300 x 22 x 1.5	HCS	230	C1c	2	5	746175	**2 608 635 528**

S 2013 AWP



HCS, blade with serrated edge
For cutting fibre insulation materials up to 320mm material thickness.

5	5	400 x 45 x 1.5	HCS	320	C1c	1	5	746182	**2 608 635 529**

Reciprocating saw blades - Clean for Fibre Insulation - HCS

Precise, clean cut

clean FiberInsulation

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

S 713 AW



HCS, blade with serrated edge
Especially optimised for use in compact saws.
Specially for fibre insulation materials, polystyrene, cardboard, carpet, leather.

12	2	150 x 19 x 1	HCS	100	C1c	2	5	688178	**2 608 635 521**

Reciprocating saw blades - Special for Ice - Inox

Frozen materials

special Ice

S 1211 K



Stainless steel (Inox), side set, milled
Frozen materials (<250 mm)

8.5	3	300 x 19 x 1.25	HAS	250	C1c	5	5	017817	**2 608 652 900**

LONG LIFE CUTTING TOUGH WOOD

EXPERT ‘Tough Wood’ Blades

ASSORTMENT: S1142KHM, S1242KHM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Tapered tip reaches deeper into tight spaces
3. Thick gauge blade offers extra robustness and stability
4. Wide body for precise, straight cuts
5. Large gullet teeth chew through the toughest materials fast



CARBIDE TECHNOLOGY

EXPERT ‘Tough Wood’ S 1142 KHM Reciprocating Saw Blades

EXPERT



- Ideal for cutting tough wood of any kind, such as: wet or pressure-treated lumber; dirty wood in an outdoor setting, such as cutting out roots; and thick planks.
- Best for gardners and landscapers: long lasting and efficient.
- Lasts up to 50x longer than an HCS blade in tough material.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
8	3	225 x 25 x 1.25	CT	175	C1c	1	1	534930	**2 608 900 403**
					C1c	3	1	534947	**2 608 900 404**
					P1h	10	1	534954	**2 608 900 405**

EXPERT 'Tough Wood' S 1242 KHM Reciprocating Saw Blades

EXPERT



- Ideal for cutting tough wood of any kind, such as: wet or pressure-treated lumber; dirty wood in an outdoor setting, such as cutting out roots; and thick planks.
- Best for gardners and landscapers: long lasting and efficient.
- Lasts up to 50x longer than an HCS blade in tough material.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
8	3	300 x 25 x 1.25	CT	250	C1c	1	1	534961	**2 608 900 406**

Reciprocating saw blades - Top for Wood - HCS

Sharp, fast, efficient

top Wood

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
4	6	150 x 19 x 1.25	HCS	100	C1c	2	5	007689	**2 608 650 614**
					C1c	5	5	016025	**2 608 650 673**
					P1h	25	1	515320	**2 608 650 464**
					C0a	100	1	205689	**2 608 650 551**
5	5	240 x 19 x 1.5	HCS	190	C1c	2	5	007672	**2 608 650 613**
					C1c	5	5	016056	**2 608 650 676**
					P1h	25	1	515337	**2 608 650 465**
					C0a	100	1	205733	**2 608 650 698**
8.5	3	240 x 19 x 1.5	HCS	190	C1c	2	5	016773	**2 608 650 681**
					C1c	5	5	016087	**2 608 650 682**
					P1h	25	1	695329	**2 608 653 065**

S 644 D



6 TPI 4,3mm | SHARP | clean CUT

HCS, side set, ground
Construction wood (<100 mm), wooden wall (<100 mm), boards: chipboard, MDF (6-60 mm), plywood, plastic (<100 mm), especially for plunge cuts

S 1531 L



5 TPI 5 mm | SHARP | fast CUT

HCS, side set, ground
Coarse wood, free of nails (<190 mm), pruning green wood (diameter <190 mm), firewood (diameter <190 mm)

S 1542 K



3 TPI 8,5 mm | SHARP | fast CUT | power CUT

HCS, side set, ground
Firewood, damp wood (diameter <190 mm)

Reciprocating saw blades - Progressor for Wood - HCS

Universal use, including plywood and plastic

progressor for Wood

S 2345 X



HCS, side set, ground
Construction wood (<150 mm), boards: chipboard, MDF (6-60 mm), plywood, plastic (<150 mm), wooden wall (<150 mm). Effortless, fine cut.

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
2.4-4.0	6-10	200 x 19 x 1.25	HCS	150	C1c	2	5	169578	**2 608 654 403**
					C1c	5	5	169585	**2 608 654 404**
					P1h	25	1	515313	**2 608 650 463**
					C0a	100	1	184823	**2 608 654 417**

Reciprocating saw blades - Basic for Wood - HCS

Good and cost-effective

basic for Wood

S 617 K



HCS, side set, ground
Coarse wood, free of nails (<100 mm), pruning green wood (diameter <100 mm), especially for curve cuts/plunge cuts

8.5	3	150 x 19 x 1.25	HCS	100	C1c	2	5	007702	**2 608 650 616**
					C1c	5	5	016063	**2 608 650 677**

S 1111 K



HCS, side set, ground
Coarse wood, free of nails (<175 mm), firewood (diameter <175 mm)

8.5	3	225 x 19 x 1.25	HCS	175	C1c	2	5	007719	**2 608 650 617**
					C1c	5	5	016070	**2 608 650 678**

S 1617 K



HCS, side set, ground
Coarse wood, free of nails (<250 mm), pruning green wood (diameter <250 mm)

8.5	3	300 x 19 x 1.25	HCS	250	C1c	5	5	016278	**2 608 650 679**

Reciprocating Saw Blade Sets

Reciprocating saw blades Tough Box Sets

PRODUCT PROPERTIES	ORDERING INFORMATION					
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
15-piece reciprocating saw blade set Wood and Metal Basic						
S 918 AF Basic for Metal **S 918 BF Basic for Metal** **S 617 K Basic for Wood**	P1k	5 5 5	1	846479	**2 607 010 901**	
16-piece reciprocating saw blade set heavy for Wood and Metal						
S 925 VF Heavy for Metal **S 1125 VF Heavy for Metal** **S 610 VF Heavy for Wood and Metal** **S 1411 DF Heavy for Wood and Metal**	P1k	4 4 4 4	1	893718	**2 607 010 997**	
20-piece reciprocating saw blade set Wood and Metal						
S 922 EF Flexible for Metal **S 922 BF Flexible for Metal** **S 922 HF Flexible for Wood and Metal** **S 644 D Top for Wood**	P1k	5 5 5 5	1	846486	**2 607 010 902**	
20-piece reciprocating saw blade set Metal						
S 922 EF Flexible for Metal **S 922 BF Flexible for Metal** **S 1122 EF Flexible for Metal** **S 1122 BF Flexible for Metal**	P1k	5 5 5 5	1	893732	**2 607 010 995**	
20-piece reciprocating saw blade set Wood and Metal						
S 1122 EF Flexible for Metal **S 1122 BF Flexible for Metal** **S 1122 VF Flexible for Wood and Metal** **S 1617 K Basic for Wood**	P1k	5 5 5 5	1	893701	**2 607 010 996**	
Tough Box large, empty.						
-	P1k	1	1	893725	**2 607 010 998**	
Tough Box small, empty.						
-	P1k	1	1	846554	**2 607 010 909**	

Reciprocating saw blades Blister Sets



6-piece reciprocating saw blade set Wood and Metal					
S 922 EF Flexible for Metal **S 922 BF Flexible for Metal** **S 1122 EF Flexible for Metal** **S 1122 BF Flexible for Metal** **S 1122 VF Flexible for Wood and Metal**	PC1b	1 2 1 1 1	1	846523	**2 607 010 906**

Reciprocating saw blades Blister Sets



6-piece reciprocating saw blade set Demolition

PRODUCT PROPERTIES	ORDERING INFORMATION				
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
S 925 VF Heavy for Metal **S 610 VF Heavy for Wood and Metal** **S 1110 VF Heavy for Wood and Metal** **S 1125 VF Heavy for Metal** **S 1120 CF Heavy for Metal**	PC1b	2 1 1 1 1	1	846530	**2 607 010 907**



12-piece reciprocating saw blade set Demolition

PRODUCT PROPERTIES	ORDERING INFORMATION				
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
S 925 VF Heavy for Metal **S 610 VF Heavy for Wood and Metal** **S 1110 VF Heavy for Wood and Metal** **S 1125 VF Heavy for Metal** **S 1120 CF Heavy for Metal**	PC1b	3 3 2 2 2	1	846547	**2 607 010 908**

3-piece sawing handle set



Pocket saw

Sawing handle with S 922 EF and S 922 VF reciprocating saw blades

PRODUCT PROPERTIES	ORDERING INFORMATION				
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Saw handle **S 922 EF Flexible for Metal** **S 922 VF Flexible for Wood and Metal**	PC1b	1 1 1	12	633758	**2 608 000 495**

Saw blades **for Bosch Multisaw PFZ 500 E**

M-shank

Saw blades - Top for Wood for Bosch Multisaw PFZ 500 E — Sharp, fast, efficient

top Wood

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

M 1131 L



HCS, side set, ground, very sharp teeth
Coarse wood, firewood, green wood, branches, gardening work

5	5	235 x 36 x 0.9	HCS	150	C1c	1	1	451611	**2 608 650 414**

M 1142 H



HCS, ground
Especially optimised for clean cuts in wood, construction timber, panels and plastics.

2.3	11	235 x 36 x 0.9	HCS	150	C1c	1	1	413428	**2 608 650 065**

Saw blades - Progressor for Wood and Metal for Bosch Multisaw PFZ 500 E — universal, fast

PROGRESSOR for Wood and Metal

PRODUCT PROPERTIES				ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

M 3456 XF



BIM, side set, milled
Wood with nails/metal, wooden boards/chipboards (10-150 mm), sheet metals, pipes, profiles (5-18 mm), plastics: Pipes, profiles (diameter 10-150 mm)

2.2-4.6	6-12	235 x 36 x 0.9	150	C1c	1	1	413435	**2 608 656 931**

Saw blades - Flexible for Metal for Bosch Multisaw PFZ 500 E

flexible, break-resistant

flexible Metal

M 1122 EF



BIM, side set, milled
Sheet metals (1.5-10 mm), profiles/pipes closed and open (<150 mm)

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
1.4	18	235 x 36 x 0.9	BIM	150	C1c	1	1	413442	**2 608 656 932**

M 722 EF



BIM, side set, milled
Sheet metals (1.5-10 mm), profiles/pipes closed and open (<150 mm)

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
1.4	18	235 x 36 x 0.9	BIM	150	C1c	1	1	425063	**2 608 656 973**

Saw blade set for Bosch Multisaw PFZ 500 E



PRODUCT PROPERTIES	ORDERING INFORMATION				
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-piece saw blade set					
M 1142 H Top for Wood **M 3456 XF Progressor for Wood and Metal** **M 1122 EF Flexible for Metal**	C1c	1 1 1	1	413459	**2 608 656 934**

Saw blades **for the Bosch tandem all purpose saw**

Saw blade set for Bosch tandem all purpose saw for wood — For wood

PRODUCT PROPERTIES		ORDERING INFORMATION					
	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
 2-piece HCS saw blade set TF 300 M for wood **Suitable for** PFZ 1200 A; PFZ 1300 AE; PFZ 1400 AE	**360**	C1c	2	1	075992	**2 608 632 119**	i
2-piece HCS saw blade set TF 350 M for wood **Suitable for** GFZ 14-35 A; GFZ 16-35 AC Professional	**408**	C1c	2	1	076005	**2 608 632 120**	

i = Phase Out Date 01.2022

Saw blade set for Bosch tandem all purpose saw for aerated concrete — For aerated concrete

 2-piece carbide saw blade set TF 300 NHM For aerated concrete (breeze blocks) **Suitable for** PFZ 1200 A; PFZ 1300 AE; PFZ 1400 AE	**360**	C1c	2	1	076012	**2 608 632 122**	i
2-piece carbide saw blade set TF 350 NHM For aerated concrete (Ytong, Siporex) **Suitable for** GFZ 14-35 A; GFZ 16-35 AC Professional	**408**	C1c	2	1	076029	**2 608 632 123**	

i = Phase Out Date 01.2022

Saw blade set for Bosch tandem all purpose saw for insulation materials — For insulation materials

 2-piece HCS saw blade set TF 350 WM for fibre insulation materials: rock wool (green), glass wool (yellow) **Suitable for** GFZ 14-35 A; GFZ 16-35 AC Professional	**408**	C1c	2	1	534505	**2 608 635 512**	

Accessories for **Bosch Power Tenon Saw GFS 350 E Professional**

Flush cutting saw blades for Bosch Power Tenon Saw GFS 350 E Professional




- **Suitable for** flush cutting. For cuts up to 40 mm deep
- Fine teeth, can be used on left and right
- SDS fitting for tool-free saw blade changes
- Flush cutting saw blades made of HCS and HAS (with hardened teeth)

PRODUCT PROPERTIES			ORDERING INFORMATION				
Material	Length of teeth mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Flush cutting saw blade FS 200 AB **Suitable for** soft and hard wood.							
HCS	200	1.25	C1c	1	1	182669	**2 608 661 200**
Flush cutting saw blade FS 200 ABU **Suitable for** wood combination materials.							
HAS	200	1.25	C1c	1	1	182676	**2 608 661 201**

Cutting saw blades for Bosch Power Tenon Saw GFS 350 E Professional




- **Suitable for** cut-off sawing, can be used on left and right
- SDS fitting for tool-free saw blade changes
- Cutting saw blades made of HAS (with hardened teeth)

Cutting saw blade FS 180 AT fine, **suitable for** soft and hard wood							
HCS	145	1.25	C1c	1	1	182683	**2 608 661 202**
Cutting saw blade FS 180 DT coarse, **suitable for** softwood and plastics							
HCS	145	3	C1c	1	1	182706	**2 608 661 204**
Cutting saw blade FS 180 ATU fine, **suitable for** wood combination materials							
HAS	145	1.25	C1c	1	1	182690	**2 608 661 203**
Cutting saw blade FS 180 DTU coarse, **suitable for** wood combination materials and plastics							
HAS	145	3	C1c	1	1	182713	**2 608 661 205**

Accessories for the Bosch Band Saws

Band saw blade for GCB 18 V-LI, GCB 18V-63 Professional



PRODUCT PROPERTIES			ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
CB 281418 BIM band saw blade							
Suitable for GCB 18 V-LI; GCB 18V-63 Professional							
1.4-1.8	14-18	733	C2a	2	1	644907	**2 608 649 000**
CB 2824 BIM band saw blade							
Suitable for GCB 18 V-LI; GCB 18V-63 Professional							
1	24	733	C2a	2	1	644914	**2 608 649 001**

Band saw blades for GCB 120



PRODUCT PROPERTIES			ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
PTB 4424 BIM							
Suitable for GCB 120 Professional							
1	24	1,140	C2a	3	1	833431	**2 608 649 004**
PTB 4418 BIM							
Suitable for GCB 120 Professional							
1.4	18	1,140	C2a	3	1	833424	**2 608 649 003**
PTB 4414 BIM							
Suitable for GCB 120 Professional							
1.8	14	1,140	C2a	3	1	833417	**2 608 649 002**

HOLE SAWS

For every material

The best your tool can get. Bosch Professional Accessories.





HOLE SAWS FOR POWER CHANGE PLUS SYSTEM

The complete range.








	Tough Material	Construction Material	Sheet Metal Carbide	Progressor for Wood and Metal	Special for Sheet Metal	Diamond for Hard Ceramics
	EXPERT	EXPERT	EXPERT			
Page number	584	588	599	593	601	603
Carbide Technology	✓	✓	✓	–	–	–
Diameter mm	20 - 152	19 - 159	20 - 68	14 - 210	16 - 152	19 - 83
Max. cutting depth mm	60	60	5	44	20	39
Compatible pilot drill types	HSS-G / HSS-Co / Carbide	HSS-G / Carbide	HSS-Co	HSS-G / HSS-Co	HSS-Co	AutoStart
Pilot drill length mm	105	105	55	85	65	–
	UP TO 50x* LONG LIFE CARBIDE TECHNOLOGY	UP TO 50x* LONG LIFE CARBIDE TECHNOLOGY	UP TO 50x* LONG LIFE CARBIDE TECHNOLOGY			
MATERIALS						
Wood	✓	✓	–	✓	–	–
Metal	✓	–	✓	✓	✓	–
Plastic	✓	✓	–	✓	–	–
Others	✓	✓	–	✓	–	✓

*Bosch EXPERT products vs. Bosch standard products

ACCESSORIES FOR POWER CHANGE HOLESAWS

Power Change Plus: the Bosch Quick Change system.








	Tough Material	Construction Material	Sheet Metal Carbide	Progressor for Wood and Metal	Special for Sheet Metal	Diamond for Hard Ceramics
	EXPERT	EXPERT	EXPERT			
Page number	584	588	599	593	601	603
Pilot drill length mm	105	105	55	85	65	–
	UP TO 50x* LONG LIFE CARBIDE TECHNOLOGY	UP TO 50x* LONG LIFE CARBIDE TECHNOLOGY	UP TO 50x* LONG LIFE CARBIDE TECHNOLOGY			
POWER CHANGE PLUS ADAPTERS						
8.7mm 2 608 594 264	✓	✓	✓	✓	✓	✓
11mm 2 608 594 265	✓	✓	✓	✓	✓	✓
SDS Plus 2 608 594 266	✓	✓	✓	✓	✓	✓
PILOT DRILL BIT						
Wood/Plastic	2 608 900 528	2 608 900 528	–	2 608 594 254	–	–
Metal	2 608 900 530	–	2 608 900 503	2 608 594 255	2 608 594 257	–
Brick	2 608 900 529	2 608 900 529	–	–	–	–
Soft Tile	2 608 900 529	2 608 900 529	–	–	–	–
Tile	–	–	–	–	–	2 608 580 529

*Bosch EXPERT products vs. Bosch standard products

LONG LIFE CUTTING HOLES IN MULTI MATERIAL

EXPERT Tough Material Hole Saws

ASSORTMENT: ⌀ 20 – 152 mm

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Individually ground teeth made from fine, hard Carbide
3. Patent slot design for better view and plug ejection



CARBIDE TECHNOLOGY

EXPERT Tough Material Hole Saws

EXPERT



- Ideal for cutting neat holes up to 60 mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; holes for sockets, light switches, junction boxes; holes for recessed lighting, fire alarms, presence detectors; or for ducting for cool-air or drying air.
- Best for electricians and plumbers: long lasting and highly versatile.
- Lasts up to 50x longer than a BiMetal hole saw in tough materials.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.





CARBIDE TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
20	60	PC1b	1	1	535654	**2 608 900 419**
22	60	PC1b	1	1	535661	**2 608 900 420**
25	60	PC1b	1	1	535678	**2 608 900 421**

EXPERT Tough Material Hole Saws

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
32	60	PC1b	1	1	535685	**2 608 900 422**
35	60	PC1b	1	1	535692	**2 608 900 423**
38	60	PC1b	1	1	535708	**2 608 900 424**
40	60	PC1b	1	1	535715	**2 608 900 425**
44	60	PC1b	1	1	535722	**2 608 900 426**
51	60	PC1b	1	1	535739	**2 608 900 427**
54	60	PC1b	1	1	535746	**2 608 900 428**
60	60	PC1b	1	1	535753	**2 608 900 429**
64	60	PC1b	1	1	535760	**2 608 900 430**
65	60	PC1b	1	1	535777	**2 608 900 431**
67	60	PC1b	1	1	535784	**2 608 900 432**
68	60	PC1b	1	1	535791	**2 608 900 433**
70	60	PC1b	1	1	535807	**2 608 900 434**
73	60	PC1b	1	1	535814	**2 608 900 435**
76	60	PC1b	1	1	535821	**2 608 900 436**
80	60	PC1b	1	1	535838	**2 608 900 437**
83	60	PC1b	1	1	535845	**2 608 900 438**
102	60	PC1b	1	1	535852	**2 608 900 439**
105	60	PC1b	1	1	535869	**2 608 900 440**
111	60	PC1b	1	1	535876	**2 608 900 441**
114	60	PC1b	1	1	535883	**2 608 900 442**
127	60	PC1b	1	1	535890	**2 608 900 443**
152	60	C1a	1	1	535906	**2 608 900 444**

EXPERT Tough Material Hole Saw Starter Kits

EXPERT



- Ideal for cutting neat holes up to 60mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; holes for sockets, light switch, junction boxes; holes for recessed lighting, fire alarms, presence detectors; or for ducting for cool-air or drying air.
- Best for electricians and plumbers: long lasting and highly versatile.
- Long Life Hole Saw and Super Fast Arbor.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.





CARBIDE TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
incl. 1 x Power Change Plus Hex 11 mm, 1 x pilot drill bit HSS-G 105 mm, 1 x adapter nut 14-30 mm, 1 x adapter nut 32-210 mm						
51	60	PC1b	1	1	535951	**2 608 900 449**
68	60	PC1b	1	1	535968	**2 608 900 450**

EXPERT Tough Material Hole Saw Sets

EXPERT



- Ideal for cutting neat holes up to 60mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; holes for sockets, light switch, junction boxes; holes for recessed lighting, fire alarms, presence detectors; or for ducting for cool-air or drying air.
- Best for electricians and plumbers: long lasting and highly versatile.
- Lasts up to 50x longer than a BiMetal hole saw in tough materials.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.





CARBIDE TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION					
	Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
9-piece Universal Set Tough Material 6 x hole saws incl. 1 x Power Change Plus Hex 11 mm, 1 x pilot drill bit HSS-G 105 mm, 1 x pilot drill bit Carbide 105 mm							
	22 **25** **35** **51** **60** **68**	60	P1k	9	1	535913	**2 608 900 445**
	22 **25** **35** **40** **51** **68**	60	P1k	9	1	535920	**2 608 900 446**
14-piece Universal Set Tough Material 11 x hole saws incl. 1 x Power Change Plus Hex 11 mm, 1 x pilot drill bit HSS-G 105 mm, 1 x pilot drill bit Carbide 105 mm							
	20 **22** **25** **32** **35** **40** **44** **51** **60** **64** **76**	60	P1k	14	1	535937	**2 608 900 447**
	20 **22** **25** **32** **35** **40** **44** **51** **60** **68** **76**	60	P1k	14	1	535944	**2 608 900 448**

EXPERT Power Change Plus Hole Saw System Adapters

EXPERT



- Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- Best for tradesmen: fast and efficient.
- Up to 5x faster than a standard adapter.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



UP TO 5x* SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
PC Plus mandrel 7/16" 11 mm Hex shank incl. HSS-G drill bit 7.15 x 105 mm							
	7.15	105	PC1b	2	1	536736	**2 608 900 527**
PC Plus mandrel 7/16" 11 mm Hex shank incl. TCT drill bit 8.5 x 105 mm							
	8.5	105	PC1b	2	1	536729	**2 608 900 526**

EXPERT Power Change Plus Pilot Drill Bits

EXPERT



- Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- Best for tradesmen: fast and efficient.
- Up to 5x faster than a standard adapter.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



UP TO 5x* SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pilot drill Plus HSS-G for steel, plastic, wood and drywall							
	7.15	105	PC1b	1	5	536743	**2 608 900 528**
Pilot drill Plus HSS-Co for steel, stainless steel and FRP							
	7.15	105	PC1b	1	5	536767	**2 608 900 530**
Pilot drill Plus TCT for brick and tiles							
	8.5	105	PC1b	1	5	536750	**2 608 900 529**

LONG LIFE CUTTING HOLES IN BRICK AND PARTICLE BOARD

EXPERT Construction Material Hole Saws

ASSORTMENT: ⌀ 19 – 159 mm

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Individually ground teeth made from fine, hard Carbide
3. Efficient chip extraction through large slots



CARBIDE TECHNOLOGY

EXPERT Construction Material Hole Saws

EXPERT



- Ideal for cutting neat holes up to 60 mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; holes for sockets, light switches, junction boxes; holes for recessed lighting, fire alarms, presence detectors; or for ducting for cool-air or drying air.
- Best for electricians and plumbers: long lasting and highly versatile.
- Lasts up to 50x longer than HCS hole saw in tough materials.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.





CARBIDE TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
19	60	PC1b	1	1	535975	**2 608 900 451**	
20	60	PC1b	1	1	535982	**2 608 900 452**	
22	60	PC1b	1	1	535999	**2 608 900 453**	

EXPERT Construction Material Hole Saws

EXPERT

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
25	60	PC1b	1	1	536002	**2 608 900 454**
30	60	PC1b	1	1	536019	**2 608 900 455**
32	60	PC1b	1	1	536026	**2 608 900 456**
35	60	PC1b	1	1	536033	**2 608 900 457**
38	60	PC1b	1	1	536040	**2 608 900 458**
40	60	PC1b	1	1	536057	**2 608 900 459**
41	60	PC1b	1	1	536064	**2 608 900 460**
44	60	PC1b	1	1	536071	**2 608 900 461**
48	60	PC1b	1	1	536088	**2 608 900 462**
51	60	PC1b	1	1	536095	**2 608 900 463**
54	60	PC1b	1	1	536101	**2 608 900 464**
57	60	PC1b	1	1	536118	**2 608 900 465**
60	60	PC1b	1	1	536125	**2 608 900 466**
64	60	PC1b	1	1	536132	**2 608 900 467**
65	60	PC1b	1	1	536149	**2 608 900 468**
67	60	PC1b	1	1	536156	**2 608 900 469**
68	60	PC1b	1	1	536163	**2 608 900 470**
70	60	PC1b	1	1	536170	**2 608 900 471**
73	60	PC1b	1	1	536187	**2 608 900 472**
76	60	PC1b	1	1	536194	**2 608 900 473**
79	60	PC1b	1	1	536200	**2 608 900 474**
80	60	PC1b	1	1	536217	**2 608 900 475**
83	60	PC1b	1	1	536224	**2 608 900 476**
86	60	PC1b	1	1	536231	**2 608 900 477**
92	60	PC1b	1	1	536248	**2 608 900 478**
98	60	PC1b	1	1	536255	**2 608 900 479**
102	60	PC1b	1	1	536262	**2 608 900 480**
105	60	PC1b	1	1	536279	**2 608 900 481**
111	60	PC1b	1	1	536286	**2 608 900 482**
114	60	PC1b	1	1	536293	**2 608 900 483**
121	60	PC1b	1	1	536309	**2 608 900 484**
127	60	PC1b	1	1	536316	**2 608 900 485**
140	60	C1a	1	1	536323	**2 608 900 486**
152	60	C1a	1	1	536330	**2 608 900 487**
159	60	C1a	1	1	536347	**2 608 900 488**

EXPERT Construction Material Hole Saw Sets

EXPERT



- Ideal for cutting neat holes up to 60mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; holes for sockets, light switch, junction boxes; holes for recessed lighting, fire alarms, presence detectors; or for ducting for cool-air or drying air.
- Best for electricians and plumbers: long lasting and highly versatile.
- Lasts up to 50x longer than HCS hole saw in tough materials.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.





CARBIDE TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION					
	Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
15-piece Universal Set Construction Material 11 x hole saws incl. 1 x Power Change Plus Hex 11 mm, 1 x pilot drill bit HSS-Co 105 mm, 1 x pilot drill bit Carbide 105mm, 1 x spade bit 150x8 mm							
	20	60	P1k	15	1	536354	**2 608 900 489**
	22						
	25						
	32						
	35						
	40						
	44						
	51						
	60						
	68						
	76						
10-piece Universal Set Construction Material 6 x hole saws incl. 1 x Power Change Plus Hex 11 mm, 1 x pilot drill bit HSS-Co 105 mm, 1 x pilot drill bit Carbide 105mm, 1 x spade bit 150x8 mm							
	20	60	P1k	10	1	536361	**2 608 900 490**
	25						
	32						
	38						
	51						
	64						

EXPERT Power Change Plus Hole Saw System Adapters

EXPERT



- Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- Best for tradesmen: fast and efficient.
- Up to 5x faster than a standard adapter.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



UP TO 5x* SPEED

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
PC Plus mandrel 7/16" 11 mm Hex shank incl. HSS-G drill bit 7.15 x 105 mm						
7.15	105	PC1b	2	1	536736	**2 608 900 527**
PC Plus mandrel 7/16" 11 mm Hex shank incl. TCT drill bit 8.5 x 105 mm						
8.5	105	PC1b	2	1	536729	**2 608 900 526**

EXPERT Power Change Plus Pilot Drill Bits

EXPERT



- Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- Best for tradesmen: fast and efficient.
- Up to 5x faster than a standard adapter.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



UP TO 5x* SPEED

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pilot drill Plus HSS-G for steel, plastic, wood and drywall						
7.15	105	PC1b	1	5	536743	**2 608 900 528**
Pilot drill Plus HSS-Co for steel, stainless steel and FRP						
7.15	105	PC1b	1	5	536767	**2 608 900 530**
Pilot drill Plus TCT for brick and tiles						
8.5	105	PC1b	1	5	536750	**2 608 900 529**

Empty Holesaw Carrying Case



PRODUCT PROPERTIES	ORDERING INFORMATION					
	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Empty holesaw carrying case for compiling your own individual set For PC holesaws with a cutting depth < 65 mm						
	60	U0	1	1	704670	**2 608 580 884**

Progressor for Wood and Metal holesaws





▶ The cutting quality depends on the correct speed and the coolant used (see operating instructions).

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
BIM Progressor Hole Saw offers 2x longer lifetime than predecessor						
14	44	PC1b	1	1	949644	**2 608 594 195**
16	44	PC1b	1	1	949651	**2 608 594 196**
17	44	PC1b	1	1	949668	**2 608 594 197**
19	44	PC1b	1	1	949675	**2 608 594 198**
20	44	PC1b	1	1	949682	**2 608 594 199**
21	44	PC1b	1	1	949699	**2 608 594 200**
22	44	PC1b	1	1	949705	**2 608 594 201**
24	44	PC1b	1	1	949712	**2 608 594 202**
25	44	PC1b	1	1	949729	**2 608 594 203**
27	44	PC1b	1	1	949736	**2 608 594 204**
29	44	PC1b	1	1	949743	**2 608 594 205**
30	44	PC1b	1	1	949750	**2 608 594 206**
32	44	PC1b	1	1	949767	**2 608 594 207**
33	44	PC1b	1	1	949774	**2 608 594 208**
35	44	PC1b	1	1	949781	**2 608 594 209**
37	44	PC1b	1	1	949798	**2 608 594 210**
38	44	PC1b	1	1	949804	**2 608 594 211**
40	44	PC1b	1	1	949811	**2 608 594 212**
41	44	PC1b	1	1	949828	**2 608 594 213**
43	44	PC1b	1	1	949835	**2 608 594 214**
44	44	PC1b	1	1	949842	**2 608 594 215**
46	44	PC1b	1	1	949859	**2 608 594 216**
48	44	PC1b	1	1	949866	**2 608 594 217**
51	44	PC1b	1	1	949873	**2 608 594 218**
52	44	PC1b	1	1	949880	**2 608 594 219**
54	44	PC1b	1	1	949897	**2 608 594 220**
56	44	PC1b	1	1	949903	**2 608 594 221**
57	44	PC1b	1	1	949910	**2 608 594 222**
59	44	PC1b	1	1	949927	**2 608 594 223**
60	44	PC1b	1	1	949934	**2 608 594 224**
64	44	PC1b	1	1	949941	**2 608 594 225**
65	44	PC1b	1	1	949958	**2 608 594 226**
67	44	PC1b	1	1	949965	**2 608 594 227**
68	44	PC1b	1	1	949972	**2 608 594 228**
70	44	PC1b	1	1	949989	**2 608 594 229**
73	44	PC1b	1	1	949996	**2 608 594 230**
76	44	PC1b	1	1	950008	**2 608 594 231**
79	44	PC1b	1	1	950015	**2 608 594 232**
83	44	PC1b	1	1	950022	**2 608 594 233**
86	44	PC1b	1	1	950039	**2 608 594 234**
89	44	PC1b	1	1	950046	**2 608 594 235**
92	44	PC1b	1	1	950053	**2 608 594 236**
95	44	PC1b	1	1	950060	**2 608 594 237**
98	44	PC1b	1	1	950077	**2 608 594 238**
102	44	PC1b	1	1	950084	**2 608 594 239**
105	44	PC1b	1	1	950091	**2 608 594 240**
108	44	PC1b	1	1	950107	**2 608 594 241**
111	44	PC1b	1	1	950114	**2 608 594 242**
114	44	PC1b	1	1	950121	**2 608 594 243**
121	44	C1a	1	1	950138	**2 608 594 244**
127	44	C1a	1	1	950145	**2 608 594 245**
133	44	C1a	1	1	950152	**2 608 594 246**
140	44	C1a	1	1	950169	**2 608 594 247**

Progressor for Wood and Metal holesaws

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
152	44	C1a	1	1	950176	**2 608 594 248**
168	44	C1a	1	1	950183	**2 608 594 249**
177	44	C1a	1	1	950190	**2 608 594 250**
210	44	C1a	1	1	950206	**2 608 594 251**

Progressor for Wood and Metal starter kits





Starter-Kit enables upgrading any standard Hole Saw to the keyless PowerChange Plus system

51	44	PC1b	5	1	985277	**2 608 594 299**
68	44	PC1b	5	1	985291	**2 608 594 301**

Progressor for Wood and Metal holesaw sets



8-piece Electrician-Set Progressor for Wood and Metal
6 holesaws, 1 Power Change Plus Hex 11 mm, 1 HSS pilot drill bit

20 **30** **44** **60** **68** **114**	-		8	1	977630	**2 608 594 270**

Progressor for Wood and Metal holesaw sets

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
9 piece Electrician-Set Progressor for Wood&Metal						
6 holesaws, 1 Power-Change Plus Hex 11 mm, 2 HSS pilot drill bit						
22	44		9	1	949569	**2 608 594 187**
29						
35						
44						
51						
64						



9-piece Electrician-Set Progressor for Wood&Metal

6 holesaws, 1 Power-Change Plus Hex 11 mm, 2 HSS pilot drill bit

22	44		9	1	949576	**2 608 594 188**
29						
35						
44						
51						
65						





9-piece Sanitary-Set Progressor for Wood&Metal

6 holesaws, 1 Power-Change Plus Hex 11 mm, 2 HSS pilot drill bit

20	44		9	1	949583	**2 608 594 189**
25						
32						
38						
51						
64						





9-piece Electrician-Set Progressor for Wood&Metal

6 holesaws, 1 Power-Change Plus Hex 11 mm, 2 HSS pilot drill bit

19	44		9	1	949590	**2 608 594 190**
25						
38						
44						
68						
83						



Progressor for Wood and Metal holesaw sets



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
9-piece Electrician-Set Progressor for Wood&Metal						
6 holesaws, 1 Power-Change Plus Hex 11 mm, 2 HSS pilot drill bit						
19	44		9	1	949606	**2 608 594 191**
25						
30						
35						
40						
68						





11-piece Electrician-Set Progressor for Wood and Metal						
8 holesaws, 2 Power Change Plus (Hex 11 mm & SDS plus), 1 HSS pilot drill bit						
22	-		11	1	977647	**2 608 594 271**
25						
30						
35						
40						
51						
68						
83						



11-piece Electrician-Set Progressor for Wood&Metal						
8 holesaws, 1 Power-Change Plus Hex 11 mm, 2 HSS pilot drill bit						
25	-		11	1	949637	**2 608 594 194**
32						
40						
54						
60						
68						
76						
86						



Progressor for Wood and Metal holesaw sets



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
13 piece Universal-Set Progressor for Wood&Metal 7 holesaws, 4 Spade bits, 1 Power-Change Plus Hex 11, 1 HSS pilot drill bit Spade bits: 16/22/25/39 mm						
32 **41** **51** **73** **76** **83** **86**	-		13	1	977623	**2 608 594 269**





14-piece Universal-Set Progressor for Wood&Metal 11 holesaws, 1 Power-Change Plus Hex 11 mm, 2 HSS pilot drill bit						
20 **22** **25** **32** **35** **40** **44** **51** **60** **64** **76**	44		14	1	949613	**2 608 594 192**





14-piece Universal-Set Progressor for Wood&Metal 11 holesaws, 1 Power-Change Plus Hex 11 mm, 2 HSS pilot drill bit						
20 **22** **25** **32** **35** **40** **44** **51** **60** **68** **76**	44		14	1	949620	**2 608 594 193**

Progressor for Wood and Metal holesaw sets



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Empty holesaw carrying case for compiling your own individual set For PC holesaws with a cutting depth < 45 mm						
-	40	U0	1	1	704663	**2 608 580 883**

Progressor for Wood and Metal holesaw accessories

- Power Change adapter for fast and safe attachment and release of the pilot drill bit and holesaw in one click
- For quick core removal: Unlock, tilt and press out



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
PC Plus mandrel 3/8" 8.7 mm incl. HSS-G drill bit 7.15x85mm						
7.15	85			1	950220	**2 608 594 253**
PC Plus mandrel SDS plus 8.7mm incl. HSS-G drill bit 7.15x85mm						
7.15	85			1	965521	**2 608 522 411**



Pilot drill bit HSS-G for metal, plastic, wood and drywall						
7.15	85			5	950237	**2 608 594 254**



Pilot drill bit HSS-Co for metal, stainless steel and FRP						
7.15	85			5	950244	**2 608 594 255**

LONG LIFE CUTTING HOLES IN STAINLESS STEEL

EXPERT Sheet Metal Hole Saws

ASSORTMENT: ⌀ 20 – 68 mm

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Individually ground teeth made from fine, hard Carbide
3. Made from one piece of metal for ultimate stability



CARBIDE TECHNOLOGY

EXPERT Sheet Metal Hole Saws

EXPERT







- Ideal for cutting neat holes up to 5mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; and holes for sockets, light switches and junction boxes.
- Best for metalworkers: long lasting and precise.
- Lasts up to 50x longer than a BiMetal hole saw in tough materials.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.

CARBIDE TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
20	5	PC1b	1	1	536378	**2 608 900 491**
21	5	PC1b	1	1	536385	**2 608 900 492**
22	5	PC1b	1	1	536392	**2 608 900 493**
25	5	PC1b	1	1	536408	**2 608 900 494**

EXPERT Sheet Metal Hole Saws

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	27	5	PC1b	1	1	536415	**2 608 900 495**
	30	5	PC1b	1	1	536422	**2 608 900 496**
	32	5	PC1b	1	1	536439	**2 608 900 497**
	35	5	PC1b	1	1	536446	**2 608 900 498**
	40	5	PC1b	1	1	536453	**2 608 900 499**
	51	5	PC1b	1	1	536460	**2 608 900 500**
	68	5	PC1b	1	1	536477	**2 608 900 501**

EXPERT Sheet Metal Hole Saw Sets

EXPERT





- Ideal for cutting neat holes up to 5mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; and holes for sockets, light switch, junction boxes.
- Best for metalworkers: long lasting and precise.
- Lasts up to 50x longer than a BiMetal hole saw in tough materials.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



CARBIDE TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
6-piece Set Sheet Metal 3 x hole saws, incl. 1 x Power Change Plus Hex 11 mm, 2 x pilot drill bit HSS-Co with ejection spring							
	22 **25** **32**	5	P1k	6	1	536484	**2 608 900 502**

EXPERT Power Change Plus Sheet Metal Pilot Drill Bits

EXPERT



- Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- Best for tradesmen: fast and efficient.
- Up to 5x faster than a standard adapter.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



UP TO 5x* SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pilot drill bit HSS-Co for metal and stainless steel							
	6	55	PC1b	1	5	536491	**2 608 900 503**

Special for Sheet Metal holesaws

special for SheetMetal



- The cutting quality depends on the correct speed and the coolant used (see operating instructions).
- The diameters 16-22 mm are without ejection spring



PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	16	20	PC1b	1	1	375993	**2 608 584 778**
	17	20	PC1b	1	1	376006	**2 608 584 779**
	19	20	PC1b	1	1	376013	**2 608 584 780**
	20	20	PC1b	1	1	376020	**2 608 584 781**
	21	20	PC1b	1	1	376037	**2 608 584 782**
	22	20	PC1b	1	1	376044	**2 608 584 783**
	25	20	PC1b	1	1	376051	**2 608 584 784**
	27	20	PC1b	1	1	376068	**2 608 584 785**
	29	20	PC1b	1	1	376075	**2 608 584 786**
	30	20	PC1b	1	1	376082	**2 608 584 787**
	32	20	PC1b	1	1	376099	**2 608 584 788**
	33	20	PC1b	1	1	376105	**2 608 584 789**
	35	20	PC1b	1	1	376112	**2 608 584 790**
	38	20	PC1b	1	1	376129	**2 608 584 791**
	40	20	PC1b	1	1	376136	**2 608 584 792**
	41	20	PC1b	1	1	376143	**2 608 584 793**
	44	20	PC1b	1	1	376150	**2 608 584 794**
	48	20	PC1b	1	1	376167	**2 608 584 795**
	51	20	PC1b	1	1	376174	**2 608 584 796**
	54	20	PC1b	1	1	376181	**2 608 584 797**
	57	20	PC1b	1	1	376198	**2 608 584 798**
	60	20	PC1b	1	1	376204	**2 608 584 799**
	64	20	PC1b	1	1	376211	**2 608 584 800**
	65	20	PC1b	1	1	376228	**2 608 584 801**
	67	20	PC1b	1	1	376235	**2 608 584 802**
	68	20	PC1b	1	1	376242	**2 608 584 803**

Special for Sheet Metal holesaws

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
70	20	PC1b	1	1	376259	**2 608 584 804**
73	20	PC1b	1	1	376266	**2 608 584 805**
76	20	PC1b	1	1	376273	**2 608 584 806**
79	20	PC1b	1	1	376280	**2 608 584 807**
83	20	PC1b	1	1	376297	**2 608 584 808**
86	20	PC1b	1	1	376303	**2 608 584 809**
89	20	PC1b	1	1	376310	**2 608 584 810**
102	20	PC1b	1	1	376327	**2 608 584 811**
127	20	C1a	1	1	433402	**2 608 584 854**
152	20	C1a	1	1	433419	**2 608 584 855**

Special for Sheet Metal holesaw sets



9-piece electrician set, Sheet Metal holesaws
6 holesaws, 1 Power Change adapter, 2 HSS pilot drill bits

22 **29** **35** **44** **51** **64**	20	P1k	9	1	704649	**2 608 580 881**



9-piece plumber set, Sheet Metal holesaws
6 holesaws, 1 Power Change adapter, 2 HSS pilot drill bits

20 **25** **32** **38** **51** **64**	20	P1k	9	1	704656	**2 608 580 882**

Special for Sheet Metal holesaw accessories

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number



PC Plus mandrel 3/8" 8.7 mm incl. HSS-Co drill bit 7.15x65mm

7.15	65			1	950251	**2 608 594 256**



Pilot drill bit HSS-Co
for metal and stainless steel

7.15	65			5	950268	**2 608 594 257**



Ejection spring

-	-	PC1b	2	5	376372	**2 608 584 816**

DIAMOND FOR HARD CERAMICS

No tiles are too hard.

LONG LIFE

in the hardest tiles thanks to the diamond coating

FAST AND SAFE ATTACHMENT AND RELEASE OF THE HOLESAW

with just one click thanks to the power-change adapter



FAST, CLEAN CUTS

thanks to thin cutting edges

EASY REMOVAL OF MATERIAL PIECES

due to the side holes

Diamond for Hard Ceramics holesaws



▶ The cutting quality depends on the correct speed and the coolant used (see operating instructions).



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Diameter inches	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
19	3/4	39	PC1b	1	1	488990	**2 608 580 301**
20	25/32	39	PC1b	1	1	489003	**2 608 580 302**
22	7/8	39	PC1b	1	1	489010	**2 608 580 303**
25	1	39	PC1b	1	1	489027	**2 608 580 304**
29	1 1/8	39	PC1b	1	1	489034	**2 608 580 305**
32	1 1/4	39	PC1b	1	1	489041	**2 608 580 306**
35	1 1/2	39	PC1b	1	1	489058	**2 608 580 307**
38	1 1/2	39	PC1b	1	1	489065	**2 608 580 308**
41	1 3/4	39	PC1b	1	1	515160	**2 608 580 394**
44	1 3/4	39	PC1b	1	1	489072	**2 608 580 309**
51	2	39	PC1b	1	1	489089	**2 608 580 310**
54	2 1/4	39	PC1b	1	1	489096	**2 608 580 311**
57	2 1/4	39	PC1b	1	1	489102	**2 608 580 312**
60	2 1/2	39	PC1b	1	1	489119	**2 608 580 313**
64	2 1/2	39	PC1b	1	1	489126	**2 608 580 314**
65	2 1/2	39	PC1b	1	1	489133	**2 608 580 315**
67	2 3/4	39	PC1b	1	1	489157	**2 608 580 316**
68	2 3/4	39	PC1b	1	1	489164	**2 608 580 317**
70	2 3/4	39	PC1b	1	1	489171	**2 608 580 318**

Diamond for Hard Ceramics holesaws

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Diameter inches	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
76	3	39	PC1b	1	1	489188	**2 608 580 319**
79	3 1/4	39	PC1b	1	1	489195	**2 608 580 320**
83	3 1/4	39	PC1b	1	1	489201	**2 608 580 321**

Diamond for Hard Ceramics holesaw accessories



PRODUCT PROPERTIES	ORDERING INFORMATION				
Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Centring aid for diamond wet drill bits and holesaws					
230	C1a	1	1	489683	**2 608 580 327**



Auto Start centring aid system for diamond holesaws
Spring-mounted centring pin with tungsten carbide tip for starting to drill in hard materials

-	PC1a	1	1	575522	**2 608 580 529**



Pressurised water bottle
For water cooling of the diamond wet drill bits and holesaws
max. filling volume 0.9 l
Including hose (1.8 m long)

-	C1a	1	1	495820	**2 608 190 048**

MAXIMUM SPEED CHANGING HOLE SAWS AND DRILL BITS

Expert Power Change Plus

ASSORTMENT: Takes a full range of hole saws

EXPERT

1. Enjoy maximum efficiency with one of Bosch's Quick Change systems
2. One-click system, no need for extra tools
3. Reinforced shank transition for longer shank life
4. Designed for fast and easy plug removal
5. Takes a full range of hole saws



EXPERT Power Change Plus Hole Saw System Adapters

EXPERT



- Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- Best for tradesmen: fast and efficient.
- Up to 5x faster than a standard adapter.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.

UP TO 5x* SPEED

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
PC Plus mandrel 7/16" 11 mm Hex shank incl. TCT drill bit 8.5 x 105 mm						
8.5	105	PC1b	2	1	536729	**2 608 900 526**
PC Plus mandrel 7/16" 11 mm Hex shank incl. HSS-G drill bit 7.15 x 105 mm						
7.15	105	PC1b	2	1	536736	**2 608 900 527**

Power Change Plus adapter (blue)

- Power Change adapter for fast and safe attachment and release of the pilot drill bit and holesaw in one click
- For quick core removal: Unlock, tilt and press out
- Increased robustness and precision from predecessor

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
PC Plus mandrel 3/8" 8.7 mm						
-	-			1	950336	**2 608 594 264**
PC Plus mandrel 7/16" 11 mm						
-	-			1	950343	**2 608 594 265**
PC Plus mandrel SDS plus						
-	-			1	950350	**2 608 594 266**
PC Plus mandrel 3/8" 8.7 mm incl. HSS-Co drill bit 7.15x65mm						
7.15	65			1	950251	**2 608 594 256**
PC Plus mandrel 3/8" 8.7 mm incl. HSS-G drill bit 7.15x85mm						
7.15	85			1	950220	**2 608 594 253**
PC Plus mandrel SDS plus 8.7mm incl. HSS-G drill bit 7.15x85mm						
7.15	85			1	965521	**2 608 522 411**
Extension bar 150 mm/6" PC Plus mandrel 7/16" 11 mm						
-	150			1	950312	**2 608 594 262**
Extension bar 300 mm/12" PC Plus mandrel 7/16" 11 mm						
-	300			1	950329	**2 608 594 263**

EXPERT Power Change Plus Pilot Drill Bits

EXPERT



- Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- Best for tradesmen: fast and efficient.
- Up to 5x faster than a standard adapter.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



UP TO 5x* SPEED

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pilot drill Plus HSS-G for steel, plastic, wood and drywall						
7.15	105	PC1b	1	5	536743	**2 608 900 528**
Pilot drill Plus HSS-Co for steel, stainless steel and FRP						
7.15	105	PC1b	1	5	536767	**2 608 900 530**
Pilot drill Plus TCT for brick and tiles						
8.5	105	PC1b	1	5	536750	**2 608 900 529**

EXPERT Power Change Plus Sheet Metal Pilot Drill Bits

EXPERT



- Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- Best for tradesmen: fast and efficient.
- Up to 5x faster than a standard adapter.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



UP TO 5x* SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952…	Part number
Pilot drill bit HSS-Co for metal and stainless steel							
	6	55	PC1b	1	5	536491	**2 608 900 503**

Pilot drill bits for Power Change Plus adapters (blue)

	PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Pilot drill bit HSS-Co for metal and stainless steel						
	**7.15**	65			5	950268	**2 608 594 257**
	Pilot drill bit HSS-G for metal, plastic, wood and drywall						
	7.15	85			5	950237	**2 608 594 254**
	Pilot drill bit HSS-Co for metal, stainless steel and FRP						
	7.15	85			5	950244	**2 608 594 255**
	Auto Start centring aid system for diamond holesaws Spring-mounted centring pin with tungsten carbide tip for starting to drill in hard materials						
	**-**	-	PC1a	1	1	575522	**2 608 580 529**

Pilot drill bits for Power Change adapters (black)

	PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	HSS-Co pilot drill bit with 1/4" hex shank, 135° point angle and split point						
	7.15	65	PC1d	1	5	365550	**2 608 584 750**
	HSS-G pilot drill bit for holesaws with cutting capacity <46 mm with 1/4" hex shank, 135° point angle and split point						
	7.15	80	PC1d	1	5	279918	**2 608 584 676**
	HSS-Co pilot drill bit for holesaws with cutting capacity <46 mm with 1/4" hex shank, 135° point angle and split point						
	7.15	80	PC1d	1	5	279925	**2 608 584 677**
	Tungsten carbide pilot drill bit for holesaws with cutting capacity <60 mm with 1/4" hex shank, 118° drill bit tip. Centred, special multi-purpose diamond-ground carbide tips						
	7.15	120	PC1d	1	1	375924	**2 608 584 777**
	HSS-Co pilot drill bit for holesaws with cutting capacity <60 mm with 1/4" hex shank, 135° point angle and split point						
	7.15	120	C1b	1	5	414609	**2 608 584 843**
	Auto Start centring aid system for diamond holesaws Spring-mounted centring pin with tungsten carbide tip for starting to drill in hard materials						
	-	-	PC1a	1	1	575522	**2 608 580 529**

Extension bars

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
11 mm hex extension for adapter with width across flats 5/16"/8 mm hex shank.						
	305	PC1b	1	1	469494	**2 608 580 094**
9.5 mm hex extension for adapter with key width 3/8"/9.5 mm hex shank						
	305	PC1b	1	5	262699	**2 608 584 681**
11 mm hex extension for adapter with width across flats 7/16"/11 mm hex shank						
	305	C1a	1	1	087827	**2 609 390 038**

Transition adapter nuts for holesaws



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6-piece extension adapter set for standard holesaws from competitors (for example, Starrett, Baco, Lenox etc.) with 2 adapters for diameter 14-30 mm (1/2"-20UNF thread), 4 adapters for diameter 32-210 mm (5/8"-18UNF thread)					
	PC1c	6	1	262705	**2 608 584 682**

Universal Cutting Oil



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Universal cutting oil Use of the universal cutting oil increases the operational life several times over when cutting metal	M0b	1	1	271240	**2 607 001 409**

HSS bi-metal holesaws with 8% Cobalt for standard adapters



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
14	44	C1a	1	1	195737	**2 608 584 147**
16	44	C1a	1	1	087407	**2 608 584 100**
17	44	C1a	1	1	104340	**2 608 584 140**
19	44	C1a	1	1	087414	**2 608 584 101**
20	44	C1a	1	1	087421	**2 608 584 102**
21	44	C1a	1	1	087438	**2 608 584 103**
22	44	C1a	1	1	087445	**2 608 584 104**
24	44	C1a	1	1	104357	**2 608 584 141**
25	44	C1a	1	1	087452	**2 608 584 105**
27	44	C1a	1	1	087469	**2 608 584 106**
29	44	C1a	1	1	087476	**2 608 584 107**
30	44	C1a	1	1	087483	**2 608 584 108**
32	44	C1a	1	1	087490	**2 608 584 109**
33	44	C1a	1	1	104364	**2 608 584 142**
35	44	C1a	1	1	087506	**2 608 584 110**
37	44	C1a	1	1	429597	**2 608 584 846**
38	44	C1a	1	1	087513	**2 608 584 111**
40	44	C1a	1	1	087520	**2 608 584 112**
41	44	C1a	1	1	087537	**2 608 584 113**
43	44	C1a	1	1	104371	**2 608 584 143**
44	44	C1a	1	1	087544	**2 608 584 114**
46	44	C1a	1	1	087551	**2 608 584 115**
48	44	C1a	1	1	087568	**2 608 584 116**
51	44	C1a	1	1	087575	**2 608 584 117**
52	44	C1a	1	1	429603	**2 608 584 847**
54	44	C1a	1	1	087582	**2 608 584 118**
56	44	C1a	1	1	429610	**2 608 584 848**
57	44	C1a	1	1	087599	**2 608 584 119**
59	44	C1a	1	1	429627	**2 608 584 849**
60	44	C1a	1	1	087605	**2 608 584 120**
64	44	C1a	1	1	087612	**2 608 584 121**
65	44	C1a	1	1	087629	**2 608 584 122**
67	44	C1a	1	1	104388	**2 608 584 144**
68	44	C1a	1	1	087636	**2 608 584 123**
70	44	C1a	1	1	087643	**2 608 584 124**
73	44	C1a	1	1	104395	**2 608 584 145**
76	44	C1a	1	1	087650	**2 608 584 125**
79	44	C1a	1	1	087667	**2 608 584 126**
83	44	C1a	1	1	087674	**2 608 584 127**
86	44	C1a	1	1	429634	**2 608 584 850**
89	44	C1a	1	1	087681	**2 608 584 128**
92	44	C1a	1	1	087698	**2 608 584 129**
95	44	C1a	1	1	087704	**2 608 584 130**
98	44	C1a	1	1	429641	**2 608 584 851**
102	44	C1a	1	1	087711	**2 608 584 131**
105	44	C1a	1	1	087728	**2 608 584 132**
108	44	C1a	1	1	096607	**2 608 584 135**
111	44	C1a	1	1	429658	**2 608 584 852**
114	44	C1a	1	1	087735	**2 608 584 133**
121	44	C1a	1	1	087742	**2 608 584 134**
127	44	C1a	1	1	096614	**2 608 584 136**
133	44	C1a	1	1	413305	**2 608 584 838**
140	44	C1a	1	1	096621	**2 608 584 137**
146	44	C1a	1	1	413312	**2 608 584 839**
152	44	C1a	1	1	096638	**2 608 584 138**
168	44	C1a	1	1	413329	**2 608 584 840**

HSS bi-metal holesaws with 8% Cobalt for standard adapters

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
177	44	C1a	1	1	413336	**2 608 584 841**
210	44	C1a	1	1	413343	**2 608 584 842**

HSS bi-metal holesaw with 8% Cobalt sets



PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952…	Part number
22 **29** **35** **44** **51** **64**	P1k	6	1	704687	**2 608 580 885**



11-piece electrician set, HSS bi-metal holesaws
6 holesaws, 1 Q-Lock adapter, 2 intermediate adapters, 2 HSS pilot drill bits

22 **29** **35** **44** **51** **65**	P1k	6	1	704694	**2 608 580 886**



17-piece universal set, HSS bi-metal holesaws
11 holesaws, 1 Q-Lock adapter, 3 intermediate adapters, 2 HSS pilot drill bits

20 **22** **25** **32** **35** **40** **44** **51** **60** **64** **76**	P1k	11	1	704700	**2 608 580 887**
20 **22** **25** **32** **35** **40** **44** **51** **60** **68** **76**	P1k	11	1	704717	**2 608 580 888**



HSS bi-metal holesaw with 8% Cobalt sets



10-piece Universal-Set BiM holesaw with 8% Cobalt
6 holesaws, 2 Adapters Hex 11mm with pilot drill, 1 hex key, 1 screw driver

PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
22 **29** **35** **44** **51** **64**		6	1	517827	**2 607 011 477**



15-piece Universal-Set BiM holesaw with 8% Cobalt
11 holesaws, 2 Adapters Hex 11mm with pilot drill, 1 hex key, 1 screw driver

19 **22** **25** **29** **35** **38** **44** **51** **57** **64** **76**			1	517834	**2 607 011 478**

HSS bi-metal holesaws Ecoline for standard adapters





PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
14	38	C1a	1	1	518185	**2 608 580 396**
16	38	C1a	1	1	518192	**2 608 580 397**
17	38	C1a	1	1	518208	**2 608 580 398**
19	38	C1a	1	1	518215	**2 608 580 399**
20	38	C1a	1	1	518222	**2 608 580 400**
21	38	C1a	1	1	518239	**2 608 580 401**
22	38	C1a	1	1	518246	**2 608 580 402**
24	38	C1a	1	1	518253	**2 608 580 403**
25	38	C1a	1	1	518260	**2 608 580 404**
27	38	C1a	1	1	518277	**2 608 580 405**
29	38	C1a	1	1	518284	**2 608 580 406**
30	38	C1a	1	1	518291	**2 608 580 407**
32	38	C1a	1	1	518307	**2 608 580 408**
33	38	C1a	1	1	518314	**2 608 580 409**
35	38	C1a	1	1	518321	**2 608 580 410**
37	38	C1a	1	1	518338	**2 608 580 411**
38	38	C1a	1	1	518345	**2 608 580 412**
40	38	C1a	1	1	518352	**2 608 580 413**
41	38	C1a	1	1	518369	**2 608 580 414**
43	38	C1a	1	1	518376	**2 608 580 415**
44	38	C1a	1	1	518383	**2 608 580 416**
46	38	C1a	1	1	518390	**2 608 580 417**

HSS bi-metal holesaws Ecoline for standard adapters

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
48	38	C1a	1	1	518406	**2 608 580 418**
51	38	C1a	1	1	518413	**2 608 580 419**
52	38	C1a	1	1	518420	**2 608 580 420**
54	38	C1a	1	1	518437	**2 608 580 421**
56	38	C1a	1	1	518444	**2 608 580 422**
57	38	C1a	1	1	518451	**2 608 580 423**
59	38	C1a	1	1	518468	**2 608 580 424**
60	38	C1a	1	1	518475	**2 608 580 425**
64	38	C1a	1	1	518482	**2 608 580 426**
65	38	C1a	1	1	518499	**2 608 580 427**
67	38	C1a	1	1	518505	**2 608 580 428**
68	38	C1a	1	1	518512	**2 608 580 429**
70	38	C1a	1	1	518529	**2 608 580 430**
73	38	C1a	1	1	518536	**2 608 580 431**
76	38	C1a	1	1	518543	**2 608 580 432**
79	38	C1a	1	1	518550	**2 608 580 433**
83	38	C1a	1	1	518567	**2 608 580 434**
86	38	C1a	1	1	518574	**2 608 580 435**
89	38	C1a	1	1	518581	**2 608 580 436**
92	38	C1a	1	1	518598	**2 608 580 437**
95	38	C1a	1	1	518604	**2 608 580 438**
98	38	C1a	1	1	518611	**2 608 580 439**
102	38	C1a	1	1	518628	**2 608 580 440**
105	38	C1a	1	1	518635	**2 608 580 441**
108	38	C1a	1	1	518642	**2 608 580 442**
111	38	C1a	1	1	518659	**2 608 580 443**
114	38	C1a	1	1	518666	**2 608 580 444**
121	38	C1a	1	1	518673	**2 608 580 445**
127	38	C1a	1	1	518680	**2 608 580 446**
140	38	C1a	1	1	518697	**2 608 580 447**
152	38	C1a	1	1	518703	**2 608 580 448**

HSS bi-metal holesaw Ecoline sets





9-piece plumber set, HSS bi-metal holesaws

6 holesaws, 2 hexagon socket adapters including pilot drill bit, 1 hexagon nutsetter

19 **22** **29** **38** **44** **57**	40	U0	8	1	641708	**2 608 580 803**



9-piece electrician set, HSS bi-metal holesaws

6 holesaws, 2 hexagon socket adapters including pilot drill bit, 1 hexagon nutsetter

20 **25** **32** **38** **51** **64**	40	U0	8	1	641449	**2 608 580 804**

HSS bi-metal holesaw Ecoline sets

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
20 **25** **35** **40** **51** **68**	40	U0	8	1	686051	**2 608 580 868**

9-piece universal set, HSS bi-metal holesaws

6 holesaws, 2 hexagon socket adapters including pilot drill bit, 1 hexagon nutsetter

24 **27** **32** **35** **40** **52**	40	U0	8	1	644082	**2 608 580 862**





12-piece universal set, HSS bi-metal holesaws

9 holesaws, 1 hexagon socket adapter including pilot drill bit, 1 x 305 mm extension, 1 hexagon nutsetter

35 **54** **70** **76** **83** **95** **102** **114** **127**	40	U0	8	1	653305	**2 608 580 866**

Tool-free quick change adapter for threaded hole saws

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Hex adapter for 1/2" and 5/8" thread with HSS-G pilot drill bit (1/4" fitting)						
Width across flats 9.5 mm, for diameter 14 mm, 9/16" - diameter 210 mm, 8 9/32" (in metal up to 152 mm diameter)						
-	-	PC1b	1	1	698269	**2 609 390 589**
SDS plus adapter for 1/2" and 5/8" thread with HSS-G pilot drill bit (1/4" fitting)						
for diameter 14 mm, 9/16" - diameter 210 mm, 8 9/32" (in metal up to 152 mm diameter)						
-	-	PC1b	1	1	698276	**2 609 390 590**
HSS-G pilot drill bit for holesaws with cutting capacity <60 mm						
with 1/4" hex shank, 135° point angle and split point						
7.15	104	PC1d	1	1	716161	**2 609 390 592**
Replacement adapter (with 1/2" thread for holesaw diameter of 14-30 mm) for quick-change adapter						
-	-	PC1b	1	1	698283	**2 609 390 591**
HSS-Co pilot drill bit for holesaws with cutting capacity <60 mm						
with 1/4" hex shank, 135° point angle and split point						
7.15	120	C1b	1	5	414609	**2 608 584 843**
Tungsten carbide pilot drill bit for holesaws with cutting capacity <60 mm						
with 1/4" hex shank, 118° drill bit tip. Centred, special multi-purpose diamond-ground carbide tips						
7.15	120	PC1d	1	1	375924	**2 608 584 777**

Standard adapter for threaded holesaws

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Hex adapter with 1/2"-20UNF thread and HSS-G pilot drill bit (2 608 596 295)					
Width across flats 1/4" (6.35 mm), for diameter 14 mm, 9/16" - diameter 30 mm, 1 3/16"					
	PC1b	1	1	698238	**2 609 390 586**
Hex adapter with 5/8"-18UNF thread and HSS-G pilot drill bit (2 608 596 295)					
Width across flats 1/4" (6.35 mm), for diameter 32 mm, 1 1/4" - diameter 76 mm, 3" (in metal up to 40 mm diameter)					
	PC1b	1	1	698245	**2 609 390 587**
Hex adapter with 1/2"-20UNF thread and HSS-G pilot drill bit (2 608 596 295)					
Width across flats 9.52 mm, for diameter 14 mm, 9/16" - diameter 30 mm, 1 3/16"					
	PC1b	1	1	698252	**2 609 390 588**
Hexagon adapter with 5/8"-18UNF thread and HSS-G pilot drill bit (2 608 596 119)					
Width across flats 11 mm, for diameter 32 mm, 1 1/4" - diameter 210 mm, 8 9/32"					
	PC1b	1	1	087780	**2 609 390 034**

Standard adapter for threaded holesaws

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 SDS plus adapter with 1/2" -20UNF thread and HSS-G pilot drill bit (2 608 596 295) for diameter 14 mm, 9/16" - diameter 30 mm, 1 3/16"	PC1b	1	1	087797	**2 609 390 035**
 SDS plus adapter with 5/8" 18UNF thread and HSS-G pilot drill bit (2 608 596 295) for diameter 32 mm, 1 1/4" - diameter 210 mm, 8 9/32"	PC1b	1	1	087803	**2 609 390 036**

Pilot drill bits for standard adapter

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 HSS-G pilot drill bit for hexagon socket adapter, width across flats 11 mm	**102**	C1a	1	10	045186	**2 608 596 119**
 HSS-G pilot drill bit for SDS plus and hexagon adapter, width across flats 6.35 (1/4") and 9.52 mm	**81**	C1a	1	10	103480	**2 608 596 295**

Precision for Sheet Metal hole saws



▶ Industrial quality for thin metal applications



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
One piece Hole Saw with 20x longer lifetime in hard- and abrasive material than BiM HS						
14	5	PC1b	1	1	942010	**2 608 594 126**
16	5	PC1b	1	1	942027	**2 608 594 127**
17	5	PC1b	1	1	942034	**2 608 594 128**
18	5	PC1b	1	1	942041	**2 608 594 129**
19	5	PC1b	1	1	942058	**2 608 594 130**
20	5	PC1b	1	1	942065	**2 608 594 131**
21	5	PC1b	1	1	942072	**2 608 594 132**
22	5	PC1b	1	1	942089	**2 608 594 133**
24	5	PC1b	1	1	942096	**2 608 594 134**
25	5	PC1b	1	1	942102	**2 608 594 135**
27	5	PC1b	1	1	942119	**2 608 594 136**
28	5	PC1b	1	1	942126	**2 608 594 137**
29	5	PC1b	1	1	942133	**2 608 594 138**
30	5	PC1b	1	1	942140	**2 608 594 139**
32	5	PC1b	1	1	942157	**2 608 594 140**
33	5	PC1b	1	1	942164	**2 608 594 141**
35	5	PC1b	1	1	942171	**2 608 594 142**
37	5	PC1b	1	1	942188	**2 608 594 143**
38	5	PC1b	1	1	942195	**2 608 594 144**
40	5	PC1b	1	1	942201	**2 608 594 145**
41	5	PC1b	1	1	942218	**2 608 594 146**
43	5	PC1b	1	1	942225	**2 608 594 147**
44	5	PC1b	1	1	942232	**2 608 594 148**
46	5	PC1b	1	1	942249	**2 608 594 149**
48	5	PC1b	1	1	942256	**2 608 594 150**
50	5	PC1b	1	1	942263	**2 608 594 151**
51	5	PC1b	1	1	942270	**2 608 594 152**
52	5	PC1b	1	1	942287	**2 608 594 153**
54	5	PC1b	1	1	942294	**2 608 594 154**
55	5	PC1b	1	1	942300	**2 608 594 155**
60	5	PC1b	1	1	942317	**2 608 594 156**
65	5	PC1b	1	1	942324	**2 608 594 157**
70	5	C1b	1	1	942331	**2 608 594 158**
95	5	C1b	1	1	942348	**2 608 594 159**

Accessories for Precision for Sheet metal hole saws



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
HSS stepped pilot drill bit Ø 6 x 47 mm					
	P1d	1	1	942355	**2 608 594 160**

Accessories for Precision for Sheet metal hole saws







PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Ejection Spring for TCT sheet metal HS(5pcs / pack)					
	P1d	5	1	945530	**2 608 594 161**
Screw for TCT sheet metal HS (10pcs / pack)					
	P1d	10	1	945547	**2 608 594 162**

Arbored Hole Saws and Holesaw Sets



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Cutting depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Hole cutter						
Medium cut teeth. Especially for holes for switch boxes and junction boxes. The shank is firmly bound to the body. This ensures sturdiness and optimum true running.						
68	28	C1a	1	1	102810	**2 608 584 139**



6-piece hole cutter set

Hardened, medium cut teeth. With the appropriate cooling, also suitable for cutting non-ferrous metals such as aluminium and copper. Hex shank firmly bound to the body. This ensures sturdiness and optimum true running. Working length 32 mm

46 **53** **60** **67** **74** **81**	32	C1a	6	1	085755	**2 608 584 063**



7-piece hole cutter set

Medium cut teeth. Working length 18 mm

25 **32** **38** **44** **51** **57** **63**	18	C1a	7	1	085731	**2 608 584 061**



7-piece hole cutter set

Medium cut teeth. Hexagonal shank for improved fit in chuck and optimum true running. Working length 40 mm

25 **32** **38** **44** **51** **57** **63**	40	C1a	7	1	085748	**2 608 584 062**



8-piece hole cutter set

Coarse cut teeth and rapid drilling rate. Shank firmly bound to the body. This ensures sturdiness and optimum true running.

25 **32** **38** **44** **51** **57** **63** **68**	27	C1a	8	1	004442	**1 609 200 243**

Hole Saws with Countersink



▶ Hole saws for cavity wall boxes for an easy insertion of new sockets



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
One piece Hole Saw with integrated hole edge countersink for cavity of wall sockets						
68	40	P1h	1	1	969987	**2 608 594 268**





STARLOCK ACCESSORIES

As versatile as your job

The best your tool can get. Bosch Professional Accessories.





STARLOCK ACCESSORIES FOR CUTTING WOOD

Multitool woodworking.



AIZ 32 EPC	PAIZ 32 EPC	MAIZ 32 EPC	AIZ 32 BSPC
Page number	640	640	640	641
System	Starlock	StarlockPlus	StarlockMax	Starlock
Dimension mm	32 × 50	32 × 60	32 × 80	32 × 50
Blade material	HCS	HCS	HCS	HCS
MATERIALS				
Tear-free cuts	✓	✓	✓	✓
Softwood	✓	✓	✓	✓
Hardwood	–	–	–	✓
Plywood	–	–	–	–
Chipboard	–	–	–	–
Laminate, wood plastic composites	–	–	–	–
Parquet	–	–	–	–

					
	AIZ 32 BSPB	**AII 65 APC**	**AII 65 BSPC**	**AII 65 BSPB**	**ACZ 85 EC**
	641	**641**	**641**	**642**	**642**
	Starlock	**Starlock**	**Starlock**	**Starlock**	**Starlock**
	32 × 50	**65 × 40**	**65 × 40**	**65 × 40**	**ø 85**
	BIM	**HCS**	**HCS**	**BIM**	**HCS**
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
	✓	–	✓	✓	–
	✓	–	–	✓	–
	✓	–	–	✓	–
	✓	–	–	✓	–
	✓	–	–	✓	–

STARLOCK ACCESSORIES FOR WOOD AND METAL

Don't stop for nails.



	AIZ 10 AB	AIZ 20 AB	AIZ 32 APB	PAIZ 32 APB	MAIZ 32 APB
Page number	643	643	643	644	644
System	Starlock	Starlock	Starlock	StarlockPlus	StarlockMax
Dimension mm	10 × 25	20 × 30	32 × 50	32 × 60	32 × 80
Blade material	BIM	BIM	BIM	BIM	BIM
MATERIALS					
Tear free Cut	–	–	✓	✓	✓
Wood working materials, non abrasive	✓	✓	✓	✓	✓
Wood working materials, abrasive	✓	✓	✓	✓	✓
Plasterboard	✓	✓	✓	✓	✓
Sandwich materials	✓	✓	✓	✓	✓
Non ferrous metal profile	✓	✓	✓	✓	✓
Non ferrous sheet metals up to 1mm	✓	✓	✓	✓	✓
Non hardened nails and screws	✓	✓	✓	✓	✓



AII 65 APB	PAII 65 APB	MAII 52 APB	ACZ 85 EB	ACZ 100 BB	MACZ 145 BB
644	645	645	645	646	646
Starlock	StarlockPlus	StarlockMax	Starlock	Starlock	StarlockMax
65 × 40	65 × 55	52 × 75	⌀ 85	⌀ 100	⌀ 145
BIM	BIM	BIM	BIM	BIM	BIM
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	–
✓	✓	✓	✓	✓	–
✓	✓	✓	✓	✓	–
✓	✓	✓	✓	✓	✓

STARLOCK ACCESSORIES FOR METAL CUTTING

Multitool metalworking.





	AIZ 20 AIT	AIZ 32 AIT	PAIZ 32 AIT
	EXPERT	EXPERT	EXPERT
Page number	648	649	649
System	Starlock	Starlock	StarlockPlus
Blade Name			
Dimension mm	20 × 40	32 × 40	32 × 55
Blade material	Coated Carbide	Coated Carbide	Coated Carbide
	UP TO 50×* LONG LIFE CARBIDE TECHNOLOGY EXTRA	UP TO 50×* LONG LIFE CARBIDE TECHNOLOGY EXTRA	UP TO 50×* LONG LIFE CARBIDE TECHNOLOGY EXTRA

MATERIALS

Non ferrous metal profile	✓	✓	✓
Non ferrous sheet metals up to 1mm	✓	✓	✓
Non hardened nails and screws	✓	✓	✓
Hardened nails & screws	✓	✓	✓
Stainless steel profile	✓	✓	✓
Stainless steel sheets up to 1mm	–	–	–

				
	MAII 32 AIT	AIZ 45 AIT	PAIZ 45 AIT	AIZ 32 AB
	EXPERT	EXPERT	EXPERT	
	650	650	651	647
	StarlockMax	Starlock	StarlockPlus	Starlock
	32 × 70	45 × 35	45 × 50	32 × 50
	Coated Carbide	Coated Carbide	Coated Carbide	BIM
	UP TO 50×* LONG LIFE CARBIDE TECHNOLOGY EXTRA	UP TO 50×* LONG LIFE CARBIDE TECHNOLOGY EXTRA	UP TO 50×* LONG LIFE CARBIDE TECHNOLOGY EXTRA	
	✓	✓	✓	✓
	✓	✓	✓	✓
	✓	✓	✓	✓
	✓	✓	✓	–
	✓	✓	✓	–
	–	–	–	–

STARLOCK ACCESSORIES FOR MULTI-MATERIAL

One blade for all.






	AIZ 32 APIT	PAIZ 32 APIT	PAII 52 APT	MAII 32 APIT
	EXPERT	EXPERT	EXPERT	EXPERT
Page number	652	653	653	654
System	Starlock	StarlockPlus	StarlockPlus	StarlockMax
Blade Name				
Dimension mm	32 × 40	32 × 55	52 × 50	32 × 70
Blade material	Coated Carbide	Coated Carbide	Coated Carbide	Coated Carbide
	UP TO 50×* LONG LIFE CARBIDE TECHNOLOGY EXTRA	UP TO 50×* LONG LIFE CARBIDE TECHNOLOGY EXTRA	UP TO 50×* LONG LIFE CARBIDE TECHNOLOGY EXTRA	UP TO 50×* LONG LIFE CARBIDE TECHNOLOGY EXTRA

MATERIALS

Tear free Cut	✓	✓	✓	✓
Wood working materials, non abrasive	✓	✓	✓	✓
Wood working materials, abrasive	✓	✓	✓	✓
Plasterboard	✓	✓	✓	✓
Sandwich materials	✓	✓	✓	✓
Non ferrous metal profile	✓	✓	✓	✓
Non ferrous sheet metals up to 1mm	✓	✓	✓	✓
Non hardened nails and screws	✓	✓	✓	✓
Hardened nails & screws	✓	✓	✓	✓
Stainless steel profile	✓	✓	✓	✓
Stainless steel sheets up to 1mm	✓	✓	✓	✓
Fiber reinforced composites (e.g. Epoxy)	✓	✓	✓	✓
Cement bonded fibre boards	✓	✓	✓	✓
Gypsum	–	–	–	–

*Bosch EXPERT products vs. Bosch standard products

					
	ACZ 105 ET	AYZ 53 BPB	ACZ 85 EIB	AVZ 93 G	AUZ 70 G
	EXPERT				
	655	656	656	666	667
	Starlock	Starlock	Starlock	Starlock	Starlock
	ø 105	53 × 40	ø 85	ø 93	70 x 55
	Carbide	BIM	Coated BIM		
	UP TO 50×* LONG LIFE CARBIDE TECHNOLOGY EXTRA				
	✓	✓	✓	–	–
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
	✓	✓	✓	–	–
	–	✓	✓	–	–
	✓	✓	✓	–	–
	–	✓	✓	–	–
	✓	✓	✓	–	–
	✓	–	–	–	–
	✓	–	–	–	–
	–	–	–	–	–
	✓	–	–	✓	–
	✓	–	–	–	–
	–	–	–	✓	–

STARLOCK ACCESSORIES FOR MULTI-MATERIAL

One blade for every material.



ACZ 100 SWB



ATZ 52 SC



ATZ 52 SFC



ASZ 32 SC

Page number	657	657	657	658
System	**Starlock**	**Starlock**	**Starlock**	**Starlock**
Dimension mm	**ø 100**	**52 × 27**	**52 × 40**	**24 × 11**
Blade material	**BIM**	**HCS**	**HCS**	**HCS**
MATERIALS				
Soft floor materials (carpet, bitumen, linoleum)	✓	–	–	✓
Artificial turf	–	–	–	✓
Insulation materials	✓	–	–	✓
Soft joint material	–	–	–	–
Putty materials	–	–	–	–
Soft carpet residues/ adhesive	✓	–	✓	–
Hard carpet residues/ adhesives	–	✓	–	–
Mortar/tile adhesive	–	✓	–	–
Paint / varnish	–	–	✓	–







ALI 12 SC	AIZ 28 SC	MAII 32 SC	MAII 32 SLC	MATI 66 SC
658	658	659	659	659
Starlock	Starlock	StarlockMax	StarlockMax	StarlockMax
4 × 29 × 12	28 × 45	32 × 55	32 × 70	65 × 30
Stainless Steel	HCS	HCS	HCS	HCS
–	–	–	–	✓
–	–	–	–	–
–	✓	✓	✓	✓
✓	✓	✓	✓	✓
–	✓	✓	✓	✓
–	–	–	–	–
–	–	–	–	–
–	–	–	–	–
–	–	–	–	–

STARLOCK ACCESSORIES FOR MULTI-MATERIAL

Multitool sanding plates.







	AVZ 32 RT4	AVZ 32 RT10	AVZ 90 RT2	AVZ 90 RT4	AVZ 90 RT6
	EXPERT	EXPERT	EXPERT	EXPERT	EXPERT
Page number	665	666	660	661	661
System	Starlock	Starlock	Starlock	Starlock	Starlock
Blade Name					
Dimension mm	32 × 53	32 × 53	⌀ 90	⌀ 90	⌀ 90
Blade material	Carbide Grit 40	Carbide Grit 100	Carbide Grit 20	Carbide Grit 40	Carbide Grit 60
	UP TO 100×* LONG LIFE CARBIDE TECHNOLOGY	UP TO 100×* LONG LIFE CARBIDE TECHNOLOGY	UP TO 100×* LONG LIFE CARBIDE TECHNOLOGY	UP TO 100×* LONG LIFE CARBIDE TECHNOLOGY	UP TO 100×* LONG LIFE CARBIDE TECHNOLOGY
MATERIALS					
Fiber reinforced composites (e.g. Epoxy)	✓	–	✓	✓	✓
Cement bonded fibre boards	✓	–	✓	✓	✓
Gypsum	✓	✓	–	✓	✓
Soft carpet residues/ adhesive	✓	–	–	–	–
Hard carpet residues/ adhesives	✓	–	✓	✓	–
Mortar/tile adhesive	✓	–	✓	✓	–
Aerated concrete and soft bricks	–	–	✓	–	–
Paint / varnish	✓	–	–	✓	✓
Clean wood	✓	✓	✓	✓	✓

*Bosch EXPERT products vs. Bosch standard products

					
	AVZ 90 RT10	MAVZ 116 RT2	MAVZ 116 RT4	MAVZ 116 RT6	MAVZ 116 RT10
	EXPERT	EXPERT	EXPERT	EXPERT	EXPERT
	662	662	663	663	664
	Starlock	StarlockMax	StarlockMax	StarlockMax	StarlockMax
	⌀ 90	⌀ 116	⌀ 116	⌀ 116	⌀ 116
	Carbide Grit 100	Carbide Grit 20	Carbide Grit 40	Carbide Grit 60	Carbide Grit 100
	UP TO 100× LONG LIFE CARBIDE TECHNOLOGY	UP TO 100× LONG LIFE CARBIDE TECHNOLOGY	UP TO 100× LONG LIFE CARBIDE TECHNOLOGY	UP TO 100× LONG LIFE CARBIDE TECHNOLOGY	UP TO 100× LONG LIFE CARBIDE TECHNOLOGY
	–	✓	✓	✓	–
	–	✓	✓	✓	–
	–	–	✓	✓	–
	–	–	–	–	–
	–	✓	✓	–	–
	–	✓	✓	–	–
	–	✓	–	–	–
	–	–	✓	✓	–
	✓	✓	✓	✓	✓

STARLOCK ACCESSORIES FOR MULTI-CUTTER TOOL GROUT AND ABRASIVES

Remove tiles with your multitool.








	ACZ 85 RD4	ACZ 85 RT3	ACZ 70 RT5	AVZ 70 RT4	MATI 68 RD4	MATI 68 RSD4
	EXPERT			EXPERT	EXPERT	EXPERT
Page number	670	671	671	672	673	674
System	Starlock	Starlock	Starlock	Starlock	StarlockMax	StarlockMax
Blade Name						
Dimension mm	⌀ 85	⌀ 85	⌀ 70	⌀ 70	68 x 30	68 x 10
Blade material	Diamond	Carbide Grit	Carbide Grit	Carbide Grit	Diamond	Diamond
	UP TO 10x* LONG LIFE DIAMOND TECHNOLOGY			3 IN 1	UP TO 10x* LONG LIFE DIAMOND TECHNOLOGY	UP TO 10x* LONG LIFE DIAMOND TECHNOLOGY

MATERIALS

Plasterboard	✓	✓	✓	✓	✓	✓
Fiber reinforced composites (e.g. Epoxy)	✓	✓	✓	✓	✓	✓
Cement bonded fibre boards	✓	✓	✓	✓	✓	✓
Mortar/tile adhesive	–	–	–	✓	–	–
Thin grout (< 1.6mm)	–	–	✓	–	–	✓
Standard grout (2-3mm)	✓	✓	–	✓	✓	–
Soft tile	✓	–	–	–	✓	✓
Aerated concrete and soft bricks	✓	✓	✓	–	✓	✓

*Bosch EXPERT products vs. Bosch standard products

						
	MATI 68 RT3	**MATI 68 RST3**	**MATI 68 MT4**	**AIZ 32 RT5**	**PAYZ 53 MT4**	**MACZ 145 MT4**
	675	**675**	**676**	**675**	**676**	**677**
	StarlockMax	**StarlockMax**	**StarlockMax**	**Starlock**	**StarlockPlus**	**StarlockMax**
	68 x 30	**68 x 10**	**68 x 30**	**32 × 30**	**53 × 40**	**⌀ 145**
	Carbide Grit	**Carbide Grit**	**Melted Carbide**	**Carbide Grit**	**Melted Carbide**	**Melted Carbide**
	✓	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓	✓
	–	–	–	✓	–	–
	–	✓	–	–	–	–
	✓	–	✓	✓	✓	✓
	–	–	–	✓	–	–
	✓	✓	✓	✓	✓	✓

Starlock HCS plunge cut saw blade AIZ 32 EPC Wood



- **AIZ 32 EPC**
- Starlock HCS plunge cut saw blade Wood
- Plunge cutting in softwood (e.g. for installing a ventilation grille)
- Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- Flush cutting wooden components (e.g. dowels, tenons) to length



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
32	50	PC1d	1	4	492409	**2 608 661 637**
		PC1d	1	1	978910	**2 608 664 904**
		PC1d	5	1	484930	**2 608 661 626**
		P1a	10	1	935852	**2 608 664 472**
		C0a	1	25	665971	**2 608 661 904**

StarlockPlus HCS plunge cut saw blade PAIZ 32 EPC Wood



- **PAIZ 32 EPC**
- StarlockPlus HCS plunge cut saw blade Wood
- Deep 60 mm plunge cut in softwood (e.g. for installing a ventilation grille)
- Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- Flush cutting wooden components (e.g. dowels, tenons) to length



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
32	60	PC1d	1	1	833356	**2 608 662 561**
		P1a	10	1	936057	**2 608 664 492**
		C0a	1	25	773324	**2 608 662 311**

StarlockMax HCS plunge cut saw blade MAIZ 32 EPC Wood



- **MAIZ 32 EPC**
- StarlockMax HCS plunge cut saw blade Wood
- Fast and deep plunge cuts in wood (e.g. window frames)
- Fast and deep plunge cuts in wooden beams
- Subsequently making recesses for tenons and connections (ideal with Expert depth stop)



32	80	PC1d	1	1	833080	**2 608 662 568**
		P1a	10	1	936095	**2 608 664 496**
		C0a	1	25	859974	**2 608 662 767**

Starlock HCS plunge cut saw blade AIZ 32 BSPC Hard Wood



- **AIZ 32 BSPC**
- Starlock HCS plunge cut saw blade Hard Wood
- Precise plunge cuts in hardwood (e.g. for installing a display)
- Precise cut-outs in furniture components (e.g. to enable access to a mains sockets)
- Sawing wood panels



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
32	50	PC1d	1	1	785051	**2 608 662 360**
		PC1d	5	1	785068	**2 608 662 361**
		P1a	10	1	935944	**2 608 664 481**
		C0a	1	25	785075	**2 608 662 362**

Starlock BIM plunge cut saw blade AIZ 32 BSPB Hard Wood



- **AIZ 32 BSPB**
- Starlock BIM plunge cut saw blade Hard Wood
- Plunge cutting in laminated panels or hardwood (e.g. for installing a ventilation grille)
- Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- Flush cutting wooden components (e.g. dowels, tenons made of hardwood) to length



32	50	PC1d	1	4	492485	**2 608 661 645**
		PC1d	1	1	978927	**2 608 664 905**
		PC1d	5	1	484978	**2 608 661 630**
		P1a	10	1	935845	**2 608 664 471**
		C0a	1	25	665964	**2 608 661 903**

Starlock HCS plunge cut saw blade AII 65 APC Wood



- **AII 65 APC**
- Starlock HCS plunge cut saw blade Wood
- Plunge cutting in softwood (e.g. for installing a ventilation grille)
- Cutting a door frame to length on the floor
- Cutting a recess in furniture components (e.g. to enable access to a mains socket)



65	40	PC1d	1	1	785020	**2 608 662 357**
		PC1d	5	1	785037	**2 608 662 358**
		P1a	10	1	935890	**2 608 664 476**
		C0a	1	25	785044	**2 608 662 359**

Starlock HCS plunge cut saw blade AII 65 BSPC Hard Wood



- **AII 65 BSPC**
- Starlock HCS plunge cut saw blade Hard Wood
- Plunge cuts in hardwood (e.g. for installing a ventilation grille)
- Plunge cuts in wooden boards (e.g. for installing a shelf)
- Sawing in wooden panels



65	40	PC1d	1	1	784993	**2 608 662 354**
		PC1d	5	1	785006	**2 608 662 355**
		P1a	10	1	935982	**2 608 664 485**
		C0a	1	25	785013	**2 608 662 356**

Starlock BIM plunge cut saw blade AII 65 BSPB Hard Wood



- **AII 65 BSPB**
- Starlock BIM plunge cut saw blade Hard Wood
- Plunge cutting in laminated panels or hardwood (e.g. for installing a ventilation grille)
- Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- Flush cutting wooden components (e.g. dowels, tenons made of hardwood) to length



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
65	40	PC1d	1	1	707459	**2 608 662 017**
		PC1d	1	1	978941	**2 608 664 907**
		PC1d	5	1	714150	**2 608 662 031**
		P1a	10	1	935920	**2 608 664 479**
		C0a	1	25	714167	**2 608 662 032**

Starlock HCS segment saw blade ACZ 85 EC Wood



- **ACZ 85 EC**
- Starlock HCS segment saw blade Wood, with depressed centre
- Plunge cutting in solid wood, e.g. for installing a ventilation grille
- Flush cutting wood (e.g. a protruding tenon on a wood joint)
- Cutting a plastic pipe (PVC) to length



PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
85	PC1d	1	1	492461	**2 608 661 643**
	PC1d	1	1	979023	**2 608 664 915**
	P1a	10	1	935968	**2 608 664 483**

Starlock BIM plunge cut saw blade AIZ 10 AB Wood and Metal



- **AIZ 10 AB**
- Starlock BIM plunge cut saw blade Wood and Metal
- Filigree adjustment work on non-ferrous profiles
- Filigree adjustment work in wood (e.g. subsequently sawing recesses for locks and fittings)
- Plunge cuts in plasterboard



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
10	20	PC1d	1	1	492447	**2 608 661 641**
		PC1d	1	1	978989	**2 608 664 911**

Starlock BIM plunge cut saw blade AIZ 20 AB Wood and Metal





- **AIZ 20 AB**
- Starlock BIM plunge cut saw blade Wood and Metal
- Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- Flush cutting a copper pipe
- Plunge cuts in plasterboard

20	30	PC1d	1	4	492430	**2 608 661 640**
		PC1d	1	1	978996	**2 608 664 912**
		PC1d	5	1	484954	**2 608 661 628**

Starlock BIM plunge cut saw blade AIZ 32 APB Wood and Metal



- **AIZ 32 APB**
- Starlock BIM plunge cut saw blade Wood and Metal
- Plunge cut in wood, abrasive wooden materials, plastics
- Cutting non-ferrous pipes and profiles with smaller dimensions
- Cutting non-hardened nails, screws and steel profiles with smaller dimensions



32	50	PC1d	1	4	492478	**2 608 661 644**
		PC1d	1	1	978958	**2 608 664 908**
		PC1d	5	1	484961	**2 608 661 629**
		P1a	10	1	935838	**2 608 664 470**
		C0a	1	25	665957	**2 608 661 902**

StarlockPlus BIM plunge cut saw blade PAIZ 32 APB Wood and Metal



- **PAIZ 32 APB**
- StarlockPlus BIM plunge cut saw blade Wood and Metal
- Deep 60 mm plunge cut in wood, abrasive wooden materials, plastics
- Cutting non-ferrous pipes and profiles with smaller dimensions
- Cutting non-hardened nails, screws and steel profiles with smaller dimensions



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
32	60	PC1d	1	1	833332	**2 608 662 558**
		PC1d	1	1	979146	**2 608 664 927**
		P1a	10	1	936064	**2 608 664 493**
		C0a	1	25	773362	**2 608 662 315**

StarlockMax BIM plunge cut saw blade MAIZ 32 APB Wood and Metal



- **MAIZ 32 APB**
- StarlockMax BIM plunge cut saw blade Wood and Metal
- Fast and deep plunge cuts in wood and nails
- Fast and deep plunge cuts in wooden beams
- Cutting non-hardened nails, screws and steel profiles with small dimensions (e.g. concealed metal fixings)



32	80	PC1d	1	1	833103	**2 608 662 571**
		PC1d	1	1	979177	**2 608 664 930**
		P1a	10	1	936101	**2 608 664 497**
		PC1b	1	25	859981	**2 608 662 768**

Starlock BIM plunge cut saw blade AII 65 APB Wood and Metal



- **AII 65 APB**
- Starlock BIM plunge cut saw blade Wood and Metal
- Cutting wood with nails
- Cutting a door frame to length on the floor (softwood, hardwood, veneered panels, plastic-laminated panels)
- Plunge cuts in laminated panels (e.g. recesses for a shelf board)



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
65	40	PC1d	1	4	596169	**2 608 661 781**
		PC1d	1	1	978972	**2 608 664 910**
		PC1d	5	1	666008	**2 608 661 907**
		P1a	10	1	935876	**2 608 664 474**
		C0a	1	25	665940	**2 608 661 901**

StarlockPlus BIM plunge cut saw blade PAII 65 APB Wood and Metal



- **PAII 65 APB**
- StarlockPlus BIM plunge cut saw blade Wood and Metal
- Cutting wood with nails
- Cutting a door frame to length on the floor (softwood, hardwood, veneered panels, plastic-laminated panels)
- Plunge cuts in laminated panels (e.g. recesses for a shelf board)



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
65	50	PC1d	1	1	833370	**2 608 662 564**
		PC1d	1	1	979153	**2 608 664 928**
		P1a	10	1	936071	**2 608 664 494**

StarlockMax BIM plunge cut saw blade MAII 52 APB Wood and Metal



- **MAII 52 APB**
- StarlockMax BIM plunge cut saw blade Wood and Metal
- Deep and wide plunge cuts in wood containing nails (e.g. window frames with metal components)
- Deep and wide plunge cuts in wooden beams containing nails
- Cutting non-hardened nails, screws and steel profiles with small dimensions (e.g. concealed metal fixings)



52	70	PC1d	1	1	833134	**2 608 662 574**
		P1a	10	1	936118	**2 608 664 498**
		C0a	1	25	859998	**2 608 662 769**

Starlock BIM segment saw blade ACZ 85 EB Wood and Metal



- **ACZ 85 EB**
- Starlock BIM segment saw blade Wood and Metal, with depressed centre
- Cutting a door frame to length on the floor (softwood, hardwood, veneered panels, plastic-laminated panels)
- Cutting out laminate/parquet (e.g. for installing a partition wall)
- Cutting smaller mouldings to length (e.g. aluminium floor cover strips)



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
85	PC1d	1	4	492393	**2 608 661 636**
	PC1d	1	1	979047	**2 608 664 916**
	P1a	10	1	935906	**2 608 664 477**

Starlock BIM segment saw blade ACZ 100 BB Wood and Metal



- **ACZ 100 BB**
- Starlock BIM segment saw blade Wood and Metal, with depressed centre
- Cutting a door frame to length on the floor (softwood, hardwood, veneered panels, plastic-laminated panels)
- Cutting out laminate/parquet (e.g. for installing a partition wall)
- Cutting smaller mouldings to length (e.g. aluminium floor cover strips)



PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
100	PC1d	1	1	492379	**2 608 661 633**
	P1a	10	1	935937	**2 608 664 480**

Starlock Max BIM segment saw blade MACZ 145 BB Wood and Metal



- **MACZ 145 BB**
- StarlockMax provides extra deep and extra fast guided cuts in wood, metal and plastic
- Extra large blade for superior cutting depth (50mm) and width (100mm)
- Side set teeth allow for faster and burn free cuts
- Large blade surface allows for guided and precise straight cuts over long areas



145	PC1d	1	1	896436	**2 608 664 226**

Starlock BIM plunge cut saw blade AIZ 32 AB Metal



- **AIZ 32 AB**
- Starlock BIM plunge cut saw blade Metal
- Flush cutting soft nails
- Flush cutting a copper pipe
- Cuts in plasterboard



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
32	50	PC1d	1	4	545525	**2 608 661 688**
		PC1d	1	1	979009	**2 608 664 913**
		PC1d	5	1	666015	**2 608 661 908**
		P1a	10	1	935883	**2 608 664 475**
		C0a	1	25	665988	**2 608 661 905**

LONG LIFE CUTTING HARD METAL

EXPERT MetalMax Blades

ASSORTMENT: Width: 20-45mm

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Extra coating makes carbide tougher!
3. Less skidding on screws due to flat edge design



CARBIDE TECHNOLOGY EXTRA

EXPERT MetalMax AIZ 20 AIT Plunge Saw Blades

EXPERT



- Ideal for cutting metal: for flush cuts, such as cutting off hardened screws and nails; cutting tough metal pipes and a variety of hardened metals with an oscillating multitool.
- Multitool versatility with maximum performance.
- Lasts up to 50x longer than a Bi-Metal blade.
- Starlock mount for maximum power transfer and convenient blade change within 3 seconds.



CARBIDE TECHNOLOGY EXTRA | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
20	40	PC1d	1	1	530642	**2 608 900 012**
		PC1d	5	1	530659	**2 608 900 013**

EXPERT MetalMax AIZ 32 AIT Plunge Saw Blades

EXPERT



- Ideal for cutting metal: for flush cuts, such as cutting off hardened screws and nails; cutting tough metal pipes and a variety of hardened metals with an oscillating multitool.
- Multitool versatility with maximum performance.
- Lasts up to 50x longer than a Bi-Metal blade.
- Starlock mount for maximum power transfer and convenient blade change within 3 seconds.





CARBIDE TECHNOLOGY EXTRA | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
32	40	PC1d	1	1	530666	**2 608 900 014**
		PC1d	5	1	530673	**2 608 900 015**
		P1a	10	1	530680	**2 608 900 016**
		C0a	1	25	530697	**2 608 900 017**

EXPERT MetalMax PAIZ 32 AIT Plunge Saw Blades

EXPERT



- Ideal for cutting metal: for flush cuts, such as cutting off hardened screws and nails; cutting tough metal pipes and a variety of hardened metals with an oscillating multitool.
- Multitool versatility with maximum performance.
- Lasts up to 50x longer than a Bi-Metal blade.
- Starlock Plus mount for maximum power transfer and convenient blade change within 3 seconds.





CARBIDE TECHNOLOGY EXTRA | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
32	50	PC1d	1	1	530710	**2 608 900 019**
		P1a	10	1	530727	**2 608 900 020**

EXPERT MetalMax MAII 32 AIT Plunge Saw Blades

EXPERT



- Ideal for cutting metal: for flush cuts, such as cutting off hardened screws and nails; cutting tough metal pipes and a variety of hardened metals with an oscillating multitool.
- Multitool versatility with maximum performance.
- Lasts up to 50x longer than a Bi-Metal blade.
- Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.





CARBIDE TECHNOLOGY EXTRA | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	32	70	PC1d	1	1	530741	**2 608 900 022**
			P1a	10	1	530758	**2 608 900 023**

EXPERT MetalMax AIZ 45 AIT Plunge Saw Blades

EXPERT



- Ideal for cutting metal: for flush cuts, such as cutting off hardened screws and nails; cutting tough metal pipes and a variety of hardened metals with an oscillating multitool.
- Multitool versatility with maximum performance.
- Lasts up to 50x longer than a Bi-Metal blade.
- Starlock mount for maximum power transfer and convenient blade change within 3 seconds.





CARBIDE TECHNOLOGY EXTRA | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	45	40	PC1d	1	1	530703	**2 608 900 018**

EXPERT MetalMax PAIZ 45 AIT Plunge Saw Blades

EXPERT



- Ideal for cutting metal: for flush cuts, such as cutting off hardened screws and nails; cutting tough metal pipes and a variety of hardened metals with an oscillating multitool.
- Multitool versatility with maximum performance.
- Lasts up to 50x longer than a Bi-Metal blade.
- Starlock Plus mount for maximum power transfer and convenient blade change within 3 seconds.





CARBIDE TECHNOLOGY EXTRA

UP TO 50x* LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	45	50	PC1d	1	1	530734	**2 608 900 021**

LONG LIFE CUTTING SHEET METAL AND ABRASIVE MATERIALSS

EXPERT MultiMax Blades

ASSORTMENT: Width: 32mm, 52mm

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Extra coating makes carbide tougher!
3. Curved-Tec blade for controlled and clean plunge cuts
4. Thin carbide blade for faster sawing



CARBIDE TECHNOLOGY EXTRA

EXPERT MultiMax AIZ 32 APIT Plunge Saw Blades

EXPERT



- Ideal for plunge cuts and precision cutting in a wide variety of materials, including sheet metals; composite materials; fibre cement boards, bricks and other abrasive materials.
- Multitool versatility with maximum performance.
- Lasts up to 50x longer than a Bi-Metal blade.
- Starlock mount for maximum power transfer and convenient blade change within 3 seconds.



CARBIDE TECHNOLOGY EXTRA | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
32	40	PC1d	1	1	530765	**2 608 900 024**
		PC1d	5	1	530772	**2 608 900 025**
		P1a	10	1	530789	**2 608 900 026**
		C0a	1	25	530796	**2 608 900 027**

EXPERT MultiMax PAIZ 32 APIT Plunge Saw Blades

EXPERT



- Ideal for plunge cuts and precision cutting in a wide variety of materials, including sheet metals; composite materials; fibre cement boards, bricks and other abrasive materials.
- Multitool versatility with maximum performance.
- Lasts up to 50x longer than a Bi-Metal blade.
- Starlock Plus mount for maximum power transfer and convenient blade change within 3 seconds.





CARBIDE TECHNOLOGY EXTRA | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	32	50	PC1d	1	1	530802	**2 608 900 028**
			P1a	10	1	530819	**2 608 900 029**

EXPERT MultiMax PAII 52 APIT Plunge Saw Blades

EXPERT



- Ideal for plunge cuts and precision cutting in a wide variety of materials, including sheet metals; composite materials; fibre cement boards, bricks and other abrasive materials.
- Multitool versatility with maximum performance.
- Lasts up to 50x longer than a Bi-Metal blade.
- Starlock Plus mount for maximum power transfer and convenient blade change within 3 seconds.





CARBIDE TECHNOLOGY EXTRA | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	52	50	PC1d	1	1	530826	**2 608 900 030**

EXPERT MultiMax MAII 32 APIT Plunge Saw Blades

EXPERT



- Ideal for plunge cuts and precision cutting in a wide variety of materials, including sheet metals; composite materials; fibre cement boards, bricks and other abrasive materials.
- Multitool versatility with maximum performance.
- Lasts up to 50x longer than a Bi-Metal blade.
- Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.



CARBIDE TECHNOLOGY EXTRA

UP TO 50x* LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	32	70	PC1d	1	1	530833	**2 608 900 031**
			P1a	10	1	530840	**2 608 900 032**

LONG LIFE CUTTING ABRASIVE AND COMPOSITE MATERIALS

EXPERT MultiMaterial Segment Blades

ASSORTMENT: Ø105mm

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Thick gauge blade offers extra robustness and stability
3. Wide body for precise, straight cuts



CARBIDE TECHNOLOGY

EXPERT MultiMaterial ACZ 105 ET Segment Saw Blades

EXPERT



- Ideal for precision cutting in a wide variety of materials, including laminates and composites; can cut solid surface materials like Corian®; makes good plunge cuts and survives striking brick.
- Multitool versatility with maximum performance.
- Lasts up to 50x longer than a Bi-Metal blade.
- Starlock mount for maximum power transfer and convenient blade change within 3 seconds.



CARBIDE TECHNOLOGY | UP TO 50x* LONG LIFE

PRODUCT PROPERTIES	ORDERING INFORMATION					
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
105	PC1d	1	1	896139	**2 608 664 208**	
	P1h	5	1	896122	**2 608 664 207**	

Starlock BIM-TiN segment saw blade ACZ 85 EIB Multi Material



- **ACZ 85 EIB**
- Starlock BIM-TiN segment saw blade Multi Material, with depressed centre
- Plunge cutting in plasterboard or cement-bonded fibre boards (e.g. for installing a ventilator)
- Cutting smaller mouldings to length (e.g. aluminium floor cover strips)
- Cutting recesses in epoxy/glass fibre reinforced plastic (e.g. dashboard in a boat)



PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
85	PC1d	1	1	582230	**2 608 661 758**
	PC1d	1	1	979047	**2 608 664 917**
	P1a	10	1	935913	**2 608 664 478**

Starlock BIM Dual-Tec saw blade AYZ 53 BPB Multi Material



- **AYZ 53 BPB Wood & Metal**
- Starlock Dual-Tec blade is designed to plunge in and cut onwards and hence to cut out squares in wood and abrasive materials
- High precision cut in edges thanks to unique asymmetric Dual-Tec shape
- Side set teeth allow for faster and burn free cuts
- Large blade surface allows for guided and precise straight cuts over long areas



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
53	40	PC1d	1	1	896078	**2 608 664 202**
		PC1d	5	1	896085	**2 608 664 203**
		P1a	10	1	896092	**2 608 664 204**
		C0a	1	25	896108	**2 608 664 205**

Starlock BIM serrated segment blade ACZ 100 SWB Multi Material



- **ACZ 100 SWB**
- Starlock BIM serrated segment blade
- Flush cutting to length of protruding insulation material, especially polystyrene
- Cutting insulation panels to size (e.g. Flumroc floor panel/sound insulation panel)
- Cutting soft materials (e.g. cardboard, carpet, rubber, leather...)



PRODUCT PROPERTIES	ORDERING INFORMATION				
Cutting width [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
100	PC1d	1	1	546737	**2 608 661 693**

Starlock HCS scraper ATZ 52 SC, rigid Multi Material



- **ATZ 52 SC**
- Starlock HCS scraper, rigid
- Removing mortar or tile adhesive (e.g. when replacing damaged tiles)
- Removing mortar and concrete residues
- Removing hard, brittle carpet adhesive residues



52	PC1d	1	1	492492	**2 608 661 646**
	P1a	10	1	936002	**2 608 664 487**

Starlock HCS scraper ATZ 52 SFC, flexible Multi Material



- **ATZ 52 SFC**
- Starlock HCS scraper, flexible
- Removing soft carpet adhesive residues
- Removing paint residues



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	PC1d	1	1	492508	**2 608 661 647**
	PC1d	1	1	979108	**2 608 664 923**
	P1a	10	1	936019	**2 608 664 488**

Starlock HCS multi blade ASZ 32 SC



- **ASZ 32 SC**
- Starlock HCS multi blade
- Cutting flexible abrasive materials (e.g. roofing felt, bitumen shingles)
- Cutting soft materials (e.g. carpet, cardboard, PVC floor)
- Cutting artificial turf



PRODUCT PROPERTIES		ORDERING INFORMATION				
Cutting width [mm]	Cut length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
24	11	PC1d	1	1	792967	**2 608 662 431**
		PC1d	1	1	979122	**2 608 664 925**

Starlock INOX universal sealant remover ALI 12 SC Multi Material



- **ALI 12 SC**
- Starlock blade provides fast, easy and reliable cutting & removal of panelled deck sealing materials
- Easy cutting due to sharpened tip and razor-like cutting edge on both blade sides
- Stainless steel (INOX) knife for long lifetime and rust free cutting
- 4mm wide pull & push cutter blade cuts easily through flexible and tough materials



PRODUCT PROPERTIES		ORDERING INFORMATION				
Cutting width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
4	29	PC1d	1	1	896498	**2 608 664 231**

Starlock HCS universal joint cutter AIZ 28 SC Multi Material



- **AIZ 28 SC**
- Starlock HCS universal joint cutter
- Cutting soft expansion joints
- Cutting window putty (sealing compound)
- Cutting insulation materials (e.g. Flumroc rockwool)



PRODUCT PROPERTIES		ORDERING INFORMATION				
Cutting width [mm]	Cut length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
28	40	PC1d	1	1	546713	**2 608 661 691**
		PC1d	1	1	979115	**2 608 664 924**
		PC1d	5	1	666022	**2 608 661 909**
		P1a	10	1	936026	**2 608 664 489**
		C0a	1	25	665995	**2 608 661 906**

Starlock MaxHCS universal joint cutter MAII 32 SC Multi Material



- **MAII 32 SC**
- StarlockMax HCS universal joint cutter
- Cutting expansion joints (e.g. silicone)
- Cutting out window putty (sealing compound)
- Cutting soft materials (e.g. insulation material, rubber, carpet, cardboard...)



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
32	55	PC1d	1	1	833172	**2 608 662 583**
		P1a	10	1	936163	**2 608 664 503**

StarlockMax HCS universal joint cutter MAII 32 SLC



- **MAII 32 SLC**
- StarlockMax HCS long universal joint cutter
- Deep 70 mm cutting of expansion joints (e.g. silicone)
- Deep cutting of window putty (sealing compound)
- Cutting soft materials (e.g. insulation material, rubber, carpet, cardboard...)



32	70	PC1d	1	1	833158	**2 608 662 575**
		P1a	10	1	936149	**2 608 664 501**

Starlock Max HCS segment blade MATI 66 SC



- **MATI 66 SC**
- StarlockMax HCS segment blade
- Fast cutting of window putty (e.g. cutting out insulating glass panes laid in a putty bed)
- Cutting soft materials (e.g. insulation material, rubber, carpet, cardboard...)
- Cuts in corners of soft materials



66	30	PC1d	1	1	833233	**2 608 662 579**

LONG LIFE SANDING MULTI MATERIAL

EXPERT Sanding Plates

ASSORTMENT: #20 - #100

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Easy cleaning to maintain best performance
3. Delta shape reaches corners while sanding efficiently
4. Sands the narrowest gaps with this extra-thin blade



CARBIDE TECHNOLOGY

EXPERT AVZ 90 RT2 Sanding Plates

EXPERT





- Ideal for coarse sanding to remove all kinds of material, including tile mortar; glue residue left on flooring by carpets; and for rough shaping of wood.
- Multitool versatility with maximum performance.
- Lasts up to 100x longer than standard sandpaper.
- Starlock mount for maximum power transfer and convenient blade change within 3 seconds.

CARBIDE TECHNOLOGY | UP TO 100x* LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	90	20	PC1a	1	1	530970	**2 608 900 045**
			C0a	10	1	530987	**2 608 900 046**

EXPERT AVZ 90 RT4 Sanding Plates

EXPERT



- Ideal for coarse sanding to remove mortar; best at removing old paint, these stiff plates are also ideal for removing edges and bumps from wood.
- Multitool versatility with maximum performance.
- Lasts up to 100x longer than standard sandpaper.
- Starlock mount for maximum power transfer and convenient blade change within 3 seconds.





CARBIDE TECHNOLOGY | UP TO 100x LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	90	40	PC1a	1	1	530994	**2 608 900 047**

EXPERT AVZ 90 RT6 Sanding Plates

EXPERT



- Ideal for coarse sanding to prepare surfaces for re-painting; best at removing old paint, these stiff plates are also ideal for removing edges and bumps from wood.
- Multitool versatility with maximum performance.
- Lasts up to 100x longer than standard sandpaper.
- Starlock mount for maximum power transfer and convenient blade change within 3 seconds.





CARBIDE TECHNOLOGY | UP TO 100x LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	90	60	PC1a	1	1	531014	**2 608 900 049**

EXPERT AVZ 90 RT10 Sanding Plates

EXPERT



- Ideal for medium grain sanding to smooth surfaces for re-painting. Created for clean surfaces, these stiff plates are also ideal for removing edges and bumps from wood.
- Multitool versatility with maximum performance.
- Lasts up to 100x longer than standard sandpaper.
- Starlock mount for maximum power transfer and convenient blade change within 3 seconds.



CARBIDE TECHNOLOGY | UP TO 100x* LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	90	100	PC1a	1	1	530956	**2 608 900 043**

EXPERT MAVZ 116 RT2 Sanding Plates

EXPERT



- Ideal for coarse sanding to remove all kinds of material, including tile mortar; glue residue left on flooring by carpets; and for rough shaping of wood.
- Multitool versatility with maximum performance.
- Lasts up to 100x longer than standard sandpaper.
- Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.



CARBIDE TECHNOLOGY | UP TO 100x* LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	116	20	PC1a	1	1	531045	**2 608 900 052**

EXPERT MAVZ 116 RT4 Sanding Plates

EXPERT



- Ideal for coarse sanding to remove mortar; best at removing old paint, these stiff plates are also ideal for removing edges and bumps from wood.
- Multitool versatility with maximum performance.
- Lasts up to 100x longer than standard sandpaper.
- Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.





CARBIDE TECHNOLOGY | UP TO 100x LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	116	40	PC1a	1	1	531052	**2 608 900 053**

EXPERT MAVZ 116 RT6 Sanding Plates

EXPERT



- Ideal for coarse sanding to prepare surfaces for re-painting; best at removing old paint, these stiff plates are also ideal for removing edges and bumps from wood.
- Multitool versatility with maximum performance.
- Lasts up to 100x longer than standard sandpaper.
- Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.





CARBIDE TECHNOLOGY | UP TO 100x LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	116	60	PC1a	1	1	531069	**2 608 900 054**

EXPERT MAVZ 116 RT10 Sanding Plates

EXPERT





- Ideal for medium grain sanding to smooth surfaces for re-painting. Created for clean surfaces, these stiff plates are also ideal for removing edges and bumps from wood.
- Multitool versatility with maximum performance.
- Lasts up to 100x longer than standard sandpaper.
- Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.

CARBIDE TECHNOLOGY | UP TO 100x* LONG LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
116	100	PC1a	1	1	531038	**2 608 900 051**	

LONG LIFE SANDING TIGHT GAPS

EXPERT Sanding Fingers

ASSORTMENT: #40; #100

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Easy cleaning to maintain best performance
3. Reaches every corner with a pointed tip
4. Sands the narrowest gaps with this extra-thin blade



CARBIDE TECHNOLOGY

EXPERT AVZ 32 RT4 Sanding Fingers

EXPERT



- Ideal for sanding in tight gaps and hard-to-access niches, such as between the gaps in patio decking. The RT4 has grit size 40 for removing old paint or varnish.
- Multitool versatility with maximum performance.
- Lasts up to 100x longer than standard sandpaper.
- Starlock mount for maximum power transfer and convenient blade change within 3 seconds.





CARBIDE TECHNOLOGY | UP TO 100x* LONG LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION				
Working width [mm]	Working depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
32	50	PC1d	1	1	530925	**2 608 900 040**

EXPERT AVZ 32 RT10 Sanding Fingers

EXPERT



- Ideal for sanding in tight gaps and hard-to-access niches, such as between the gaps in patio decking. The RT10 has grit size 100 for preparing clean wood surfaces prior to re-painting or varnishing.
- Multitool versatility with maximum performance.
- Lasts up to 100x longer than standard sandpaper.
- Starlock mount for maximum power transfer and convenient blade change within 3 seconds.





CARBIDE TECHNOLOGY | UP TO 100x* LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Working width [mm]	Working depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	32	50	PC1d	1	1	530918	**2 608 900 039**

Starlock sanding plate



- **AVZ 93 G**
- Sanding plate with miro hook-and-loop-type fastening system
- Quick, easy sanding sheet change

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	93	PC1d	1	1	632256	**2 608 000 493**
		PC1d	1	1	979139	**2 608 664 926**



Dust extraction

- **Appropriate for** Bosch Starlock (GOP 12V-28 Professional; PMF 220 CE; PMF 250 CES), Bosch StarlockPlus (GOP 30-28; GOP 40-30; GOP 18V-28 Professional; PMF 350 CES) and Bosch StarlockMax (GOP 55-36 Professional) machines
- **Appropriate for** Bosch GOP 300 SCE; GOP 14,4 V-EC; GOP 18 V-EC Professional

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
for extracting sanding dust in combination with the Starlock sanding plate AVZ 93 G **Suitable for** GOP 12V-28 (0 601 8B5 0..); GOP 18V-28 (0 601 8B6 0..); GOP 30-28 (0 601 237 0..); GOP 40-30 (0 601 231 0..); GOP 55-36 (0 601 231 1..); GOP 300 SCE (0 601 230 5..) Professional					
	P1d	1	1	851626	**2 608 000 636**



Starlock profile sander



- **AUZ 70 G**
- Profile sander with micro hook-and-loop-type fastening system
- 4 sheets of sanding paper 70 mm x 125 mm with hook-and-loop (2x80 / 2x120 grit)
- Sanding round wood and painted surfaces up to 55 mm diameter



PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
70	PC1b	5	1	785860	**2 608 662 346**

F460 sanding sheets optimised for multi-cutters, Best for Wood and Paint, 93 mm, 6 holes



- **Suitable for** sanding all types of wood, wooden materials and paint
- **Appropriate for** sanding plate AVZ 93 G



PRODUCT PROPERTIES				ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Pack of 5								
93x93	40	6 holes		C1a	5	5	959865	**2 608 621 684**
93x93	60	6 holes		C1a	5	5	959872	**2 608 621 685**
93x93	80	6 holes		C1a	5	5	959889	**2 608 621 686**
93x93	120	6 holes		C1a	5	5	959896	**2 608 621 687**
93x93	180	6 holes		C1a	5	5	959902	**2 608 621 688**
93x93	240	6 holes		C1a	5	5	959919	**2 608 621 689**
Pack of 6								
93x93	60 120 240	6 holes		C1a	6	5	959926	**2 608 621 690**
Pack of 10								
93x93	60 80 120 180 240	6 holes		PC1b	10	5	509497	**2 608 607 540**

F355 sanding sheets optimised for multi-cutters, Best for Coatings and Composites, 93 mm, 6 holes

best **Coatings+Composites**



- **Suitable for** sanding hard materials, varnish and plastic
- **Appropriate for** sanding plate AVZ 93 G



PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Pack of 5							
93x93	80	6 holes	C1a	5	5	160100	**2 608 605 192**
93x93	100	6 holes	C1a	5	5	160117	**2 608 605 193**
93x93	120	6 holes	C1a	5	5	160124	**2 608 605 194**
93x93	180	6 holes	C1a	5	5	160131	**2 608 605 195**
93x93	240	6 holes	C1a	5	5	160148	**2 608 605 196**
93x93	320	6 holes	C1a	5	5	160155	**2 608 605 197**
93x93	400	6 holes	C1a	5	5	160162	**2 608 605 198**
93x93	600	6 holes	C1a	5	5	160179	**2 608 605 199**
93x93	1200	6 holes	C1a	5	5	159180	**2 608 605 200**

Fleeces

- **Suitable for** bringing out the grain in wood (rustic look), de-rusting of metal and matt sanding of varnishes
- Cleaning fleece **suitable for** removing dirt and deposits without altering the workpiece surface. Works without coated abrasive – can leave behind slight scratches in soft material
- **Appropriate for** sanding plate AVZ 93 G



PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Grade	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Fleece							
93	280	Medium	C1d	1	5	070812	**2 608 604 495**
93	100	Coarse	C1d	1	5	070805	**2 608 604 494**

Cleaning fleece without coated abrasive

Suitable for removing dirt and deposits without altering the workpiece surface. Works without coated abrasive – can leave behind slight scratches in soft material

93	Without grit	-	C1d	1	5	070829	**2 608 604 496**

Polishing felt



- **Suitable for** pre-polishing very dirty or scratched surfaces – using polish or grinding paste on even surfaces
- **Appropriate for** sanding plate AVZ 93 G

PRODUCT PROPERTIES		ORDERING INFORMATION				
Grade	Sheet dimensions mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Polishing felt						
Suitable for pre-polishing very dirty or scratched surfaces – using polish or grinding paste on even surfaces						
Hard	93	C1d	1	5	070843	**2 608 613 016**



LONG LIFE IN GROUT AND SOFT TILE

EXPERT Grout Segment Blades

ASSORTMENT: Ø85mm

EXPERT

1. Extremely durable cutting edge using Bosch Diamond Technology
2. Pointed segment saw blade for precise work right into corners



DIAMOND TECHNOLOGY

EXPERT ACZ 85 RD4 Grout Segment Blades

EXPERT





- Ideal for cutting out grout from between tiles; removes even hard cement mortar; can also make small adjustment cuts to soft tiles.
- Multitool versatility with maximum performance.
- Lasts up to 10x longer than laser melted carbide.
- Starlock mount for maximum power transfer and convenient blade change within 3 seconds.

DIAMOND TECHNOLOGY | UP TO 10x* LONG LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Cutting width [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
85	2	PC1d	1	1	530864	**2 608 900 034**
		P1a	10	1	530871	**2 608 900 035**

Starlock Carbide-RIFF segment saw blade ACZ 85 RT3 Grout and Abrasive



- **ACZ 85 RT3**
- Starlock Carbide-RIFF segment saw blade
- Routing joints on wall and floor tiles
- Routing smaller cutouts in soft wall tiles
- Routing grooves in porous concrete, for laying concealed cables and pipes



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Cutting width [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
85	2.5	PC1d	1	1	492454	**2 608 661 642**
		PC1d	1	1	979061	**2 608 664 919**
		P1a	10	1	935975	**2 608 664 484**

Starlock Carbide-RIFF thin-kerf segment saw blade ACZ 70 RT5 Grout and Abrasive



- **ACZ 70 RT5**
- Starlock Carbide-RIFF thin-kerf segment saw blade
- Routing extra-thin (1.6mm / 1/16") joints on wall tiles
- Routing recesses in epoxy/glass fibre reinforced plastic (e.g. dashboard)
- Routing grooves in porous concrete, for laying concealed cables and pipes



70	1.6	PC1d	1	1	546720	**2 608 661 692**
		P1a	10	1	935999	**2 608 664 486**

MULTI-USE IN TILING

EXPERT 3 max Multi-Use Blades

ASSORTMENT: Ø70mm

EXPERT

1. Save time and money with a Multi-Function Accessory
2. Reaches every corner with a pointed tip
3. Cuts out grout with a carbide grit edge
4. Sanding plate for grinding mortar off surfaces



CARBIDE TECHNOLOGY

EXPERT 3 max AVZ 70 RT4 Grouting Plates

EXPERT



- Ideal for removing damaged tiles: the 3 max can cut out mortar joints - including corner pieces - and also sand off the mortar behind the old tile after it has been removed.
- Multitool versatility with maximum performance.
- 3 Applications with 1 Blade.
- Starlock mount for maximum power transfer and convenient blade change within 3 seconds.





3 IN 1

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Cutting width [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
70	2.5	PC1d	1	1	530932	**2 608 900 041**
		P1a	10	1	530949	**2 608 900 042**

LONG LIFE IN GROUT AND SOFT TILE

EXPERT Grout Corner Blades

ASSORTMENT: Grout width: 2.2mm / 1.6mm

EXPERT

1. Extremely durable cutting edge using Bosch Diamond Technology
2. Pointed segment saw blade for precise work right into corners
3. Flat mount eliminates wobbling for controlled and precise cut



EXPERT MATI 68 RD4 Corner Blades

EXPERT





- Ideal for cutting out grout from between tiles; removes even hard mortar and reaches into corners where floor and wall tiling meet; or around fittings such as handles; can also make small adjustment cuts to soft tiles.
- Multitool versatility with maximum performance.
- Lasts up to 10x longer than laser melted carbide.
- Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.

DIAMOND TECHNOLOGY | UP TO 10x* LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
Cutting width [mm]	Width [mm]	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
2.2	68	30	PC1a	1	1	530888	**2 608 900 036**
			P1a	10	1	530895	**2 608 900 037**

EXPERT MATI 68 RSD4 Corner Blades

EXPERT





- Ideal for cutting out grout from between tiles; removes even hard mortar and reaches into corners where floor and wall tiling meet; or around fittings such as handles; can also make small adjustment cuts to soft tiles.
- Multitool versatility with maximum performance.
- Lasts up to 10x longer than laser melted carbide.
- Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.

DIAMOND TECHNOLOGY

UP TO 10×* LONG LIFE

PRODUCT PROPERTIES				ORDERING INFORMATION				
Cutting width [mm]	Width [mm]	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952…	Part number
1.6	68	10	PC1a	1	1	530901	**2 608 900 038**

StarlockMax Carbide-RIFF segment saw blade MATI 68 RT3 Grout and Abrasive

extra long LIFE | fast CUT | 30 Carbide | 30 mm 68 mm | ≤2.2 mm

- **MATI 68 RT3**
- StarlockMax Carbide-RIFF segment saw blade
- Routing joints which are hard to reach and close to edges (e.g. in corners)
- Routing deep joints on wall and floor tiles
- Routing grooves in porous concrete, for laying concealed cables and pipes



PRODUCT PROPERTIES			ORDERING INFORMATION				
Cutting width [mm]	Width [mm]	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
2.2	68	30	PC1d	1	1	833196	**2 608 662 577**

StarlockMax Carbide-RIFF segment saw blade MATI 68 RST5 Grout and Abrasive



- **MATI 68 RST5**
- StarlockMax Carbide-RIFF segment saw blade, thin
- Routing thin joints up to 1.5 mm (e.g. marble joints)
- Routing joints which are hard to reach and close to edges (e.g. in corners)
- Routing grooves in porous concrete, for laying concealed cables and pipes



PRODUCT PROPERTIES			ORDERING INFORMATION				
Cutting width [mm]	Width [mm]	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
1.5	68	10	PC1d	1	1	833219	**2 608 662 578**

Starlock Carbide-RIFF plunge cut saw blade AIZ 32 RT5 Grout and Abrasive



- **AIZ 32 RT5**
- Starlock Carbide-RIFF plunge cut saw blade
- Plunge cuts in strongly abrasive materials (e.g. fibreglass)
- Rasping/filing functionality (e.g. deburring plunge cuts in fibreglass)
- Also excellent for removing mortar right into the most remote corners



PRODUCT PROPERTIES			ORDERING INFORMATION				
Cutting width [mm]	Working width [mm]	Working depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
2	32	30	PC1d	1	1	646376	**2 608 661 868**

StarlockPlus Carbide-RIFF Dual-Tec saw blade PAYZ 53 MT4 Grout and Abrasive



- **PAYZ 53 MT4**
- Starlock Dual-Tec Blade delivers precise plunge and straight cuts in highly abrasive materials
- The Starlock Plus system offers fast and versatile plunge cuts
- Blade masters plunge cuts and straight cuts; laser-melted carbide edge enables an extra-long lifetime
- Unique asymmetric dual-tec shape delivers exact edge
- Large surface allows for precise guided straight cuts over long areas

PRODUCT PROPERTIES			ORDERING INFORMATION				
Cutting width [mm]	Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
1.6	53	40	PC1d	1	1	896146	**2 608 664 209**



StarlockMax Carbide-RIFF segment saw blade MATI 68 MT4 Grout and Abrasive



- **MATI 68 MT4**
- StarlockMax Carbide-RIFF segment saw blade
- Routing joints which are hard to reach and close to edges (e.g. in corners)
- Routing deep joints on wall and floor tiles
- Routing grooves in porous concrete, for laying concealed cables and pipes

PRODUCT PROPERTIES			ORDERING INFORMATION				
Cutting width [mm]	Width [mm]	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
2.1	68	30	PC1d	1	1	833295	**2 608 662 582**



StarlockMax Carbide-RIFF segment saw blade MACZ 145 MT4 Grout and Abrasive



- **MACZ 145 MT4**
- StarlockMax Carbide-RIFF segment saw blade provides extra-fast deep cuts in abrasive materials
- Starlock Max system offers maximum depth, speed and versatility in heavy-duty applications
- Superior 50-mm cutting depth and a cutting width of 100 mm
- Laser-melted carbide edge strengthens blade for extra-long life
- Large surface area acts as guide for precise straight cuts over long areas; ideal for cutting right into corners



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Cutting width [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
145	1.5	PC1d	1	1	896443	**2 608 664 227**

Starlock Sets



Starlock Bosch 5 piece Best of Cutting Set

PRODUCT PROPERTIES	ORDERING INFORMATION				
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
BIM plunge-cutting saw blade Hard Wood AIZ 32 BSPB (1x) BIM plunge-cutting saw blade Wood and Metal AIZ 32 APB (1x) BIM segment saw blade Wood and Metal ACZ 85 EB (1x) Carbide plunge-cutting saw blade Metal AIZ 32 AT (1x) BIM plunge-cutting saw blade Wood and Metal AII 65 APB (1x)	P1k	5	5	894715	**2 608 664 131**



Starlock Set for Wood 6+1

HCS segment saw blade Wood ACZ 85 EC (1x) BIM plunge-cutting saw blade Hard Wood AIZ 32 BSPB (2x) BIM plunge cut saw blade Hard Wood AII 65 BSPB (2x) BIM plunge-cutting saw blade Wood and Metal AIZ 32 APB (1x) BIM plunge-cutting saw blade Metal AIZ 20 AB (1x)	P1k	7	5	954679	**2 608 664 623**



Starlock Set Electrician & Drywall 5+1

BIM plunge cut saw blade Multi Material AYZ 53 BPB (1x) BIM plunge-cutting saw blade Wood and Metal AIZ 32 APB (2x) BIM plunge-cutting saw blade Wood and Metal AII 65 APB (1x) BIM plunge cut saw blade Wood and Metal AIZ 32 AB (1x) BIM plunge-cutting saw blade Metal AIZ 20 AB (1x)	P1k	6	5	954662	**2 608 664 622**



Starlock Set for Renovation

BIM plunge-cutting saw blade Wood and Metal AIZ 32 APB (1x) Sanding plate AVZ 93 G (1x) Expert for Wood and Painting sanding sheet (3x) HCS segment saw blade Wood ACZ 85 EC (1x) HM-Riff segment saw blade ACZ70RT5 (1x) HCS scraper ATZ 52 SC (1x)		8	5	954686	**2 608 664 624**



Starlock 6-Piece Best of Sanding Set combining our top sanding accessories in one set (sanding wood and removing mortar).

Carbide-RIFF plunge-cutting saw blade AVZ 32 RT4 (1x) Sanding plate AVZ 93 G (1x) Sanding plate AVZ 90 RT6 (1x) Sanding sheet F460 (3x)	P1k	6	5	894739	**2 608 664 133**

Starlock Sets

PRODUCT PROPERTIES	ORDERING INFORMATION				
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Starlock Max Bosch 4pc Best of Heavy Duty Set Versatile Starlock Max set with extra-long blades for all heavy duty renovation and reconstruction work in wood and metal. **HCS plunge cut saw blade Wood MAIZ 32 EPC (1x)** **BIM plunge cut saw blade Wood and Metal MAIZ 32 APB (1x)** **BIM plunge cut saw blade Wood and Metal MAII 52 APB (1x)** **Carbide plunge cut saw blade Metal MAIZ 32 AT (1x)**	P1k	4	5	894722	**2 608 664 132**
4-piece tile set Versatile Starlock set for renovation and reconstruction work (e.g. routing joints on wall and floor tiles, removing mortar or tile adhesive, routing smaller cutouts in soft wall tiles) **Carbide RIFF segment saw blade ACZ 85 RT3 (1x)** **Carbide RIFF sanding plate AVZ 78 RT2 (1x)** **HCS scraper ATZ 52 SC (1x)** **BIM plunge-cutting saw blade Metal AIZ 20 AB (1x)**	PC1b	4	1	555210	**2 608 661 695**
4-piece floor/installation set Versatile Starlock set for floor/installation work (e.g. cutting a door frame to length on the floor, cutting out laminate/parquet, plunge cuts in laminated panels or wood, cutting recesses in furniture components) **HCS plunge-cutting saw blade Wood AIZ 32 EPC (1x)** **BIM plunge-cutting saw blade Hard Wood AIZ 32 BSPB (1x)** **BIM segment saw blade Wood and Metal ACZ 85 EB (1x)** **HCS scraper ATZ 52 SC (1x)**	PC1b	4	1	555227	**2 608 661 696**
13-piece universal set Basic applications combined in a single Starlock set (sawing, sanding and scraping) **Suitable for** wood and metal **BIM segment saw blade Wood and Metal ACZ 85 EB (1x)** **BIM plunge-cutting saw blade Wood and Metal AIZ 32 APB (1x)** **HCS scraper ATZ 52 SFC (1x)** **Wood and Paint sanding sheet (10x)**	PC1b	13	1	555203	**2 608 661 694**
3-piece tile set Versatile Starlock tile set for renovation and reconstruction work (e.g. routing joints on wall and floor tiles, removing mortar or tile adhesive, routing smaller cutouts in soft wall tiles) **BIM plunge-cutting saw blade Metal AIZ 20 AB (1x)** **HCS scraper ATZ 52 SC (1x)** **HM-RIFF segment saw blade ACZ 85 MT4 (1x)**			10	779647	**2 608 662 342**

Starlock Sets



3-piece universal set

Basic applications combined in a single Starlock set (sawing wood & metal)

Suitable for wood and metal

PRODUCT PROPERTIES	ORDERING INFORMATION				
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
BIM plunge-cutting saw blade Metal AIZ 20 AB (1x) **HCS plunge-cutting saw blade Wood AIZ 24 EC (1x)** **HCS segment saw blade Wood ACZ 85 EC (1x)**			10	779654	**2 608 662 343**



34-piece Starlock i-BOXX Pro set for interior fitting

BIM segment saw blade Wood and Metal ACZ 100 BB (1x) **BIM TiN segment saw blade Multi Material ACZ 85 EIB (1x)** **BIM serrated segment blade ACZ 100 SWB (1x)** **BIM plunge-cutting saw blade Wood and Metal AII 65 APB (2x)** **BIM plunge-cutting saw blade Wood and Metal AIZ 32 APB (2x)** **BIM plunge-cutting saw blade Hard Wood AIZ 32 BSPB (2x)** **HCS plunge-cutting saw blade Wood AIZ 32 EPC (2x)** **HCS scraper ATZ 52 SC (2x)** **Sanding plate AVZ 93 G (1x)** **Wood and Paint sanding sheet (20x)**	P1k	34	1	706681	**2 608 662 013**

Depth stops

- **Appropriate for** Bosch GOP 300 SCE Professional, GOP 12V-28, GOP 18V-28, GOP 30 V-28, GOP 55-36, GOP 14,4V/18V-Li, PMF 190 E, PMF 250 CES (multi-cutter with collar)

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
  **Basic depth stop** Four-stage adjustment For precise cutting depths in combination with segment saw blades with 85 mm diameter and 100 mm diameter (e.g. when replacing individual parquet elements) Cutting depths for segment saw blades with 85 mm diameter: 8, 10, 12, 14 mm Cutting depths for segment saw blades with 100 mm diameter: 13, 15, 17, 19 mm	PC1b	1	1	727297	**2 608 000 589**
  **Expert depth stop** Continuously variable adjustment For precise cutting depths in combination with segment and plunge-cutting saw blades (e.g. for precise plunge cuts in construction woods)	PC1b	1	1	727303	**2 608 000 590**

Supercut plunge cut saw blades

BIM plunge cut saw blade SAIZ 32 ALB Wood and Metal



- **SAIZ 32 ALB**
- BIM plunge cut saw blade Wood and Metal
- Fast and deep plunge cuts in wood and nails (e.g. 70 mm window frames with metal components)
- Fast and deep plunge cuts in wooden beams (e.g. skylight beams)
- Cutting non-hardened nails, screws and steel profiles with small dimensions (e.g. concealed metal fixings)



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
32	70	C0a	1	25	773379	**2 608 662 316**

HCS plunge cut saw blade SAIZ 32 BLC Wood



- **SAIZ 32 BLC**
- HCS plunge cut saw blade Wood
- Fast and deep plunge cuts in wood (e.g. 70 mm window frames)
- Fast and deep plunge cuts in wooden beams (e.g. skylight beams)
- Subsequently making recesses for tenons and connections (ideal with Expert depth stop)



32	70	C0a	1	25	773331	**2 608 662 312**

BIM Precision plunge cut saw blade SAIZ 32 EPB Wood and Metal



- **SAIZ 32 EPB**
- BIM plunge cut saw blade Wood and Metal
- Deep plunge cut in wood, abrasive wooden materials, plastics
- Cutting non-ferrous pipes and profiles with smaller dimensions
- Cutting non-hardened nails, screws and steel profiles with smaller dimensions



32	50	C0a	1	25	784887	**2 608 662 350**

BIM Precision plunge cut saw blade SAIZ 32 BPB Hard Wood



- **SAIZ 32 BPB**
- BIM plunge cut saw blade Hard Wood
- Plunge cutting in laminated panels or hardwood (e.g. for installing a ventilation grille)
- Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- Flush cutting wooden components to length (e.g. dowels, tenons made of hardwood)



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
32	40	C0a	1	25	784894	**2 608 662 351**

HCS Precision plunge cut saw blade SAIZ 32 EPC Wood



- **SAIZ 32 EPC**
- HCS C-Tec Precision plunge-cutting saw blade Wood
- Precise plunge cutting in softwood (e.g. for mortise and tenon joint)
- Cutting a precise recess in a furniture component (e.g. to enable access to a mains socket)
- Precise plunge cutting in softwood (e.g. for installing a ventilation grille)



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
32	40	C0a	1	25	784900	**2 608 662 352**

BIM plunge-cutting saw blade SAIZ 65 BB Wood and Nails



- **SAIZ 65 BB**
- BIM plunge-cutting saw blade Wood and Nails
- Cutting wood with nails
- Cutting a door frame to length on the floor (softwood, hardwood, veneered panels, plastic-laminated panels)
- Plunge cuts in laminated panels (e.g. recesses for a shelf board)



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
65	40	C0a	1	25	717618	**2 608 662 036**

BIM plunge-cutting saw blade SAIZ 65 BSB Hard Wood



- **SAIZ 65 BSB**
- BIM plunge-cutting saw blade Hard Wood
- Plunge cutting in laminated panels or hardwood (e.g. for installing a ventilation grille)
- Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- Flush cutting wooden components (e.g. dowels, tenons made of hardwood) to length



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
65	40	C0a	1	25	717625	**2 608 662 037**

Carbide plunge cut saw blade SAIZ 32 AT Metal



- **SAIZ 32 AT**
- Carbide plunge-cutting saw blade Metal, MetalMax
- Cutting hardened screws and nails
- Cutting inox/stainless steel (e.g. kitchen front cover)
- Plunge cuts in strongly abrasive materials (e.g. fibreglass)



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
32	40	C0a	1	25	784917	**2 608 662 353**

Carbide plunge cut saw blade SAIZ 32 ALT Metal



- **SAIZ 32 ALT**
- Carbide plunge-cutting saw blade Metal, MetalMax
- Cutting hardened nails, screws and steel profiles with small dimensions (e.g. concealed metal fixings)
- Deep 70 mm plunge cut in porous concrete (e.g. hole for socket)
- Plunge cuts in severely abrasive materials (inox, stainless steel, epoxy, glass fibre reinforced plastic, fibreglass, plasterboard, cement bonded fibre boards)



32	70	C0a	1	25	773386	**2 608 662 317**

Supercut joint routers / grout and mortar removers

Carbide segment saw blade SACZ 85 RT



- **SACZ 85 RT**
- Carbide segment saw blade
- Routing joints on wall and floor tiles
- Routing smaller cutouts in soft wall tiles
- Routing grooves in porous concrete, for laying concealed cables and pipes



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Cutting width [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
85	2.5	PC1b	1	1	717687	**2 608 662 043**

WOOD SANDING

Perfect shaping and finishing

The best your tool can get. Bosch Professional Accessories.





DISCS FOR RANDOM ORBITAL SANDERS, WALL AND CEILING SANDERS

Discs to change the world.







	M480	C470	N880	C430	F355
	EXPERT	EXPERT	EXPERT		
Page number	689	692	702	698	700
Grit range	80 – 400	40 – 400	80 – 800	40 – 240	60 – 1 200
Grit type	Aluminium oxide	Aluminium oxide	Alox / Silicon carbide	Aluminium oxide	Silicon carbide
Backing material	Net, knitted fabric	C-Paper	3D Fibre fleece	C-Paper	F-Paper
Diameter mm	115 – 225	115 – 225	125 – 150	115 – 150	115 – 150
	UP TO 4x* NO DUST PARTICLE CONTROL	UP TO 2x* SPEED SURFACE STRUCTURE	UP TO 3x* SPEED SURFACE STRUCTURE		

MATERIALS

Softwood / hardwood	✓	✓	–	✓	–
Resinous wood	✓	✓	–	✓	–
Plywood	✓	✓	–	✓	–
Paint / varnish	✓	✓	–	✓	✓
Filler	✓	✓	–	–	✓
Plaster	✓	✓	✓	–	✓
Solid surface materials (Corian, Varicor)	✓	✓	–	–	–
Glass fibre reinforced plastics (GRP)	✓	–	–	–	✓
Perspex	✓	–	–	–	✓
Stone / glass	–	–	–	–	✓
Stainless steel (inox)	–	–	✓	–	–
Mild steel (metal)	–	–	✓	–	–
Sheet metal	–	–	✓	–	–
Aluminium	–	–	✓	–	–

*Bosch EXPERT products vs. Bosch standard products

NO DUST SANDING WOOD, PAINT AND DRYWALL

EXPERT M480 Sanding Nets

ASSORTMENT: Grit 80 – 400

EXPERT

1. Most efficient dust removal with Bosch Particle Control
2. Dust is sucked through Open Net Structure



EXPERT M480 Sanding Nets for Random Orbital Sanders

EXPERT

- Ideal for highly effective dust-free sanding of flat surfaces; to rough and prepare surfaces for painting; and to prepare or finish drywall.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x better dust extraction than standard sandpaper.
- Just stick it on with hook and loop.





PARTICLE CONTROL | UP TO 4x* NO DUST

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 5								
	125	80	open net	C1a	5	5	540092	**2 608 900 671**
	125	100	open net	C1a	5	5	540108	**2 608 900 672**
	125	120	open net	C1a	5	5	540115	**2 608 900 673**
	125	150	open net	C1a	5	5	540122	**2 608 900 674**
	125	180	open net	C1a	5	5	540139	**2 608 900 675**
	125	220	open net	C1a	5	5	540146	**2 608 900 676**

EXPERT M480 Sanding Nets for Random Orbital Sanders

EXPERT

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	125	240	open net	C1a	5	5	540153	**2 608 900 677**
	125	320	open net	C1a	5	5	540160	**2 608 900 678**
	125	400	open net	C1a	5	5	540177	**2 608 900 679**
	150	80	open net	C1a	5	5	540276	**2 608 900 689**
	150	100	open net	C1a	5	5	540283	**2 608 900 690**
	150	120	open net	C1a	5	5	540290	**2 608 900 691**
	150	150	open net	C1a	5	5	540306	**2 608 900 692**
	150	180	open net	C1a	5	5	540313	**2 608 900 693**
	150	220	open net	C1a	5	5	540320	**2 608 900 694**
	150	240	open net	C1a	5	5	540337	**2 608 900 695**
	150	320	open net	C1a	5	5	540344	**2 608 900 696**
	150	400	open net	C1a	5	5	540351	**2 608 900 697**
Pack of 50								
	125	80	open net	C0a	50	1	540184	**2 608 900 680**
	125	100	open net	C0a	50	1	540191	**2 608 900 681**
	125	120	open net	C0a	50	1	540207	**2 608 900 682**
	125	150	open net	C0a	50	1	540214	**2 608 900 683**
	125	180	open net	C0a	50	1	540221	**2 608 900 684**
	125	220	open net	C0a	50	1	540238	**2 608 900 685**
	125	240	open net	C0a	50	1	540245	**2 608 900 686**
	125	320	open net	C0a	50	1	540252	**2 608 900 687**
	125	400	open net	C0a	50	1	540269	**2 608 900 688**
	150	80	open net	C0a	50	1	540368	**2 608 900 698**
	150	100	open net	C0a	50	1	540375	**2 608 900 699**
	150	120	open net	C0a	50	1	540382	**2 608 900 700**
	150	150	open net	C0a	50	1	540399	**2 608 900 701**
	150	180	open net	C0a	50	1	540405	**2 608 900 702**
	150	220	open net	C0a	50	1	540412	**2 608 900 703**
	150	240	open net	C0a	50	1	540429	**2 608 900 704**
	150	320	open net	C0a	50	1	540436	**2 608 900 705**
	150	400	open net	C0a	50	1	540443	**2 608 900 706**

EXPERT M480 Starter Kits for Random Orbital Sanders

EXPERT



- Ideal for highly effective dust-free sanding of flat surfaces; to rough and prepare surfaces for painting; and to prepare or finish drywall.
- EXPERT Abrasives - the very best for all trades.
- EXPERT M480 Sanding Nets plus Backing Pad Saver.
- Just stick it on with hook and loop.





PARTICLE CONTROL

UP TO 4x* NO DUST

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
this set includes a backing pad saver								
	125	2x80 2x120 2x180	open net	C1a	7	5	568584	**2 608 901 202**
	150	2x80 2x120 2x180	open net	C1a	7	5	568591	**2 608 901 203**

EXPERT M480 Sanding Nets for Drywall Sanders

EXPERT

- Ideal for highly effective dust-free sanding of flat surfaces; to rough and prepare surfaces for painting; and to prepare or finish drywall.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x better dust extraction than standard sandpaper.
- Just stick it on with hook and loop.





PARTICLE CONTROL | UP TO 4x* NO DUST

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 25							
225	80	open net	C0a	25	1	540450	**2 608 900 707**
225	100	open net	C0a	25	1	540467	**2 608 900 708**
225	120	open net	C0a	25	1	540474	**2 608 900 709**
225	150	open net	C0a	25	1	540481	**2 608 900 710**
225	180	open net	C0a	25	1	540498	**2 608 900 711**
225	220	open net	C0a	25	1	540504	**2 608 900 712**
225	240	open net	C0a	25	1	540511	**2 608 900 713**
225	320	open net	C0a	25	1	540528	**2 608 900 714**
225	400	open net	C0a	25	1	540535	**2 608 900 715**

FASTEST SANDING OF PAINT AND WOOD

EXPERT C470 Sandpaper

ASSORTMENT: Grit 40 – 400

EXPERT

1. Maximum abrasion with Bosch Surface Structure
2. Grain distribution optimised for high speed sanding
3. Grain alignment during production ensures aggressive cut



EXPERT C470 Sandpapers with multihole for Random Orbital Sanders

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than standard sandpaper.
- Just stick it on with hook and loop.





SURFACE STRUCTURE | UP TO 2x* SPEED

PRODUCT PROPERTIES				ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 5							
125	40	Multi hole system	C1a	5	5	544304	**2 608 901 092**
125	60	Multi hole system	C1a	5	5	544311	**2 608 901 093**
125	80	Multi hole system	C1a	5	5	544328	**2 608 901 094**
125	100	Multi hole system	C1a	5	5	544335	**2 608 901 095**
125	120	Multi hole system	C1a	5	5	544342	**2 608 901 096**
125	180	Multi hole system	C1a	5	5	544359	**2 608 901 097**

EXPERT C470 Sandpapers with multihole for Random Orbital Sanders

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
125	240	Multi hole system	C1a	5	5	544366	**2 608 901 098**
125	320	Multi hole system	C1a	5	5	544373	**2 608 901 099**
125	400	Multi hole system	C1a	5	5	544380	**2 608 901 100**
150	40	Multi hole system	C1a	5	5	544403	**2 608 901 102**
150	60	Multi hole system	C1a	5	5	544410	**2 608 901 103**
150	80	Multi hole system	C1a	5	5	544427	**2 608 901 104**
150	100	Multi hole system	C1a	5	5	544434	**2 608 901 105**
150	120	Multi hole system	C1a	5	5	544441	**2 608 901 106**
150	180	Multi hole system	C1a	5	5	544458	**2 608 901 107**
150	240	Multi hole system	C1a	5	5	544465	**2 608 901 108**
150	320	Multi hole system	C1a	5	5	544472	**2 608 901 109**
150	400	Multi hole system	C1a	5	5	544489	**2 608 901 110**
Pack of 50							
125	40	Multi hole system	C0a	50	1	544625	**2 608 901 124**
125	60	Multi hole system	C0a	50	1	544632	**2 608 901 125**
125	80	Multi hole system	C0a	50	1	544649	**2 608 901 126**
125	100	Multi hole system	C0a	50	1	544656	**2 608 901 127**
125	120	Multi hole system	C0a	50	1	544663	**2 608 901 128**
125	150	Multi hole system	C0a	50	1	544670	**2 608 901 129**
125	180	Multi hole system	C0a	50	1	544687	**2 608 901 130**
125	220	Multi hole system	C0a	50	1	544694	**2 608 901 131**
125	240	Multi hole system	C0a	50	1	544700	**2 608 901 132**
125	320	Multi hole system	C0a	50	1	544717	**2 608 901 133**
125	400	Multi hole system	C0a	50	1	544724	**2 608 901 134**
150	40	Multi hole system	C0a	50	1	544731	**2 608 901 135**
150	60	Multi hole system	C0a	50	1	544748	**2 608 901 136**
150	80	Multi hole system	C0a	50	1	544755	**2 608 901 137**
150	100	Multi hole system	C0a	50	1	544762	**2 608 901 138**
150	120	Multi hole system	C0a	50	1	544779	**2 608 901 139**
150	150	Multi hole system	C0a	50	1	544786	**2 608 901 140**
150	180	Multi hole system	C0a	50	1	544793	**2 608 901 141**
150	220	Multi hole system	C0a	50	1	544809	**2 608 901 142**
150	240	Multi hole system	C0a	50	1	544816	**2 608 901 143**
150	320	Multi hole system	C0a	50	1	544823	**2 608 901 144**
150	400	Multi hole system	C0a	50	1	544830	**2 608 901 145**

EXPERT C470 Sandpapers with 8 holes for Random Orbital Sanders

EXPERT





- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than standard sandpaper.
- Just stick it on with hook and loop.



SURFACE STRUCTURE

UP TO 2x* SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 5							
115	40	8 holes	C1a	5	5	541327	**2 608 900 794**
115	60	8 holes	C1a	5	5	541334	**2 608 900 795**

EXPERT C470 Sandpapers with 8 holes for Random Orbital Sanders

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	80	8 holes	C1a	5	5	541341	**2 608 900 796**
115	120	8 holes	C1a	5	5	541358	**2 608 900 797**
115	180	8 holes	C1a	5	5	541365	**2 608 900 798**
115	240	8 holes	C1a	5	5	541372	**2 608 900 799**
115	320	8 holes	C1a	5	5	541389	**2 608 900 800**
115	400	8 holes	C1a	5	5	541396	**2 608 900 801**
125	40	8 holes	C1a	5	5	541419	**2 608 900 803**
125	60	8 holes	C1a	5	5	541426	**2 608 900 804**
125	80	8 holes	C1a	5	5	541433	**2 608 900 805**
125	100	8 holes	C1a	5	5	541440	**2 608 900 806**
125	120	8 holes	C1a	5	5	541457	**2 608 900 807**
125	180	8 holes	C1a	5	5	541464	**2 608 900 808**
125	240	8 holes	C1a	5	5	541471	**2 608 900 809**
125	320	8 holes	C1a	5	5	541488	**2 608 900 810**
125	400	8 holes	C1a	5	5	541495	**2 608 900 811**
Pack of 50							
125	40	8 holes	C0a	50	1	542461	**2 608 900 908**
125	60	8 holes	C0a	50	1	542478	**2 608 900 909**
125	80	8 holes	C0a	50	1	542485	**2 608 900 910**
125	100	8 holes	C0a	50	1	542492	**2 608 900 911**
125	120	8 holes	C0a	50	1	542508	**2 608 900 912**
125	150	8 holes	C0a	50	1	544588	**2 608 901 120**
125	180	8 holes	C0a	50	1	542515	**2 608 900 913**
125	220	8 holes	C0a	50	1	544595	**2 608 901 121**
125	240	8 holes	C0a	50	1	542522	**2 608 900 914**
125	320	8 holes	C0a	50	1	542539	**2 608 900 915**
125	400	8 holes	C0a	50	1	542546	**2 608 900 916**

EXPERT C470 Sandpapers with 6 holes for Random Orbital Sanders

EXPERT







- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than standard sandpaper.
- Just stick it on with hook and loop.

SURFACE STRUCTURE

UP TO 2x* SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 5							
150	40	6 holes	C1a	5	5	541518	**2 608 900 813**
150	60	6 holes	C1a	5	5	541525	**2 608 900 814**
150	80	6 holes	C1a	5	5	541532	**2 608 900 815**
150	100	6 holes	C1a	5	5	541549	**2 608 900 816**
150	120	6 holes	C1a	5	5	541556	**2 608 900 817**
150	180	6 holes	C1a	5	5	541563	**2 608 900 818**
150	240	6 holes	C1a	5	5	541570	**2 608 900 819**
150	320	6 holes	C1a	5	5	541587	**2 608 900 820**
150	400	6 holes	C1a	5	5	541594	**2 608 900 821**
Pack of 50							

EXPERT C470 Sandpapers with 6 holes for Random Orbital Sanders

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
150	40	6 holes	C0a	50	1	542553	**2 608 900 917**
150	60	6 holes	C0a	50	1	542560	**2 608 900 918**
150	80	6 holes	C0a	50	1	542577	**2 608 900 919**
150	100	6 holes	C0a	50	1	542584	**2 608 900 920**
150	120	6 holes	C0a	50	1	542591	**2 608 900 921**
150	150	6 holes	C0a	50	1	544601	**2 608 901 122**
150	180	6 holes	C0a	50	1	542607	**2 608 900 922**
150	220	6 holes	C0a	50	1	544618	**2 608 901 123**
150	240	6 holes	C0a	50	1	542614	**2 608 900 923**
150	320	6 holes	C0a	50	1	542621	**2 608 900 924**
150	400	6 holes	C0a	50	1	542638	**2 608 900 925**

EXPERT C470 Sandpaper Sets with 8 holes for Random Orbital Sanders

EXPERT







- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than standard sandpaper.
- Just stick it on with hook and loop.

SURFACE STRUCTURE

UP TO 2x* SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 6							
115	2x60 2x120 2x240	8 holes	C1a	6	5	541402	**2 608 900 802**
125	2x60 2x120 2x240	8 holes	C1a	6	5	541501	**2 608 900 812**

EXPERT C470 Sandpaper Sets with 6 holes for Random Orbital Sanders

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than standard sandpaper.
- Just stick it on with hook and loop.





SURFACE STRUCTURE | UP TO 2x* SPEED

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 6								
	150	2x60 2x120 2x240	6 holes	C1a	6	5	541600	**2 608 900 822**

EXPERT C470 Sandpaper Sets with multihole for Random Orbital Sanders

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than standard sandpaper.
- Just stick it on with hook and loop.





SURFACE STRUCTURE | UP TO 2x* SPEED

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 6								
	125	2x60 2x120 2x240	Multi hole system	C1a	6	5	544397	**2 608 901 101**
	150	2x60 2x120 2x240	Multi hole system	C1a	6	5	544496	**2 608 901 111**

EXPERT C470 Sandpapers with 19 holes for Drywall Sanders

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than standard sandpaper.
- Just stick it on with hook and loop.





SURFACE STRUCTURE

UP TO 2x* SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 25							
225	40	19 holes	C0a	25	1	544847	**2 608 901 146**
225	60	19 holes	C0a	25	1	544854	**2 608 901 147**
225	80	19 holes	C0a	25	1	544861	**2 608 901 148**
225	100	19 holes	C0a	25	1	544878	**2 608 901 149**
225	120	19 holes	C0a	25	1	544885	**2 608 901 150**
225	150	19 holes	C0a	25	1	544892	**2 608 901 151**
225	180	19 holes	C0a	25	1	544908	**2 608 901 152**
225	220	19 holes	C0a	25	1	544915	**2 608 901 153**

C450 sanding sheets for random orbital sanders, Standard for General Purpose, 125 mm diameter



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
125	40	no holes	C0a	50	1	993906	**2 608 621 748**
125	60	no holes	C0a	50	1	993913	**2 608 621 749**
125	80	no holes	C0a	50	1	993920	**2 608 621 750**
125	100	no holes	C0a	50	1	993937	**2 608 621 751**
125	120	no holes	C0a	50	1	993944	**2 608 621 752**
125	150	no holes	C0a	50	1	993951	**2 608 621 753**
125	180	no holes	C0a	50	1	993968	**2 608 621 754**
125	240	no holes	C0a	50	1	993975	**2 608 621 755**
125	320	no holes	C0a	50	1	993982	**2 608 621 756**

C450 sanding sheets for random orbital sanders, Standard for General Purpose, 125 mm diameter, 8 holes



125	40	8 holes	C0a	50	1	993814	**2 608 621 739**
125	60	8 holes	C0a	50	1	993821	**2 608 621 740**
125	80	8 holes	C0a	50	1	993838	**2 608 621 741**
125	100	8 holes	C0a	50	1	993845	**2 608 621 742**
125	120	8 holes	C0a	50	1	993852	**2 608 621 743**
125	180	8 holes	C0a	50	1	993869	**2 608 621 744**
			C0a	50	1	993876	**2 608 621 745**
125	240	8 holes	C0a	50	1	993883	**2 608 621 746**
125	320	8 holes	C0a	50	1	993890	**2 608 621 747**

C450 sanding sheets for random orbital sanders, Standard for General Purpose, 150 mm diameter, 6 holes



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
150	40	6 holes	C1a	50	1	993630	**2 608 621 721**
150	60	6 holes	C0a	50	1	993647	**2 608 621 722**
150	80	6 holes	C0a	50	1	993654	**2 608 621 723**
150	100	6 holes	C0a	50	1	993661	**2 608 621 724**
150	120	6 holes	C0a	50	1	993678	**2 608 621 725**
150	150	6 holes	C0a	50	1	993685	**2 608 621 726**
150	180	6 holes	C0a	50	1	993692	**2 608 621 727**
150	240	6 holes	C0a	50	1	993708	**2 608 621 728**
150	320	6 holes	C0a	50	1	993715	**2 608 621 729**

C450 sanding sheets for random orbital sanders, Standard for General Purpose, 150 mm diameter, 15 holes



150	40	15 holes	C0a	50	1	993722	**2 608 621 730**
150	60	15 holes	C0a	50	1	993739	**2 608 621 731**
150	80	15 holes	C0a	50	1	993746	**2 608 621 732**
150	100	15 holes	C0a	50	1	993753	**2 608 621 733**
150	120	15 holes	C0a	50	1	993760	**2 608 621 734**
150	150	15 holes	C0a	50	1	993777	**2 608 621 735**
150	180	15 holes	C0a	50	1	993784	**2 608 621 736**
150	240	15 holes	C0a	50	1	993791	**2 608 621 737**
150	320	15 holes	C0a	50	1	993807	**2 608 621 738**

C430 sanding sheets for random orbital sanders, Expert for Wood and Paint, 115 mm diameter, 8 holes

expert Wood+Paint



- **Suitable for** sanding wood, wooden materials and paint
- **Appropriate for** random orbit sanders from Bosch, Einhell, Kress, Peugeot, Skil, Stayer



Pack of 5

115	40	8 holes	C1a	5	5	159210	**2 608 605 103**
115	60	8 holes	C1a	5	5	159227	**2 608 605 104**
115	80	8 holes	C1a	5	5	159234	**2 608 605 105**
115	120	8 holes	C1a	5	5	159241	**2 608 605 106**
115	180	8 holes	C1a	5	5	247832	**2 608 607 246**
115	240	8 holes	C1a	5	5	171410	**2 608 605 657**

Pack of 6

115	60 120 240	8 holes	C1a	6	5	159258	**2 608 605 107**

C430 sanding sheets for random orbital sanders, Expert for Wood and Paint, 125 mm diameter, 8 holes

expert Wood+Paint



- **Suitable for** sanding wood, wooden materials and paint
- **Appropriate for** random orbit sanders from Bosch, DeWalt, Festool, Metabo, Makita



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 5							
125	40	8 holes	C1a	5	5	171243	**2 608 605 640**
125	60	8 holes	C1a	5	5	171250	**2 608 605 641**
125	80	8 holes	C1a	5	5	171267	**2 608 605 642**
125	120	8 holes	C1a	5	5	171274	**2 608 605 643**
125	180	8 holes	C1a	5	5	171281	**2 608 605 644**
125	240	8 holes	C1a	5	5	171298	**2 608 605 645**
Pack of 6							
125	60 120 240	8 holes	C1a	6	5	159302	**2 608 605 112**

C430 sanding sheets for random orbital sanders, Expert for Wood and Paint, 150 mm diameter, 6 holes

expert Wood+Paint



- **Suitable for** sanding wood, wooden materials and paint
- **Appropriate for** random orbit sanders from Bosch, Metabo, Milwaukee, DeWalt, AEG



Pack of 5							
150	40	6 holes	C1a	5	5	172004	**2 608 605 716**
150	60	6 holes	C1a	5	5	172011	**2 608 605 717**
150	80	6 holes	C1a	5	5	172028	**2 608 605 718**
150	120	6 holes	C1a	5	5	172042	**2 608 605 720**
150	180	6 holes	C1a	5	5	172059	**2 608 605 721**
150	240	6 holes	C1a	5	5	172066	**2 608 605 722**
Pack of 6							
150	60 120 240	6 holes	C1a	6	5	247849	**2 608 607 247**

F355 sanding sheets for random orbital sanders, Best for Coatings and Composites, 115 mm diameter, 8 holes

best Coatings+Composites





- **Suitable for** sanding hard materials, varnish and plastic
- **Appropriate for** random orbit sanders from Bosch, Einhell, Kress, Peugeot, Skil, Stayer

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 5							
115	80	8 holes	C1a	5	5	170420	**2 608 605 558**
115	120	8 holes	C1a	5	5	170437	**2 608 605 559**
115	180	8 holes	C1a	5	5	170444	**2 608 605 560**
115	240	8 holes	C1a	5	5	170451	**2 608 605 561**
115	400	8 holes	C1a	5	5	170468	**2 608 605 562**
115	600	8 holes	C1a	5	5	159319	**2 608 605 113**
115	1200	8 holes	C1a	5	5	159326	**2 608 605 114**

F355 sanding sheets for random orbital sanders, Best for Coatings and Composites, 125 mm diameter, 8 holes

best Coatings+Composites





- **Suitable for** sanding hard materials, varnish and plastic
- **Appropriate for** random orbit sanders from Bosch, DeWalt, Festool, Metabo, Makita

Pack of 5							
125	80	8 holes	C1a	5	5	159333	**2 608 605 115**
125	100	8 holes	C1a	5	5	159340	**2 608 605 116**
125	120	8 holes	C1a	5	5	159357	**2 608 605 117**
125	180	8 holes	C1a	5	5	159364	**2 608 605 118**
125	240	8 holes	C1a	5	5	159371	**2 608 605 119**
125	320	8 holes	C1a	5	5	159388	**2 608 605 120**
125	400	8 holes	C1a	5	5	159395	**2 608 605 121**
125	600	8 holes	C1a	5	5	159401	**2 608 605 122**
125	1200	8 holes	C1a	5	5	159418	**2 608 605 123**

F355 sanding sheets for random orbital sanders, Best for Coatings and Composites, 150 mm diameter, 6 holes

best **Coatings+Composites**





- **Suitable for** sanding hard materials, varnish and plastic
- **Appropriate for** random orbit sanders from Bosch, Metabo, Milwaukee, DeWalt, AEG

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 5							
150	80	6 holes	C1a	5	5	159425	**2 608 605 124**
150	100	6 holes	C1a	5	5	159432	**2 608 605 125**
150	120	6 holes	C1a	5	5	159449	**2 608 605 126**
150	180	6 holes	C1a	5	5	159456	**2 608 605 127**
150	240	6 holes	C1a	5	5	159463	**2 608 605 128**
150	320	6 holes	C1a	5	5	159470	**2 608 605 129**
150	400	6 holes	C1a	5	5	159487	**2 608 605 130**
150	600	6 holes	C1a	5	5	159494	**2 608 605 131**
150	1200	6 holes	C1a	5	5	159500	**2 608 605 132**

LONG LIFE FINISHING METAL

EXPERT N880 Fleece Discs

ASSORTMENT: Grit 80 - 800

EXPERT

1. Strong, flexible bonding with Bosch Surface Structure
2. Consistent cut and finish with cross-laying technology
3. 3D structure allows grit through the fleece



EXPERT N880 Fleece Discs for Random Orbital Sanders

EXPERT



- Ideal for cleaning stainless steel, for example to achieve a final surface finish; for light deburring and surface blending.
- Best for metalworkers: Long Lasting Quality.
- Lasts up to 3x longer than standard coated hand sanding sheet.
- Just stick it on with hook and loop.





SURFACE STRUCTURE | UP TO 3x* LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
Grade	Product colour	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Coarse A	brown	125	C0a	20	1	572109	**2 608 901 241**
Medium	black	125	C0a	20	1	572116	**2 608 901 242**
Medium A	maroon	125	C0a	20	1	572123	**2 608 901 243**
Very fine A	red	125	C0a	20	1	572130	**2 608 901 244**
Very fine GP	green	125	C0a	20	1	572154	**2 608 901 246**
Ultra fine S	grey	125	C0a	20	1	572147	**2 608 901 245**

EXPERT N880 Fleece Discs for Random Orbital Sanders

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Grade	Product colour	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Cleaning	white	125	C0a	20	1	572093	**2 608 901 240**
Coarse A	brown	125	P0f	5	5	584249	**2 608 901 385**
Medium	black	125	P0f	5	5	584256	**2 608 901 386**
Ultra fine S	grey	125	P0f	5	5	584263	**2 608 901 387**
Coarse A	brown	150	C0a	20	1	572178	**2 608 901 248**
Medium	black	150	C0a	20	1	572185	**2 608 901 249**
Medium A	maroon	150	C0a	20	1	572192	**2 608 901 250**
Very fine A	red	150	C0a	20	1	572208	**2 608 901 251**
Very fine GP	green	150	C0a	20	1	572222	**2 608 901 253**
Ultra fine S	grey	150	C0a	20	1	572215	**2 608 901 252**
Cleaning	white	150	C0a	20	1	572161	**2 608 901 247**
Coarse A	brown	150	P0f	5	5	584270	**2 608 901 388**
Medium	black	150	P0f	5	5	584287	**2 608 901 389**
Ultra fine S	grey	150	P0f	5	5	584294	**2 608 901 390**

Polishing felts for random orbital sanders

- **Suitable for** pre-polishing very dirty or scratched surfaces
- For use with polish or grinding paste on even surfaces
- **Appropriate for** all conventional brands of machines



PRODUCT PROPERTIES		ORDERING INFORMATION				
Grade	Working diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
soft	128	C1d	1	1	032780	**2 608 613 009**
		C1d	5	1	077101	**2 608 612 006**
Hard	128	C1d	5	1	077088	**2 608 612 005**
soft	160	C1d	2	1	018784	**3 608 604 001**
Hard	160	C1d	2	1	018777	**3 608 604 000**

Polishing sponges for random orbital sanders

- **Suitable for** polishing slightly dirty, scratched or pre-polished surfaces
- For use with polish or for working in surface sealing agents on curved and even surfaces
- Finishing of bright colours after using lambskin
- **Appropriate for** all conventional brands of machines



PRODUCT PROPERTIES	ORDERING INFORMATION				
Working diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
130	C1d	1	1	014854	**2 608 613 005**
Soft Foam Disc					
170	P1d	1	1	632409	**2 608 612 024**

Lambswool bonnets for random orbital sanders

- **Suitable for** polishing old varnish and after surface sanding
- **Appropriate for** all conventional brands of machines



Lambswool bonnet

PRODUCT PROPERTIES	ORDERING INFORMATION				
Working diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
130	C1a	1	1	014786	**2 608 610 001**
160	C1a	2	1	018746	**3 608 610 000**

Lambskin disc
Polishing old varnish
after surface sanding

170	P1d	1	1	632423	**2 608 612 026**

SHEETS FOR DELTA SANDERS, MULTI TOOLS AND MULTI SANDERS

Make corner sanding easy.







	M480	C470	F460	F355	C430
	EXPERT	EXPERT			
Page number	706	707	708	708	711
Grit range	80 – 400	40 – 400	40 – 240	60 – 1 200	40 – 240
Grit type	Aluminium oxide	Aluminium oxide	Aluminium oxide	Silicon carbide	Aluminium oxide
Backing material	Net, knitted fabric	C-Paper	F-Paper	F-Paper	C-Paper
Dimension mm	93 x 93 / 100 x 150 / 102 x 62, 93	93 x 93 / 100 x 150 / 102 x 62, 93	93 x 93	93 x 93	32 x 90 / 100 x 150 / 100 x 170 / 102 x 62, 93
	UP TO 4x* NO DUST PARTICLE CONTROL	UP TO 2x* SPEED SURFACE STRUCTURE			

MATERIALS

Softwood / hardwood	✓	✓	✓	–	✓
Resinous wood	✓	✓	✓	–	✓
Plywood	✓	✓	✓	–	✓
Paint / varnish	✓	✓	✓	✓	✓
Filler	✓	✓	✓	✓	–
Plaster	✓	✓		✓	
Solid surface materials (Corian, Varicor)	✓	✓	–	–	–
Glass fibre reinforced plastics (GRP)	✓	–	–	✓	–
Perspex	✓	–	–	✓	–
Stone / glass	–	–	–	✓	–

*Bosch EXPERT products vs. Bosch standard products

EXPERT M480 Sanding Nets for Delta Sanders

EXPERT





- Ideal for highly effective dust-free sanding of flat surfaces; to rough and prepare surfaces for painting; and to prepare or finish drywall.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x better dust extraction than standard sandpaper.
- Just stick it on with hook and loop.



PARTICLE CONTROL | UP TO 4x* NO DUST

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 5								
	93x93	80	open net	C1a	5	5	540542	**2 608 900 716**
	93x93	100	open net	C1a	5	5	540559	**2 608 900 717**
	93x93	120	open net	C1a	5	5	540566	**2 608 900 718**
	93x93	150	open net	C1a	5	5	540573	**2 608 900 719**
	93x93	180	open net	C1a	5	5	540580	**2 608 900 720**
	93x93	220	open net	C1a	5	5	540597	**2 608 900 721**
	93x93	240	open net	C1a	5	5	540603	**2 608 900 722**
	93x93	320	open net	C1a	5	5	540610	**2 608 900 723**
	93x93	400	open net	C1a	5	5	540627	**2 608 900 724**

EXPERT M480 Sanding Net Sets for Delta Sanders

EXPERT





- Ideal for highly effective dust-free sanding of flat surfaces; to rough and prepare surfaces for painting; and to prepare or finish drywall.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x better dust extraction than standard sandpaper.
- Just stick it on with hook and loop.



PARTICLE CONTROL | UP TO 4x* NO DUST

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 6								
	93x93	2x80 2x120 2x180	open net	C1a	6	5	568607	**2 608 901 204**

EXPERT C470 Sandpapers for Delta Sanders

EXPERT







- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than standard sandpaper.
- Just stick it on with hook and loop.

SURFACE STRUCTURE | UP TO 2x* SPEED

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 5								
	93x93	40	6 holes	C1a	5	5	541617	**2 608 900 823**
	93x93	60	6 holes	C1a	5	5	541624	**2 608 900 824**
	93x93	80	6 holes	C1a	5	5	541631	**2 608 900 825**
	93x93	100	6 holes	C1a	5	5	541648	**2 608 900 826**
	93x93	120	6 holes	C1a	5	5	541655	**2 608 900 827**
	93x93	180	6 holes	C1a	5	5	541662	**2 608 900 828**
	93x93	240	6 holes	C1a	5	5	541679	**2 608 900 829**
	93x93	320	6 holes	C1a	5	5	541686	**2 608 900 830**
	93x93	400	6 holes	C1a	5	5	541693	**2 608 900 831**
Pack of 50								
	93x93	40	6 holes	C0a	50	1	542645	**2 608 900 926**
	93x93	60	6 holes	C0a	50	1	542652	**2 608 900 927**
	93x93	80	6 holes	C0a	50	1	542669	**2 608 900 928**
	93x93	100	6 holes	C0a	50	1	542676	**2 608 900 929**
	93x93	120	6 holes	C0a	50	1	542683	**2 608 900 930**
	93x93	180	6 holes	C0a	50	1	542690	**2 608 900 931**
	93x93	240	6 holes	C0a	50	1	542706	**2 608 900 932**
	93x93	320	6 holes	C0a	50	1	542713	**2 608 900 933**
	93x93	400	6 holes	C0a	50	1	542720	**2 608 900 934**

EXPERT C470 Sandpaper Sets for Delta Sanders

EXPERT







- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than standard sandpaper.
- Just stick it on with hook and loop.

SURFACE STRUCTURE | UP TO 2x* SPEED

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 6								
	93x93	60 120 240	15 holes	C1a	6	5	541709	**2 608 900 832**

F460 sanding sheets for Multitools and Deltasanders, Best for Wood and Paint, 93mm

best for **Wood+Paint**





PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 5								
	93x93	40	6 holes	C1a	5	5	959865	**2 608 621 684**
	93x93	60	6 holes	C1a	5	5	959872	**2 608 621 685**
	93x93	80	6 holes	C1a	5	5	959889	**2 608 621 686**
	93x93	120	6 holes	C1a	5	5	959896	**2 608 621 687**
	93x93	180	6 holes	C1a	5	5	959902	**2 608 621 688**
	93x93	240	6 holes	C1a	5	5	959919	**2 608 621 689**
Pack of 6								
	93x93	60 120 240	6 holes	C1a	6	5	959926	**2 608 621 690**
Pack of 10								
	93x93	60 80 120 180 240	6 holes	PC1b	10	5	509497	**2 608 607 540**

F355 sanding sheets for delta sanders and multi-cutters, Best for Coatings and Composites, 93 mm, 6 holes

best for **Coatings+Composites**



- **Suitable for** sanding hard materials, varnish and plastic
- **Appropriate for** delta sanders from Bosch, Casals, Makita, Metabo, Skil
- **Appropriate for** multi-cutters from Bosch, Fein, Makita, Hitachi, Skil



Pack of 5							
93x93	80	6 holes	C1a	5	5	160100	**2 608 605 192**
93x93	100	6 holes	C1a	5	5	160117	**2 608 605 193**
93x93	120	6 holes	C1a	5	5	160124	**2 608 605 194**
93x93	180	6 holes	C1a	5	5	160131	**2 608 605 195**
93x93	240	6 holes	C1a	5	5	160148	**2 608 605 196**
93x93	320	6 holes	C1a	5	5	160155	**2 608 605 197**
93x93	400	6 holes	C1a	5	5	160162	**2 608 605 198**
93x93	600	6 holes	C1a	5	5	160179	**2 608 605 199**
93x93	1200	6 holes	C1a	5	5	159180	**2 608 605 200**

EXPERT M480 Sanding Nets for Multi Sanders

EXPERT



- Ideal for highly effective dust-free sanding of flat surfaces; to rough and prepare surfaces for painting; and to prepare or finish drywall.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x better dust extraction than standard sandpaper.
- Just stick it on with hook and loop.





PARTICLE CONTROL | UP TO 4x* NO DUST

PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10							
100x150	80	open net	C1a	10	5	540634	**2 608 900 725**
100x150	100	open net	C1a	10	5	540641	**2 608 900 726**
100x150	120	open net	C1a	10	5	540658	**2 608 900 727**
100x150	150	open net	C1a	10	5	540665	**2 608 900 728**
100x150	180	open net	C1a	10	5	540672	**2 608 900 729**
100x150	220	open net	C1a	10	5	540689	**2 608 900 730**
100x150	240	open net	C1a	10	5	540696	**2 608 900 731**
100x150	320	open net	C1a	10	5	540702	**2 608 900 732**
100x150	400	open net	C1a	10	5	540719	**2 608 900 733**

EXPERT M480 Sanding Net Sets for Multi Sanders

EXPERT



- Ideal for highly effective dust-free sanding of flat surfaces; to rough and prepare surfaces for painting; and to prepare or finish drywall.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x better dust extraction than standard sandpaper.
- Just stick it on with hook and loop.





PARTICLE CONTROL | UP TO 4x* NO DUST

PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10							
100x150	4x80 3x120 3x180	open net	C1a	10	5	568645	**2 608 901 208**

EXPERT C470 Sandpapers with 7 holes for Multi Sanders

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than standard sandpaper.
- Just stick it on with hook and loop.





SURFACE STRUCTURE | UP TO 2x* SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10							
100x150	40	7 holes	C1a	10	5	544526	**2 608 901 114**
100x150	60	7 holes	C1a	10	5	544533	**2 608 901 115**
100x150	80	7 holes	C1a	10	5	544540	**2 608 901 116**
100x150	120	7 holes	C1a	10	5	544557	**2 608 901 117**
100x150	180	7 holes	C1a	10	5	544564	**2 608 901 118**
100x150	240	7 holes	C1a	10	5	544571	**2 608 901 119**
100x150	320	7 holes	C1a	10	5	545042	**2 608 901 166**
100x150	400	7 holes	C1a	10	5	545059	**2 608 901 167**

EXPERT C470 Sandpapers with 11 holes for Multi Sanders

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than standard sandpaper.
- Just stick it on with hook and loop.





SURFACE STRUCTURE | UP TO 2x* SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10							
102x62, 93	40	11 holes	C1a	10	5	542249	**2 608 900 886**
102x62, 93	80	11 holes	C1a	10	5	542256	**2 608 900 887**
102x62, 93	120	11 holes	C1a	10	1	542263	**2 608 900 888**
102x62, 93	180	11 holes	C1a	10	5	542270	**2 608 900 889**

C470 and C430 sanding sheets for multi-sanders, Best for Wood and Paint, Expert for Wood and Paint, 102x62, 93 mm, 11 holes

best Wood+Paint

expert Wood+Paint



- C470 Best for Wood and Paint **suitable for** sanding wood, paint, varnish, roughcast (2x K40, 2x K80, 4x K120, 2x K180)
- C430 Expert for Wood and Paint **suitable for** sanding all types of wood, wooden materials and paint (3x K40, 6x K80, 3x K120, 3x K180)
- **Appropriate for** multi-sanders from Bosch, Skil



PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 25							
102x62, 93	2x40 2x80 2x180 3x40 3x120 3x180 4x120 6x80	11 holes	C1c	25	1	327695	**2 608 607 417**

C430 sanding sheets for delta sanders, Expert for Wood and Paint, 32 mm

expert Wood+Paint



- **Suitable for** sanding all types of wood, wooden materials and paint
- **Appropriate for** delta sanders from Bosch, Skil



Pack of 5							
32x88	40	no holes	C1a	5	5	159845	**2 608 605 166**
32x88	60	no holes	C1a	5	5	159852	**2 608 605 167**
32x88	80	no holes	C1a	5	5	159869	**2 608 605 168**
32x88	120	no holes	C1a	5	5	159876	**2 608 605 169**
32x88	240	no holes	C1a	5	5	159883	**2 608 605 170**
Pack of 6							
32x88	60 120 240	no holes	C1a	6	5	159890	**2 608 605 171**

C430 sanding sheets for multi-sanders, Expert for Wood and Paint, 102x62, 93 mm, 11 holes

expert Wood+Paint



- **Suitable for** sanding all types of wood, wooden materials and paint
- **Appropriate for** multi-sanders from Bosch, Skil



Pack of 10							
102x62, 93	40	11 holes	C1a	10	1	323284	**2 608 607 407**
102x62, 93	80	11 holes	C1a	10	1	323291	**2 608 607 408**
102x62, 93	120	11 holes	C1a	10	1	323307	**2 608 607 409**
102x62, 93	180	11 holes	C1a	10	1	323314	**2 608 607 410**

C430 sanding sheets for multi-sanders, Expert for Wood and Paint, 100x170 mm

expert Wood+Paint

- **Suitable for** sanding all types of wood, wooden materials and paint
- **Appropriate for** multi-sanders from Black+Decker





PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 5							
100x170	40	8 holes	C1a	5	5	160001	**2 608 605 182**
100x170	60	8 holes	C1a	5	5	160018	**2 608 605 183**
100x170	80	8 holes	C1a	5	5	160025	**2 608 605 184**
100x170	120	8 holes	C1a	5	5	160032	**2 608 605 185**
100x170	180	8 holes	C1a	5	5	170611	**2 608 605 577**
100x170	240	8 holes	C1a	5	5	170628	**2 608 605 578**
Pack of 6							
100x170	60 120 240	8 holes	C1a	6	5	160049	**2 608 605 186**

C430 sanding sheets for multi-sanders, Expert for Wood and Paint, 93 x 135 mm

expert Wood+Paint

- **Suitable for** sanding all types of wood, wooden materials and paint
- **Appropriate for** multi-sanders from Bosch, Black+Decker





Pack of 5							
95X135	40	4 holes	C1a	5	5	337076	**2 608 607 428**
95X135	80	4 holes	C1a	5	5	337083	**2 608 607 429**
95X135	120	4 holes	C1a	5	5	337090	**2 608 607 430**
95X135	180	4 holes	C1a	5	5	337106	**2 608 607 431**
Pack of 6							
95X135	80 120 180	4 holes	C1a	6	5	337113	**2 608 607 432**

Cleaning fleece for multi-sanders, 102x62, 93 mm



- **Appropriate for** multi-sanders from Bosch, Skil
- Medium to fine quality



2-piece cleaning fleece set							
102x62, 93	Medium Fine	no holes	C1c	2	1	327718	**2 608 607 419**

SHEETS FOR ORBITAL SANDERS

Perfect for large surfaces.





	M480	C470	C430
	EXPERT	EXPERT	
Page number	714	715	719
Grit range	80 – 400	40 – 400	40 – 240
Grit type	Aluminium oxide	Aluminium oxide	Aluminium oxide
Backing material	Net, knitted fabric	C-Paper	C-Paper
Dimension mm	80 x 133 / 93 x 186 / 115 x 230	80 x 133 / 93 x 186 / 93 x 230 / 115 x 107 / 115 x 140 / 115 x 230 / 115 x 280	80 x 133 / 93 x 186 / 93 x 230 / 115 x 230 / 115 x 280
	UP TO 4x* NO DUST PARTICLE CONTROL	UP TO 2x* SPEED SURFACE STRUCTURE	

MATERIALS

Softwood / hardwood	✓	✓	✓
Resinous wood	✓	✓	✓
Plywood	✓	✓	✓
Paint / varnish	✓	✓	✓
Filler	✓	✓	–
Plaster	✓	✓	–
Solid surface materials (Corian, Varicor)	✓	✓	–
Glass fibre reinforced plastics (GRP)	✓	–	–
Perspex	✓	–	–

*Bosch EXPERT products vs. Bosch standard products

EXPERT M480 Sanding Nets for Orbital Sanders

EXPERT

- Ideal for highly effective dust-free sanding of flat surfaces; to rough and prepare surfaces for painting; and to prepare or finish drywall.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x better dust extraction than standard sandpaper.
- Just stick it on with hook and loop.





PARTICLE CONTROL | UP TO 4x* NO DUST

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10								
	80x133	80	open net	C1a	10	5	540726	**2 608 900 734**
	80x133	100	open net	C1a	10	5	540733	**2 608 900 735**
	80x133	120	open net	C1a	10	5	540740	**2 608 900 736**
	80x133	150	open net	C1a	10	5	540757	**2 608 900 737**
	80x133	180	open net	C1a	10	5	540764	**2 608 900 738**
	80x133	220	open net	C1a	10	5	540771	**2 608 900 739**
	80x133	240	open net	C1a	10	5	540788	**2 608 900 740**
	80x133	320	open net	C1a	10	5	540795	**2 608 900 741**
	80x133	400	open net	C1a	10	5	540801	**2 608 900 742**
	93x186	80	open net	C1a	10	5	540818	**2 608 900 743**
	93x186	100	open net	C1a	10	5	540825	**2 608 900 744**
	93x186	120	open net	C1a	10	5	540832	**2 608 900 745**
	93x186	150	open net	C1a	10	5	540849	**2 608 900 746**
	93x186	180	open net	C1a	10	5	540856	**2 608 900 747**
	93x186	220	open net	C1a	10	5	540863	**2 608 900 748**
	93x186	240	open net	C1a	10	5	540870	**2 608 900 749**
	93x186	320	open net	C1a	10	5	540887	**2 608 900 750**
	93x186	400	open net	C1a	10	5	540894	**2 608 900 751**
	115x230	80	open net	C1a	10	5	540993	**2 608 900 761**
	115x230	100	open net	C1a	10	5	541006	**2 608 900 762**
	115x230	120	open net	C1a	10	5	541013	**2 608 900 763**
	115x230	150	open net	C1a	10	5	541020	**2 608 900 764**
	115x230	180	open net	C1a	10	5	541037	**2 608 900 765**
	115x230	220	open net	C1a	10	5	541044	**2 608 900 766**
	115x230	240	open net	C1a	10	5	541051	**2 608 900 767**
	115x230	320	open net	C1a	10	5	541068	**2 608 900 768**
	115x230	400	open net	C1a	10	5	541075	**2 608 900 769**
Pack of 50								
	93x186	80	open net	C0a	50	1	540900	**2 608 900 752**
	93x186	100	open net	C0a	50	1	540917	**2 608 900 753**
	93x186	120	open net	C0a	50	1	540924	**2 608 900 754**
	93x186	150	open net	C0a	50	1	540931	**2 608 900 755**
	93x186	180	open net	C0a	50	1	540948	**2 608 900 756**
	93x186	220	open net	C0a	50	1	540955	**2 608 900 757**
	93x186	240	open net	C0a	50	1	540962	**2 608 900 758**
	93x186	320	open net	C0a	50	1	540979	**2 608 900 759**
	93x186	400	open net	C0a	50	1	540986	**2 608 900 760**
	115x230	80	open net	C0a	50	1	541082	**2 608 900 770**
	115x230	100	open net	C0a	50	1	541099	**2 608 900 771**
	115x230	120	open net	C0a	50	1	541105	**2 608 900 772**
	115x230	180	open net	C0a	50	1	873673	**2 608 621 274**
	115x230	220	open net	C0a	50	1	541112	**2 608 900 773**
	115x230	240	open net	C0a	50	1	873697	**2 608 621 276**
	115x230	320	open net	C0a	50	1	541129	**2 608 900 774**
	115x230	400	open net	C0a	50	1	541136	**2 608 900 775**

EXPERT M480 Sanding Net Sets for Orbital Sanders

EXPERT

- Ideal for highly effective dust-free sanding of flat surfaces; to rough and prepare surfaces for painting; and to prepare or finish drywall.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x better dust extraction than standard sandpaper.
- Just stick it on with hook and loop.





PARTICLE CONTROL | UP TO 4x* NO DUST

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10								
	80x133	4x80 3x120 3x180	open net	C1a	10	5	568614	**2 608 901 205**
	93x186	4x80 3x120 3x180	open net	C1a	10	5	568621	**2 608 901 206**
	115x230	4x80 3x120 3x180	open net	C1a	10	5	568638	**2 608 901 207**

EXPERT C470 Sandpapers with 6 holes for Orbital Sanders

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than standard sandpaper.
- Just stick it on with hook and loop.





SURFACE STRUCTURE | UP TO 2x* SPEED

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10								
	115x107	40	6 holes	C1a	10	5	542287	**2 608 900 890**
	115x107	60	6 holes	C1a	10	5	542294	**2 608 900 891**
	115x107	80	6 holes	C1a	10	5	542300	**2 608 900 892**
	115x107	120	6 holes	C1a	10	5	542317	**2 608 900 893**
	115x107	180	6 holes	C1a	10	5	542324	**2 608 900 894**
	115x107	240	6 holes	C1a	10	5	542331	**2 608 900 895**

EXPERT C470 Sandpaper Sets with 6 holes for Orbital Sanders

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than standard sandpaper.
- Just stick it on with hook and loop.





SURFACE STRUCTURE | UP TO 2x* SPEED

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10								
	115x140	2x40 2x60 2x80 2x120 2x180	6 holes	C1a	10	5	544519	**2 608 901 113**

EXPERT C470 Sandpapers with 8 holes for Orbital Sanders

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than standard sandpaper.
- Just stick it on with hook and loop.





SURFACE STRUCTURE | UP TO 2x* SPEED

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10								
	80x133	40	8 holes	C1a	10	5	542157	**2 608 900 877**
	80x133	60	8 holes	C1a	10	5	542164	**2 608 900 878**
	80x133	80	8 holes	C1a	10	5	542171	**2 608 900 879**
	80x133	100	8 holes	C1a	10	5	542188	**2 608 900 880**
	80x133	120	8 holes	C1a	10	5	542195	**2 608 900 881**
	80x133	180	8 holes	C1a	10	5	542201	**2 608 900 882**
	80x133	240	8 holes	C1a	10	5	542218	**2 608 900 883**
	80x133	320	8 holes	C1a	10	5	542225	**2 608 900 884**
	80x133	400	8 holes	C1a	10	5	542232	**2 608 900 885**
	93x186	40	8 holes	C1a	10	5	541914	**2 608 900 853**
	93x186	60	8 holes	C1a	10	5	541921	**2 608 900 854**
	93x186	80	8 holes	C1a	10	5	541938	**2 608 900 855**
	93x186	100	8 holes	C1a	10	5	542126	**2 608 900 874**
	93x186	120	8 holes	C1a	10	5	541945	**2 608 900 856**
	93x186	180	8 holes	C1a	10	5	541952	**2 608 900 857**
	93x186	240	8 holes	C1a	10	5	541969	**2 608 900 858**
	93x186	320	8 holes	C1a	10	5	542089	**2 608 900 870**
	93x186	400	8 holes	C1a	10	5	541976	**2 608 900 859**
	93x230	40	8 holes	C1a	10	5	541716	**2 608 900 833**

EXPERT C470 Sandpapers with 8 holes for Orbital Sanders

EXPERT

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	93x230	60	8 holes	C1a	10	5	541723	**2 608 900 834**
	93x230	80	8 holes	C1a	10	5	541730	**2 608 900 835**
	93x230	100	8 holes	C1a	10	5	542096	**2 608 900 871**
	93x230	120	8 holes	C1a	10	5	541747	**2 608 900 836**
	93x230	180	8 holes	C1a	10	5	541754	**2 608 900 837**
	93x230	240	8 holes	C1a	10	5	541761	**2 608 900 838**
	93x230	320	8 holes	C1a	10	5	542102	**2 608 900 872**
	93x230	400	8 holes	C1a	10	5	541778	**2 608 900 839**
Pack of 50								
	93x186	40	8 holes	C0a	50	1	542737	**2 608 900 935**
	93x186	60	8 holes	C0a	50	1	542744	**2 608 900 936**
	93x186	80	8 holes	C0a	50	1	542751	**2 608 900 937**
	93x186	100	8 holes	C0a	50	1	542768	**2 608 900 938**
	93x186	120	8 holes	C0a	50	1	542775	**2 608 900 939**
	93x186	180	8 holes	C0a	50	1	542782	**2 608 900 940**
	93x186	400	8 holes	C0a	50	1	542799	**2 608 900 941**

EXPERT C470 Sandpaper Sets with 8 holes for Orbital Sanders

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than standard sandpaper.
- Just stick it on with hook and loop.





SURFACE STRUCTURE

UP TO 2x* SPEED

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10								
	93x230	3x60 4x80 3x120	8 holes	C1a	10	5	544502	**2 608 901 112**

EXPERT C470 Sandpapers with 14 holes for Orbital Sanders

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than standard sandpaper.
- Just stick it on with hook and loop.





SURFACE STRUCTURE

UP TO 2x* SPEED

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10								
	115x230	40	14 holes	C1a	10	5	541983	**2 608 900 860**
	115x230	60	14 holes	C1a	10	5	541990	**2 608 900 861**
	115x230	80	14 holes	C1a	10	5	542003	**2 608 900 862**
	115x230	100	14 holes	C1a	10	5	542133	**2 608 900 875**
	115x230	120	14 holes	C1a	10	5	542010	**2 608 900 863**
	115x230	180	14 holes	C1a	10	5	542027	**2 608 900 864**
	115x230	240	14 holes	C1a	10	5	542034	**2 608 900 865**
	115x230	320	14 holes	C1a	10	5	542065	**2 608 900 868**
	115x230	400	14 holes	C1a	10	5	542041	**2 608 900 866**
	115x280	40	14 holes	C1a	10	5	541846	**2 608 900 846**
	115x280	60	14 holes	C1a	10	5	541853	**2 608 900 847**
	115x280	80	14 holes	C1a	10	5	541860	**2 608 900 848**
	115x280	100	14 holes	C1a	10	5	542140	**2 608 900 876**
	115x280	120	14 holes	C1a	10	5	541877	**2 608 900 849**
	115x280	180	14 holes	C1a	10	5	541884	**2 608 900 850**
	115x280	240	14 holes	C1a	10	5	541891	**2 608 900 851**
	115x280	320	14 holes	C1a	10	5	542072	**2 608 900 869**
	115x280	400	14 holes	C1a	10	5	541907	**2 608 900 852**
Pack of 50								
	115x230	40	14 holes	C0a	50	1	542805	**2 608 900 942**
	115x230	60	14 holes	C0a	50	1	542812	**2 608 900 943**
	115x230	80	14 holes	C0a	50	1	542829	**2 608 900 944**
	115x230	100	14 holes	C0a	50	1	542836	**2 608 900 945**
	115x230	120	14 holes	C0a	50	1	542843	**2 608 900 946**
	115x230	180	14 holes	C0a	50	1	542850	**2 608 900 947**
	115x230	240	14 holes	C0a	50	1	542867	**2 608 900 948**
	115x230	320	14 holes	C0a	50	1	542874	**2 608 900 949**
	115x230	400	14 holes	C0a	50	1	542881	**2 608 900 950**

EXPERT C470 Sandpapers with no holes for Orbital Sanders

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than standard sandpaper.
- Clamp it on.





SURFACE STRUCTURE

UP TO 2x* SPEED

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10								
	93x230	40	no holes	C1a	10	5	541785	**2 608 900 840**
	93x230	60	no holes	C1a	10	5	541792	**2 608 900 841**
	93x230	80	no holes	C1a	10	5	541808	**2 608 900 842**
	93x230	100	no holes	C1a	10	5	542119	**2 608 900 873**
	93x230	120	no holes	C1a	10	5	541815	**2 608 900 843**
	93x230	180	no holes	C1a	10	5	541822	**2 608 900 844**
	93x230	240	no holes	C1a	10	5	541839	**2 608 900 845**
	93x230	320	no holes	C1a	10	5	542058	**2 608 900 867**

C430 sanding sheets for orbital sanders, Expert for Wood and Paint, 80x133 mm, 8 holes

expert Wood+Paint



perfect FINISH



- **Suitable for** sanding all types of wood, wooden materials and paint
- **Appropriate for** orbital sanders from Bosch, AEG, Festool, Hitachi, Milwaukee

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 10								
	80x133	60	8 holes	C1a	10	5	160964	**2 608 605 279**
	80x133	80	8 holes	C1a	10	5	160971	**2 608 605 280**
	80x133	100	8 holes	C1a	10	5	174633	**2 608 605 979**
	80x133	120	8 holes	C1a	10	5	160988	**2 608 605 281**
	80x133	180	8 holes	C1a	10	5	160995	**2 608 605 282**
	80x133	240	8 holes	C1a	10	5	161008	**2 608 605 283**

C430 sanding sheets for orbital sanders, Expert for Wood and Paint, 93x186 mm, 8 holes

expert Wood+Paint



perfect FINISH



- **Suitable for** sanding all types of wood, wooden materials and paint
- **Appropriate for** orbital sanders from Bosch, AEG, Festool, Hitachi, Milwaukee

Pack of 10								
	93x186	40	8 holes	C1a	10	5	161190	**2 608 605 302**
	93x186	60	8 holes	C1a	10	5	161206	**2 608 605 303**
	93x186	80	8 holes	C1a	10	5	161213	**2 608 605 304**
	93x186	100	8 holes	C1a	10	5	161220	**2 608 605 305**
	93x186	120	8 holes	C1a	10	5	161237	**2 608 605 306**
	93x186	180	8 holes	C1a	10	5	161251	**2 608 605 308**
	93x186	240	8 holes	C1a	10	5	161268	**2 608 605 309**

C430 sanding sheets for orbital sanders, Expert for Wood and Paint, 93x186 mm, 8 holes

PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
93x186	4x60 4x120 2x180	8 holes	C1a	10	5	161275	**2 608 605 310**

C430 sanding sheets for orbital sanders, Expert for Wood and Paint, 93x186 mm, 8 holes

expert Wood+Paint





- **Suitable for** sanding all types of wood, wooden materials and paint
- **Appropriate for** orbital sanders from Black & Decker

Pack of 10

93x186	2x40 3x80 3x120 2x180	8 holes	C1a	10	5	805803	**2 608 608 X97**

C430 sanding sheets for orbital sanders, Expert for Wood and Paint, 93x230 mm, 8 holes

expert Wood+Paint





- **Suitable for** sanding all types of wood, wooden materials and paint
- **Appropriate for** orbital sanders from Bosch, Festool, Makita, Metabo, Skil

Pack of 10

93x230	40	8 holes	C1a	10	5	161114	**2 608 605 294**
93x230	60	8 holes	C1a	10	5	161121	**2 608 605 295**
93x230	80	8 holes	C1a	10	5	161138	**2 608 605 296**
93x230	100	8 holes	C1a	10	5	161145	**2 608 605 297**
93x230	120	8 holes	C1a	10	5	161152	**2 608 605 298**
93x230	180	8 holes	C1a	10	5	161176	**2 608 605 300**
93x230	240	8 holes	C1a	10	5	161183	**2 608 605 301**

C430 sanding sheets for orbital sanders, Expert for Wood and Paint, 93x230 mm, 8 holes

expert Wood+Paint





- **Suitable for** sanding all types of wood, wooden materials and paint
- **Appropriate for** orbital sanders from AEG, Black+Decker

Pack of 10

93x230	2x40 3x80 3x120 2x180	8 holes	C1a	10	5	805810	**2 608 608 X98**

C430 sanding sheets for orbital sanders, Expert for Wood and Paint, 93x230 mm

expert Wood+Paint

- **Suitable for** sanding all types of wood, wooden materials and paint
- **Appropriate for** conventional orbital sanders



perfect FINISH



PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 10							
93x230	40	no holes	C1a	10	5	170673	**2 608 605 583**
93x230	60	no holes	C1a	10	5	161282	**2 608 605 311**
93x230	80	no holes	C1a	10	5	161299	**2 608 605 312**
93x230	100	no holes	C1a	10	5	177818	**2 608 606 515**
93x230	120	no holes	C1a	10	5	161305	**2 608 605 313**
93x230	180	no holes	C1a	10	5	161312	**2 608 605 314**
93x230	240	no holes	C1a	10	5	161329	**2 608 605 315**

C430 sanding sheets for orbital sanders, Expert for Wood and Paint, 115x230 mm, 14 holes

expert Wood+Paint

- **Suitable for** sanding all types of wood, wooden materials and paint
- **Appropriate for** orbital sanders from Bosch, Festool, Holz-Her, Makita, Metabo, Skil



perfect FINISH



Pack of 10							
115x230	40	14 holes	C1a	10	5	170680	**2 608 605 584**
115x230	60	14 holes	C1a	10	5	161336	**2 608 605 316**
115x230	80	14 holes	C1a	10	5	161343	**2 608 605 317**
115x230	100	14 holes	C1a	10	5	177979	**2 608 606 531**
115x230	120	14 holes	C1a	10	5	161350	**2 608 605 318**
115x230	180	14 holes	C1a	10	5	161367	**2 608 605 319**
115x230	240	14 holes	C1a	10	5	161374	**2 608 605 320**
115x230	4x60 4x120 2x180	14 holes	C1a	10	5	161398	**2 608 605 322**

C430 sanding sheets for orbital sanders, Expert for Wood and Paint, 115x280 mm, 14 holes

expert Wood+Paint

- **Suitable for** sanding all types of wood, wooden materials and paint
- **Appropriate for** orbital sanders from Bosch, AEG, Festool, Hitachi, Kress, Makita, Metabo, Skil



perfect FINISH



Pack of 10							
115x280	40	14 holes	C1a	10	5	161589	**2 608 605 341**
115x280	60	14 holes	C1a	10	5	161596	**2 608 605 342**
115x280	80	14 holes	C1a	10	5	161602	**2 608 605 343**
115x280	100	14 holes	C1a	10	5	161619	**2 608 605 344**
115x280	120	14 holes	C1a	10	5	161626	**2 608 605 345**
115x280	180	14 holes	C1a	10	5	161640	**2 608 605 347**
115x280	240	14 holes	C1a	10	5	161657	**2 608 605 348**

C430 sanding sheets for orbital sanders, Expert for Wood and Paint, 115x280 mm

expert **Wood+Paint**

- **Suitable for** sanding all types of wood, wooden materials and paint
- **Appropriate for** conventional orbital sanders



perfect FINISH



PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 10							
115x280	40	no holes	C1a	10	5	170697	**2 608 605 585**
115x280	60	no holes	C1a	10	5	161404	**2 608 605 323**
115x280	80	no holes	C1a	10	5	161411	**2 608 605 324**
115x280	100	no holes	C1a	10	5	178129	**2 608 606 546**
115x280	120	no holes	C1a	10	5	161428	**2 608 605 325**
115x280	180	no holes	C1a	10	5	161435	**2 608 605 326**
115x280	240	no holes	C1a	10	5	161442	**2 608 605 327**

REMOVAL WITHOUT LIMITS

Belts for belt sanders.



X440

Page number	725
Grit range	**40 – 220**
Grit type	**Aluminium oxide**
Backing material	**X-Cloth**
Dimension mm	**13 x 457 / 60 – 100 x 400 – 620**

MATERIALS

Softwood / hardwood	✓
Resinous wood	✓
Plywood	✓
Paint / varnish	✓
Filler	✓
Plaster	✓
Solid surface materials (Corian, Varicor)	✓
Glass fibre reinforced plastics (GRP)	✓
Perspex	✓

HIGH PERFORMANCE METAL SANDING

Belts for belt sanders.





	N470	X450	Y580
	EXPERT		
Page number	730	728	732
Grit range	Coarse, Medium, Fine	40 – 120	40 – 180
Grit type	Aluminium Oxide	Zirconia	Zirconia
Backing material	Cloth backing	X-Cloth	Y-/X-Cloth
Dimension mm	13 x 457 / 40 x 760 / 100 x 285	13 x 457 / 40 x 305	13 x 457 / 40 x 760 / 100 x 285
	UP TO 4x* SPEED SURFACE STRUCTURE		

MATERIALS

Stainless steel (inox)	✓	–	✓
Mild steel (metal)	✓	✓	✓
Sheet metal	✓	✓	–
Plasterboard	✓	✓	–
Aluminium	✓	✓	–

*Bosch EXPERT products vs. Bosch standard products

Sanding Belts for Belt Sanders

X440 Sanding Belts for Belt Sanders, Best for Wood and Paint

best for **Wood+Paint**

▶ **Suitable for** sanding all types of wood, hardwood, chipboard, construction boards and paint





PRODUCT PROPERTIES			ORDERING INFORMATION				
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 3							
40	305	40	C1e	3	4	188562	**2 608 606 929**
Pack of 3							
Suitable for PBS 60; PBS 60 E							
60	400	40	C1e	3	4	163361	**2 608 606 000**
60	400	60	C1e	3	4	163378	**2 608 606 001**
60	400	80	C1e	3	4	163385	**2 608 606 002**
60	400	100	C1e	3	4	163392	**2 608 606 003**
60	400	150	C1e	3	4	163408	**2 608 606 004**
60	400	220	C1e	3	4	163415	**2 608 606 005**
60	400	60 80 100	C1e	3	4	163439	**2 608 606 007**
Pack of 3							
Suitable for AEG; Black+Decker; Holz-Her; Kress; Metabo							
65	410	40	C1e	3	4	163514	**2 608 606 015**
65	410	60	C1e	3	4	163521	**2 608 606 016**
65	410	80	C1e	3	4	163538	**2 608 606 017**
65	410	100	C1e	3	4	163545	**2 608 606 018**
65	410	120	C1e	3	4	163552	**2 608 606 019**
65	410	150	C1e	3	4	163569	**2 608 606 020**
65	410	180	C1e	3	4	163576	**2 608 606 021**
65	410	220	C1e	3	4	163583	**2 608 606 022**
65	410	60 80 100	C1e	3	4	163590	**2 608 606 023**
Pack of 3							
Suitable for Bosch; Makita; Peugeot; Skil; Stayer							
75	457	40	C1e	3	4	163682	**2 608 606 032**
75	457	60	C1e	3	4	163699	**2 608 606 033**
75	457	80	C1e	3	4	163705	**2 608 606 034**
75	457	100	C1e	3	4	163712	**2 608 606 035**
75	457	120	C1e	3	4	163729	**2 608 606 036**
75	457	150	C1e	3	4	163736	**2 608 606 037**
75	457	180	C1e	3	4	163743	**2 608 606 038**
75	457	220	C1e	3	4	163750	**2 608 606 039**
75	457	60 80 100	C1e	3	4	163767	**2 608 606 040**
Pack of 3							
Suitable for Elu MHB 157; Elu MHB 158							
75	480	40	C1e	3	4	163781	**2 608 606 042**
75	480	60	C1e	3	4	163798	**2 608 606 043**
75	480	80	C1e	3	4	163804	**2 608 606 044**
75	480	100	C1e	3	4	163811	**2 608 606 045**
75	480	120	C1e	3	4	163828	**2 608 606 046**
75	480	150	C1e	3	4	163835	**2 608 606 047**

X440 Sanding Belts for Belt Sanders, Best for Wood and Paint

PRODUCT PROPERTIES			ORDERING INFORMATION				
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
75	480	180	C1e	3	4	163842	**2 608 606 048**
75	480	220	C1e	3	4	163859	**2 608 606 049**
75	480	60 80 100	C1e	3	4	163958	**2 608 606 059**
Pack of 3 **Suitable for** Black+Decker							
75	508	40	C1e	3	4	163965	**2 608 606 060**
75	508	60	C1e	3	4	163972	**2 608 606 061**
75	508	80	C1e	3	4	163989	**2 608 606 062**
75	508	100	C1e	3	4	163996	**2 608 606 063**
75	508	120	C1e	3	4	164009	**2 608 606 064**
75	508	150	C1e	3	4	164016	**2 608 606 065**
75	508	180	C1e	3	4	164023	**2 608 606 066**
75	508	220	C1e	3	4	164030	**2 608 606 067**
75	508	60 80 100	C1e	3	4	164047	**2 608 606 068**
Pack of 3 **Suitable for** Bosch; AEG; DeWalt; Festool; Holz-Her; Makita; Skil							
75	533	40	C1e	3	4	164054	**2 608 606 069**
75	533	60	C1e	3	4	164061	**2 608 606 070**
75	533	80	C1e	3	4	164078	**2 608 606 071**
75	533	100	C1e	3	4	164085	**2 608 606 072**
75	533	120	C1e	3	4	247955	**2 608 607 258**
75	533	150	C1e	3	4	164092	**2 608 606 073**
75	533	180	C1e	3	4	247979	**2 608 607 260**
75	533	220	C1e	3	4	164108	**2 608 606 074**
75	533	320	C1e	3	4	164122	**2 608 606 076**
75	533	60 80 100	C1e	3	4	164146	**2 608 606 078**
Pack of 10 **Suitable for** Bosch; AEG; DeWalt; Festool; Holz-Her; Makita; Skil							
75	533	40	P0n	10	1	164160	**2 608 606 080**
75	533	60	P0n	10	1	164177	**2 608 606 081**
75	533	80	P0n	10	1	164184	**2 608 606 082**
75	533	100	P0n	10	1	164191	**2 608 606 083**
75	533	120	P0n	10	1	247962	**2 608 607 259**
75	533	150	P0n	10	1	164207	**2 608 606 084**
75	533	180	P0n	10	1	247986	**2 608 607 261**
75	533	220	P0n	10	1	164214	**2 608 606 085**
Pack of 3 **Suitable for** Hitachi; Makita; Ryobi							
75	610	40	C1e	3	4	164252	**2 608 606 089**
75	610	60	C1e	3	4	164269	**2 608 606 090**
75	610	80	C1e	3	4	164276	**2 608 606 091**
75	610	100	C1e	3	4	164283	**2 608 606 092**
75	610	120	C1e	3	4	164290	**2 608 606 093**
75	610	150	C1e	3	4	164306	**2 608 606 094**
75	610	60 80 100	C1e	3	4	164313	**2 608 606 095**

X440 Sanding Belts for Belt Sanders, Best for Wood and Paint

PRODUCT PROPERTIES			ORDERING INFORMATION				
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 3							
Suitable for AEG; Atlas Copco; DeWalt; Elu; Festool; Ryobi							
100	560	40	C1e	3	4	164498	**2 608 606 113**
100	560	60	C1e	3	4	164504	**2 608 606 114**
100	560	80	C1e	3	4	164511	**2 608 606 115**
100	560	100	C1e	3	4	164528	**2 608 606 116**
100	560	120	C1e	3	4	164535	**2 608 606 117**
100	560	150	C1e	3	4	164542	**2 608 606 118**
100	560	60 80 100	C1e	3	4	164634	**2 608 606 128**
Pack of 3							
Suitable for Bosch; Hitachi; Holz-Her; Makita; Ryobi; Wegoma							
100	610	40	C1e	3	4	164658	**2 608 606 129**
100	610	60	C1e	3	4	164665	**2 608 606 130**
100	610	80	C1e	3	4	164672	**2 608 606 131**
100	610	100	C1e	3	4	164689	**2 608 606 132**
100	610	120	C1e	3	4	247993	**2 608 607 262**
100	610	150	C1e	3	4	164696	**2 608 606 133**
100	610	60 80 100	C1e	3	4	164757	**2 608 606 139**
Pack of 10							
Suitable for Bosch; Hitachi; Holz-Her; Makita; Ryobi; Wegoma							
100	610	40	P0n	10	1	164702	**2 608 606 134**
100	610	60	P0n	10	1	164719	**2 608 606 135**
100	610	80	P0n	10	1	164726	**2 608 606 136**
100	610	100	P0n	10	1	164733	**2 608 606 137**
100	610	120	P0n	10	1	248006	**2 608 607 263**
100	610	150	P0n	10	1	164740	**2 608 606 138**
Pack of 3							
Suitable for Bosch; AEG; Atlas Copco; Hitachi; Makita; Metabo							
100	620	40	C1e	3	4	164771	**2 608 606 141**
100	620	60	C1e	3	4	164788	**2 608 606 142**
100	620	80	C1e	3	4	164795	**2 608 606 143**
100	620	100	C1e	3	4	164801	**2 608 606 144**
100	620	150	C1e	3	4	164818	**2 608 606 145**
100	620	220	C1e	3	4	164825	**2 608 606 146**
Pack of 3							
Suitable for Peugeot; Skil							
100	552	40	C1e	3	4	164979	**2 608 606 161**
100	552	60	C1e	3	4	164986	**2 608 606 162**
100	552	80	C1e	3	4	164993	**2 608 606 163**
100	552	100	C1e	3	4	165006	**2 608 606 164**
100	552	120	C1e	3	4	165013	**2 608 606 165**
100	552	150	C1e	3	4	165020	**2 608 606 166**
100	552	60 80 100	C1e	3	4	165099	**2 608 606 173**
Pack of 3							
Suitable for GVS 350 AE Professional							
40	305	60	C1e	3	4	165426	**2 608 606 206**

X440 Sanding Belts for Belt Sanders, Best for Wood and Paint

PRODUCT PROPERTIES			ORDERING INFORMATION				
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
40	305	80	C1e	3	4	165433	**2 608 606 207**
40	305	120	C1e	3	4	165440	**2 608 606 208**
40	305	180	C1e	3	4	165457	**2 608 606 209**
40	305	60 80 120	C1e	3	4	165471	**2 608 606 211**

Pack of 10

Suitable for Virutex

100	690	40	P0n	10	1	236164	**2 608 607 199**
100	690	60	P0n	10	1	236171	**2 608 607 200**
100	690	80	P0n	10	1	236188	**2 608 607 201**
100	690	100	P0n	10	1	236195	**2 608 607 202**
100	690	120	P0n	10	1	587006	**2 608 608 235**

X450 Sanding Belt for Belt sander, Best for Metal

expert for Metal





Pack of 3

40	305	60	C1e	3	4	174879	**2 608 606 220**
40	305	80	C1e	3	4	174886	**2 608 606 221**
40	305	120	C1e	3	4	174893	**2 608 606 222**
40	305	180	C1e	3	4	174909	**2 608 606 223**

Sanding Belts for Power Files

X440 Sanding Belts for Power Files, Best for Wood and Paint

best for Wood+Paint

- **Suitable for** sanding all types of wood and paint



PRODUCT PROPERTIES			ORDERING INFORMATION				
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
13	457	40	C1k	3	4	165396	**2 608 606 203**
13	457	60	C1k	3	4	165402	**2 608 606 204**
13	457	120	C1k	3	4	165419	**2 608 606 205**

X450 Sanding Belts for Power Files, Expert for Metal

expert for Metal



13	457	40	C1k	3	4	174848	**2 608 606 217**
13	457	60	C1k	3	4	174855	**2 608 606 218**
13	457	120	C1k	3	4	174862	**2 608 606 219**

Y580 Sanding Belts for Power Files, Best for Inox

best for Inox

- **Suitable for** sanding stainless steel (inox)
- Hardly any discolouration thanks to cooling additives
- With zirconia - for a high material removal rate
- **Appropriate for** all conventional electric files



13	457	40	P0b	10	1	806299	**2 608 608 Y46**
13	457	60	P0b	10	1	806305	**2 608 608 Y47**
13	457	80	P0b	10	1	806312	**2 608 608 Y48**
13	457	120	P0b	10	1	806329	**2 608 608 Y49**

HIGH SPEED METAL FINISHING

EXPERT N470 Sanding Belts

ASSORTMENT: fine / medium / coarse

EXPERT

1. Maximum abrasion with Bosch Surface Structure
2. Rapid stock removal by high performance grits
3. 3D structure allows grit through the fleece



SURFACE STRUCTURE

EXPERT N470 Sanding Belts for Belt Sanders

EXPERT



- Ideal for refining metal surfaces, for example after grinding away a weld; for refining metal surfaces prior to painting; and for removing flaws, rust and discolouration.
- Best for metalworkers: fast and efficient.
- Up to 4x faster than a standard belt.





SURFACE STRUCTURE | UP TO 4x* SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
40	760	Coarse	P0f	10	1	572239	**2 608 901 254**
40	760	Medium	P0f	10	1	572246	**2 608 901 255**
40	760	Fine	P0f	10	1	572253	**2 608 901 256**

Y580 Sanding Belts for Pipe Belt Sanders, Best for Inox

best for Inox



- **Suitable for** sanding stainless steel (inox)
- Hardly any discolouration thanks to cooling additives
- With zirconia - for a high material removal rate
- **Appropriate for** all conventional pipe belt sanders



PRODUCT PROPERTIES			ORDERING INFORMATION				
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
40	760	40	C0a	5	1	807241	**2 608 608 Z41**
40	760	60	C0a	10	1	807258	**2 608 608 Z42**
40	760	80	C0a	10	1	807265	**2 608 608 Z43**
40	760	120	C0a	10	1	807272	**2 608 608 Z44**
40	760	180	C0a	10	1	807289	**2 608 608 Z45**

EXPERT N470 Sanding Sleeves for Burnishing Machines

EXPERT



- Ideal for refining metal surfaces, for example after grinding away a weld; for refining metal surfaces prior to painting; and for removing flaws, rust and discolouration.
- Best for metalworkers: fast and efficient.
- Up to 4x faster than a standard belt.





SURFACE STRUCTURE | UP TO 4x* SPEED

PRODUCT PROPERTIES				ORDERING INFORMATION				
Dimensions mm	Grit	Diameter mm	Width [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
100 x 290	Coarse	90	290	P0f	10	1	572260	**2 608 901 257**
100 x 290	Medium	90	290	P0f	10	1	572277	**2 608 901 258**
100 x 290	Fine	90	290	P0f	10	1	572284	**2 608 901 259**

Y580 sanding sleeves for burnishing machines, Best for Inox

best for Inox

Stainless Inox | extra high SPEED | perfect FINISH | Cool | Extra Strong

- **Suitable for** sanding stainless steel (inox)
- Hardly any discolouration thanks to cooling additives
- With zirconia - for a high material removal rate
- **Appropriate for** expansion rollers



PRODUCT PROPERTIES		ORDERING INFORMATION				
Dimensions mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
100 x 285	40	C0a	5	1	807623	**2 608 608 Z79**
100 x 285	60	C0a	5	1	807630	**2 608 608 Z80**
100 x 285	80	C0a	5	1	807647	**2 608 608 Z81**
100 x 285	120	C0a	5	1	807654	**2 608 608 Z82**
100 x 285	180	C0a	5	1	807661	**2 608 608 Z83**

Flap Sanding Wheels for Burnishing Machines

Stainless Inox | perfect FINISH

- Suitable for producing different surface textures



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Height mm	Mount mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Flap sanding wheel								
100	100	19	40	C0a	1	1	732796	**2 608 000 596**
100	100	19	60	C0a	1	1	732802	**2 608 000 597**
100	100	19	80	C0a	1	1	732819	**2 608 000 598**

Flap Sanding Wheels for Burnishing Machines





PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Height mm	Mount mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
100	100	19	120	C0a	1	1	732826	**2 608 000 599**
100	100	19	180	C0a	1	1	732833	**2 608 000 600**
100	100	19	240	C0a	1	1	732840	**2 608 000 601**
Flap sanding wheel with fleece								
100	100	19	Coarse	C0a	1	1	732857	**2 608 000 602**
100	100	19	Fine	C0a	1	1	732871	**2 608 000 604**
100	100	19	Medium	C0a	1	1	732864	**2 608 000 603**
100	100	19	Very fine	C0a	1	1	732888	**2 608 000 605**
Fleece sanding wheel								
100	100	19	Coarse	C0a	1	1	732901	**2 608 000 607**
100	100	19	Medium	C0a	1	1	732918	**2 608 000 608**
100	100	19	Very fine	C0a	1	1	732925	**2 608 000 609**

Expansion Wheel for Burnishing Machines



▶ **Suitable for** sanding sleeves and all conventional burnishing machines



PRODUCT PROPERTIES				ORDERING INFORMATION				
Max. speed rpm	Diameter mm	Length, sheet mm	Diameter, shank mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
3,400	90	100	19	C0a	1	1	732932	**2 608 000 610**

SHEETS AND ROLLS FOR HAND SANDING AND ORBITAL SANDERS

Because manual sanding is everywhere.



	M480	C470	Foams	C420	C355	J470	J450
	EXPERT	EXPERT	EXPERT				
Page number	738	738	744	736	737	740	740
Grit range	80 – 400	40 – 400	Medium – super fine	40 – 240	80 – 1 200	60 – 320	60 – 320
Grit type	Aluminium oxide	Aluminium oxide	–	Aluminium oxide	Silicon carbide	Aluminium oxide	Aluminium oxide
Backing material	Net, knitted fabric	C-Paper	PU	C-Paper	C-Paper	J-Cloth	J-Cloth
Dimension mm	93 x 5 000 / 115 x 5 000	230 x 280 / 93 x 5 000 / 115 x 5 000 / 93 x 50 000 / 115 x 50 000	69 x 97 x 26 / 98 x 120 x 13	230 x 280	230 x 280 / 93 x 5 000 / 115 x 5 000	100 x 50 000 / 115 x 50 000	93 x 5 000 / 115 x 5 000 / 93 x 50 000 / 115 x 50 000
	UP TO 4x* NO DUST PARTICLE CONTROL	UP TO 2x* SPEED SURFACE STRUCTURE	UP TO 5x* LONG LIFE SURFACE STRUCTURE				

MATERIALS

Softwood / hardwood	✓	✓	✓	✓	–	✓	✓
Resinous wood	✓	✓	✓	✓	–	✓	✓
Plywood	✓	✓	✓	✓	–	✓	✓
Paint / varnish	✓	✓	✓		✓	✓	✓
Filler	✓	✓	✓	–	✓	✓	✓
Plaster	✓	✓	✓		✓	✓	✓
Solid surface materials (Corian, Varicor)	✓	✓	–	–	–	✓	✓
Glass fibre reinforced plastics (GRP)	✓	–	–	–	✓	–	–
Perspex	✓	–	–	–	✓	–	–

*Bosch EXPERT products vs. Bosch standard products

SHEETS AND ROLLS FOR HAND SANDING AND ORBITAL SANDERS

The manual option.





	N880	J410	J475
	EXPERT		
Page number	742	737	737
Grit range	Coarse – ultra Fine	40 – 240	40 – 400
Grit type	Aluminium oxide / Silicon carbide	Aluminium oxide	Aluminium oxide
Backing material	Nonwoven	J-Cloth	J-Cloth
Dimension mm	⌀ 125 / ⌀ 150 / 152 x 229 / 100 x 10 000 / 115 x 10 000 / 150 x 10 000	230 x 280 / 50 x 5 000	230 x 280 / 38 x 25 000
	UP TO 3x* LONG LIFE SURFACE STRUCTURE		

MATERIALS

Stainless steel (inox)	✓	–	✓
Mild steel (metal)	✓	✓	✓
Sheet metal	✓	✓	✓
Plasterboard	✓	✓	✓
Aluminium	✓	✓	✓

*Bosch EXPERT products vs. Bosch standard products

EXPERT C470 Sandpapers for Handsanding

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than standard sandpaper.
- Just stick it on with hook and loop.





SURFACE STRUCTURE

UP TO 2x* SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 1							
	230x280	40	P0f	1	25	542959	**2 608 900 957**
	230x280	60	P0f	1	50	542966	**2 608 900 958**
	230x280	80	P0f	1	50	542973	**2 608 900 959**
	230x280	100	P0f	1	50	542980	**2 608 900 960**
	230x280	120	P0f	1	50	542997	**2 608 900 961**
	230x280	150	P0f	1	50	543000	**2 608 900 962**
	230x280	180	P0f	1	50	543017	**2 608 900 963**
	230x280	220	P0f	1	50	543024	**2 608 900 964**
	230x280	240	P0f	1	50	543031	**2 608 900 965**
	230x280	320	P0f	1	50	543048	**2 608 900 966**
	230x280	400	P0f	1	50	543055	**2 608 900 967**

C420 paper sanding sheets for hand sanding and for orbital sanders, Standard for Wood and Paint, 230x280 mm

standard Wood+Paint

- **Suitable for** sanding softwood
- **Appropriate for** hand sanding blocks, orbital sanders







PRODUCT PROPERTIES			ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
	230x280	40	P0f	1	50	914659	**2 608 621 591**
	230x280	60	P0f	1	50	914659	**2 608 621 592**
	230x280	80	P0f	1	50	914666	**2 608 621 593**
	230x280	100	P0f	1	50	914673	**2 608 621 594**
	230x280	120	P0f	1	50	914680	**2 608 621 595**
	230x280	180	P0f	1	50	914697	**2 608 621 596**
	230x280	240	P0f	1	50	914703	**2 608 621 597**

C355 paper sanding sheets for hand sanding, Best for Coatings and Composites, 230x280 mm - waterproof

best Coatings+Composites



- **Suitable for** sanding hard minerals, varnish, plastic
- **Appropriate for** hand sanding blocks



PRODUCT PROPERTIES		ORDERING INFORMATION				
Sheet dimensions mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1						
230x280	80	P0f	1	50	685405	**2 608 608 H61**
230x280	100	P0f	1	50	685412	**2 608 608 H62**
230x280	120	P0f	1	50	685429	**2 608 608 H63**
230x280	180	P0f	1	50	685436	**2 608 608 H64**
230x280	240	P0f	1	50	685443	**2 608 608 H65**
230x280	320	P0f	1	50	685450	**2 608 608 H66**
230x280	400	P0f	1	50	685467	**2 608 608 H67**
230x280	600	P0f	1	50	685474	**2 608 608 H68**
230x280	1200	P0f	1	50	685481	**2 608 608 H69**

J410 cloth sanding sheets for hand sanding and for orbital sanders, Standard for Metal, 230x280 mm

standard Metal



- **Suitable for** sanding metal, cast iron
- **Appropriate for** hand sanding blocks, orbital sanders



Pack of 1						
230x280	40	P0f	1	50	162319	**2 608 605 411**
230x280	60	P0f	1	50	162326	**2 608 605 412**
230x280	80	P0f	1	50	162333	**2 608 605 413**
230x280	100	P0f	1	50	162340	**2 608 605 414**
230x280	120	P0f	1	50	162357	**2 608 605 415**
230x280	180	P0f	1	50	162364	**2 608 605 416**
230x280	240	P0f	1	50	162371	**2 608 605 417**

J475 cloth sanding sheets for hand sanding and for orbital sanders, Best for Metal, 230x280 mm

best Metal



- **Suitable for** sanding all metals
- **Appropriate for** hand sanding blocks, orbital sanders



Pack of 1						
230x280	40	P0f	1	25	678384	**2 608 608 C05**
230x280	60	P0f	1	25	678391	**2 608 608 C06**
230x280	80	P0f	1	25	678407	**2 608 608 C07**
230x280	100	P0f	1	25	678414	**2 608 608 C08**
230x280	120	P0f	1	25	678421	**2 608 608 C09**
230x280	150	P0f	1	25	678438	**2 608 608 C10**
230x280	180	P0f	1	25	678445	**2 608 608 C11**
230x280	220	P0f	1	25	678452	**2 608 608 C12**
230x280	240	P0f	1	25	678469	**2 608 608 C13**
230x280	280	P0f	1	25	678476	**2 608 608 C14**
230x280	320	P0f	1	25	678483	**2 608 608 C15**
230x280	400	P0f	1	25	678490	**2 608 608 C16**

EXPERT M480 Sanding Net Rolls

EXPERT



- Ideal for highly effective dust-free sanding of flat surfaces; to rough and prepare surfaces for painting; and to prepare or finish drywall.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x better dust extraction than standard sandpaper.
- Just stick it on with hook and loop.





PARTICLE CONTROL | UP TO 4x* NO DUST

PRODUCT PROPERTIES			ORDERING INFORMATION				
Roll width mm	Roll length m	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
5 m							
93	5	80	P1f	1	1	541143	**2 608 900 776**
93	5	100	P1f	1	1	541150	**2 608 900 777**
93	5	120	P1f	1	1	541167	**2 608 900 778**
93	5	150	P1f	1	1	541174	**2 608 900 779**
93	5	180	P1f	1	1	541181	**2 608 900 780**
93	5	220	P1f	1	1	541198	**2 608 900 781**
93	5	240	P1f	1	1	541204	**2 608 900 782**
93	5	320	P1f	1	1	541211	**2 608 900 783**
93	5	400	P1f	1	1	541228	**2 608 900 784**
115	5	80	P1f	1	1	541235	**2 608 900 785**
115	5	100	P1f	1	1	541242	**2 608 900 786**
115	5	120	P1f	1	1	541259	**2 608 900 787**
115	5	150	P1f	1	1	541266	**2 608 900 788**
115	5	180	P1f	1	1	541273	**2 608 900 789**
115	5	220	P1f	1	1	541280	**2 608 900 790**
115	5	240	P1f	1	1	541297	**2 608 900 791**
115	5	320	P1f	1	1	541303	**2 608 900 792**
115	5	400	P1f	1	1	541310	**2 608 900 793**

EXPERT C470 Sandpaper Rolls for Handsanding

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than standard sandpaper.
- Just stick it on with hook and loop.





SURFACE STRUCTURE | UP TO 2x* SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Roll width mm	Roll length m	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
5 m							
93	5	40	P1f	1	1	542409	**2 608 900 902**
93	5	60	P1f	1	1	542416	**2 608 900 903**
93	5	80	P1f	1	1	542423	**2 608 900 904**
93	5	120	P1f	1	1	542430	**2 608 900 905**
93	5	180	P1f	1	1	542447	**2 608 900 906**
93	5	240	P1f	1	1	542454	**2 608 900 907**
115	5	40	P1f	1	1	542348	**2 608 900 896**
115	5	60	P1f	1	1	542355	**2 608 900 897**

EXPERT C470 Sandpaper Rolls for Handsanding

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Roll width mm	Roll length m	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	5	80	P1f	1	1	542362	**2 608 900 898**
115	5	120	P1f	1	1	542379	**2 608 900 899**
115	5	180	P1f	1	1	542386	**2 608 900 900**
115	5	240	P1f	1	1	542393	**2 608 900 901**
50 m							
93	50	40	P0f	1	1	543062	**2 608 900 968**
93	50	60	P0f	1	1	543079	**2 608 900 969**
93	50	80	P0f	1	1	543086	**2 608 900 970**
93	50	100	P0f	1	1	543093	**2 608 900 971**
93	50	120	P0f	1	1	543109	**2 608 900 972**
93	50	180	P0f	1	1	543116	**2 608 900 973**
93	50	240	P0f	1	1	543123	**2 608 900 974**
93	50	320	P0f	1	1	543130	**2 608 900 975**
93	50	400	P0f	1	1	543147	**2 608 900 976**
115	50	40	P0f	1	1	543154	**2 608 900 977**
115	50	60	P0f	1	1	543161	**2 608 900 978**
115	50	80	P0f	1	1	543178	**2 608 900 979**
115	50	100	P0f	1	1	543185	**2 608 900 980**
115	50	120	P0f	1	1	543192	**2 608 900 981**
115	50	180	P0f	1	1	543208	**2 608 900 982**
115	50	240	P0f	1	1	543215	**2 608 900 983**
115	50	320	P0f	1	1	543222	**2 608 900 984**
115	50	400	P0f	1	1	543239	**2 608 900 985**

C410 sanding rolls, Standard for Wood and Paint

standard Wood+Paint ▶ **Suitable for** sanding softwood





PRODUCT PROPERTIES			ORDERING INFORMATION				
Roll width mm	Roll length m	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5 m							
93	5	40	P1f	1	4	180672	**2 608 606 802**
93	5	60	P1f	1	4	180689	**2 608 606 803**
93	5	80	P1f	1	4	180696	**2 608 606 804**
93	5	120	P1f	1	4	180702	**2 608 606 805**
93	5	180	P1f	1	4	180719	**2 608 606 806**
93	5	240	P1f	1	4	180726	**2 608 606 807**
115	5	40	P1f	1	4	180825	**2 608 606 817**
115	5	60	P1f	1	4	180832	**2 608 606 818**
115	5	80	P1f	1	4	180849	**2 608 606 819**
115	5	120	P1f	1	4	180856	**2 608 606 820**
115	5	180	P1f	1	4	180863	**2 608 606 821**
115	5	240	P1f	1	4	180870	**2 608 606 822**

C355 paper sanding rolls, Best for Coatings and Composites - waterproof

best Coatings+Composites

- **Suitable for** sanding hard minerals, varnish, plastic
- **Appropriate for** hand sanding blocks





PRODUCT PROPERTIES			ORDERING INFORMATION				
Roll width mm	Roll length m	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5 m							
93	5	120	P1f	1	1	549837	**2 608 607 772**
93	5	180	P1f	1	1	549844	**2 608 607 773**
93	5	240	P1f	1	1	549851	**2 608 607 774**
93	5	320	P1f	1	1	549868	**2 608 607 775**
93	5	400	P1f	1	1	549875	**2 608 607 776**
115	5	120	P1f	1	1	549974	**2 608 607 786**
115	5	180	P1f	1	1	549981	**2 608 607 787**
115	5	240	P1f	1	1	549998	**2 608 607 788**
115	5	400	P1f	1	1	550000	**2 608 607 789**

J470 cloth sanding rolls, Best for Wood and Paint

best Wood+Paint

- **Suitable for** sanding wood and paint
- **Appropriate for** hand sanding blocks, orbital sanders





50 m							
100	50	60	P0f	1	1	674171	**2 608 608 784**
100	50	80	P0f	1	1	674188	**2 608 608 785**
100	50	100	P0f	1	1	674195	**2 608 608 786**
100	50	180	P0f	1	1	674225	**2 608 608 789**
100	50	240	P0f	1	1	674249	**2 608 608 791**
100	50	320	P0f	1	1	674256	**2 608 608 792**
115	50	60	P0f	1	1	674263	**2 608 608 793**
115	50	80	P0f	1	1	674270	**2 608 608 794**
115	50	100	P0f	1	1	674287	**2 608 608 795**
115	50	180	P0f	1	1	674317	**2 608 608 798**

J450 sanding rolls, Expert for Wood and Paint

expert Wood+Paint





5m							
93	5	60	P1f	1	1	912402	**2 608 621 455**
93	5	80	P1f	1	1	912419	**2 608 621 456**
93	5	100	P1f	1	1	912426	**2 608 621 457**
93	5	120	P1f	1	1	912433	**2 608 621 458**
93	5	180	P1f	1	1	912457	**2 608 621 460**
93	5	240	P1f	1	1	912471	**2 608 621 462**
93	5	320	P1f	1	1	912488	**2 608 621 463**



5m							
115	5	60	P1f	1	1	912495	**2 608 621 464**
115	5	80	P1f	1	1	912501	**2 608 621 465**
115	5	100	P1f	1	1	912518	**2 608 621 466**
115	5	120	P1f	1	1	912525	**2 608 621 467**
115	5	180	P1f	1	1	912549	**2 608 621 469**
115	5	240	P1f	1	1	912563	**2 608 621 471**
115	5	320	P1f	1	1	912570	**2 608 621 472**

J450 sanding rolls, Expert for Wood and Paint

PRODUCT PROPERTIES			ORDERING INFORMATION				
Roll width mm	Roll length m	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
50m							
93	50	60	P1f	1	1	912587	**2 608 621 473**
93	50	80	P1f	1	1	912594	**2 608 621 474**
93	50	100	P1f	1	1	912600	**2 608 621 475**
93	50	120	P1f	1	1	912617	**2 608 621 476**
93	50	180	P1f	1	1	912631	**2 608 621 478**
93	50	240	P1f	1	1	912655	**2 608 621 480**
93	50	320	P1f	1	1	912662	**2 608 621 481**
115	50	60	P1f	1	1	912679	**2 608 621 482**
115	50	80	P1f	1	1	912686	**2 608 621 483**
115	50	100	P1f	1	1	912693	**2 608 621 484**
115	50	120	P1f	1	1	912709	**2 608 621 485**
115	50	180	P1f	1	1	912723	**2 608 621 487**
115	50	240	P1f	1	1	912747	**2 608 621 489**
115	50	320	P1f	1	1	912754	**2 608 621 490**

J475 economy rolls, Best for Metal

best Metal

▶ **Suitable for** sanding all metals





25 m							
38	25	40	P0f	1	1	678629	**2 608 608 C29**
38	25	60	P0f	1	1	678636	**2 608 608 C30**
38	25	80	P0f	1	1	678643	**2 608 608 C31**
38	25	100	P0f	1	1	678650	**2 608 608 C32**
38	25	120	P0f	1	1	678667	**2 608 608 C33**
38	25	180	P0f	1	1	678681	**2 608 608 C35**
38	25	240	P0f	1	1	678704	**2 608 608 C37**
38	25	280	P0f	1	1	678711	**2 608 608 C38**
38	25	320	P0f	1	1	678728	**2 608 608 C39**

EXPERT N880 Fleece Pads for Handsanding

EXPERT



- Ideal for cleaning stainless steel, for example to achieve a final surface finish; for light deburring and surface blending.
- Best for metalworkers: Long Lasting Quality.
- Lasts up to 3x longer than standard coated hand sanding sheet.





SURFACE STRUCTURE | UP TO 3x* LONG LIFE

PRODUCT PROPERTIES				ORDERING INFORMATION				
Dimensions mm	Grade	Product colour	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
115 x 140	Coarse A	brown	C1b	2	10	571874	**2 608 901 218**	
115 x 140	Medium S	black	C1b	2	10	571881	**2 608 901 219**	
115 x 140	Very fine A	red	C1b	2	10	571904	**2 608 901 221**	
115 x 140	Very fine GP	green	C1b	2	10	571898	**2 608 901 220**	
152 x 229	Cleaning	white	C0a	20	20	571805	**2 608 901 211**	
152 x 229	Coarse A	brown	C0a	20	20	571812	**2 608 901 212**	
152 x 229	Extra cut S	black	C0a	20	20	571799	**2 608 901 210**	
152 x 229	Medium A	maroon	C0a	20	20	571836	**2 608 901 214**	
152 x 229	Medium S	black	C0a	20	20	571829	**2 608 901 213**	
152 x 229	Ultra fine S	grey	C0a	20	20	571850	**2 608 901 216**	
152 x 229	Very fine A	red	C0a	20	20	571843	**2 608 901 215**	
152 x 229	Very fine GP	green	C0a	20	20	571867	**2 608 901 217**	

EXPERT N880 Fleece Rolls for Handsanding

EXPERT



- Ideal for cleaning stainless steel, for example to achieve a final surface finish; for light deburring and surface blending.
- Best for metalworkers: Long Lasting Quality.
- Lasts up to 3x longer than standard coated hand sanding sheet.





SURFACE STRUCTURE | UP TO 3x* LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Roll width mm	Roll length m	Grade	Product colour	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
100	10	Coarse A	brown	P0f	1	1	571911	**2 608 901 222**	
100	10	Medium S	black	P0f	1	1	571928	**2 608 901 223**	
100	10	Very fine A	red	P0f	1	1	571935	**2 608 901 224**	
100	10	Very fine GP	green	P0f	1	1	571942	**2 608 901 225**	
115	10	Cleaning	white	P0f	1	1	571959	**2 608 901 226**	
115	10	Coarse A	brown	P0f	1	1	571966	**2 608 901 227**	
115	10	Medium A	maroon	P0f	1	1	571980	**2 608 901 229**	
115	10	Medium S	black	P0f	1	1	571973	**2 608 901 228**	
115	10	Ultra fine S	grey	P0f	1	1	572000	**2 608 901 231**	
115	10	Very fine A	red	P0f	1	1	571997	**2 608 901 230**	
115	10	Very fine GP	green	P0f	1	1	572017	**2 608 901 232**	
150	10	Cleaning	white	P0f	1	1	572024	**2 608 901 233**	
150	10	Coarse A	brown	P0f	1	1	572031	**2 608 901 234**	

EXPERT N880 Fleece Rolls for Handsanding

EXPERT

PRODUCT PROPERTIES				ORDERING INFORMATION				
Roll width mm	Roll length m	Grade	Product colour	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
150	10	Medium A	maroon	P0f	1	1	572055	**2 608 901 236**
150	10	Medium S	black	P0f	1	1	572048	**2 608 901 235**
150	10	Ultra fine S	grey	P0f	1	1	572079	**2 608 901 238**
150	10	Very fine A	red	P0f	1	1	572062	**2 608 901 237**
150	10	Very fine GP	green	P0f	1	1	572086	**2 608 901 239**

LONG LIFE SANDING WOOD AND PAINT

EXPERT Sanding Foams

ASSORTMENT: Medium / Fine / Superfine

EXPERT

1. Strong, flexible bonding with Bosch Surface Structure
2. Tear Resistant foam is extremely strong and durable
3. Sponge moulds to shapes for even pressure on surface



EXPERT S470 Combi Blocks

EXPERT



- Ideal for general sanding, for example to remove old paint from window frames; thin edge is ideal for sanding surface next to glass of walls; rounded edge can follow shape of routed edges on wooden tables.
- EXPERT Abrasives - the very best for all trades.
- Lasts up to 5x longer than standard sandpaper.



SURFACE STRUCTURE | UP TO 5x* LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
Dimensions mm	Grade	Product colour	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
69 x 97 x 26	Medium / Fine / Superfine	orange / yellow / green	C1b	3	5	545127	**2 608 901 174**
69 x 97 x 26	Super fine	green	C0a	1	20	605241	**2 608 621 923**
69 x 97 x 26	Fine	yellow	C0a	1	20	605234	**2 608 621 922**
			C0a	1	50	545066	**2 608 901 168**
69 x 97 x 26	Medium	orange	C0a	1	20	605227	**2 608 621 921**

EXPERT S471 Standard Blocks

EXPERT







SURFACE STRUCTURE | UP TO 5x* LONG LIFE

- Ideal for flat sanding, for example to remove old paint from window frames; square edges and firm pad helps to give shape, for example by sanding away sharp edges.
- EXPERT Abrasives - the very best for all trades.
- Lasts up to 5x longer than standard sandpaper.

PRODUCT PROPERTIES			ORDERING INFORMATION				
Dimensions mm	Grade	Product colour	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
69 x 97 x 26	Medium / Fine / Superfine	orange / yellow / green	C1b	3	5	545134	**2 608 901 175**
69 x 97 x 26	Medium	orange	C0a	1	20	545158	**2 608 901 177**
69 x 97 x 26	Fine	yellow	C0a	1	20	545165	**2 608 901 178**
69 x 97 x 26	Super fine	green	C0a	1	20	545172	**2 608 901 179**
69 x 97 x 26	Medium	orange	C0a	1	50	545073	**2 608 901 169**
69 x 97 x 26	Fine	yellow	C0a	1	50	545080	**2 608 901 170**
69 x 97 x 26	Super fine	green	C0a	1	50	545189	**2 608 901 180**

EXPERT S473 Standard Pads

EXPERT







SURFACE STRUCTURE | UP TO 5x* LONG LIFE

- Ideal for sanding curved surfaces, even tight curves such as the legs of a table or of a chair. This broad, thin pad is very flexible and can grab around cylindrical surfaces for easy, even sanding; form-following sanding of furniture to remove old paint or finish natural wood.
- EXPERT Abrasives - the very best for all trades.
- Lasts up to 5x longer than standard sandpaper.

PRODUCT PROPERTIES			ORDERING INFORMATION				
Dimensions mm	Grade	Product colour	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
98 x 120 x 13	Medium / Fine / Superfine	orange / yellow / green	C1b	3	5	545141	**2 608 901 176**
98 x 120 x 13	Medium	orange	C0a	1	20	605258	**2 608 621 924**
98 x 120 x 13	Fine	yellow	C0a	1	20	605265	**2 608 621 925**
98 x 120 x 13	Super fine	green	C0a	1	20	605272	**2 608 621 926**
98 x 120 x 13	Medium	orange	C0a	1	50	545097	**2 608 901 171**
98 x 120 x 13	Fine	yellow	C0a	1	50	545103	**2 608 901 172**
98 x 120 x 13	Super fine	green	C0a	1	50	545110	**2 608 901 173**

Accessories for **orbital sanders or for hand sanding**

Hand sanding blocks

- **Suitable for** sanding paint, soft or hard wood, glass fibre plastics and smudging materials such as filler or roughcast
- Two grit grades, “medium” and “fine”, on the hand sanding block
- Carbide sanding sheet permanently bonded to the hand sanding block – guarantees robustness and long life

PRODUCT PROPERTIES			ORDERING INFORMATION				
Width, sheet mm	Length, sheet mm	Width [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Hand sanding block made of cork, small							
100	60	-	C1d	1	1	106573	**2 607 000 636**
120	80	-	C1d	1	1	106580	**2 607 000 637**
 Hand sanding block made of rubber, with nail clamp							
70	130	-	C1d	1	1	106566	**2 607 000 635**
 Hand sanding block made of cork, with hook-and-loop-type fastening system							
70	125	-	C0a	1	1	672207	**2 608 608 587**
 Hand sanding block with hook-and-loop-type fastening system, 2 sides: Medium-hard (blue), extra-soft (white)							
70	125	-	C0a	1	1	672191	**2 608 608 586**
Suitable for sanding large wood, metal and plasterboard panels For sanding sheets and sanding mesh							
93	185	-	C1b	1	1	714471	**2 608 608 N23**
115	230	-	C1b	1	1	714488	**2 608 608 N24**
 Hand sander made of plastic							
85	165	-	C1e	1	1	755542	**2 608 601 218**
 Hand sander with handle and clamping device							
-	-	-	C1b	1	1	714624	**2 608 608 N17**
-	185	93	C1b	1	1	714617	**2 608 608 N16**

Hole punches for unpunched sanding sheets



PRODUCT PROPERTIES			ORDERING INFORMATION				
Width, sheet mm	Length, sheet mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Hole punch made of plastic **Suitable for** GSS 23 AE; GSS 230 AVE Professional							
93	230	8	P0f	1	1	018593	**2 608 190 016**



Hole punch made of plastic **Suitable for** GSS 23 AE; GSS 280 AVE Professional							
115	280	14	P0f	1	1	018135	**2 608 190 017**



Hole punch **Suitable for** GSS 18V-10; GSS 140 A; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS 1400 Professional							
-	-	-	C0a	1	1	894166	**2 608 000 652**

Sanding mesh

- **Suitable for** sanding roughcast + plaster
- **Appropriate for** hand sanders



PRODUCT PROPERTIES		ORDERING INFORMATION				
Sheet dimensions mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
93x230	80	C1a	5	5	714495	**2 608 608 N25**
93x230	120	C1a	5	5	714501	**2 608 608 N26**
93x230	220	C1a	5	5	714518	**2 608 608 N27**
115x280	80	C1a	5	5	714525	**2 608 608 N28**
115x280	120	C1a	5	5	714532	**2 608 608 N29**
115x280	220	C1a	5	5	714549	**2 608 608 N30**

METAL SANDING

The most efficient solutions

The best your tool can get. Bosch Professional Accessories.





FIBRE AND FLAP DISCS FOR ANGLE GRINDERS

Get the quality finish.



	N477	R782	R781	R780	R574
	EXPERT	EXPERT	EXPERT		
Page number	770	752	755	758	759
Grit range	Extra coarse - very fine	36+ - 120+	36+ - 80+	36 - 120	24 - 120
Grit type	Aluminium oxide	Ceramic aluminium oxide	Ceramic aluminium oxide	Ceramic aluminium oxide	Zirconia
Backing material	3D Fibre fleece	Fibre	Fibre	Fibre	Fibre
Diameter mm	100 - 125	115 - 180	115 - 180	115 - 180	115 - 230
X-LOCK	✓	✓	✓	✓	✓
M14	✓	✓	✓	✓	✓
	UP TO 4x* SPEED SURFACE STRUCTURE	UP TO 4x* SPEED PRISMA TECHNOLOGY	UP TO 4x* SPEED PRISMA TECHNOLOGY		

MATERIALS

Stainless steel (inox)	✓	✓	–	✓	–
Mild steel (metal)	✓	✓	✓	✓	✓
Sheet metal	✓	✓	✓	✓	✓
Construction wood	✓	–	✓	–	✓
Aluminium	✓	✓	–	✓	✓

*Bosch EXPERT products vs. Bosch standard products








R444	X581	X571	X551	X431	F550
760	**762**	**763**	**766**	**767**	**773**
24 - 120	40 - 80	40 - 120	40 - 120	40 - 120	24 - 120
Aluminium oxide	Zirconia	Zirconia	Zirconia	Aluminium oxide	Zirconia alumina
Fibre	X-Cloth	X-Cloth	X-Cloth	X-Cloth	Fibre / F-Paper
100 - 230	115 - 125	115 - 180	115 - 180	115 - 125	115 - 125
✓	–	✓	–	–	–
✓	✓	✓	✓	✓	✓
–	✓	✓	✓	–	–
✓	✓	✓	✓	✓	✓
✓	–	✓	✓	✓	✓
✓	–	✓	✓	✓	✓
✓	–	✓	✓	✓	✓

MAXIMUM SPEED GRINDING STAINLESS STEEL

EXPERT R782 Prisma Discs X-LOCK

ASSORTMENT: Grit: 36+ - 120+

EXPERT

1. Fast stock removal with Bosch Prisma Ceramic technology
2. Stays faster for longer due to self - sharpening effect
3. Cooling top coat lets you grind faster without overheating
4. Cambered design ensures disc stays flat for maximum performance



EXPERT R782 Prisma Ceramic X-LOCK Fibre Discs

EXPERT



- Ideal for grinding stainless steel, such as removing raised welds from fabricated stainless steel structures.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x faster than standard fibre disc.
- Click it on with X-LOCK – the fastest accessory-changing system on the market. Also fits nut and thread angle grinders.



PRISMA TECHNOLOGY | UP TO 4x* SPEED

PRODUCT PROPERTIES				ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	22.23	36	•	P1b	5	5	537290	**2 608 621 804**
115	22.23	60	•	P1b	5	5	537306	**2 608 621 805**
115	22.23	80	•	P1b	5	5	538297	**2 608 621 806**
115	22.23	120	•	P1b	5	5	538303	**2 608 621 807**
125	22.23	36	•	P1b	5	5	538310	**2 608 621 808**

EXPERT R782 Prisma Ceramic X-LOCK Fibre Discs

EXPERT

PRODUCT PROPERTIES				ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
125	22.23	60	●	P1b	5	5	538327	**2 608 621 809**
125	22.23	80	●	P1b	5	5	538334	**2 608 621 810**
125	22.23	120	●	P1b	5	5	538341	**2 608 621 811**
115	22.23	36	●	P0b	25	1	538433	**2 608 621 820**
115	22.23	60	●	P0b	25	1	538440	**2 608 621 821**
115	22.23	80	●	P0b	25	1	538457	**2 608 621 822**
115	22.23	120	●	P0b	25	1	538464	**2 608 621 823**
125	22.23	36	●	P0b	25	1	538471	**2 608 621 824**
125	22.23	60	●	P0b	25	1	538488	**2 608 621 825**
125	22.23	80	●	P0b	25	1	538495	**2 608 621 826**
125	22.23	120	●	P0b	25	1	538501	**2 608 621 827**

EXPERT R782 Prisma Ceramic Fibre Discs

EXPERT





- Ideal for grinding stainless steel, such as removing raised welds from fabricated stainless steel structures.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x faster than standard fibre disc.
- With 16 mm bore for standard locking nut angle grinders.

PRISMA TECHNOLOGY

UP TO 4x* SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
100	16	36	P0b	25	1	538396	**2 608 621 816**
100	16	60	P0b	25	1	538402	**2 608 621 817**
100	16	80	P0b	25	1	538419	**2 608 621 818**
100	16	120	P0b	25	1	538426	**2 608 621 819**

EXPERT R782 Prisma Ceramic Fibre Discs

EXPERT



- Ideal for grinding stainless steel, such as removing raised welds from fabricated stainless steel structures.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x faster than standard fibre disc.
- With 22.23 mm bore for standard locking nut angle grinders.





PRISMA TECHNOLOGY | UP TO 4x* SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
180	22.23	36	P0b	25	1	538518	**2 608 621 828**
180	22.23	60	P0b	25	1	538525	**2 608 621 829**
180	22.23	80	P0b	25	1	538532	**2 608 621 830**
180	22.23	120	P0b	25	1	538549	**2 608 621 831**

MAXIMUM SPEED GRINDING METAL

EXPERT R781 Prisma Discs X-LOCK

ASSORTMENT: Grit: 36+ - 80+

EXPERT

1. Fast stock removal with Bosch Prisma Ceramic technology
2. Stays faster for longer due to self-sharpening effect
3. Cooling top coat lets you grind faster without overheating
4. Cambered design ensures disc stays flat for maximum performance



EXPERT R781 Prisma Ceramic X-LOCK Fibre Discs

EXPERT



- Ideal for grinding metal, such as removing raised welds from fabricated metal structures.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x faster than standard fibre disc.
- Click it on with X-LOCK – the fastest accessory-changing system on the market. Also fits nut and thread angle grinders.



PRISMA TECHNOLOGY | UP TO 4x* SPEED

PRODUCT PROPERTIES				ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	22.23	36	•	P1b	5	5	537047	**2 608 621 779**
115	22.23	60	•	P1b	5	5	537054	**2 608 621 780**
115	22.23	80	•	P1b	5	5	537061	**2 608 621 781**
125	22.23	36	•	P1b	5	5	537078	**2 608 621 782**
125	22.23	60	•	P1b	5	5	537085	**2 608 621 783**

EXPERT R781 Prisma Ceramic X-LOCK Fibre Discs

EXPERT

PRODUCT PROPERTIES				ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
125	22.23	80	●	P1b	5	5	537092	**2 608 621 784**
115	22.23	36	●	P0b	25	1	537160	**2 608 621 791**
115	22.23	60	●	P0b	25	1	537177	**2 608 621 792**
115	22.23	80	●	P0b	25	1	537184	**2 608 621 793**
125	22.23	36	●	P0b	25	1	537191	**2 608 621 794**
125	22.23	60	●	P0b	25	1	537207	**2 608 621 795**
125	22.23	80	●	P0b	25	1	537214	**2 608 621 796**

EXPERT R781 Prisma Ceramic Fibre Discs

EXPERT



- Ideal for grinding metal, such as removing raised welds from fabricated metal structures.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x faster than standard fibre disc.
- With 16 mm bore for standard locking nut angle grinders.





PRISMA TECHNOLOGY

UP TO 4x* SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
100	16	36	P0b	25	1	537139	**2 608 621 788**
100	16	60	P0b	25	1	537146	**2 608 621 789**
100	16	80	P0b	25	1	537153	**2 608 621 790**

EXPERT R781 Prisma Ceramic Fibre Discs

EXPERT



- Ideal for grinding metal, such as removing raised welds from fabricated metal structures.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x faster than standard fibre disc.
- With 22.23 mm bore for standard locking nut angle grinders.





PRISMA TECHNOLOGY

UP TO 4x* SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
180	22.23	36	P0b	25	1	537221	**2 608 621 797**
180	22.23	60	P0b	25	1	537238	**2 608 621 798**
180	22.23	80	P0b	25	1	537245	**2 608 621 799**

2-STEP SYSTEM SOLUTION

1. Step: R780 Ceramic Fibre Disc.



HIGH PERFORMANCE

High Stock removal in coarser grits and consistent surface quality in finer grits due to strong ceramic grain

STABLE GRINDING

Process because of thick and vulcanized backing

REDUCED DISCOLOURATION

Thanks to top size coating, it is perfect for Inox as well as mild steel applications

X-LOCK Fibre sanding discs, R780, Best for Metal + Inox - EN 13743

best Metal+Inox

X-LOCK ✓

M14/Ø 22,23 ✓

Stainless Inox

extra high SPEED

long LIFE

Ceramic Grit Technology

- Changing fibre discs is fast and convenient thanks to the keyless X-LOCK system.
- X-LOCK fibre discs also fit on standard angle grinders
- High stock removal in coarser grits and consistent surface quality in finer grits due to strong ceramic grain
- **Stable grinding** process because of thick and vulcanised backing
- **Reduced discolouration** thanks to top size coating, it is perfect for Inox, mild steel, cast iron, non-ferrous metals and aluminium

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	36	C0a	1	50	960212	**2 608 619 177**
115	22.23	50	C0a	1	50	960229	**2 608 619 178**
115	22.23	60	C0a	1	50	960236	**2 608 619 179**
115	22.23	80	C0a	1	50	960243	**2 608 619 180**
115	22.23	100	C0a	1	50	960250	**2 608 619 181**
115	22.23	120	C0a	1	50	960267	**2 608 619 182**
125	22.23	36	C0a	1	50	960274	**2 608 619 183**
125	22.23	50	C0a	1	50	960281	**2 608 619 184**
125	22.23	60	C0a	1	50	960298	**2 608 619 185**
125	22.23	80	C0a	1	50	960304	**2 608 619 186**
125	22.23	100	C0a	1	50	960311	**2 608 619 187**
125	22.23	120	C0a	1	50	960328	**2 608 619 188**



Fibre sanding discs R780, Best for Metal and Inox - EN 13743

best Metal+Inox

- High stock removal in coarser grits and consistent surface quality in finer grits due to strong ceramic grain
- **Stable grinding** process because of thick and vulcanised backing
- **Reduced discolouration** thanks to top size coating, it is perfect for Inox, mild steel, cast iron, non-ferrous metals and aluminium



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	36	C0a	1	50	915168	**2 608 621 604**
115	22.23	50	C0a	1	50	915175	**2 608 621 605**
115	22.23	60	C0a	1	50	915182	**2 608 621 606**
115	22.23	80	C0a	1	50	915199	**2 608 621 607**
115	22.23	100	C0a	1	50	915205	**2 608 621 608**
115	22.23	120	C0a	1	50	915212	**2 608 621 609**
125	22.23	36	C0a	1	50	915229	**2 608 621 610**
125	22.23	50	C0a	1	50	915236	**2 608 621 611**
125	22.23	60	C0a	1	50	915243	**2 608 621 612**
125	22.23	80	C0a	1	50	915250	**2 608 621 613**
125	22.23	100	C0a	1	50	915267	**2 608 621 614**
125	22.23	120	C0a	1	50	915274	**2 608 621 615**
180	22.23	36	C0a	1	50	915281	**2 608 621 616**
180	22.23	50	C0a	1	50	915298	**2 608 621 617**
180	22.23	60	C0a	1	50	915304	**2 608 621 618**
180	22.23	80	C0a	1	50	915311	**2 608 621 619**
180	22.23	100	C0a	1	50	915328	**2 608 621 620**
180	22.23	8,500	C0a	1	50	915335	**2 608 621 621**

X-LOCK Fibre sanding discs, R574, Best for Metal - EN 13743

best Metal

X-LOCK	✓
M14/Ø 22,23	✓

- Changing fibre discs is fast and convenient thanks to the keyless X-LOCK system.
- X-LOCK fibre discs also fit on standard angle grinders.
- **Suitable for** fine and coarse sanding, material removal, deburring and de-rusting on steel, cast iron, sheet steel and stainless steel
- Fibre sanding disc with zirconia/semi-friable aluminium oxide, fully synthetic resin bonded, 0.80 or 0.84 mm vulcanised fibre
- High material removal rate and long lifetime
- Sanding discs for clamping on a rubber backing pad



115	22.23	24	U0	1	50	959971	**2 608 619 153**
115	22.23	36	U0	1	50	959988	**2 608 619 154**
115	22.23	60	U0	1	50	959995	**2 608 619 155**
115	22.23	80	U0	1	50	960007	**2 608 619 156**
115	22.23	100	U0	1	50	960014	**2 608 619 157**
115	22.23	120	U0	1	50	960021	**2 608 619 158**
125	22.23	24	U0	1	50	960038	**2 608 619 159**
125	22.23	36	U0	1	50	960045	**2 608 619 160**
125	22.23	60	U0	1	50	960052	**2 608 619 161**
125	22.23	80	U0	1	50	960069	**2 608 619 162**
125	22.23	100	U0	1	50	960076	**2 608 619 163**
125	22.23	120	U0	1	50	960083	**2 608 619 164**

Fibre sanding discs R574, Best for Metal - EN 13743

best for Metal



- **Suitable for** fine and coarse sanding, material removal, deburring and de-rusting on steel, cast iron, sheet steel and stainless steel
- Fibre sanding disc with zirconia/semi-friable aluminium oxide, fully synthetic resin bonded, 0.80 or 0.84 mm vulcanised fibre
- High material removal rate and long lifetime
- Sanding discs for clamping on a rubber backing pad



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	24	U0	1	50	179904	**2 608 606 725**
115	22.23	36	U0	1	50	247917	**2 608 607 254**
115	22.23	60	U0	1	50	179928	**2 608 606 727**
115	22.23	80	U0	1	50	179935	**2 608 606 728**
115	22.23	100	U0	1	50	179942	**2 608 606 729**
115	22.23	120	U0	1	50	179959	**2 608 606 730**
125	22.23	24	U0	1	50	179966	**2 608 606 731**
125	22.23	36	U0	1	50	247924	**2 608 607 255**
125	22.23	60	U0	1	50	179980	**2 608 606 733**
125	22.23	80	U0	1	50	179997	**2 608 606 734**
125	22.23	100	U0	1	50	180009	**2 608 606 735**
125	22.23	120	U0	1	50	180016	**2 608 606 736**
180	22.23	24	U0	1	50	180054	**2 608 606 740**
180	22.23	36	U0	1	50	247931	**2 608 607 256**
180	22.23	60	U0	1	50	180078	**2 608 606 742**
180	22.23	80	U0	1	50	180085	**2 608 606 743**
180	22.23	100	U0	1	50	180092	**2 608 606 744**
180	22.23	120	U0	1	50	180108	**2 608 606 745**

X-LOCK Fibre sanding discs R444, Expert for Metal - EN 13743

expert for Metal

X-LOCK	✓
M14/Ø 22,23	✓



- Changing fibre discs is fast and convenient thanks to the keyless X-LOCK system.
- X-LOCK fibre discs also fit on standard angle grinders.
- **Suitable for** fine and coarse sanding, material removal, deburring and de-rusting, for different materials such as wood, paint, metal, stone
- Fibre sanding disc with semi-friable aluminium oxide, fully synthetic resin bonded, 0.65 or 0.80 mm vulcanised fibre
- Sanding discs for clamping on a rubber backing pad



115	22.23	24	C0a	1	50	960090	**2 608 619 165**
115	22.23	36	C0a	1	50	960106	**2 608 619 166**
115	22.23	60	C0a	1	50	960113	**2 608 619 167**
115	22.23	80	C0a	1	50	960120	**2 608 619 168**
115	22.23	100	C0a	1	50	960137	**2 608 619 169**
115	22.23	120	C0a	1	50	960144	**2 608 619 170**
125	22.23	24	C0a	1	50	960151	**2 608 619 171**
125	22.23	36	C0a	1	50	960168	**2 608 619 172**
125	22.23	60	C0a	1	50	960175	**2 608 619 173**
125	22.23	80	C0a	1	50	960182	**2 608 619 174**
125	22.23	100	C0a	1	50	960199	**2 608 619 175**
125	22.23	120	C0a	1	50	960205	**2 608 619 176**

Fibre sanding discs R444, Expert for Metal - EN 13743

expert Metal



- **Suitable for** fine and coarse sanding, material removal, deburring and de-rusting, for different materials such as wood, paint, metal, stone
- Fibre sanding disc with semi-friable aluminium oxide, fully synthetic resin bonded, 0.65 or 0.80 mm vulcanised fibre
- Sanding discs for clamping on a rubber backing pad



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
100	16	24	U0	1	50	185158	**2 608 606 916**
100	16	36	U0	1	50	247856	**2 608 607 248**
100	16	60	U0	1	50	185172	**2 608 606 918**
100	16	80	U0	1	50	185189	**2 608 606 919**
100	16	100	U0	1	50	185196	**2 608 606 920**
100	16	120	U0	1	50	185202	**2 608 606 921**
115	22.23	24	U0	1	50	162845	**2 608 605 464**
115	22.23	36	U0	1	50	247863	**2 608 607 249**
115	22.23	60	U0	1	50	162869	**2 608 605 466**
115	22.23	80	U0	1	50	162876	**2 608 605 467**
115	22.23	100	U0	1	50	162883	**2 608 605 468**
115	22.23	120	U0	1	50	162890	**2 608 605 469**
125	22.23	24	U0	1	50	162944	**2 608 605 474**
125	22.23	36	U0	1	50	247870	**2 608 607 250**
125	22.23	60	U0	1	50	162968	**2 608 605 476**
125	22.23	80	U0	1	50	162975	**2 608 605 477**
125	22.23	100	U0	1	50	162982	**2 608 605 478**
125	22.23	120	U0	1	50	162999	**2 608 605 479**
180	22.23	24	U0	1	50	163040	**2 608 605 484**
180	22.23	36	U0	1	50	247887	**2 608 607 251**
180	22.23	60	U0	1	50	163064	**2 608 605 486**
180	22.23	80	U0	1	50	163071	**2 608 605 487**
180	22.23	100	U0	1	50	163088	**2 608 605 488**
180	22.23	120	U0	1	50	163095	**2 608 605 489**

EXPERT N475 Surface Conditioning Material X-LOCK Flap Discs

EXPERT



- The EXPERT SCM Disc uses Bosch Surface Structure to offer speed and quality. It is the best choice for metalworkers who want a great finish and highly efficient working.
- The Bosch EXPERT Surface Conditioning Material Disc: Ideal for refining metal surfaces.
- Up to 3x faster than a benchmark Bosch disc.
- Click it on with X-LOCK – the fastest accessory-changing system on the market. Also fits nut and thread angle grinders.





SURFACE STRUCTURE

UP TO 3x* SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Version	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	22.23	Coarse	U0	1		589190	**2 608 901 470**
125	22.23	Coarse	U0	1		589220	**2 608 901 473**
115	22.23	Medium	U0	1		589206	**2 608 901 471**
125	22.23	Coarse	U0	1		589237	**2 608 901 474**
115	22.23	Very fine	U0	1		589213	**2 608 901 472**
125	22.23	Very fine	U0	1		589244	**2 608 901 475**

X581 flap discs, Best for Inox, angled version - EN 13743

best for Inox

Stainless Inox

long LIFE

- Particularly suitable for working on stainless steel (inox)
- Powerful thanks to high-performance zirconia, fully synthetic resin bonded, sturdy X-cloth and highly active additive coating
- Very high material removal rate and very long lifetime
- Flap disc on carrier plate made of glass fibre
- Angled version - for surface sanding and working on welded seams at a work angle of 15-25°



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	40	U0	1	10	590846	**2 608 608 263**
115	22.23	60	U0	1	10	590853	**2 608 608 264**
115	22.23	80	U0	1	10	590860	**2 608 608 265**
125	22.23	40	U0	1	10	528788	**2 608 607 638**
125	22.23	60	U0	1	10	528795	**2 608 607 639**
125	22.23	80	U0	1	10	528801	**2 608 607 640**

X581 flap discs, Best for Inox, straight version - EN 13743

best for Inox

Stainless Inox | long LIFE

- Particularly suitable for working on stainless steel (inox)
- Powerful thanks to high-performance zirconia, fully synthetic resin bonded, sturdy X-cloth and highly active additive coating
- Very high material removal rate and very long lifetime
- Flap disc on carrier plate made of glass fibre
- Straight version - for surface sanding and working on welded seams at a work angle of 5-15°



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	40	U0	1	10	590884	**2 608 608 267**
115	22.23	60	U0	1	10	590891	**2 608 608 268**
115	22.23	80	U0	1	10	590907	**2 608 608 269**
125	22.23	40	U0	1	10	590976	**2 608 608 276**
125	22.23	60	U0	1	10	590983	**2 608 608 277**
125	22.23	80	U0	1	10	590990	**2 608 608 278**

X-LOCK X571 flap discs, Best for Metal, angled version - EN 13743

best for Metal

X-LOCK	✓
M14/Ø 22,23	✓

Stainless Inox | long LIFE

- Changing Flap discs is fast and convenient thanks to the keyless X-LOCK system.
- X-LOCK Flap discs also fit on standard angle grinders.
- Especially suitable for treatment of stainless steel, steel, cast iron and sheet steel
- Powerful thanks to zirconia/semi-friable aluminium oxide, fully synthetic resin bonded, sturdy X-cloth
- Consistently high material removal rate and long lifetime
- Flap disc on carrier plate made of glass fibre
- Angled version - for working on edges/welded seams and surface sanding at a work angle of 15-25°



115	22.23	40	U0	1	10	960410	**2 608 619 197**
115	22.23	60	U0	1	10	960427	**2 608 619 198**
115	22.23	80	U0	1	10	960434	**2 608 619 199**
115	22.23	120	U0	1	10	960441	**2 608 619 200**
125	22.23	40	U0	1	10	960458	**2 608 619 201**
125	22.23	60	U0	1	10	960465	**2 608 619 202**
125	22.23	80	U0	1	10	960472	**2 608 619 203**
125	22.23	120	U0	1	10	960489	**2 608 619 204**

X-LOCK X571 flap discs, Best for Metal, angled version - EN 13743

best Metal

X-LOCK	✓
M14/Ø 22,23	✓

Stainless Inox | long LIFE

- Changing Flap discs is fast and convenient thanks to the keyless X-LOCK system.
- X-LOCK Flap discs also fit on standard angle grinders.
- Especially suitable for treatment of stainless steel, steel, cast iron and sheet steel
- Powerful thanks to zirconia, fully synthetic resin bonded, sturdy X-cloth
- Consistently high material removal rate and long lifetime
- Flap disc on carrier plate made of plastic
- Angled version - for working on edges/welded seams and surface sanding at a work angle of 15-25°



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	22.23	40	U0	1	10	523842	**2 608 621 763**
115	22.23	60	U0	1	10	523859	**2 608 621 764**
115	22.23	80	U0	1	10	523866	**2 608 621 765**
115	22.23	120	U0	1	10	523873	**2 608 621 766**
125	22.23	40	U0	1	10	523880	**2 608 621 767**
125	22.23	60	U0	1	10	523897	**2 608 621 768**
125	22.23	80	U0	1	10	523903	**2 608 621 769**
125	22.23	120	U0	1	10	523910	**2 608 621 770**

X-LOCK X571 flap discs, Best for Metal, straight version - EN 13743

best Metal

X-LOCK	✓
M14/Ø 22,23	✓

Stainless Inox | long LIFE

- Changing Flap discs is fast and convenient thanks to the keyless X-LOCK system.
- X-LOCK Flap discs also fit on standard angle grinders.
- Especially suitable for treatment of stainless steel, steel, cast iron and sheet steel
- Powerful thanks to zirconia, fully synthetic resin bonded, sturdy X-cloth
- Consistently high material removal rate and long lifetime
- Flap disc on carrier plate made of glass fibre
- Straight version - for surface sanding and working on welded seams at a work angle of 5-15°



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	40	U0	1	10	960496	**2 608 619 205**
115	22.23	60	U0	1	10	960502	**2 608 619 206**
115	22.23	80	U0	1	10	960519	**2 608 619 207**
115	22.23	120	U0	1	10	960526	**2 608 619 208**
125	22.23	40	U0	1	10	960533	**2 608 619 209**
125	22.23	60	U0	1	10	960540	**2 608 619 210**
125	22.23	80	U0	1	10	960557	**2 608 619 211**
125	22.23	120	U0	1	10	960564	**2 608 619 212**

X571 flap discs, Best for Metal, angled version - EN 13743

best Metal

Stainless Inox | long LIFE

- Especially suitable for treatment of stainless steel, steel, cast iron and sheet steel
- Powerful thanks to zirconia/semi-friable aluminium oxide, fully synthetic resin bonded, sturdy X-cloth
- Consistently high material removal rate and long lifetime
- Flap disc on carrier plate made of glass fibre
- Angled version - for working on edges/welded seams and surface sanding at a work angle of 15-25°



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	40	U0	1	10	162708	**2 608 605 450**
115	22.23	60	U0	1	10	162715	**2 608 605 451**
115	22.23	80	U0	1	10	162722	**2 608 605 452**
115	22.23	120	U0	1	10	270205	**2 608 607 319**
125	22.23	40	U0	1	10	185219	**2 608 606 922**
125	22.23	60	U0	1	10	185226	**2 608 606 923**
125	22.23	80	U0	1	10	185233	**2 608 606 924**
125	22.23	120	U0	1	10	270212	**2 608 607 320**
180	22.23	40	U0	1	10	180023	**2 608 606 737**
180	22.23	60	U0	1	10	180030	**2 608 606 738**
180	22.23	80	U0	1	10	180047	**2 608 606 739**

X571 flap discs, Best for Metal, straight version - EN 13743

best Metal

Stainless Inox | long LIFE

- Especially suitable for treatment of stainless steel, steel, cast iron and sheet steel
- Powerful thanks to zirconia, fully synthetic resin bonded, sturdy X-cloth
- Consistently high material removal rate and long lifetime
- Flap disc on carrier plate made of glass fibre
- Straight version - for surface sanding and working on welded seams at a work angle of 5-15°



115	22.23	40	U0	1	10	270236	**2 608 607 322**
115	22.23	60	U0	1	10	270243	**2 608 607 323**
115	22.23	80	U0	1	10	270250	**2 608 607 324**
115	22.23	120	U0	1	10	270267	**2 608 607 325**
125	22.23	40	U0	1	10	270274	**2 608 607 326**
125	22.23	60	U0	1	10	270281	**2 608 607 327**
125	22.23	80	U0	1	10	270670	**2 608 607 328**
125	22.23	120	U0	1	10	270687	**2 608 607 329**

X571 flap discs, Best for Metal, straight version - EN 13743 - plastic

best Metal

Stainless Inox | long LIFE

- Especially suitable for treatment of stainless steel, steel, cast iron and sheet steel
- Powerful thanks to zirconia/semi-friable aluminium oxide, fully synthetic resin bonded, sturdy X-cloth and highly active additive
- Consistently high material removal rate and long lifetime
- Flap disc on carrier plate made of plastic
- Straight version - for surface sanding and working on welded seams at a work angle of 5-15°



115	22.23	40	U0	1	10	270731	**2 608 607 334**
115	22.23	60	U0	1	10	270748	**2 608 607 335**
115	22.23	80	U0	1	10	270755	**2 608 607 336**
115	22.23	120	U0	1	10	270991	**2 608 607 337**
125	22.23	40	U0	1	10	270762	**2 608 607 338**
125	22.23	60	U0	1	10	270779	**2 608 607 339**
125	22.23	80	U0	1	10	270786	**2 608 607 340**
125	22.23	120	U0	1	10	270793	**2 608 607 341**

X571 flap discs, Best for Metal, straight version - EN 13743 - plastic

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
180	22.23	40	U0	1	10	270809	**2 608 607 342**
180	22.23	60	U0	1	10	270816	**2 608 607 343**
180	22.23	80	U0	1	10	270823	**2 608 607 344**

X551 flap discs, Expert for Metal, angled version - EN 13743

expert for Metal



- Particularly suitable for metalworking
- Powerful thanks to zirconia/semi-friable aluminium oxide, fully synthetic resin bonded, sturdy X-cloth
- The low-cost alternative as an ideal solution
- Flap disc on carrier plate made of glass fibre
- Angled version - for working on edges/welded seams and surface sanding at a work angle of 15-25°



115	22.23	40	U0	1	10	180177	**2 608 606 752**
115	22.23	60	U0	1	10	180184	**2 608 606 753**
115	22.23	80	U0	1	10	180191	**2 608 606 754**
115	22.23	120	U0	1	10	270847	**2 608 607 346**
125	22.23	40	U0	1	10	179812	**2 608 606 716**
125	22.23	60	U0	1	10	179829	**2 608 606 717**
125	22.23	80	U0	1	10	179836	**2 608 606 718**
125	22.23	120	U0	1	10	270854	**2 608 607 347**

X551 flap discs, Expert for Metal, straight version - EN 13743

expert for Metal



- Particularly suitable for metalworking
- Powerful thanks to zirconia/semi-friable aluminium oxide, fully synthetic resin bonded, sturdy X-cloth
- The low-cost alternative as an ideal solution
- Flap disc on carrier plate made of glass fibre
- Straight version - for surface sanding and working on welded seams at a work angle of 5-15°



115	22.23	40	U0	1	10	270878	**2 608 607 349**
115	22.23	60	U0	1	10	270885	**2 608 607 350**
115	22.23	80	U0	1	10	270892	**2 608 607 351**
115	22.23	120	U0	1	10	270908	**2 608 607 352**
125	22.23	40	U0	1	10	270915	**2 608 607 353**
125	22.23	60	U0	1	10	270922	**2 608 607 354**
125	22.23	80	U0	1	10	270939	**2 608 607 355**
125	22.23	120	U0	1	10	270953	**2 608 607 356**

X551 flap discs, Expert for Metal, straight version - EN 13743 - plastic

expert Metal



- Particularly suitable for metalworking
- Powerful thanks to zirconia/semi-friable aluminium oxide, fully synthetic resin bonded, sturdy X-cloth
- The low-cost alternative as an ideal solution
- Flap disc on carrier plate made of plastic
- Straight version - for surface sanding and working on welded seams at a work angle of 5-15°



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	40	U0	1	10	271011	**2 608 607 361**
115	22.23	60	U0	1	10	271028	**2 608 607 362**
115	22.23	80	U0	1	10	271035	**2 608 607 363**
115	22.23	120	U0	1	10	270663	**2 608 607 364**
125	22.23	40	U0	1	10	271042	**2 608 607 365**
125	22.23	60	U0	1	10	271059	**2 608 607 366**
125	22.23	80	U0	1	10	271066	**2 608 607 367**
125	22.23	120	U0	1	10	271073	**2 608 607 368**

X431 flap discs, Standard for Metal, angled version - EN 13743

standard Metal



- Particularly suitable for metalworking
- Good material removal rate thanks to semi-friable aluminium oxide, fully synthetic resin bonded, sturdy X-cloth
- The low-cost alternative as an ideal solution
- Flap disc on carrier plate made of glass fibre
- Angled version - for working on edges/welded seams and surface sanding at a work angle of 15-25°



115	22.23	40	U0	1	10	744034	**2 608 603 652**
115	22.23	60	U0	1	10	744041	**2 608 603 653**
115	22.23	80	U0	1	10	744058	**2 608 603 654**
115	22.23	120	U0	1	10	744065	**2 608 603 655**
125	22.23	40	U0	1	10	744072	**2 608 603 656**
125	22.23	60	U0	1	10	744089	**2 608 603 657**
125	22.23	80	U0	1	10	744096	**2 608 603 658**
125	22.23	120	U0	1	10	744102	**2 608 603 659**

X431 flap discs, Standard for Metal, straight version - EN 13743

standard Metal



- Particularly suitable for metalworking
- Good material removal rate thanks to semi-friable aluminium oxide, fully synthetic resin bonded, sturdy X-cloth
- The low-cost alternative as an ideal solution
- Flap disc on carrier plate made of glass fibre
- Straight version - for surface sanding and working on welded seams at a work angle of 5-15°



115	22.23	40	U0	1	10	756921	**2 608 603 712**
115	22.23	60	U0	1	10	756938	**2 608 603 713**
115	22.23	80	U0	1	10	756945	**2 608 603 714**
115	22.23	120	U0	1	10	756952	**2 608 603 715**
125	22.23	40	U0	1	10	756969	**2 608 603 716**
125	22.23	60	U0	1	10	756976	**2 608 603 717**
125	22.23	80	U0	1	10	756983	**2 608 603 718**
125	22.23	120	U0	1	10	756990	**2 608 603 719**

X431 flap discs, Standard for Metal, straight version - EN 13743 - plastic

standard for Metal



- Particularly suitable for metalworking
- Good material removal rate thanks to semi-friable aluminium oxide, fully synthetic resin bonded, sturdy X-cloth
- The low-cost alternative as an ideal solution
- Flap disc on carrier plate made of plastic
- Straight version - for surface sanding and working on welded seams at a work angle of 5-15°



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	40	U0	1	10	786676	**2 608 601 270**
115	22.23	60	U0	1	10	786683	**2 608 601 271**
115	22.23	80	U0	1	10	786690	**2 608 601 272**
115	22.23	120	U0	1	10	786706	**2 608 601 273**
125	22.23	40	U0	1	10	786713	**2 608 601 274**
125	22.23	60	U0	1	10	786720	**2 608 601 275**
125	22.23	80	U0	1	10	786737	**2 608 601 276**
125	22.23	120	U0	1	10	786744	**2 608 601 277**

F550 paper sanding sheets for angle grinders, Expert for Metal

expert for Metal



- **Suitable for** sanding all metals
- **Appropriate for** Bosch backing pad 2 608 601 076 (115 mm diameter), 2 608 601 077 (125 mm diameter)



PRODUCT PROPERTIES		ORDERING INFORMATION				
Disc diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 5						
115	24	C1a	5	5	805841	**2 608 608 Y01**
115	40	C1a	5	5	805865	**2 608 608 Y03**
115	60	C1a	5	5	805889	**2 608 608 Y05**
115	80	C1a	5	5	805896	**2 608 608 Y06**
115	120	C1a	5	5	805919	**2 608 608 Y08**
125	24	C1a	5	5	805933	**2 608 608 Y10**
125	40	C1a	5	5	805957	**2 608 608 Y12**
125	60	C1a	5	5	805971	**2 608 608 Y14**
125	80	C1a	5	5	805988	**2 608 608 Y15**
125	120	C1a	5	5	806008	**2 608 608 Y17**

X-LOCK cleaning disc N377, Best for Metal, 50 m/s







PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Version	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952…	Part number
optimum speed 5,500 rpm							
115	22.23	black	U0	1	5	538556	**2 608 621 832**
optimum speed 5,000 rpm							
125	22.23	black	U0	1	5	538563	**2 608 621 833**

Cleaning disc, N377, Best for Metal, 50m/s

best Metal



- **Suitable for** working on metal, non-ferrous metals and stainless steel
- Ideal for removing rust, paint, oxide layers, lime deposits, moss and graffiti on stone, marble and concrete, seal residues
- Low clogging thanks to open structure of the fleece. Coating made of silicon carbide
- Cleaning disc on carrier plate made of glass fibre
- **Appropriate for** controllable angle grinders with a max. speed of 7,600 rpm using discs with 125 mm diameter and with max. 8,300 rpm using discs with 115 mm diameter, e.g. Bosch GWS 14-125 Inox Professional angle grinder



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Version	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
optimum speed 5,500 rpm							
115	22.23	black	U0	1	5	528726	**2 608 607 632**
optimum speed 5,000 rpm							
125	22.23	black	U0	1	5	528733	**2 608 607 633**

HIGH SPEED METAL FINISHING

EXPERT N477 Surface Conditioning Material Discs

ASSORTMENT: very fine - extra coarse

EXPERT

1. Maximum abrasion with Bosch Surface Structure
2. Rapid stock removal by high performance grits
3. 3D structure allows grit through the fleece



EXPERT N477 SCM Discs for Angle Grinders

EXPERT



- Ideal for refining metal surfaces, for example after grinding away a weld; for refining metal surfaces prior to painting; and for removing flaws, rust and discolouration.
- Best for metalworkers: fast and efficient.
- Up to 4x faster than a standard disc.
- Just stick it on with hook and loop.



SURFACE STRUCTURE | UP TO 4x* SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Version	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	22	Coarse	C0a	25	25	572345	**2 608 901 265**
115	22	Extra coarse	C0a	25	25	572338	**2 608 901 264**
115	22	Medium	C0a	25	25	572352	**2 608 901 266**
115	22	Very fine	C0a	25	25	572369	**2 608 901 267**
125	22	Coarse	C0a	25	25	572383	**2 608 901 269**

EXPERT N477 SCM Discs for Angle Grinders

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Version	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
125	22	Extra coarse	C0a	25	25	572376	**2 608 901 268**
125	22	Medium	C0a	25	25	572390	**2 608 901 270**
125	22	Very fine	C0a	25	25	572406	**2 608 901 271**

EXPERT N477 SCM Discs for Angle Grinders

EXPERT



- Ideal for refining metal surfaces, for example after grinding away a weld; for refining metal surfaces prior to painting; and for removing flaws, rust and discoloration.
- Best for metalworkers: fast and efficient.
- Up to 4x faster than a standard disc.
- Just stick it on with hook and loop.





SURFACE STRUCTURE

UP TO 4x* SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Version	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
100	16	Coarse	C0a	25	25	572307	**2 608 901 261**
100	16	Extra coarse	C0a	25	25	572291	**2 608 901 260**
100	16	Medium	C0a	25	25	572314	**2 608 901 262**
100	16	Very fine	C0a	25	25	572321	**2 608 901 263**

Sandpapers for Angle Grinders and Drills

EXPERT C470 Sandpapers with no holes for Angle Grinders and Drills

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than standard sandpaper.
- Just stick it on with hook and loop.





SURFACE STRUCTURE | UP TO 2x* SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 50							
125	40	no holes	C0a	50	1	542898	**2 608 900 951**
125	60	no holes	C0a	50	1	542904	**2 608 900 952**
125	80	no holes	C0a	50	1	542911	**2 608 900 953**
125	100	no holes	C0a	50	1	544922	**2 608 901 154**
125	120	no holes	C0a	50	1	542928	**2 608 900 954**
125	180	no holes	C0a	50	1	542935	**2 608 900 955**
125	240	no holes	C0a	50	1	542942	**2 608 900 956**
125	320	no holes	C0a	50	1	544939	**2 608 901 155**
125	400	no holes	C0a	50	1	544946	**2 608 901 156**

F355 paper sanding sheets for angle grinders and drills, Best for Coatings and Composites

best Coatings+Composites



- **Suitable for** sanding hard materials, varnish and plastic
- **Appropriate for** Bosch backing pad 2 608 601 076 (115 mm diameter), 2 608 601 077 (125 mm diameter)



PRODUCT PROPERTIES		ORDERING INFORMATION				
Disc diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 10						
115	60	C1a	10	5	163163	**2 608 605 496**
115	80	C1a	10	5	163170	**2 608 605 497**
115	120	C1a	10	5	163187	**2 608 605 498**
115	240	C1a	10	5	163194	**2 608 605 499**
115	320	C1a	10	5	163200	**2 608 605 500**
125	60	C1a	10	5	180207	**2 608 606 755**
125	80	C1a	10	5	180214	**2 608 606 756**
125	120	C1a	10	5	180221	**2 608 606 757**
125	240	C1a	10	5	180238	**2 608 606 758**
125	320	C1a	10	5	180245	**2 608 606 759**

Sandpapers for Drills

F460 paper sanding sheets for drills, Expert for Wood and Paint

best for Wood+Paint



- **Appropriate for** Bosch backing pad 1 609 200 240
- **Suitable for** sanding all types of wood, chipboard and construction boards, also for metal
- Outstanding lifetime and best price/performance ratio



PRODUCT PROPERTIES		ORDERING INFORMATION				
Disc diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 5						
125	40	C1c	5	5	004039	**1 609 200 160**
125	60	C1c	5	5	004046	**1 609 200 161**
125	80	C1c	5	5	004053	**1 609 200 162**
125	120	C1c	5	5	004060	**1 609 200 163**
125	180	C1c	5	5	004077	**1 609 200 164**
Pack of 10						
125	40 60 80 120 180	C1c	5	5	004084	**1 609 200 165**

F550 paper sanding sheets for drills, Expert for Metal

expert for Metal





Pack of 5						
115	24	C1a	5	5	805841	**2 608 608 Y01**
115	40	C1a	5	5	805865	**2 608 608 Y03**
115	60	C1a	5	5	805889	**2 608 608 Y05**
115	80	C1a	5	5	805896	**2 608 608 Y06**
115	120	C1a	5	5	805919	**2 608 608 Y08**
125	24	C1a	5	5	805933	**2 608 608 Y10**
125	40	C1a	5	5	805957	**2 608 608 Y12**
125	60	C1a	5	5	805971	**2 608 608 Y14**
125	80	C1a	5	5	805988	**2 608 608 Y15**
125	120	C1a	5	5	806008	**2 608 608 Y17**

Accessories for Sanding and Polishing with Drills

Backing Pad with Shank for Drills





PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Shank diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Hook-and-loop-type fastening plate for 125 mm abrasive diameter with Hook-and-loop-type fastening system						
125	8	C1c	1	1	003971	**1 609 200 154**
Backing pad for 125 mm abrasive diameter for clamping with screw/disc						
125	8	C1c	1	1	004435	**1 609 200 240**

Polishing Accessories for Drills





PRODUCT PROPERTIES		ORDERING INFORMATION				
Working diameter mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Polishing sponge Foam with rubber backing pad						
125		C1d	1	1	004480	**1 609 200 250**
Lambswool bonnet Use with polishing sponge and rubber backing pad						
125		C1c	1	5	004466	**1 609 200 245**

Polishing Accessories for Drills



PRODUCT PROPERTIES	ORDERING INFORMATION				
Working diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8-piece polishing set S 24					
Backing pad, polishing sponge, lambswool bonnet, sanding paper (aluminium oxide/paper)					
125	C1a	8	1	000185	**0 603 004 101**

Sanding sleeves for straight grinders

X573 sanding sleeves for straight grinders, Best for Metal

best for Metal



- **Suitable for** sanding stainless steel, steel, cast iron, steel plate
- High-tech zirconia alumina abrasive for heavy-duty use
- Cotton cloth (type XY) with fully synthetic resin bond



PRODUCT PROPERTIES				ORDERING INFORMATION				
Grit	Dimensions mm	Diameter mm	Width [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
36	15 x 30	15	30	C0a	50	1	181280	**2 608 606 863**
60	15 x 30	15	30	C0a	50	1	181297	**2 608 606 864**
80	15 x 30	15	30	C0a	50	1	181303	**2 608 606 865**
120	15 x 30	15	30	C0a	50	1	181310	**2 608 606 866**
36	30 x 20	30	20	C0a	50	1	181327	**2 608 606 867**
60	30 x 20	30	20	C0a	50	1	181334	**2 608 606 868**
80	30 x 20	30	20	C0a	50	1	181341	**2 608 606 869**
120	30 x 20	30	20	C0a	50	1	181358	**2 608 606 870**
36	30 x 30	30	30	C0a	50	1	181365	**2 608 606 871**
60	30 x 30	30	30	C0a	50	1	181372	**2 608 606 872**
80	30 x 30	30	30	C0a	50	1	181389	**2 608 606 873**
120	30 x 30	30	30	C0a	50	1	181396	**2 608 606 874**
36	45 x 30	45	30	C0a	50	1	181402	**2 608 606 875**
60	45 x 30	45	30	C0a	50	1	181419	**2 608 606 876**
80	45 x 30	45	30	C0a	50	1	181426	**2 608 606 877**
120	45 x 30	45	30	C0a	50	1	181433	**2 608 606 878**
36	60 x 30	60	30	C0a	30	1	181440	**2 608 606 879**
60	60 x 30	60	30	C0a	30	1	181457	**2 608 606 880**
80	60 x 30	60	30	C0a	30	1	181464	**2 608 606 881**
120	60 x 30	60	30	C0a	30	1	181471	**2 608 606 882**

Shank for sanding sleeves



PRODUCT PROPERTIES				ORDERING INFORMATION				
Max. speed rpm	Shank diameter mm	Diameter, shank mm	Width [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
9,500	6	60	30	P1c	1	1	192828	**2 608 620 038**
12,700	6	45	30	P1c	1	1	192811	**2 608 620 037**
19,100	6	30	30	P1c	1	1	192804	**2 608 620 036**
19,100	6	30	20	P1c	1	1	192798	**2 608 620 035**
36,000	6	15	30	P1c	1	1	192781	**2 608 620 034**

Flap wheels - Aluminium oxide



- **Suitable for** universal application in wood, metal, paint, plastic
- **Appropriate for** drills
- For surface machining, edge chamfering, deburring and structuring
- Shape: Cylindrical

PRODUCT PROPERTIES				ORDERING INFORMATION				
Straight shank mm	Grit	Diameter mm	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6	60	50	20	C1d	1	1	004572	**1 609 200 287**
6	120	50	20	C1d	1	1	004589	**1 609 200 288**
6	60	60	40	C1d	1	1	076791	**2 609 200 183**
6	120	60	40	C1d	1	1	076807	**2 609 200 185**

Sanding sleeves for Bosch grinding brush

best Metal

▶ **Suitable for** smoothing welded seams (steel), grinding, deburring, chamfering steel





PRODUCT PROPERTIES				ORDERING INFORMATION				
Grit	Dimensions mm	Diameter mm	Width [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
36	45 x 30	45	30	C0a	50	1	181402	**2 608 606 875**
60	45 x 30	45	30	C0a	50	1	181419	**2 608 606 876**
80	45 x 30	45	30	C0a	50	1	181426	**2 608 606 877**
120	45 x 30	45	30	C0a	50	1	181433	**2 608 606 878**

Felt disc and polishing agent for Bosch grinding brush



PRODUCT PROPERTIES		ORDERING INFORMATION				
Disc diameter mm	Disc width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Polishing felt						
Suitable for polishing delicate surfaces						
80	10	C1a	1	1	189644	**2 608 620 647**

Polishing accessories for GPO 14 CE Professional

- **Appropriate for** GPO 14 CE Professional

PRODUCT PROPERTIES		ORDERING INFORMATION					
	Working diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Hard Foam disc Polishing orange peel effect, paint runs and dust inclusions	**170**	P1d	1	1	632393	**2 608 612 023**
 Soft Foam Disc	**170**	P1d	1	1	632409	**2 608 612 024**
 Foam disc Removing holograms Finishing of dark and sensitive colours	**170**	P1d	1	1	632416	**2 608 612 025**
Lambskin disc Polishing old varnish after surface sanding	**170**	P1d	1	1	632423	**2 608 612 026**
 Backing pad for foam disc and lambskin disc with hook-and-loop-type fastening system	**150**	P1d	1	1	632430	**2 608 612 027**
 Backing pad with hook-and-loop-type fastening system and M10 thread. Max. 4000 rpm Pack of 1	-	P1b	1	1	711838	**2 608 603 440**

Polishing sponge for polishers



- **Suitable for** rubbing in wax and polishing weather-worn paints, stone, plastics and non-ferrous metal, and for polishing slightly dirty, scratched or pre-polished surfaces
- For use with polish or for working in surface sealing agents on even or curved surfaces
- **Appropriate for** GPO 12; GPO 12 E, GOP 14,4 V-EC Professional

Polishing sponge with M14 thread	**160**	P0b	1	1	026550	**1 608 613 013**

Felt polishing disc for polishers



- **Suitable for** polishing stone, plastics and non-ferrous metal, and for pre-polishing very dirty or scratched, even surfaces
- For use with polish or grinding paste on even surfaces
- **Appropriate for** GPO 12; GPO 12 E Professional

PRODUCT PROPERTIES	ORDERING INFORMATION				
Working diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Felt polishing disc with M14 thread					
180	P0b	1	1	026543	**1 608 612 002**
140	C1a	1	5	640107	**2 608 608 305**

Buffing discs for polishers



- **Suitable for** polishing plastics or non-ferrous metal, and for polishing slightly dirty, scratched or pre-polished surfaces
- For use with polish on smaller even or curved surfaces
- Ideal for tight spaces or objects with protruding parts
- **Appropriate for** GPO 12; GPO 12 E Professional

Buffing disc 20 mm thick, flannel (smooth material surface)					
250	P0b	1	1	026529	**1 608 611 002** [i]



Flange for buffing disc (please order separately)					
-	P0b	1	1	056281	**1 605 703 028** [i]

i = Phase Out Date 02.2027

Lambswool bonnet for polishers



- **Suitable for** polishing old varnish and after surface sanding
- **Note:** For use with polishing sponge (1 608 613 013) or felt polishing disc (1 608 612 002) or backing pad (2 608 601 209)
- **Appropriate for** GPO 12; GPO 12 E Professional

Lambswool bonnet					
180	P0f	1	1	026499	**1 608 610 000**

MACHINE ACCESSORIES

Improve your power tool

The best your tool can get. Bosch Professional Accessories.





Bosch System Chucks

Bosch System Chucks for Rotary Hammers

PRODUCT PROPERTIES				ORDERING INFORMATION				
Chuck capacity mm	Mount, range	R/L rotation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
SDS plus quick-change chuck **Suitable for** GBH 4 DFE; GBH 4 DSC Professional; PBH 300 E								
SDS plus	SDS		C0a	1	1	077606	**2 608 572 059**	
SDS plus quick-change chuck **Suitable for** GBH 24 VFR Professional; PBH 200 FRE; PBH 240 RE								
SDS plus	SDS		C1a	1	1	144247	**2 608 572 112**	
Keyless chuck with adapter **Suitable for** GBH 2-24 DFR; GBH 24 VF; GBH 24 VFR Professional; PBH 200 FRE; PBH 220 RE; PBH 240 RE								
1.5–13.0	SDS		C1a	1	1	127608	**1 617 000 328**	
SDS plus keyless chuck **Suitable for** GBH 2-24 DF; GBH 2-26 DFR; GBH 2-26 DFR + DMF 10 Zoom; GBH 2-28 DFV; GBH 3-28 DFR; GBH 4-32 DFR; GBH 18V-26 F; GBH 36 VF-LI; GBH 2600 Professional								
SDS plus	SDS		C0a	1	1	336932	**2 608 572 213**	
Keyless chuck with adapter **Suitable for** GBH 2-24 DF; GBH 2-26 DFR; GBH 2-26 DFR + DMF 10 Zoom; GBH 2-28 DFV; GBH 3-28 DFR; GBH 4-32 DFR; GBH 18V-26 F; GBH 36 VF-LI; GBH 2600 Professional								
1.5–13.0	SDS	●	C0a	1	1	336925	**2 608 572 212**	
SDS plus quick-change chuck **Suitable for** GBH 3-28 FE Professional								
SDS plus	SDS		C1a	1	1	251013	**2 608 572 159**	
Quick-change drill chuck SDS plus **Suitable for** GBH 18V-34 CF Professional								
SDS plus	SDS plus		C1b	1	1	514994	**2 608 000 704**	
Keyless drill chuck **Suitable for** GBH 18V-34 CF Professional								
-	-		C1b	1	1	530147	**2 608 000 710**	

Bosch System Chucks for Rotary Hammers



PRODUCT PROPERTIES			ORDERING INFORMATION				
Chuck capacity mm	Mount, range	R/L rotation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Keyless chuck with adapter **Suitable for** GBH 3-28 FE Professional							
1.5–13.0	SDS		C1a	1	1	217644	**2 608 572 146**

Bosch System Chucks for Impact Drills



PRODUCT PROPERTIES							ORDERING INFORMATION				
Chuck capacity mm	Mount, range	Impact-proof	R/L rotation	Bench-mounted drill	TC clamping jaws	Illustration, No.	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Keyed chuck up to 16 mm Replacement key 1 607 950 045 **Suitable for** GSB 650 RE Professional; PSB 450; PSB 500; PSB 550 RA Micro-Filter; PSB 550 RE; PSB 570; PSB 600; PSB 600-2; PSB 650 RA; PSB 700 RE; PSB 700 RES; PSB 750-2 RE; PSB 750-2 RPE "Auto-Lock"; PSB 1000 RPE											
1.5–13.0	1/2" – 20				-		C1a	1	1	125949	**2 608 571 056**



Keyless chuck, chrome-plated **Suitable for** GSB 13 RE; GSB 16; GSB 16 RE; GSB 18-2 RE; GSB 19-2 RE; GSB 20-2; GSB 650 RE; GSB 1600 RE Professional; PSB 450; PSB 550 RE											
1.5–13.0	1/2" – 20				-		P1a	1	1	223416	**2 608 572 149** [i]



Keyless chuck, chrome-plated **Suitable for** GSB 20-2; GSB 20-2 RCE; GSB 20-2 RE; GSB 20-2 RET; GSB 21-2 RCT; GSB 21-2 RE; GSB 24-2 Professional; PSB 850; PSB 1000; PSB 1200 „Auto-Lock“											
1.5–13.0	1/2" – 20				-		C1a	1	1	223423	**2 608 572 150**



Keyed chuck up to 13 mm, chrome-plated Replacement key 1 607 950 045 **Suitable for** GSB 20-2; GSB 20-2 RCE; GSB 20-2 RE; GSB 20-2 RET; GSB 21-2 RCT; GSB 21-2 RE; GSB 22-2 RCE; GSB 22-2 RE; GSB 24-2 Professional; PSB 850; PSB 1000; PSB 1200 „Auto-Lock“											
1.5–13.0	1/2" – 20				-		C1a	1	1	223409	**2 608 571 068**



Drill chuck SUPRA SK E **Suitable for** GBM 13-2 RE (0 601 1B2 0..) Professional											
1.5–13.0	1/2" – 20	●	●	●	●	7	C1a	1	1	824118	**2 608 572 273**

i = Phase Out Date 12.2021

Bosch System Chucks for Drills and Screwdrivers



Keyless chuck

Suitable for GSR 10,8 V-LI-2 Professional

PRODUCT PROPERTIES			ORDERING INFORMATION				
Chuck capacity mm	Mount, range	R/L rotation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
1.0–10.0	1/2" – 20	●	C1a	1	1	509268	**2 608 572 257**



Keyless chuck

Appropriate for GSB 12 VE-2; GSB 14,4 VE-2; GSB 14,4 VE-2-LI; GSB 18 VE-2; GSB 18 VE-2-LI; GSR 12 VE-2; GSR 14,4 VE-2; GSR 14,4 VE-2-LI; GSR 18 VE-2; GSR 18 VE-2-LI Professional

1.5–13.0	1/2" – 20		P1a	1	1	435215	**2 608 572 247**

Bosch System Chucks for Drills and Screwdrivers



Keyless chuck 1-10 mm

Suitable for PSB 12 VE-2; PSB 14.4 VE-2; PSB 18 VE-2; PSB 24 VE-2; PSR 9.6 VE-2; PSR 12 VE-2; PSR 14.4 LI-2; PSR 14.4 VE-2; PSR 18 LI-2; PSR 18 VE-2; PSR Universal+ LI-2

1.0–10.0	3/8" – 24	●	C1a	1	1	332996	**2 608 572 210**

Morse Taper and Reduction Sleeves



Morse taper

MT 2 to 5/8" for use of chucks with capacity of up to 16 mm, 5/8"-16 UNF

Suitable for GBM 23-2; GBM 23-2 E; GBM 32-4; GBM 50-2 Professional

PRODUCT PROPERTIES	ORDERING INFORMATION				
Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
P0b	1	1	024235	**1 603 115 004**



Reduction sleeve

MT 2 to MT 1

Suitable for GBM 23-2; GBM 23-2 E; GBM 32-4; GBM 50-2 Professional

P0b	1	1	056397	**1 608 598 028**

Reduction sleeve

MT 3 to MT 2

Suitable for GBM 32-4 Professional

P0b	1	1	204507	**3 600 320 014**

Angle Drill Heads

PRODUCT PROPERTIES	ORDERING INFORMATION					
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Angle drill head for light rotary hammers with SDS plus toolholder, spindle collar diameter 43 mm	-	C0a	1	1	015790	**1 618 580 000**
 Distance ring for Angle Drill Head	**48.5**	P0b	2	1	785853	**2 608 000 623**
 Angle Drill Head for Light Rotary Hammers with SDS plus Toolholder, Spindle Collar Diameter 50 mm Fits: GBH 2-24D (0 611 2A0 ...); GBH 2400 (0 611 253 ...); GBH 2-26 DRE (0 611 253 ...); GBH 2-26 DBR (0 611 255 ...); GBH 2-28 D (0 611 267 ...); GBH 2-28 DV (0 611 267 ...); RH 228 VC (0 611 268 ...); GBH 3-28 DRE (0 611 23A ...); GBH 36V-LI (0 611 900 ...)	-	C0a	1	1	651646	**2 608 000 502**

Accessories for Rotary Hammers

Drill Bit Adapters for Drill Bits







PRODUCT PROPERTIES		ORDERING INFORMATION				
Shank	For drill bit shank	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
SDS max	SDS plus	P1e	1	1	033435	**1 618 598 159**
SDS max	Large spline	P1e	1	1	034548	**1 618 598 161**
Large spline	SDS plus	P0h	1	1	028981	**1 618 598 124**

SDS Shanks for Drill Chucks





PRODUCT PROPERTIES		ORDERING INFORMATION				
Shank	For drill bit shank	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
SDS plus	1/2"-20 UNF	C1c	1	5	012584	**1 617 000 132**
SDS max	1/2"-20 UNF	P0h	1	1	034180	**2 608 550 036**

Striking Tool SDS plus for Anchors



PRODUCT PROPERTIES				ORDERING INFORMATION				
Drive/thread	Shank	Diameter mm	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
M8	SDS plus	6	80	P0b	1	1	074162	**1 618 600 007**
M10	SDS plus	8.4	86	P0b	1	1	057240	**1 618 600 008**

Grease for Drill and Chisel Shank Ends



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952…	Part number
Grease for drill and chisel shank ends Ensures optimal function and increases longevity of drill and chisel bits	C2h	1	8	560465	**2 608 002 021**

Handles for Rotary Hammers and Impact Drills

Handles for Impact Drills

	PRODUCT PROPERTIES	ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Handle for impact drill **Suitable for** GSB 20 Professional	P0b	1	1	349826	**2 602 025 147**
	Handle for impact drills **Suitable for** GSB 162-2 RE Professional	P0b	1	1	601382	**2 602 025 202**
	Handle for impact drills **Suitable for** GBH 2-23 RE; GBH 2-24; GBH 24 V; GBH 24 VF; GBH 24 VFR; GBN 2 SE; GBN 2 SR; GSB 16 RE; GSB 18-2; GSB 18-2 RE; GSB 20-2; GSB 20-2 RCE; GSB 20-2 RE; GSB 20-2 RET; GSB 22; GSB 22-2 RCE; GSB 22-2 RE; GSB 1600 RE Professional; PBH 20	P0b	1	1	266734	**2 602 025 120**
	Handle for impact drills **Suitable for** GBH 2-18 E; GBH 2-18 RE Professional; PBH 2100 RE; PBH 2500 RE; PBH 2500 SRE; PSB 14.4 V-i; PSB 500; PSB 500 RE; PSB 500-2; PSB 550 RA Micro-Filter; PSB 550 RE; PSB 570; PSB 570 RE; PSB 580 RE; PSB 600; PSB 600 RE; PSB 600 RES; PSB 600 RPE; PSB 600-2; PSB 650 RA; PSB 650 RE; PSB 650 RPE; PSB 700 RE; PSB 700 RES; PSB 730-2 RPE; PSB 750; PSB 850; PSB 1000; PSB 1000 RPE; PSB 1200; PSB 2100 RE; PSB 2100 SRE; PSB 6500 RE	P0b	1	1	144216	**2 602 025 102**
	Handle for impact drills, capacity of 58.5 mm **Suitable for** GSB 12 VE-2 (0 601 994 K..); GSB 14,4 VE-2 (0 601 994 H..); GSB 18 VE-2 (0 601 994 F..); GSB 18 VE-2-LI (0 601 859 S../0 601 862 3..); GSR 12 VE-2 (0 601 993 K..); GSR 14.4 VE-2 (0 601 993 H..); GSR 18 VE-2 (0 601 993 F..); GSR 18 VE-2-LI (0 601 861 S../0 601 865 3..) Professional	P0b	1	1	437615	**2 602 025 169**
	Handle for impact drills **Suitable for** GSB 16 RE; GSB 19-2 RE; GSB 19-2 REA; GSB 1600 RE Professional	P0b	1	1	521987	**2 602 025 190**
	Handle for impact drills **Suitable for** GSB 21-2 RCT; GSB 21-2 RE Professional	P0b	1	1	543828	**2 602 025 193**

Handles for Rotary Hammers

	PRODUCT PROPERTIES	ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	Handle for rotary hammers **Suitable for** GBH 4 DFE; GBH 4 DSC; GBH 4-top Professional; PBH 300 E	P0b	1	1	076678	**2 602 025 077**
	Handle for rotary hammers **Suitable for** GAH 500 DSR; GBM 13 HRE Professional	P0b	1	1	027014	**1 612 025 032**
	Handle for rotary hammers **Suitable for** GBH 10 DC; GBH 11 DE Professional	P0b	1	1	084697	**2 602 025 086**
	Handle for rotary hammers **Suitable for** GSH 10 C; GSH 11 E Professional	P0b	1	1	072380	**2 602 025 076**
	Handle for rotary hammers **Suitable for** GBH 5-40; GBH 5-40 D; GBH 8 DCE; GBH 38 Professional	P0b	1	1	042482	**2 602 025 062**
	Handle for rotary hammers **Suitable for** GSH 4; GSH 5 Professional	P0b	1	1	042499	**2 602 025 063**
	Handle for rotary hammers **Suitable for** GSH 5 CE; GSH 388 Professional	P0b	1	1	336949	**2 602 025 142**
	Handle for rotary hammers **Suitable for** GBH 7 DE; GBH 7-46 DE Professional	P0b	1	1	167178	**2 602 025 103**
	Handle for rotary hammers **Suitable for** GBH 3-28 DFR (0 611 24A 0..) Professional	P0b	1	1	522519	**2 602 025 191**

Handles for Rotary Hammers

	PRODUCT PROPERTIES	ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	Handle for rotary hammers **Suitable for** GBH 5-38; GBH 5-40; GBH 5-40 DC; GSH 5; GSH 388 Professional	P0b	1	1	251037	**2 602 025 117**
	Handle for rotary hammers **Suitable for** GBH 2-20 D; GBH 2-26; GBH 2-26 DBR; GBH 2-26 DE; GBH 2-26 DFR; GBH 2-26 DFR + DMF 10 Zoom; GBH 2-26 DRE; GBH 2-26 E; GBH 2-26 RE; GBH 2-28 D; GBH 2-28 DFV; GBH 2-28 DV; GBH 18 V-LI; GBH 36 V-EC Compact; GBH 36 V-LI Professional	P0b	1	1	334068	**2 602 025 141**
	Handle for rotary hammers **Suitable for** GBH 4-32 DFR Professional	P0f	1	1	466585	**2 602 025 176**
	Auxiliary Handle for GBH 18V-34 CF and GBH 18V-36 C **Suitable for** GBH 18V-34 CF; GBH 18V-36 C Professional	C1b	1	1	514987	**2 608 000 703**

Machine vices, drill holders

Machine vices for do-it-yourselfers

- With quick clamping mechanism, die-cast aluminium housing, black chrome plated jaws

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Slot spacing mm	Fitting width mm	Jaw opening mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Machine vice MS 65								
	80	65	65	C1d	1	1	092401	**2 608 030 053**
 Machine vice MS 80								
	95	80	80	C1d	1	1	092425	**2 608 030 055**

Machine vices for industrial use

- Made of sturdy cast iron, with profiled handles, special guided black chrome plated jaws, quick clamping mechanism

PRODUCT PROPERTIES				ORDERING INFORMATION				
Slot spacing mm	Fitting width mm	Jaw opening mm	Weight kg	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Machine vice MS 80 G								
100	80	80	1.886	C1d	1	1	092432	**2 608 030 056**
 Machine vice MS 100 G								
135	100	100	3.56	C1d	1	1	092449	**2 608 030 057**

Drill holder



- For bench-mounted work with drills
- Lightweight design
- Can be swivelled through 360° horizontally and vertically, and fixed in any position

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Drill holder					
	C1d	1	1	087865	**2 608 120 004**

Water pump

Water pumps

▶ **Note on Safety:** Not suitable for flammable liquids, only use with fault current breaker

PRODUCT PROPERTIES						ORDERING INFORMATION				
Hose connection Inch	Thread connection Inch	Inlet height, max. m	Supply height m	Dry run, max. sec	Flow rate l/h	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
1/2	-	3	18	10	1,500	C1d	1	1	085205	**2 609 200 250**
1/2	-	4	40	30	2,000	C1d	1	1	085212	**2 609 200 251**
1/2 3/4	R 3/4	4	40	30	2,500	C1d	1	1	085229	**2 609 200 252**

Water pump holder, impeller and inlet filter

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Water pump holder **Appropriate for** water pumps 2 609 200 251; 2 609 200 252	C1d	1	1	085236	**2 609 200 253**
Inlet filter for 1/2" and 3/4" hoses	C1d	1	1	085250	**2 609 200 255**

Keyless Drill Chucks

Keyless chucks up to 10 mm

PRODUCT PROPERTIES									ORDERING INFORMATION				
Chuck capacity mm	Mount, range	Impact-proof	Only for spindle lock	R/L rotation	Locking mechanism	Bench-mounted drill	Illustration, No.		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Suitable for PSR 2.4 V; PSR 3.6 V													
1.0–6.0	1/4" external hex shank		●				2		C1a	1	1	085434	**2 608 572 072**
0.8–10.0	3/8" – 24			●		●	1		C1a	1	1	347143	**2 608 572 217**
1.0–10.0	1/4" external hex shank			●			3		P1a	1	1	085441	**2 608 572 075**
0.5–10.0	3/8" – 24					●	4		C1a	1	1	037938	**1 608 572 018**
0.5–10.0	1/2" – 20					●	4		P1a	1	1	049870	**1 608 572 007**
1.0–10.0	3/8" – 24			●			5		C1a	1	1	092050	**2 608 572 080**
1.0–10.0	3/8" – 24	●		●			5		C1a	1	1	092036	**2 608 572 068**
1.0–10.0	3/8" – 24	●	●	●			6		C1a	1	1	290982	**2 608 572 183**
1.5–10.0	1/2" – 20	●	●	●			7		C0a	1	1	073868	**2 608 572 053**
1.0–10.0	1/2" – 20	●		●	●		8		C1a	1	1	348638	**2 608 572 218**

1 2 3 4 5 6 7 8



Keyless chucks up to 16 mm

PRODUCT PROPERTIES										ORDERING INFORMATION				
Chuck capacity mm	Mount, range	Impact-proof	Only for spindle lock	R/L rotation	Locking mechanism	Bench-mounted drill	TC clamping jaws	Illustration, No.		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
1.0–13.0	B-16			●		●		1		C0a	1	1	057059	**1 608 572 003**
3.0–16.0	5/8" – 16					●		2		C0a	1	1	026147	**1 608 572 014**
1.0–13.0	1/2" – 20					●		2		C1a	1	1	037921	**1 608 572 017**
2.0–13.0	1/2" – 20	●		●	●			3		C1a	1	1	064682	**2 608 572 034**
1.5–13.0	3/8" – 24	●		●				3		C1a	1	1	102643	**2 608 572 093**
2.0–13.0	3/8" – 24		●	●				4		C1a	1	1	080255	**2 608 572 060**
2.0–13.0	1/2" – 20		●	●				4		C1a	1	1	082754	**2 608 572 062**
1.5–13.0	1/2" – 20	●		●	●		●	5		P1a	1	1	111942	**2 608 572 105**
1.5–13.0	1/2" – 20	●	●	●			●	6		C1a	1	1	290975	**2 608 572 182**
Drill chuck SUPRA SK E **Suitable for** GBM 13-2 RE (0 601 1B2 0..) Professional														
1.5–13.0	1/2" – 20	●		●		●	●	7		C1a	1	1	824118	**2 608 572 273**

1 2 3 4 5 6 7



Keyless chucks with SDS plus shank

PRODUCT PROPERTIES					ORDERING INFORMATION				
Chuck capacity mm	Mount, range	R/L rotation	Locking mechanism	Illustration, No.	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
SDS plus keyless chuck									
1.5–13.0	SDS plus	●	●	1	P1a	1	1	370073	**2 608 572 227**

1



Keyed Drill Chucks

Keyed Drill Chucks up to 10 mm

PRODUCT PROPERTIES							ORDERING INFORMATION				
Chuck capacity mm	Mount, range	Impact-proof	Replacement key	R/L rotation	Bench-mounted drill	Illustration, No.	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
1.0–10.0	3/8" – 24	●	D		●	1	P1a	1	1	002608	**1 608 571 053**
1.0–10.0	1/2" – 20	●	D			1	C1a	1	1	002615	**1 608 571 054**
1.0–10.0	3/8" – 24	●	B	●		1	C1a	1	1	016506	**1 608 571 058**
1.0–10.0	1/2" – 20		D	●	●	1	C1a	1	1	057004	**1 608 571 061**
1.0–10.0	3/8" – 24	●	B			1	C1a	1	1	018968	**1 608 571 066**
1.0–10.0	1/2" – 20	●	F	●		1	C1a	1	1	010481	**1 608 571 068**
0.5–6.5	3/8" – 24	●	G		●	1	C1a	1	1	042703	**2 608 571 010**
0.5–6.5	3/8" – 24		D		●	1		1	1	092043	**2 608 571 048**
1.0–10.0	3/8" – 24	●	D		●	1	C1a	1	1	347112	**2 608 571 078**
1.0–10.0	1/2" – 20	●	D		●	1	C1a	1	1	347136	**2 608 571 080**

1



Keyed Drill Chucks up to 13 mm

PRODUCT PROPERTIES								ORDERING INFORMATION				
Chuck capacity mm	Mount, range	Impact-proof	Replacement key	R/L rotation	Locking mechanism	Bench-mounted drill	Illustration, No.	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Keyed chucks up to 13 mm Replacement key 1 607 950 045												
1.5–13.0	1/2" – 20	●	D			●	1	P1a	1	1	041133	**1 608 571 048**
1.5–13.0	1/2" – 20	●	D	●		●	1	P1a	1	1	002639	**1 608 571 062**
1.5–13.0	1/2" – 20	●	D			●	1	C1a	1	1	347129	**2 608 571 079**
Hammer-resistant version												
2.5–13.0	SDS plus		D	●	●		2	P1a	1	1	006231	**1 618 571 014**
1.5–13.0	1/2" – 20		-				3	C1a	1	1	476669	**2 608 572 253**

1 2 3







Keyed Drill Chucks up to 16 mm

PRODUCT PROPERTIES								ORDERING INFORMATION				
Chuck capacity mm	Mount, range	Impact-proof	Replacement key	R/L rotation	Locking mechanism	Bench-mounted drill	Illustration, No.	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3.0–16.0	5/8" – 16	●	A	●		●	1	P1a	1	1	047241	**1 608 571 056**
3.0–16.0	B-16		A	●		●	1	C0a	1	1	047876	**2 608 571 020**
3.0–16.0	5/8" – 16	●	A		●	●	2	C1a	1	1	026116	**1 608 571 057**

1



2



Replacement Keys for Drill Chucks



PRODUCT PROPERTIES						ORDERING INFORMATION				
Ref. type	Replacement key, type	Outer length (L1) mm	Key length (L2) mm	Key width (KW) mm	Key diameter (Z) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
S3	A	110	50	4	8	C1d	1	5	024556	**1 607 950 041**
ZS14	B	60	30	-	6	C1d	1	5	016476	**1 607 950 042**
S2	C	110	40	4	6	C1d	1	5	002363	**1 607 950 044**
S2	D	110	40	-	6	C1d	1	5	002370	**1 607 950 045**
S14	F	80	30	5	6	C1d	1	5	033480	**1 607 950 053**
S1	G	60	30	-	4	C1d	1	1	057332	**1 607 950 028**

Depth Stops and Handles for Drills

Depth Stops for Drills

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Depth stop **Appropriate for** auxiliary handle 1 612 025 032 Made of steel, without scale	**210**	P0b	1	1	068062	**1 613 001 010**
Depth stop **Appropriate for** auxiliary handle 2 602 025 077 and 2 602 025 062 Made of steel, without scale	**310**	P0b	1	1	027069	**1 613 001 003**
Depth stop **Appropriate for** auxiliary handle 2 602 025 102 Made of plastic, with scale	**210**	P0b	1	1	144223	**2 603 001 019**

Handles for Drills

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
 Handle for drills **Suitable for** GBM 13; GBM 13 HRE; GBM 16-2 RE; GRW 11 E; GSB 22-2 RCE Professional	P0b	1	1	026987	**1 612 025 020**

Stirrer Baskets

Stirrer baskets for hand-held stirrers, from the bottom upwards



- **Suitable for** plaster, concrete, mortar, epoxy resin
- Mixing effect from bottom upwards
- M14 outer thread

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter, basket mm	Total length mm	Mixing quantity, from kg	Mixing quantity, to kg	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Suitable for GRW 9; GRW 11 E; GRW 12 E; GRW 18-2 E Professional								
120	590	15	25	C1d	1	1	078788	**2 607 990 016**
135	590	25	40	C1d	1	1	061339	**3 609 201 038**
160	590	30	60	C1d	1	1	078795	**2 607 990 017**
Stirrer basket made of stainless steel (inox)								
Suitable for GRW 9; GRW 11 E; GRW 12 E; GRW 18-2 E Professional								
135	590	25	40	C1d	1	1	085045	**2 607 990 023**

Stirrer baskets for drills, from the top downwards



- **Suitable for** emulsion, gloss paint, cement, filler and cement-bonded materials
- Mixing effect from the top downwards, no splashing
- M14 outer thread

Suitable for GRW 9; GRW 11 E; GRW 12 E; GRW 18-2 E Professional								
120	590	15	25	C1d	1	1	078771	**2 607 990 014**

Stirrer baskets for drills, from the bottom upwards



- **Suitable for** plaster, concrete, mortar, epoxy resin
- Mixing effect from bottom upwards
- With external hex shank

Stirrer basket WAF 13 mm, chuck 16 mm **Suitable for** GRW 9 Professional								
120	590	15	25	C1d	1	1	080521	**2 607 990 015**
135	590	25	40	C1d	1	1	085038	**2 607 990 022**

Light stirrer baskets for drills, from the top downwards



- **Suitable for** emulsion, gloss paint, wallpaper paste
- Mixing effect from the top downwards, no splashing
- With external hex shank

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter, basket mm	Total length mm	Mixing quantity, from kg	Mixing quantity, to kg	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Light stirrer basket WAF 8 mm chuck 10 mm **Suitable for** GRW 9 Professional								
65	400	1	5	C1d	1	1	085052	**2 607 990 024**
85	400	5	10	C1d	1	1	085069	**2 607 990 025**
Light stirrer basket WAF 10 mm chuck 13 mm **Suitable for** GRW 9 Professional								
105	590	15	20	C1d	1	1	085076	**2 607 990 026**
120	600	20	30	C1d	1	1	085106	**2 607 990 029**

Light stirrer baskets for drills, from the bottom upwards



- **Suitable for** mortar, plaster, roughcast, tile adhesive
- Mixing effect from bottom upwards
- With external hex shank

Light stirrer basket WAF 8 mm chuck 10 mm **Suitable for** GRW 9 Professional								
80	400	5	10	C1d	1	1	085083	**2 607 990 027**
Light stirrer basket WAF 10 mm chuck 13 mm **Suitable for** GRW 9 Professional								
90	600	10	20	C1d	1	1	085090	**2 607 990 028**

Paint mixer for drills



- **Suitable for** swirling paints, varnishes

Paint mixer with 6 mm straight shank								
60	350	1	5	C1d	1	1	004596	**1 609 200 291**

Adapter for stirrer baskets



PRODUCT PROPERTIES	ORDERING INFORMATION				
Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Adapter for stirrer baskets with 5/8"-16 UN-2a inside thread					
60	C1d	1	1	050500	**3 609 201 039**
Adapter for stirrer baskets with 1/2"-20 UNF inside thread					
60	C1d	1	1	080538	**2 607 990 019**
Adapter for stirrer baskets with M14 inside thread					
60	C1d	1	1	078801	**2 607 990 018**
Adapter for stirrer baskets with B 16 inside taper					
60	C1d	1	1	046244	**2 607 990 006**

Universal splash guard and handle



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Universal splash guard					
	P0b	1	1	078757	**2 607 990 020**

Routing Accessories for Drills

Flexible Drives and Replacement Chucks





PRODUCT PROPERTIES			ORDERING INFORMATION				
Length mm	Recommended motor speed rpm	Drill chuck mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Flexible drive attachment Special slide bearings							
1,250	3,500	1-6	C1d	1	1	085113	**2 609 200 195**
Replacement chuck							
-	-	0.5-6	C0a	1	1	106153	**2 608 572 097**

Freehand Router Bits



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Shank diameter (D) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Freehand router bits **Suitable for** wood and non-ferrous metals Shape: cylindrical / round Recommended speed: 1000 to 3000 rpm								
14	65	6	-	PC1a	1	1	085137	**2 609 200 197**
Freehand router bits **Suitable for** wood and non-ferrous metals Shape: pear-shaped Recommended speed: 1000 to 3000 rpm								
16	65	6	-	PC1a	1	1	085144	**2 609 200 198**
3-piece freehand router bit set **Suitable for** wood and non-ferrous metals 3-piece set with shapes: round, cylindrical, conical Recommended speed: 1000 to 3000 rpm								
16 **16** **16-7**	60 65 48	6	-	PC1a	1 1 1	1	004602	**1 609 200 307**

Freehand Router Bits



4-piece freehand router bit set
Suitable for iron, wood and non-ferrous metals
4-piece set with shapes: concave, conical, cylindrical, round
Recommended speed: 1000 to 2000 rpm

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Shank diameter (D) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
13	56	6	-	PC1a	1	1	004619	**1 609 200 314**
13	56				1			
13	56				1			
13	56				1			



Rasp drill bit HSS with finishing cut
Suitable for non-ferrous metals, steel, plastics, wood
Recommended speed: 1000 to 2000 rpm

6	85	-	6	P1c	1	1	085151	**2 609 200 199**



Ground rasp drill bit HSS, with 118° split point, deep-set cutting teeth
Suitable for non-ferrous metals, wood
Recommended speed: 1000 to 2000 rpm

6	90	-	6	P1c	1	1	107433	**2 608 597 528**

Backing Pads for Angle Grinders

X-LOCK Backing Pads for Fibre Sanding Discs

- Changing backing pads is fast and convenient thanks to the keyless X-LOCK system
- High temperature resistant, low vibration running, break-resistant

PRODUCT PROPERTIES	ORDERING INFORMATION					
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 X-LOCK Backing Pad Soft Ideal for fine grit sanding P60 and finer Extended lifetime thanks to thermostable plastic						
	115	C1d	1	1	938471	**2 608 601 711**
	125	C1a	1	1	938501	**2 608 601 714**
 X-LOCK Backing Pad Soft Ideal for fine grit sanding P60 and finer Extended lifetime thanks to thermostable plastic						
	150	C1a	1	1	938532	**2 608 601 717**
 X-LOCK Backing Pad Medium Ideal for medium grit sanding P36 to P60 Extended lifetime thanks to ventilation ribs for cooling and thermostable plastic						
	115	C1a	1	1	938488	**2 608 601 712**
	125	C1a	1	1	938518	**2 608 601 715**
 X-LOCK Backing Pad Medium Ideal for medium grit sanding P36 to P60 Extended lifetime thanks to ventilation ribs for cooling and thermostable plastic						
	150	C1a	1	1	938549	**2 608 601 718**
 X-LOCK Backing Pad Hard, ideal for grit size P50 and rougher Ideal for rough grit sanding P50 and rougher Extended lifetime thanks to ventilation ribs for cooling and thermostable plastic						
	115	C1a	1	1	938495	**2 608 601 713**
	125	C1a	1	1	938525	**2 608 601 716**
	150	C1a	1	1	938556	**2 608 601 719**

X-LOCK Backing Pads for Fibre Sanding Discs



PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
X-LOCK Clip, Easy tool free disc changing					
-	P1b	1	1	938563	**2 608 601 720**





X-LOCK Backing Pad, Hook and Loop
Ideal for all paper sanding sheets with hook & loop fastening

115	C1d	1	1	938570	**2 608 601 721**
125	C1d	1	1	959018	**2 608 601 722**





X-LOCK Backing Pad for SCM discs with center pin
Ideal for all SCM (surface conditioning) discs

115	C1a	1	1	959025	**2 608 601 723**
125	C1a	1	1	959032	**2 608 601 724**

Regular Backing Pads for Fibre Sanding Discs

- High temperature resistant, low vibration running, break-resistant



Backing Pad with M10 flange thread

100	C1a	1	1	047265	**2 608 601 046**

Backing Pad Soft with M14 flange thread

115	C1a	1	1	031202	**2 608 601 005**
125	C1a	1	1	016551	**1 608 601 033**
180	C1a	1	1	653206	**2 608 601 209**
230	C1a	1	1	653213	**2 608 601 210**

Regular Backing Pads for Fibre Sanding Discs











PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Backing Pad Hard with M14 flange thread						
	115	C1a	1	1	545752	**2 608 601 783**
Backing Pad Hard with M14 flange thread						
	125		1	1	545769	**2 608 601 784**
Round nut with M10 flange thread						
	100	P0b	1	1	109253	**2 603 345 018**
Round nut with M14 flange thread						
	115 **125**	P0b	1	1	029711	**2 603 345 002**
	180 **230**	P0b	1	1	024266	**1 603 345 004**
Hook-and-loop-type fastening plate with M14 flange thread						
	115	C1d	1	1	086585	**2 608 601 076**
	125	C1d	1	1	086592	**2 608 601 077**

Locking Nuts for Angle Grinders



SDS clic Nut Display (15 pcs)
Appropriate for all angle grinders with thread M14 (available thread length – protrudes beyond thickest tool – larger than 6 mm)
manufactured in or after 08/90
Note: The disc must be centred at the supporting flange, not at the nut

PRODUCT PROPERTIES	ORDERING INFORMATION				
Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
13	C0a	15	1	291002	**2 607 019 033**



SDS click quick-locking nut M14x1.5 mm
Suitable for GWS 12-125 CIEPX; GWS 12-125 CIEX; GWS 12-125 CIPX; GWS 12-125 CIX; GWS 15-125 CIEPX; GWS 15-125 CIEX; GWS 15-125 CIPX; GWS 15-125 CIX Professional

PRODUCT PROPERTIES	ORDERING INFORMATION				
Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
1.5	C1a	1	1	860062	**2 608 000 638**



SDS clic quick-locking nut M14
Appropriate for all angle grinders with thread M14 (available thread length – protrudes beyond thickest tool – larger than 6 mm)
manufactured in or after 08/90
Note: The disc must be centred at the supporting flange, not at the nut

PRODUCT PROPERTIES	ORDERING INFORMATION				
Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
14	C1a	1	1	033206	**1 603 340 031**

Locking Nuts for Angle Grinders



Round nut with M14x1.5 fine thread

PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115 **125**	P0b	1	1	795043	**2 608 000 C23**



Collet
Suitable for GWS 12V-76 (0 601 9F2 0..) Professional

PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
76	P0b	1	1	868365	**2 608 000 633**

Locking Nuts for Angle Grinders

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Locking Nut for M14 Thread for clamping sanding discs with 115-150 mm diameter manufactured before 08/90	-	PC1c	1	1	016384	**1 603 340 015**
 Locking Nut for M14 Thread for clamping all discs with 115 - 230 mm diameter, manufactured after 08/90.	-	P0b	1	1	052078	**1 603 340 040**
 Locking Nut for M14 Thread before manufacturing date 1988, special cut-off grinder 1333 before 1990	-	PC1c	1	1	016391	**1 603 345 025**
Locking Nut for M10 Thread for small angle grinders with 100 mm diameter	-	P0f	1	1	102742	**2 603 340 018**
 Fast tool less exchange of any disks, such as diamond cutting disks, bonded cutting and grinding disks.	-	P0b		1	799669	**2 608 000 625**
 Quick-Clamping Nut with Bar M14 **Suitable for** GWS 18V-10 C; GWS 18V-10 PSC; GWS 18V-10 SC Professional	-	P0b	1	1	949316	**2 608 000 684**

Backing Flanges for Angle Grinders

PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Clamping flange **Suitable for** GGS 6 S (0 601 214 0..); GGS 8 SH (0 601 214 3..) Professional			1	1	048705	**1 605 703 065**

Backing Flanges for Angle Grinders



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Backing flange for clamping all discs with 115-150 mm diameter manufactured before 08/90					
	P0b	1	1	057646	**1 605 703 084**
Backing flange for M14 thread for clamping all discs with 115 - 150 mm diameter, manufactured after 08/90					
	PC1c	1	5	046947	**1 605 703 099**
Backing flange for discs with 115/125 mm diameter **Suitable for** PWS 700-115; PWS 720-115; PWS 720-125; PWS 750-115; PWS 750-125					
		1	1	498463	**2 603 703 039**
Backing flange for M10 thread **Suitable for** GWS 6-100 (0 601 375 0..); GWS 6-115 (0 601 375 0..); GWS 6-125 (0 601 375 1..) Professional					
	P0b	1	1	102766	**2 605 703 030**

BEST PROTECTION FOR ANGLE GRINDER USERS

EXPERT Vibration Control Handles

ASSORTMENT: M10 / M14

EXPERT

1. Comfort and protection with a Bosch Vibration Control handle
2. Thick rubber for extra grip and control



VIBRATION CONTROL

EXPERT Handle for Vibration Control M10 Angle Grinders

EXPERT



- Ideal for working with angle grinders.
- Best for tradesmen: protective and comfortable.
- Up to 30% less vibration than a standard angle grinder handle.
- Fits all M10 angle grinders.

VIBRATION CONTROL | UP TO +30%* PROTECTIVE

PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Handle M10 with Vibration Control **Appropriate for** small angle grinders	C1d	1	1	530505	**2 608 900 000**	

EXPERT Handle for Vibration Control M14 Angle Grinders

EXPERT



- Ideal for working with angle grinders.
- Best for tradesmen: protective and comfortable.
- Up to 30% less vibration than a standard angle grinder handle.
- Fits all M14 angle grinders.



VIBRATION CONTROL | UP TO +30%* PROTECTIVE

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Handle M14 with Vibration Control **Appropriate for** large angle grinders					
	C1d	1	1	530512	**2 608 900 001**

Handles for Angle Grinders

- For left-handers and right-handers

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Handle appropriate for all Angle Grinders and Compact Belt Sanders with M10 thread. **Suitable for** GUF 4-22 A; GWS 9-125 S; GWS 13-125 CI; GWS 13-125 CIE; GWS 15-125 CIEP; GWS 17-125 CI; GWS 17-125 CIE; GWS 17-125 CIT; GWS 17-150 CI; GWS 18V-125 C; GWS 18V-125 PC; GWS 18V-125 PSC; GWS 18V-125 SC; GWS 19-125 CIE; GWS 1000; GWS 1400; GWX 9-115 S; GWX 9-125 S; GWX 10-125; GWX 13-125; GWX 13-125 S; GWX 14-125; GWX 15-125 PS; GWX 17-125; GWX 17-125 S; GWX 17-125 T; GWX 17-150; GWX 18V-10 C; GWX 18V-10 PC; GWX 18V-10 PSC; GWX 18V-10 SC; GWX 19-125 S Professional; PSF 22 A; PWS 6-13					
	P0f	1	1	016377	**1 602 025 024**
Handle appropriate for all Angle Grinders with M14 thread. **Suitable for** GNA 3-5 Professional					
	P0f	1	1	070232	**2 602 025 075**
 Handle M10 with Vibration Control **Suitable for** PWS 700-115; PWS 720-115; PWS 720-125; PWS 750-115; PWS 750-125					
		1	1	498449	**2 602 025 182**
 Handle M 10 **Suitable for** PWS 700-115; PWS 720-115; PWS 720-125; PWS 750-115; PWS 750-125					
		1	1	498456	**2 602 025 183**

Bow Handles for Angle Grinders

- **Appropriate for** all Bosch two-hand angle grinders, for left-handers and right-handers
- With safety device to prevent inadvertent release



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Bow handle **Suitable for** GWS 20-180; GWS 20-180 H; GWS 20-180 JH; GWS 20-230; GWS 20-230 H; GWS 20-230 JH; GWS 21-180 HV; GWS 21-180 JHV; GWS 21-230 HV; GWS 21-230 JHV; GWS 22-180 H; GWS 22-180 JH; GWS 22-230 JH; GWS 23-180 / 180 J; GWS 23-230 / 230 J; GWS 24-180 BV + SDS; GWS 24-180 JBV; GWS 24-180 JBV + SDS; GWS 24-180 JBX + SDS; GWS 24-180 JH; GWS 24-230 BV; GWS 24-230 BV + SDS; GWS 24-230 BX + SDS; GWS 24-230 H; GWS 24-230 JBV; GWS 24-230 JBV + SDS; GWS 24-230 JBX; GWS 24-230 JH; GWS 24-230 Profi; GWS 25-180 / 180 J; GWS 25-230 / 230 J; GWS 26-180 BV + SDS; GWS 26-180 JBV; GWS 26-180 JH; GWS 26-230 BV + SDS; GWS 26-230 JBV; GWS 26-230 JH; GWS 26-230 JH + SDS; GWS 180; GWS 180 J; GWS 230 Professional; PWS 20-230; PWS 20-230 J; PWS 1900	P0b	1	1	048002	**1 607 000 247**

DUST EXTRACTION GUARDS

For Bosch angle grinder.



- Suitable for dust extraction when cutting with Bosch angle grinders
- Appropriate for hose system with 35 mm diameter
- Bosch extraction guards offer accurate guiding and large surface areas as well as very good extraction performance thanks to the nozzle effect
- With handle that can be fixed from either side for full protection and steep extraction outlet for cutting close to edges

Cutting Guides with Dust Extraction Outlet – Tool-Free

- Extraction guard with 35 mm diameter extraction pipe, easy-to-use adjustment.

PRODUCT PROPERTIES	ORDERING INFORMATION					
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
 Cutting guide with dust extraction outlet **Suitable for** GWS 5-100 (0 601 376 0..); GWS 5-115 (0 601 376 2..); GWS 6-100 (0 601 375 0..); GWS 6-100 BS (0 601 375 x..); GWS 6-100 E (0 601 375 7..); GWS 6-100 S (0 601 375 0..); GWS 6-115 (0 601 375 0../0 601 375 9..); GWS 6-115 E (0 601 375 5../0 601 375 7../0 601 375 9..); GWS 6-125 (0 601 375 1..); GWS 6-125 E (0 601 375 9..); GWS 7-100 (0 601 388 0../0 601 388 1..); GWS 7-100 E (0 601 388 2..); GWS 7-100 ET (0 601 388 5..); GWS 7-100 T (0 601 388 6..); GWS 7-115 (0 601 388 1..); GWS 7-115 E (0 601 388 2..); GWS 7-115 ET (0 601 388 5..); GWS 7-125 (0 601 388 0../0 601 388 1..); GWS 7-125 ET (0 601 388 5..); GWS 8-100 CE (0 601 378 6..); GWS 18 V-LI (0 601 93A 3..); GWS 18-125 V-LI (0 601 93A 3..); GWS 780 C (0 601 377 5..); GWS 850 C (0 601 377 7../0 601 377 9..); GWS 850 CE (0 601 377 9../0 601 378 7..) Professional; PWS 600 (0 603 411 0..); PWS 650 (0 603 411 0..); PWS 680 (0 603 411 0..); PWS 680-125 (0 603 411 0..)					
100 **115** **125**	C0a	1	1	492805	**1 619 P06 514**	



Cutting guide with dust extraction outlet
before 2009
Suitable for GWS 7-115 (0 601 800 0..); GWS 9-125 (0 601 801 0..); GWS 10-125 C (0 601 802 3..); GWS 10-125 CE (0 601 803 5..); GWS 14-125 C (0 601 804 5..); GWS 14-125 CE (0 601 805 5..); GWS 1400 (0 601 804 7..) Professional; PWS 13-125 CE (0 603 348 0../0 603 348 6../0 603 348 7..)

115 **125**	C0a	1	1	272544	**1 605 510 291**	

Cutting Guides with Dust Extraction Outlet – Tool-Free



Cutting guide with dust extraction outlet

Suitable for GWS 8-14; GWS 8-115; GWS 8-115 Z; GWS 8-125; GWS 9-115; GWS 9-115 P; GWS 9-125; GWS 9-125 P; GWS 10-125; GWS 10-125 Z; GWS 11-125; GWS 11-125 CI; GWS 11-125 CIE; GWS 11-125 CIH; GWS 11-125 P; GWS 12-125 CI; GWS 12-125 CIE; GWS 12-125 CIEP; GWS 12-125 CIEPX; GWS 12-125 CIEX; GWS 12-125 CIP; GWS 12-125 CIPX; GWS 12-125 CIX; GWS 13-125 CI; GWS 13-125 CIE; GWS 13-125 CIEX; GWS 13-125 CIX; GWS 14-125 CI; GWS 14-125 CIE; GWS 14-125 CIT; GWS 15-125 CI; GWS 15-125 CIE; GWS 15-125 CIEH; GWS 15-125 CIEP; GWS 15-125 CIEPX; GWS 15-125 CIEX; GWS 15-125 CIH; GWS 15-125 CIP; GWS 15-125 CIPX; GWS 15-125 CIT; GWS 15-125 CITH; GWS 15-125 CIX; GWS 15-125 INOX; GWS 17-125 CI; GWS 17-125 CIE; GWS 17-125 CIEX; GWS 17-125 CIT; GWS 17-125 CIX; GWS 17-125 INOX; GWS 18V-115 C; GWS 18V-115 SC; GWS 18V-125 C; GWS 18V-125 PC; GWS 18V-125 PSC; GWS 18V-125 SC; GWS 19-125 CI; GWS 19-125 CIE; GWS 19-125 CIST; GWS 1000; GWS 1400; GWX 10-125; GWX 13-125; GWX 13-125 S; GWX 14-125; GWX 15-125 PS; GWX 17-125; GWX 17-125 S; GWX 17-125 T Professional; PWS 10-125 CE; PWS 13-125 CE

PRODUCT PROPERTIES	ORDERING INFORMATION					
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115 **125**	PC1c	1	1	449762	**2 605 510 264**



Cutting guide with dust extraction outlet

Tool-free attachment

Suitable for PWS 7-125 CE (0 603 399 8..); PWS 8-125 CE (0 603 399 B..); PWS 9-125 (0 603 399 A..); PWS 700-115 (0 603 164 2..); PWS 720-115 (0 603 164 0..); PWS 720-125 (0 603 164 0..); PWS 750-115 (0 603 184 1..); PWS 750-125 (0 603 164 1..)

115 **125**	C0a	1	1	498432	**2 605 510 292**



Cutting guide with dust extraction outlet

With easy-to-use adjustment and tool-free attachment

Suitable for GWS 14 (0 601 826 ...); GWS 14-150 CI (0 601 826 2..); GWS 15-150 CI (0 601 798 0..); GWS 15-150 CIH (0 601 830 5../0 601 830 F..); GWS 15-150 CIP (0 601 798 2..); GWS 17-150 CI (0 601 79K 0..); GWS 19-150 CI (0 601 79R 0..); GWX 17-150 (0 601 7C6 0..); GWX 18V-10 SC (0 601 7B0 4..) Professional

150	C0a	1	1	449779	**2 605 510 265**

Cutting Guides with Dust Extraction Outlet – Clamp Fitting



- Extraction guard with 35 mm diameter dust extraction pipe.
- With coded lugs

Cutting guide with dust extraction outlet

Suitable for GWS 20-180 (0 601 751 0..); GWS 20-180 H (0 601 849 0..); GWS 20-180 JH (0 601 849 9..); GWS 21-180 HV (0 601 851 B..); GWS 21-180 JHV (0 601 851 G..); GWS 22-180 H (0 601 881 Y..); GWS 22-180 JH (0 601 881 M..); GWS 23-180 / 180 J (0 601 753 0..); GWS 24-180 (0 601 853 4../0 601 8A3 0..); GWS 24-180 B + SDS (0 601 853 1..); GWS 24-180 BV + SDS (0 601 853 C..); GWS 24-180 H (0 601 883 1..); GWS 24-180 JBV (0 601 853 G..); GWS 24-180 JBX + SDS (0 601 863 8..); GWS 24-180 JH (0 601 853 M../0 601 883 M..); GWS 25-180 / 180 J (0 601 755 1..); GWS 26-180 B (0 601 855 0..); GWS 26-180 H (0 601 855 1..); GWS 26-180 JH (0 601 855 M..); GWS 26-230 BV + SDS (0 601 856 B..); GWS 26-230 JBV (0 601 856 G..) Professional

180	P0f	1	1	024419	**1 605 510 179**



Cutting guide with dust extraction outlet

Suitable for GWS 20-230 (0 601 752 0..); GWS 20-230 H (0 601 850 0..); GWS 20-230 JH (0 601 850 9..); GWS 21-230 HV (0 601 852 B..); GWS 21-230 JHV (0 601 852 3../0 601 852 G..); GWS 22-230 JH (0 601 882 M../0 601 882 Z..); GWS 23-230 / 230 J (0 601 754 0..); GWS 24-230 B + SDS (0 601 854 1..); GWS 24-230 BV (0 601 854 B..); GWS 24-230 BX + SDS (0 601 864 1..); GWS 24-230 H (0 601 854 4../0 601 854 L../0 601 884 1..); GWS 24-230 JBV (0 601 854 G..); GWS 24-230 JBX (0 601 864 8..); GWS 24-230 JH (0 601 854 M..); GWS 25-230 / 230 J (0 601 756 1..); GWS 26-230 B (0 601 856 3../0 601 856 K..); GWS 26-230 BV (0 601 856 S..); GWS 26-230 JBV (0 601 856 G..); GWS 26-230 JH (0 601 856 M..); GWS 26-230 JH + SDS (0 601 856 5..) Professional; PWS 20-230 (0 603 359 9../0 603 359 W..); PWS 20-230 J (0 603 359 8../0 603 359 V..)

230	P0f	1	1	024426	**1 605 510 180**

Cutting Guides with Dust Extraction Outlet – Clamp Fitting



PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Cutting guide with dust extraction outlet Coding, clamp fitting, screw-type fastening **Suitable for** GWS 22-180 LVI (0 601 890 D..) Professional	**180**	P0f	1	1	485739	**2 602 025 284**
Cutting guide with cutting guide with dust extraction outlet Coding, clamp fitting, screw-type fastening **Suitable for** GWS 22-230 LVI (0 601 891 C../0 601 891 D..); GWS 24-230 JBX (0 601 864 4../0 601 864 R../0 601 864 T..); GWS 24-230 LVI (0 601 893 F../0 601 893 H..); GWS 26-230 BV (0 601 856 S..); GWS 26-230 JBV (0 601 856 U..); GWS 26-230 JH + SDS (0 601 856 5..) Professional	**230**	P0f	1	1	485746	**2 602 025 285**



Cutting guide with dust extraction outlet **Suitable for** GWS 24-300; GWS 24-3000 Professional	**300**	P0f	1	1	053020	**1 605 510 215**

Dust Extraction Elbow



▶ For all Bosch Angle Grinders and protective guards with 35 mm diameter dust extraction system.

Dust extraction elbow	**35**	P0f	1	1	053013	**1 600 793 007**

Dust extraction and protective guards

For Bosch angle grinders.



Diameter mm

Part number

Appropriate machines

Dust extraction guards for sanding

GWS 8-115 (3 601 H20 ...) GWS 8-115 Z (3 601 H31 0..) GWS 8-125 (3 601 H27...) GWS 9-115 (3 601 G90 ...) GWS 9-125 (3 601 G91 ...) GWS 10-125 (3 601 H21 ...) GWS 10-125 Z (3 601 H32 0..) GWS 11-125 (3 601 G92 ...) GWS 11-125 CI (3 601 H22 ...) GWS 11-125 CIE (3 601 H23 ...) GWS 11-125 CIH (3 601 H30 1../B..) GWS 12-125 CI (3 601 G93 ...) GWS 12-125 CIE (3 601 G94 ...) GWS 14-125 CI (3 601 H24 ...) GWS 14-125 CIE (3 601 H25 ...) GWS 14-125 CIT (3 601 H29 ...) GWS 15-125 CI (3 601 G95 ...) GWS 15-125 CIE (3 601 G96 ...) GWS 15-125 CIH (3 601 H30 2../C..) GWS 15-125 CIEH (3 601 H30 3../D..) GWS 15-125 CIT (3 601 G97 ...) GWS 15-125 CITH (3 601 H30 4../E..) GWS 1000 (3 601 H21 ...) GWS 1400 Professional (3 601 H24 ...) PWS 10-125 CE (0 603 C47 000/030) PWS 13-125 CE (3 603 C48 000)	115 125	2 605 510 224
PWS 6-115 (3 603 C99 2..; 3 603 C99 3..; 3 603 C99 4..) PWS 7-100 (3 603 C99 640) PWS 7-115 (3 603 C99 5..; 3 603 C99 6..) PWS 7-125 (3 603 C99 7..; 3 603 C99 8..) PWS 7-125 CE; PWS 8-125 CE PWS 8-125 CE (3 603 C99 B..; 3 603 C99 9..; 3 603 C99 A..) PWS 9-125 CE PWS 10-125 CE; PWS 13-125 CE PWS 550 PWS 550 (3 603 C99 0..) PWS 600 PWS 600 (3 603 C99 1..) PWS 9-125 CE; PWS 700 PWS 720; PWS 850 CE GWS 7-115 – GWS 14-125 CE	125	1 605 510 281
GWS 5-100 (0 601 375 0..) GWS 6-100 (0 601 375 0..) GWS 6-100 E (0 601 375 7..) GWS 580 (0 601 375 0..) GWS 670 (0 601 375 0..) GWS 7-100 (3 601 C88 1..)	100	1 619 P06 546



Diameter mm

Part number

Appropriate machines

Protective guards without cover for grinding

GWS 5-115 (0 601 376 2..) GWS 6-115 (0 601 375 0..; (0 601 375 7..; 0 601 375 9..) GWS 6-115 E (0 601 375 5..; 0 601 375 7..; 0 601 375 9..) GWS 580 (0 601 376 0..) GWS 780 C (0 601 377 56.) GWS 850 C (0 601 377 5..) GWS 7-115 (3 601 C88 1..; 3 601 C88 2..) PWS 600 (3 603 D11 0..); PWS 650 (3 603 D11 0..); PWS 680 (3 603 D11 0..)	115	1 619 P06 547
GWS 6-125 (0 601 375 1..) GWS 6-125 E (0 601 375 9..) GWS 850 C (0 601 377 7..; 0 601 377 9..) GWS 850 CE (0 601 377 7..; 0 601 377 9..) GWS 7-125 (3 601 C88 1..) PWS 680-125 (3 603 D11 0..)	125	1 619 P06 548
GWS 7-115 (0 601 700 0..)	115	2 605 510 102
GWS 7-125 (0 601 700 048); GWS 9-125 (0 601 701 0..) GWS 10-125 C (0 601 702 7..) GWS 10-125 CE Professional (0 601 703 7..)	125	2 605 510 101
GWS 8-115 (3 601 H20 ...) GWS 8-115 Z (3 601 H31 0..) GWS 9-115 (3 601 G90 ...) GWS 1000 (3 601 H21 0..) GWS 1400 (3 601 H24 0..)	115	1 605 510 364



Appropriate machines	Diameter mm	Part number
Protective guards without cover for grinding		
GWS 8-125 (3 601 H27...) GWS 9-125 (3 601 G91 ...) GWS 10-125 (3 601 H21 ...) GWS 10-125 Z (3 601 H32 0..) GWS 11-125 (3 601 G92 ...) GWS 11-125 CI (3 601 H22 ...) GWS 11-125 CIE (3 601 H23 ...) GWS 11-126 CIH (3 601 H39 1../B..) GWS 12-125 CI (3 601 G93 ...) GWS 12-125 CIE (3 601 G94 ...) GWS 14-125 CI (3 601 H24 ...) GWS 14-125 CIE (3 601 H25 ...) GWS 14-125 CIT (3 601 H29 ...) GWS 15-125 CI (3 601 G95 ...) GWS 15-125 CIE (3 601 G96 ...) GWS 15-125 CIEH (3 601 H30 3../D..) GWS 15-125 CIH (3 601 H30 2../C..) GWS 15-125 CIT (3 601 G97 ...) GWS 15-125 CITH (3 601 H30 4../E..) GWS 1400 Professional (3 601 H24 ...) PWS 10-125 CE (3 603 C47 0..) PWS 13-125 CE (3 603 C48 0..)	125	1 605 510 365
GWS 14-150 CI (0 601 H26 ...) GWS 15-150 CI (3 601 G98 ...) GWS 15-150 CIH (0 601 H30 5../F..)	150	1 605 510 366
GWS 22-180 LVI (3 601 H90 D..) GWS 24-180 LVI (3 601 H92 F..) GWS 26-180 JBV (3 601 H55 U..)	180	2 605 510 280
GWS 22-230 LVI (3 601 H91 D../C..) GWS 24-230 LVI (3 601 H93 F../H..) GWS 24-230 JBX (3 601 H64 4../R../T..) GWS 26-230 BV (3 601 H56 S..) GWS 26-230 JBV (3 601 H56 U..) GWS 26-230 (3 601 H56 5..)	230	2 605 510 281
GWS 20-180/H/JH (0 601 849 ...) GWS 21-180 HV/JHV (0 601 851 ...) GWS 22-180 H/JH (3 601 H81 ...) GWS 23-180/J (0 601 753 ...) GWS 24-180 BX/JBX (0 601 863 ...) GWS 24-180 H (3 601 H53 1..) GWS 24-180 H/BV/JBV (0 601 853 ...) GWS 24-180 JH (3 601 H53 M..) GWS 25-180/J (0 601 755 ...) GWS 26-180 B (3 601 H55 K..) GWS 26-180 BV/JBV (0 601 856 ...) GWS 26-180 H (3 601 H55 1..; 3 601 H56 1../L..) GWS 26-180 JH (3 601 H55 M..) GWS 180/J, 20 -180/J, (0 601 751 ...)	180	2 605 510 297



Appropriate machines	Diameter mm	Part number
Protective guards without cover for grinding		
GWS 20-230 H/J/JH (0 601 850 ...) GWS 21-230 HV/JHV (0 601 852 ...) GWS 22-230 H/JH (3 601 H82 ...) GWS 23-230/J (0 601 754 ...) GWS 24-230 BX/JBX (0 601 864 ...) GWS 24-230 H (3 601 H54 1../L..) GWS 24-230 H/BV/JBV (0 601 854 ...) GWS 24-230 JH (3 601 H54 M..) GWS 25-230/J (0 601 756 ...) GWS 26-230 B (3 601 H56 3../K..) GWS 26-230 BV/JBV (0 601 856 ...) GWS 26-230 JBV (3 601 H56 5..) GWS 26-230 JH (3 601 H56 M..) GWS 230, 20-230/J (0 601 752 ...) PWS 20-230/J (0 603 359 ...) PWS 20-230/1900 (0 603 C59 V../W..) PWS 1900 (0 603 359 0..)	230	2 605 510 298
PWS 700-115; PWS 720-115 PWS 750-115 (0 601 164 0..)	115	2 605 510 288



Appropriate machines	Diameter mm	Part number
Protective guards with cover for cut-off grinding		
PWS 7-125 CE (3 603 C98 8..) PWS 8-125 CE (3 603 C99 B..) PWS 9-125 (3 603 C99 A..) PWS 720-125; PWS 750-125 (0 601 164 1..)	125	2 605 510 289
PWS 6-115 PWS 6-115 (3 603 C99 2..; 3 603 C99 3..; 3 603 C99 4..) PWS 7-115 (0 601 800 ...) PWS 7-115 (3 603 C99 5..; 3 603 C99 6..) PWS 550 PWS 550 (3 603 C99 0..) PWS 600 (3 603 C99 1..) PWS 600 (0 601 800 ...-0 601 806 ...) GWS 7-115 (0 601 800 ...) PWS 600 (3 603 D11 0..) PWS 650 (3 603 D11 0..) PWS 680 (3 603 D11 0..)	115	2 605 510 192
GWS 7-125 (0 601 800 048) PWS 8-125; PWS 9-125 CE GWS 9-125 (0 601 801 ...) GWS 10-125 C (0 601 802 ...) GWS 10-125 CE (0 601 803 ...) GWS 14-125 C (0 601 804 ...) GWS 14-125 CE (0 601 805 ...) GWS 1000 (0 601 802 ...) PWS 7-125 (3 603 C99 7..; 3 603 C99 8..) PWS 8-125 CE (3 603 C99 B..; 3 603 C99 9..; 3 603 C99 A..) PWS 680-125 (3 603 D11 0..)	125	2 605 510 193
GWS 14-150 CI; GWS 14-150 C Professional 0 601 800 ...- 0 601 806...	150	2 605 510 194
GWS 6-125 (0 601 375 1../3..) GWS 850 C (0 601 377 9..) GWS 850 CE (0 601 378 7../9..) GWS 850 CE Professional GWS 780 (0 601 377 3..) GWS 850 C, Ban, manufacture before 12.09	125	2 605 510 172
GWS 5-100 (0 601 375 0..) GWS 6-100 (0 601 375 0..) GWS 6-100 E (0 601 375 7..) GWS 580 (0 601 375 0..) GWS 670 GWS 7-100 (3 601 C88 1..)	100	1 619 P06 549
GWS 5-115 (0 601 376 2..) GWS 6-115 (0 601 375 0..; 0 601 375 7..; 0 601 375 9..) GWS 6-115 E (0 601 375 5..; 0 601 375 7..; 0 601 375 9..) GWS 7-115 (3 601 C88 1..) GWS 7-115 E (3 601 C88 1..) GWS 580 (0 601 376 0..) GWS 780 C (0 601 377 56.) GWS 850 C (0 601 377 5..)	115	1 619 P06 550
GWS 6-125 (0 601 375 1..) GWS 6-125 E (0 601 375 9..) GWS 7-125 (3 601 C88 1..) GWS 850 C (0 601 377 7..; 0 601 377 9..) GWS 850 CE (0 601 377 7..; 0 601 377 9..)	125	1 619 P06 551
GWS 22-180 LVI (3 601 H90 D..) GWS 24-180 LVI 3 601 H92 F..) GWS 26-180 JBV (3 601 H55 U..)	180	2 602 025 282
GWS 22-230 LVI (3 601 H91 D../C..) GWS 24-230 LVI (3 601 H93 F../H..) GWS 24-230 JBX (3 601 H64 4../R../T..) GWS 26-230 BV (3 601 H56 S..) GWS 26-230 JBV (3 601 H56 U..) GWS 26-230 (3 601 H56 5..)	230	2 602 025 283



Appropriate machines	Diameter mm	Part number
Protective guards with cover for cut-off grinding		
GWS 20-180/H/JH (0 601 849 ...) GWS 21-180 HV/JHV (0 601 851 ...) GWS 22-180 H/JH (3 601 H81 ...) GWS 23-180/J (0 601 753 ...) GWS 24-180 BX/JBX (0 601 863 ...) GWS 24-180 H (3 601 H53 1..) GWS 24-180 H/BV/JBV (0 601 853 ...) GWS 24-180 JH (3 601 H53 M..) GWS 25-180/J (0 601 755 ...) GWS 26-180 B (3 601 H55 K..) GWS 26-180 BV/JBV (0 601 856 ...) GWS 26-180 H (3 601 H56 1../L..) GWS 26-180 JH (3 601 H55 M..) GWS 180/J, 20 -180/J, (0 601 751 ...)	180	2 605 510 299
GWS 20-230 H/J/JH (0 601 850 ...) GWS 21-230 HV/JHV (0 601 852 ...) GWS 22-230 H/JH (3 601 H82 ...) GWS 23-230/J (0 601 754 ...) GWS 24-230 BX/JBX (0 601 864 ...) GWS 24-230 H (3 601 H54 1../L..) GWS 24-230 H/BV/JBV (0 601 854 ...) GWS 24-230 JH (3 601 H54 M..) GWS 25-230/J (0 601 756 ...) GWS 26-230 B (3 601 H56 3../K..) GWS 26-230 BV/JBV (0 601 856 ...) GWS 26-230 JBV (3 601 H56 5..) GWS 26-230 JH (3 601 H56 M..) GWS 230, 20-230/J (0 601 752 ...) PWS 20-230/1900 0 603 C59 V../W..) PWS 20-230/J (0 603 359 ...) PWS 1900 (0 603 359 0..)	230	2605 510 300
GWS 8-115 (0 601 820 ...; 0 601 H20 ...) GWS 8-115 Z (3 601 H31 0..) GWS 9-115 (3 601 G90 ...) GWS 1000 Professional (3 601 H23 ...)	115	2 605 510 256
GWS 8 - GWS 14 Professional (0 601 821 ... - 0 601 829...) GWS 8-125 (3 601 H27...) GWS 9-115 (3 601 G90 ...) GWS 9-125 (3 601 G91 ...) GWS 10-125 (3 601 H21 ...) GWS 10-125 Z (3 601 H32 0..) GWS 11-125 (3 601 G92 ...) GWS 11-125 CI (3 601 H22 ...) GWS 11-125 CIE (3 601 H23 ...) GWS 11-125 CIH 3 601 H30 1../B..) GWS 12-125 CI (3 601 G93 ...) GWS 12-125 CIE (3 601 G94 ...) GWS 14-125 CI (3 601 H24 ...) GWS 14-125 CIE (3 601 H25 ...) GWS 14-125 CIT (3 601 H29 ...) GWS 15-125 CI (3 601 G95 ...) GWS 15-125 CIE (3 601 G96 ...) GWS 15-125 CIH (3 601 H30 2../C..) GWS 15-125 CIEH (3 601 H30 3../D..) GWS 15-125 CIT (3 601 G97 ...) GWS 15-125 CITH (3 601 H30 4../E..) GWS 1400 Professional (3 601 H24 ...) PWS 10-125 CE (3 603 C47 0..) PWS 13-125 CE (3 603 C48 0..)	125	2 605 510 257
GWS 14-150 CI (3 601 H26 ...) GWS 15-150 CI (3 601 G98 ...) GWS 15-150 CIH (3 601 H30 5../F..)	150	2 605 510 258
PWS 700-115; PWS 720-115 PWS 750-115 (0 603 164 0..)	115	2 605 510 290
PWS 7-125 CE (3 603 C98 8..) PWS 8-125 CE (3 603 C99 B..) PWS 9-125 (3 603 C99 A..) PWS 720-125; PWS 750-125 (0 601 164 1..)	125	2 605 510 291
GWS 24-300 GWS 24-300 J Professional	300	1 605 510 224

Protective Guards for Bosch Angle Grinders

Protective Guards without Cover for Grinding

- Without cover for general grinding and sanding work
- EN/EC 60745

PRODUCT PROPERTIES	ORDERING INFORMATION					
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Protective guard without cover for grinding with clamp fitting, screw-type fastening **Suitable for** GWS 6-100 (0 601 375 0..); GWS 6-100 S (0 601 375 0..); GWS 6-115 (0 601 375 0..); GWS 6-115 E (0 601 375 7..); GWS 7-100 (0 601 388 1..) Professional	**100**	P0f	1	1	492744	**1 619 P06 546**
Protective guard without cover with clamp fitting, with coding and screw-type fastening **Suitable for** GWS 5-100 (0 601 376 0..); GWS 5-115 (0 601 376 2..); GWS 6-115 (0 601 375 0../0 601 375 9..); GWS 6-115 E (0 601 375 5../0 601 375 7../0 601 375 9..); GWS 7-115 (0 601 388 1../0 601 700 0../0 601 800 0..); GWS 7-115 E (0 601 388 2..); GWS 18 V-LI (0 601 93A 3..); GWS 660 (0 601 375 0..); GWS 780 C (0 601 377 5..) Professional; PWS 600 (0 603 411 0..); PWS 650 (0 603 411 0..); PWS 680 (0 603 411 0..)	**115**	P0f	1	1	492751	**1 619 P06 547**
Protective guard without cover with clamp fitting, with coding and screw-type fastening **Suitable for** GWS 6-125 (0 601 375 1..); GWS 6-125 E (0 601 375 9..); GWS 7-115 (0 601 800 0..); GWS 7-125 (0 601 388 1../0 601 700 0..); GWS 780 C (0 601 377 5..); GWS 850 C (0 601 377 3../0 601 377 7../0 601 377 9..); GWS 850 CE (0 601 377 9../0 601 378 7../0 601 378 9..) Professional; PWS 680-125 (0 603 411 0..)	**125**	P0f	1	1	492768	**1 619 P06 548**
Protective guard without cover with easy-to-use adjustment and tool-free attachment **Suitable for** GWS 7-125 (0 601 700 0..); GWS 9-125 (0 601 701 0..); GWS 10-125 C (0 601 702 7..); GWS 10-125 CE (0 601 703 7..) Professional	**125**	P0f	1	1	062480	**2 605 510 101**
Protective guard without cover with easy-to-use adjustment and tool-free attachment **Suitable for** GWS 8-115 (0 601 820 0../0 601 820 2..); GWS 8-115 Z (0 601 831 0../0 601 831 5..); GWS 9-115 (0 601 790 0..); GWS 9-115 P (0 601 790 2..); GWS 10-125 (0 601 821 0..); GWS 1400 (0 601 824 0..); GWX 9-115 S (0 601 7B1 0..); GWX 18V-10 C (0 601 7B0 2..); GWX 18V-10 SC (0 601 7B0 4..) Professional	**115**	P0f	1	1	364089	**1 605 510 364**

Protective Guards without Cover for Grinding

PRODUCT PROPERTIES	ORDERING INFORMATION					
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Protective guard without cover with easy-to-use adjustment and tool-free attachment **Suitable for** GWS 8-125 (0 601 827 0../0 601 827 2..); GWS 8-125 C (0 601 377 7..); GWS 9-125 (0 601 701 0../0 601 791 0../0 601 801 0../0 603 791 0..); GWS 9-125 C (3 174 5..); GWS 9-125 CES (3 174 9..); GWS 9-125 CMS (3 174 8..); GWS 9-125 CS (3 174 6..); GWS 9-125 CSS (3 174 7..); GWS 10-125 (0 601 821 0..); GWS 10-125 C (0 601 702 7../0 601 802 3..); GWS 10-125 CE (0 601 703 7../0 601 803 5..); GWS 10-125 Z (0 601 832 0../0 601 832 2..); GWS 11-125 (0 601 792 0..); GWS 11-125 CI (0 601 822 0../0 601 822 2..); GWS 11-125 CIE (0 601 823 2..); GWS 11-125 CIH (0 601 830 1../0 601 830 B../0 601 839 1../0 601 839 B..); GWS 11-125 P (0 601 792 2..); GWS 12-125 CI (0 601 793 0..); GWS 12-125 CIE (0 601 794 0..); GWS 12-125 CIEP (0 601 794 2..); GWS 12-125 CIP (0 601 793 2..); GWS 14-125 CI (0 601 824 2../0 601 824 3../0 601 824 7..); GWS 14-125 CIE (0 601 825 2..); GWS 14-125 CIT (0 601 829 2../0 601 829 A..); GWS 14-125 Inox (0 601 829 J..); GWS 15-125 CI (0 601 795 0..); GWS 15-125 CI + accessories (0 601 795 0..); GWS 15-125 CIE (0 601 796 0..); GWS 15-125 CIEH (0 601 830 3..); GWS 15-125 CIEP (0 601 796 2..); GWS 15-125 CIH (0 601 830 2..); GWS 15-125 CIP (0 601 795 2..); GWS 15-125 CIT (0 601 797 0..); GWS 15-125 CITH (0 601 830 4..); GWS 1000 (0 601 802 3../0 601 821 8../0 601 823 ...); GWS 1000 + SDS (0 601 821 8..); GWS 1400 (0 601 804 7../0 601 824 .../0 601 824 0../0 601 824 8..); GWX 10-125 (0 601 7B3 0..); GWX 13-125 (0 601 7B5 0..); GWX 13-125 S (0 601 7B6 0..); GWX 14-125 (0 601 7B7 0..); GWX 15-125 PS (0 601 7B9 0..); GWX 17-125 (0 601 7C3 0..); GWX 17-125 S (0 601 7C4 0..); GWX 17-125 T (0 601 7C5 0..); GWX 18V-10 C (0 601 7B0 2..) Professional; PWS 10-125 CE (0 603 347 0..); PWS 13-125 CE (0 603 348 6../0 603 348 7..)	**125**	P0f	1	1	364096	**1 605 510 365**
 Protective guard without cover with easy-to-use adjustment and tool-free attachment **Suitable for** GWS 14-150 CI (0 601 826 2..); GWS 15-150 CI (0 601 798 0..); GWS 15-150 CIH (0 601 830 5../0 601 830 F..); GWS 15-150 CIP (0 601 798 2..); GWS 17-150 CI (0 601 79K 0..); GWX 17-150 (0 601 7C6 0..); GWX 18V-10 SC (0 601 7B0 4..) Professional	**150**	P0f	1	1	364102	**1 605 510 366**
 Protective guard without cover for grinding with clamp fitting, with coding and quick fastening **Suitable for** GWS 22-180 LVI (0 601 890 D..); GWS 26-180 JBV (0 601 855 G../0 601 856 ...); GWS 26-180 LVI (0 601 894 F..) Professional	**180**	P0f	1	1	482547	**2 605 510 280**
Protective guard without cover for grinding with clamp fitting, with coding and quick fastening **Suitable for** GWS 22-230 LVI (0 601 891 C../0 601 891 D..); GWS 24-230 JBX (0 601 864 4../0 601 864 R../0 601 864 T..); GWS 24-230 JVX (0 601 864 U..); GWS 24-230 LVI (0 601 893 F../0 601 893 H..); GWS 26-230 BV (0 601 856 S..); GWS 26-230 JBV (0 601 856 G../0 601 856 U..); GWS 26-230 JH + SDS (0 601 856 5..); GWS 26-230 LVI (0 601 895 F..) Professional	**230**	P0f	1	1	482554	**2 605 510 281**
 Protective guard with clamp fitting, with coding and screw-type fastening **Suitable for** GWS 20-180 (0 601 751 0..); GWS 20-180 H (0 601 849 0..); GWS 20-180 JH (0 601 849 9..); GWS 21-180 HV (0 601 851 B..); GWS 21-180 JHV (0 601 851 G..); GWS 22-180 H (0 601 881 Y..); GWS 22-180 JH (0 601 881 M..); GWS 23-180 / 180 J (0 601 753 0..); GWS 24-180 (0 601 853 4../0 601 8A3 0..); GWS 24-180 B + SDS (0 601 853 1..); GWS 24-180 BV + SDS (0 601 853 C..); GWS 24-180 H (0 601 883 1..); GWS 24-180 JBV (0 601 853 G..); GWS 24-180 JBV + SDS (0 601 853 F..); GWS 24-180 JBX + SDS (0 601 863 8..); GWS 24-180 JH (0 601 853 M..); GWS 25-180 / 180 J (0 601 755 1..); GWS 26-180 B (0 601 855 K..); GWS 26-180 BV (0 601 856 ...); GWS 26-180 H (0 601 855 1../0 601 856 L..); GWS 26-180 JBV (0 601 856 ...); GWS 26-180 JH (0 601 855 M..); GWS 26-230 H (0 601 856 1..) Professional	**180**	C0a	1	1	542166	**2 605 510 297**

Protective Guards without Cover for Grinding

PRODUCT PROPERTIES	ORDERING INFORMATION					
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Protective guard with clamp fitting, with coding and screw-type fastening **Suitable for** GWS 20-230 (0 601 752 0..); GWS 20-230 H (0 601 850 0..); GWS 20-230 JH (0 601 850 9..); GWS 21-230 HV (0 601 852 B..); GWS 21-230 JHV (0 601 852 3../0 601 852 G..); GWS 22-230 JH (0 601 882 M../0 601 882 Z..); GWS 23-230 / 230 J (0 601 754 0..); GWS 24-230 BV (0 601 854 B..); GWS 24-230 BV + SDS (0 601 854 C..); GWS 24-230 BX + SDS (0 601 864 1..); GWS 24-230 H (0 601 854 4../0 601 884 1../0 601 884 L..); GWS 24-230 JBV (0 601 854 G..); GWS 24-230 JBV + SDS (0 601 854 F..); GWS 24-230 JH (0 601 854 M../0 601 884 2../0 601 884 M..); GWS 24-230 Profi (0 601 854 5..); GWS 25-230 / 230 J (0 601 756 1..); GWS 26-230 B (0 601 856 3../0 601 856 K..); GWS 26-230 BV + SDS (0 601 856 B..); GWS 26-230 JBV (0 601 856 G..); GWS 26-230 JH (0 601 856 4..); GWS 26-230 JH + SDS (0 601 856 5..) Professional; PWS 20-230 (0 603 359 9../0 603 359 W..); PWS 20-230 J (0 603 359 8../0 603 359 V..); PWS 1900 (0 603 359 1..)						
	230	C0a	1	1	542173	**2 605 510 298**



Protective guard without cover for grinding
Easy-to-use adjustment, tool-free attachment
Suitable for PWS 700-115 (0 603 164 2..); PWS 720-115 (0 603 164 0..); PWS 750-115 (0 603 164 0..)

115	P0f	1	1	498302	**2 605 510 288**



Protective guard without cover for grinding
Easy-to-use adjustment, tool-free attachment
Suitable for AdvancedGrind 18 (0 603 3D9 0..); PWS 7-125 CE (0 603 398 8..); PWS 8-125 CE (0 603 399 B..); PWS 9-125 (0 603 399 A..); PWS 720-125 (0 603 164 0..); PWS 750-125 (0 603 164 1..)

125	P0f	1	1	498319	**2 605 510 289**



Protective guard
Clamp with screw-type fastening, with coding
Suitable for GWS 6-125 (0 601 375 1..); GWS 780 C (0 601 377 5..); GWS 850 C (0 601 377 3../0 601 377 7../0 601 377 9..); GWS 850 CE (0 601 378 7../0 601 378 9..) Professional

125	C0a	1	1	220071	**2 605 510 172**

Suitable for GWS 9-125; GWS 9-125 P; GWS 9-125 S; GWS 18V-7; GWS 180-LI Professional

125	C0a	1	1	942416	**2 608 000 678**





Protective guard
Clamp with screw-type fastening, with coding
Suitable for GWS 5-100 (0 601 376 0..); GWS 6-100 (0 601 375 0..) Professional

100	P0f	1	1	094412	**2 605 510 155**

Protective Guards without Cover for Grinding



PRODUCT PROPERTIES	ORDERING INFORMATION					
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Suitable for GWS 9-115 P; GWS 9-115 S; GWS 18V-7; GWS 180-LI Professional					
115	C0a	1	1	942409	**2 608 000 677**



Suitable for GWS 9-100 P; GWS 18V-7; GWS 180-LI Professional					
100	C0a	1	1	942393	**2 608 000 676**

Protective Guards with Cover for Cut-Off Grinding



- Cover for safe cut-off grinding
- EN/EC 60745

Protective guard with cover for cutting
with clamp fitting, screw-type fastening
Suitable for GWS 6-100 (0 601 375 0..); GWS 6-100 S (0 601 375 0..); GWS 6-115 (0 601 375 0..); GWS 6-115 E (0 601 375 7..); GWS 7-100 (0 601 388 1..) Professional

100	P0f	1	1	492775	**1 619 P06 549**

Protective guard with cover for cutting, Japan version with clamp fitting, with coding and quick fastening

100	C0a	1	1	906616	**2 608 000 655**

Suitable for GWS 9-100 P; GWS 18V-7 Professional

100	C0a	1	1	942423	**2 608 000 679**



Protective Guards with Cover for Cut-Off Grinding



Protective guard with cover
with clamp fitting, with coding and screw-type fastening
Suitable for GWS 5-100 (0 601 376 0..); GWS 5-115 (0 601 376 2..); GWS 6-115 (0 601 375 0../0 601 375 9..); GWS 6-115 E (0 601 375 5../0 601 375 7../0 601 375 9..); GWS 7-115 (0 601 388 1../0 601 700 0../0 601 800 0..); GWS 7-115 E (0 601 388 2..); GWS 18 V-LI (0 601 93A 3..); GWS 660 (0 601 375 0..); GWS 780 C (0 601 377 5..) Professional; PWS 600 (0 603 411 0..); PWS 650 (0 603 411 0..); PWS 680 (0 603 411 0..)

PRODUCT PROPERTIES	ORDERING INFORMATION					
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	P0f	1	1	492782	**1 619 P06 550**



Protective guard with cover for cutting
with easy-to-use adjustment and tool-free attachment
Suitable for GWS 8-115 (0 601 820 0../0 601 820 2..); GWS 8-115 Z (0 601 831 0../0 601 831 5..); GWS 9-115 (0 601 790 0..); GWS 9-115 P (0 601 790 2..); GWS 1000 (0 601 823 ...); GWX 9-115 S (0 601 7B1 0..); GWX 18V-10 C (0 601 7B0 2..); GWX 18V-10 SC (0 601 7B0 4..) Professional

115	P0f	1	1	418690	**2 605 510 256**



Protective guard with cover for cutting
Tool-free attachment
Suitable for PWS 700-115 (0 603 164 2..); PWS 720-115 (0 603 164 0..); PWS 750-115 (0 603 164 0..)

115	P0f	1	1	498357	**2 605 510 290**

Suitable for GWS 9-115 P; GWS 9-115 S; GWS 18V-7 Professional

115	C0a	1	1	942430	**2 608 000 680**





Protective guard with cover
with clamp fitting, with coding and screw-type fastening
Suitable for GWS 6-125 (0 601 375 1..); GWS 6-125 E (0 601 375 9..); GWS 7-115 (0 601 800 0..); GWS 7-125 (0 601 388 1../0 601 700 0..); GWS 780 C (0 601 377 5..); GWS 850 C (0 601 377 3../0 601 377 7../0 601 377 9..); GWS 850 CE (0 601 377 9../0 601 378 7../0 601 378 9..) Professional; PWS 680-125 (0 603 411 0..)

125	P0f	1	1	492799	**1 619 P06 551**

Protective Guards with Cover for Cut-Off Grinding



Protective guard with cover for cutting
with easy-to-use adjustment and tool-free attachment
Suitable for GWS 8-14 (0 601 820 .../0 601 821 .../0 601 822 .../0 601 823 .../0 601 824 .../0 601 825 ...); GWS 8-115 (0 601 820 0../0 601 820 2..); GWS 8-125 (0 601 827 0../0 601 827 2..); GWS 8-125 C (0 601 377 7..); GWS 9-125 (0 601 701 0../0 601 791 0../0 601 801 0../0 603 791 0..); GWS 9-125 C (3 174 5..); GWS 9-125 CES (3 174 9..); GWS 9-125 CMS (3 174 8..); GWS 9-125 CS (3 174 6..); GWS 9-125 CSS (3 174 7..); GWS 10-125 (0 601 821 0..); GWS 10-125 C (0 601 702 7../0 601 802 3..); GWS 10-125 CE (0 601 703 7../0 601 803 5..); GWS 10-125 Z (0 601 832 0../0 601 832 2..); GWS 11-125 (0 601 792 0..); GWS 11-125 CI (0 601 822 0../0 601 822 2..); GWS 11-125 CIE (0 601 823 2..); GWS 11-125 CIH (0 601 830 1../0 601 830 B../0 601 839 1../0 601 839 B..); GWS 11-125 P (0 601 792 2..); GWS 12-125 CI (0 601 793 0..); GWS 12-125 CIE (0 601 794 0..); GWS 12-125 CIEP (0 601 794 2..); GWS 12-125 CIP (0 601 793 2..); GWS 14 (0 601 826 ...); GWS 14-125 CI (0 601 824 2../0 601 824 3../0 601 824 7..); GWS 14-125 CIE (0 601 825 2..); GWS 14-125 CIT (0 601 829 2../0 601 829 A..); GWS 14-125 Inox (0 601 829 J..); GWS 15-125 CI (0 601 795 0..); GWS 15-125 CI + accessories (0 601 795 0..); GWS 15-125 CIE (0 601 796 0..); GWS 15-125 CIEH (0 601 830 3..); GWS 15-125 CIEP (0 601 796 2..); GWS 15-125 CIH (0 601 830 2..); GWS 15-125 CIP (0 601 795 2..); GWS 15-125 CIT (0 601 797 0..); GWS 15-125 CITH (0 601 830 4..); GWS 17-125 CI (0 601 79G 0..); GWS 1000 (0 601 802 3../0 601 821 8../0 601 823 ...); GWS 1000 + SDS (0 601 821 8..); GWS 1400 (0 601 804 7../0 601 824 .../0 601 824 0../0 601 824 8..); GWX 10-125 (0 601 7B3 0..); GWX 13-125 (0 601 7B5 0..); GWX 14-125 (0 601 7B7 0..); GWX 15-125 PS (0 601 7B9 0..); GWX 17-125 (0 601 7C3 0..); GWX 17-125 S (0 601 7C4 0..); GWX 17-125 T (0 601 7C5 0..); GWX 18V-10 C (0 601 7B0 2..) Professional; PWS 10-125 CE (0 603 347 0..); PWS 13-125 CE (0 603 348 0..)

Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
125	P0f	1	1	418706	**2 605 510 257**



Protective guard with cover for cutting
Tool-free attachment
Suitable for AdvancedGrind 18 (0 603 3D9 0..); PWS 7-125 CE (0 603 398 8..); PWS 8-125 CE (0 603 399 B..); PWS 9-125 (0 603 399 A..); PWS 720-125 (0 603 164 0..); PWS 750-125 (0 603 164 1..)

Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
125	P0f	1	1	498425	**2 605 510 291**

Suitable for GWS 9-125; GWS 9-125 P; GWS 9-125 S; GWS 18V-7 Professional

Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
125	C0a	1	1	942447	**2 608 000 681**





Protective guard with cover for cutting
with easy-to-use adjustment and tool-free attachment
Suitable for GWS 14-150 CI (0 601 826 2..); GWS 15-150 CI (0 601 798 0..); GWS 15-150 CIH (0 601 830 5../0 601 830 F..); GWS 15-150 CIP (0 601 798 2..); GWS 17-150 CI (0 601 79K 0..); GWX 17-150 (0 601 7C6 0..); GWX 18V-10 SC (0 601 7B0 4..) Professional

Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
150	P0f	1	1	418713	**2 605 510 258**



Protective guard with cover for cutting
with clamp fitting, with coding and quick fastening
Suitable for GWS 22-180 LVI (0 601 890 D..); GWS 26-180 JBV (0 601 855 G..); GWS 26-180 LVI (0 601 894 F..) Professional

Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
180	P0f	1	1	485715	**2 602 025 282**

Protective Guards with Cover for Cut-Off Grinding

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
						
Protective guard with clamp fitting, with coding and screw-type fastening **Suitable for** GWS 20-180 (0 601 751 0..); GWS 20-180 H (0 601 849 0..); GWS 20-180 JH (0 601 849 9..); GWS 21-180 HV (0 601 851 B..); GWS 21-180 JHV (0 601 851 G..); GWS 22-180 H (0 601 881 Y..); GWS 22-180 JH (0 601 881 M..); GWS 23-180 / 180 J (0 601 753 0..); GWS 24-180 (0 601 853 4../0 601 8A3 0..); GWS 24-180 B + SDS (0 601 853 1..); GWS 24-180 BV + SDS (0 601 853 C..); GWS 24-180 JBV (0 601 853 G..); GWS 24-180 JBV + SDS (0 601 853 F..); GWS 24-180 JBX + SDS (0 601 863 8..); GWS 24-180 JH (0 601 853 M../0 601 883 M..); GWS 25-180 / 180 J (0 601 755 1..); GWS 26-180 B (0 601 855 K..); GWS 26-180 BV (0 601 856 ...); GWS 26-180 H (0 601 855 1../0 601 856 L..); GWS 26-180 JBV (0 601 856 ...); GWS 26-180 JH (0 601 855 M..); GWS 26-230 H (0 601 856 1..) Professional	**180**	C0a	1	1	542180	**2 605 510 299**
						
Protective guard with cover for cutting with clamp fitting, with coding and quick fastening **Suitable for** GWS 22-230 LVI (0 601 891 C../0 601 891 D..); GWS 24-230 JBX (0 601 864 4../0 601 864 R../0 601 864 T..); GWS 24-230 JVX (0 601 864 U..); GWS 24-230 LVI (0 601 893 F../0 601 893 H..); GWS 26-230 BV (0 601 856 S..); GWS 26-230 JBV (0 601 856 G../0 601 856 U..); GWS 26-230 JH + SDS (0 601 856 5..); GWS 26-230 LVI (0 601 895 F..) Professional	**230**	P0f	1	1	485722	**2 602 025 283**
						
Protective guard with clamp fitting, with coding and screw-type fastening **Suitable for** GWS 20-230 (0 601 752 0..); GWS 20-230 H (0 601 850 0..); GWS 20-230 JH (0 601 850 9..); GWS 21-230 HV (0 601 852 B..); GWS 21-230 JHV (0 601 852 3../0 601 852 G..); GWS 22-230 JH (0 601 882 M../0 601 882 Z..); GWS 23-230 / 230 J (0 601 754 0..); GWS 24-230 B + SDS (0 601 854 1..); GWS 24-230 BV (0 601 854 B..); GWS 24-230 BX + SDS (0 601 864 1..); GWS 24-230 H (0 601 854 4../0 601 854 L../0 601 884 1..); GWS 24-230 JBV (0 601 854 G..); GWS 24-230 JBX (0 601 864 8..); GWS 24-230 JH (0 601 854 M../0 601 884 2../0 601 884 M..); GWS 24-230 Profi (0 601 854 5..); GWS 25-230 / 230 J (0 601 756 1..); GWS 26-230 B (0 601 856 3../0 601 856 K..); GWS 26-230 BV + SDS (0 601 856 B..); GWS 26-230 JBV (0 601 856 G..); GWS 26-230 JH (0 601 856 M..); GWS 26-230 JH + SDS (0 601 856 5..) Professional; PWS 20-230 (0 603 349 0../0 603 359 9../0 603 359 W..); PWS 20-230 J (0 603 359 8../0 603 359 V..); PWS 1900 (0 603 359 1..)	**230**	C0a	1	1	542197	**2 605 510 300**
						
Protective guard with clamp fitting, with coding and quick fastening **Suitable for** GWS 24-300 Professional	**300**	P0f	1	1	047180	**1 605 510 224**
						
Protective guard with cover for cutting Tool-free attachment **Suitable for** GWS 12V-76 (0 601 9F2 0..) Professional	**76**	P0f	1	1	841450	**2 608 000 632**

DUST EXTRACTION AND PROTECTIVE GUARDS

For Bosch angle grinder.



- Dust extraction guards for dust-free sanding
- Protective guards for additional safety when grinding
- Note: Please verify with the operating instructions of the machine for more detailed use

Dust Extraction Guards for Sanding

- With brush ring
- **Suitable for** dust-free sanding of paint, varnish, plastics and wood in conjunction with sanding plates and fibre sanding sheets or with tungsten carbide grinding heads (not suitable for metals).



PRODUCT PROPERTIES	ORDERING INFORMATION					
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Dust extraction guard with brush ring Tool-free attachment **Suitable for** GWS 8-115 (0 601 820 0../0 601 820 2..); GWS 8-115 Z (0 601 831 0..); GWS 8-125 (0 601 827 0../0 601 827 2..); GWS 9-115 (0 601 790 0..); GWS 9-125 (0 601 791 0..); GWS 10-125 (0 601 821 0..); GWS 10-125 Z (0 601 832 0..); GWS 11-125 (0 601 792 0..); GWS 11-125 CI (0 601 822 0../0 601 822 2..); GWS 11-125 CIE (0 601 823 2..); GWS 11-125 CIH (0 601 830 1../0 601 830 B..); GWS 12-125 CI (0 601 793 0..); GWS 12-125 CIE (0 601 794 0..); GWS 14-125 CI (0 601 824 2../0 601 824 3../0 601 824 7..); GWS 14-125 CIE (0 601 825 2..); GWS 14-125 CIT (0 601 829 2../0 601 829 A..); GWS 15-125 CI (0 601 795 0..); GWS 15-125 CIE (0 601 796 0..); GWS 15-125 CIEH (0 601 830 3../0 601 830 4..); GWS 15-125 CIH (0 601 830 2../0 601 830 3..); GWS 15-125 CIT (0 601 797 0..); GWS 15-125 CITH (0 601 830 4..); GWS 1000 (0 601 821 0../0 601 821 8..); GWS 1400 (0 601 824 .../0 601 824 0..) Professional						
115 **125**	C0a	1	1	375160	**2 605 510 224**	

Dust Extraction Guards for Sanding



Cutting guide with dust extraction outlet for sanding, with clamp fitting
The suction hood is an attachable accessory that keeps the workplace clean by dust-free sanding, it is suitable for sanding edges.
Suitable for GWS 7-115 (0 601 800 0..); GWS 9-125 (0 601 801 0..); GWS 10-125 C (0 601 802 3..); GWS 10-125 CE (0 601 803 5..); GWS 14-125 C (0 601 804 5..); GWS 14-125 CE (0 601 805 5..) Professional; PWS 6-100 (0 603 401 0..); PWS 6-115 (0 603 401 0..); PWS 7-125 (0 603 399 8..); PWS 8-125 CE (0 603 404 6..); PWS 9-125 CE (0 603 405 6../0 603 405 9..); PWS 13-125 CE (0 603 348 6../0 603 348 7..); PWS 600 (0 603 400 0..); PWS 850 CE (0 603 404 7..)

PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
125	C0a	1	1	272568	**1 605 510 281**



Replacement brush for 2 605 510 224

PRODUCT PROPERTIES	ORDERING INFORMATION				
-	C0a	2	1	375177	**2 605 510 226**

Clamping element set for small angle grinders



3-piece clamping element set for small angle grinders
consisting of round nut (1 603 340 015), flange (1 605 703 084), two-hole spanner (1 607 950 043). Compatible with Angle grinders manufactured before 08-1990

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	PC1c	3	1	049047	**1 607 000 158**

SDS clic Quick-Locking Nuts M14



SDS clic quick-locking nut M14

Appropriate for all angle grinders with thread M14 (available thread length – protrudes beyond thickest tool – larger than 6 mm)

manufactured in or after 08/90

Note: The disc must be centred at the supporting flange, not at the nut

PRODUCT PROPERTIES	ORDERING INFORMATION				
Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
14	C1a	1	1	033206	**1 603 340 031**

Locking Flanges for Clamping Diamond Cutting Discs



Flange sets

for clamping 300 mm diameter discs

Suitable for GSF 100 A (0 601 367 7..); GWS 24-300 (0 601 364 0..) Professional

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	P0b	1	1	056809	**2 603 345 003**

Parallel Guides



Parallel guide

Suitable for GNF 20 CA Professional

	P0b	1	1	018654	**3 607 000 060**



Parallel fence for hand-held circular saws

Suitable for GDC 125 Professional

	PC1b	1	1	770606	**2 608 000 618**

Two-Hole Spanners for Angle Grinders

	PRODUCT PROPERTIES	ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
	Two-hole spanner, bent at right angles **Appropriate for** cup wheels	PC1c	1	1	002356	**1 607 950 004**
	Two-hole spanner, straight for clamping all discs on angle grinders	PC1c	1	1	016483	**1 607 950 043**
	Two-hole spanner, straight for clamping all discs on two-hand angle grinders and straight grinders **Suitable for** GGS 6 S Professional	P0b	1	1	040891	**1 607 950 048**
	Two-hole spanner, bent at right angles for diamond and tungsten carbide grinding heads **Suitable for** GBR 14 C; GNF 35 CA Professional	P0b	1	1	103343	**3 607 950 017**

Hand Protectors for Angle Grinders

- Appropriate for all Bosch Angle Grinders in combination with auxiliary handle
- Protects the hands when using rubber backing pads



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Hand protector in combination with auxiliary handle					
	PC1c	1	1	001885	**1 601 329 013**

Dust Filters for Small Angle Grinders



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Dust Filters for small angle grinders **Suitable for** GWS 13-125 CI (0 601 79E 0..); GWS 13-125 CIE (0 601 79F 0..); GWS 17-125 CI (0 601 79G 0..); GWS 17-125 CIE (0 601 79H 0..); GWS 17-125 CIEX (0 601 79H 1..); GWS 17-125 CIT (0 601 79J 0..); GWS 17-125 CIX (0 601 79G 1..); GWS 17-125 INOX (0 601 79M 0..); GWS 17-150 CI (0 601 79K 0..); GWS 19-125 CI (0 601 79N 0..); GWS 19-125 CIE (0 601 79P 0..); GWS 19-125 CIST (0 601 79S 0..); GWS 19-150 CI (0 601 79R 0..); GWX 13-125 (0 601 7B5 0..); GWX 13-125 S (0 601 7B6 0..); GWX 17-125 (0 601 7C3 0..); GWX 17-125 S (0 601 7C4 0..); GWX 17-125 T (0 601 7C5 0..); GWX 17-150 (0 601 7C6 0..); GWX 19-125 S (0 601 7C8 0..) Professional					
		1	1	985970	**2 608 000 695**

Cyclon Dust Box for Large Angle Grinders



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
Cyclon Tech Dust Box for Large Angle Grinders also fits to: GWS 24-230 JZ					
	C0a	1	1	233882	**2 608 000 741**

Accessories for Bosch Concrete Grinders

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Replacement brushes for Bosch GBR 15 CA Professional concrete grinder **Suitable for** GBR 15 CA Professional						
-	-	P0b	3	1	776110	**2 608 620 691**
 Accessories for Bosch concrete grinders **Suitable for** GBR 15 CAG Professional						
-	-	P0b	3	1	776127	**2 608 620 692**
 Backing flange						
100	-	PC1c	1	1	102773	**2 605 703 031**
 Replacement brush for dust extraction bell for cutting guide with dust extraction outlet for Bosch concrete grinder GBR 14 CA Professional						
-	-	C0a	3	1	088978	**2 600 290 026**
 Bow handle						
-	-	P0f	1	1	088947	**3 601 303 017**
 SDS clic quick-locking nut M14 **Appropriate for** all angle grinders with thread M14 (available thread length – protrudes beyond thickest tool – larger than 6 mm) manufactured in or after 08/90 **Note:** The disc must be centred at the supporting flange, not at the nut						
-	14	C1a	1	1	033206	**1 603 340 031**
 SDS click quick-locking nut M14x1.5 mm **Suitable for** GWS 12-125 CIEPX; GWS 12-125 CIEX; GWS 12-125 CIPX; GWS 12-125 CIX; GWS 15-125 CIEPX; GWS 15-125 CIEX; GWS 15-125 CIPX; GWS 15-125 CIX Professional						
-	1.5	C1a	1	1	860062	**2 608 000 638**
 SDS clic Nut Display (15 pcs) **Appropriate for** all angle grinders with thread M14 (available thread length – protrudes beyond thickest tool – larger than 6 mm) manufactured in or after 08/90 **Note:** The disc must be centred at the supporting flange, not at the nut						
-	13	C0a	15	1	291002	**2 607 019 033**
 Locking Nut for M14 Thread for clamping all discs with 115 - 230 mm diameter, manufactured after 08/90.						
-	-	P0b	1	1	052078	**1 603 340 040**

Accessories for Bosch Concrete Grinders



Backing flange for M14 thread
for clamping all discs with 115 - 150 mm diameter, manufactured after 08/90

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-	-	PC1c	1	5	046947	**1 605 703 099**



Two-hole spanner, bent at right angles
for diamond and tungsten carbide grinding heads
Suitable for GBR 14 C; GNF 35 CA Professional

-	-	P0b	1	1	103343	**3 607 950 017**

Collets for Bosch Straight Grinders

Collets without Locking Nut for Straight Grinders



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Diameter inches	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Collet without locking nut **Suitable for** GGS 27; GGS 27 C Professional						
3	-	P0b	1	1	049023	**2 608 570 008**
Collet without locking nut **Suitable for** GGS 8 C; GGS 28; GGS 28 C; GGS 28 CE; GGS 28 LC; GGS 28 LCE; GGS 28 LPC Professional						
3	-	P0b	1	1	620031	**2 608 570 136**
6	-	P0b	1	1	620048	**2 608 570 137**
8	-	P0b	1	1	620055	**2 608 570 138**
-	1/4	P0b	1	1	620079	**2 608 570 140**
-	1/8	P0b	1	1	620062	**2 608 570 139**
Collet without locking nut **Suitable for** GGS 27; GGS 27 C Professional; POF 500 A; POF 600 ACE						
6	-	P1c	1	1	013505	**2 608 570 047**
8	-	P1c	1	1	006705	**2 608 570 049**
-	1/4	P1c	1	1	006699	**2 608 570 048**



Locking nut without collet **Suitable for** GGS 8 C; GGS 18 V-LI; GGS 18V-10 SLC; GGS 28; GGS 28 C; GGS 28 CE; GGS 28 LC; GGS 28 LCE; GGS 28 LPC Professional						
-	-	P0b	1	1	620086	**2 608 570 141**

Collets with Locking Nut for Straight Grinders



Collet with locking nut **Suitable for** GGS 7 C; GGS 27 L; GGS 27 LC; GGS 1212 Professional						
3	-	P0b	1	1	031103	**2 608 570 082**
-	1/8	P0b	1	1	032612	**2 608 570 083**
6	-	P0b	1	1	031110	**2 608 570 084**
-	1/4	P0b	1	1	031127	**2 608 570 085**
8	-	P0b	1	1	031134	**2 608 570 086**

Collets with Locking Nut for Straight Grinders



Collet with locking nut **Suitable for** GGS 16 Professional						
10	-	P0b	1	1	026048	**1 608 570 040**
8	-	P0b	1	1	026055	**1 608 570 041**
-	1/4	P0b	1	1	057134	**1 608 570 042**
6	-	P0b	1	1	026062	**1 608 570 043**

Spanners for Bosch Straight Grinders

Spanners for Bosch Straight Grinders

PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
 Spanner **Suitable for** GGS 16 Professional						
	PC1c	1	1	024570	**1 607 950 511**	
	PC1c	1	1	048491	**1 607 950 525**	
 Two-hole spanner, straight for clamping all discs on two-hand angle grinders and straight grinders **Suitable for** GGS 6 S Professional						
	P0b	1	1	040891	**1 607 950 048**	

Locking Nuts and Flanges for Straight Grinders

	PRODUCT PROPERTIES	ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Quick-locking flange, conical **Suitable for** GGS 6 S Professional	P0b	1	1	077972	**3 603 301 011**
	Round nut for level discs **Suitable for** GGS 6 Professional	P0b	1	1	048767	**1 603 345 034**

Toolholders for Straight Grinders

▶ The toolholder enables stationary work with straight grinders.



PRODUCT PROPERTIES	ORDERING INFORMATION					
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Toolholder **Suitable for** GGS 7 C; GGS 27 L Professional						
	35	P0f	1	1	024600	**1 608 040 047**

LONG LIFE FOR SANDING SHEETS

EXPERT Multihole Backing Pads

ASSORTMENT: soft - hard

EXPERT

1. Most efficient dust removal with Bosch Particle Control
2. Hole layout offers long life for all sanding sheets



EXPERT Multihole Backing Pads for Bosch 150 mm

EXPERT



- Ideal for sanding wood. Soft pad for fine sanding and finishing of distinct curves and arches; medium pad for intermediate sanding of flat and curved surfaces; hard pad for coarse form-giving sanding of flat surfaces and narrow edges.
- Best for cabinet woodworkers: clean and efficient.
- Up to 2x longer life for multihole sheets, compared to a standard backing pad.
- 150 mm Backing Pad for Bosch Random Orbital Sanders.



PARTICLE CONTROL | UP TO 2x* LONG LIFE

PRODUCT PROPERTIES				ORDERING INFORMATION				
Version	Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Suitable for GEX 125-150 AVE; GEX 150 AC; GEX 150 Turbo Professional							
Hard	150	Multi-Hole	C1a	1	1	530611	**2 608 900 011**
Medium	150	Multi-Hole	C1a	1	1	530604	**2 608 900 010**
soft	150	Multi-Hole	C1a	1	1	530598	**2 608 900 009**

EXPERT Multihole Backing Pads Universal 150 mm

EXPERT



- Ideal for sanding wood. Soft pad for fine sanding and finishing of distinct curves and arches; medium pad for intermediate sanding of flat and curved surfaces; hard pad for coarse form-giving sanding of flat surfaces and narrow edges.
- Best for cabinet woodworkers: clean and efficient.
- Up to 2x longer life for multihole sheets, compared to a standard backing pad.
- 150 mm Backing Pad for Random Orbital Sanders, with adapters to fit most tool brands.



PARTICLE CONTROL | UP TO 2x* LONG LIFE

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Version	Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Suitable for GET 75-150; GEX 34-150; GEX 40-150 Professional; 3M; DeWalt; Dynabrade; Festool; Makita; Mirka; Rupes								
	Hard	150	Multi-Hole	C1a	1	1	530581	**2 608 900 008**
	Medium	150	Multi-Hole	C1a	1	1	530574	**2 608 900 007**
	soft	150	Multi-Hole	C1a	1	1	530567	**2 608 900 006**

EXPERT Multihole Backing Pads Universal 125 mm

EXPERT



- Ideal for sanding wood. Soft pad for fine sanding and finishing of distinct curves and arches; medium pad for intermediate sanding of flat and curved surfaces; hard pad for coarse form-giving sanding of flat surfaces and narrow edges.
- Best for cabinet woodworkers: clean and efficient.
- Up to 2x longer life for multihole sheets, compared to a standard backing pad.
- 125 mm Backing Pad for Random Orbital Sanders, with adapters to fit most tool brands.



PARTICLE CONTROL | UP TO 2x* LONG LIFE

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Version	Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Suitable for GET 55-125; GEX 34-125 Professional; 3M; Dynabrade; Mirka; Rupes								
	Hard	125	Multi-Hole	C1a	1	1	530550	**2 608 900 005**
	Medium	125	Multi-Hole	C1a	1	1	530543	**2 608 900 004**
	soft	125	Multi-Hole	C1a	1	1	530536	**2 608 900 003**

Backing Pads



PRODUCT PROPERTIES			ORDERING INFORMATION				
Version	Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Sanding pad **Suitable for** PEX 115							
Hard	115	8	C1c	1	1	079198	**2 608 601 064**
medium-hard	115	8	C1c	1	1	079181	**2 608 601 065**
Sanding pad **Suitable for** PEX 11; PEX 115							
soft	115	8	C1c	1	1	079174	**2 608 601 066**



Sanding pad **Suitable for** GEX 12V-125; GEX 18V-125; GEX 125-1 AE Professional							
soft	125	8	C1c	1	1	465489	**2 608 000 351**
Hard	125	8	C1c	1	1	465496	**2 608 000 352**
Sanding pad **Suitable for** GEX 125-1 AE Professional							
Medium	125	8	C1c	1	1	454957	**2 608 000 349**



Sanding Pad **Suitable for** GEX 12V-125; GEX 18V-125 Professional							
Medium	125	8	C1c	1	1	572437	**2 608 000 714**



Sanding pad **Suitable for** PEX 12; PEX 12 A; PEX 125; PEX 125 AE							
Hard	125	8	C1c	1	1	077446	**2 608 601 061**
medium-hard	125	8	C1c	1	1	077453	**2 608 601 062**
soft	125	8	C1c	1	1	077460	**2 608 601 063**



Sanding pad **Suitable for** GEX 12 A; GEX 12 AE; GEX 125 A; GEX 125 AC Professional							
extra-soft	125	8	C1c	1	1	219488	**2 608 601 117**
soft	125	8	C1c	1	1	219495	**2 608 601 118**
Hard	125	8	C1c	1	1	219501	**2 608 601 119**

Backing Pads

PRODUCT PROPERTIES			ORDERING INFORMATION				
Version	Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Sanding pad with screws and hexagon socket wrench **Suitable for** PEX 270 A; PEX 270 AE							
medium-hard	125	8	C1c	1	1	260459	**2 608 601 169**
Sanding pad with screws and hexagon socket wrench **Suitable for** GEX 270 A; GEX 270 AE Professional							
medium-hard	125	8	C1c	1	1	294751	**2 608 601 173**
Sanding pad **Suitable for** PEX 220 A							
medium-hard	125	8	C1c	1	1	329217	**2 608 601 175**
Sanding pad **Suitable for** GEX 125-150 AVE Professional							
medium-hard	125	8	C1c	1	1	623476	**2 608 601 607**
Sanding pad **Suitable for** GEX 125 AC; GEX 150 AC Professional; PEX 15 AE							
soft	150	8	C1c	1	1	063074	**2 608 601 051**
medium-hard	150	-	C1c	1	1	063081	**2 608 601 052**
Hard	150	-	C1c	1	1	063098	**2 608 601 053**
Sanding pad **Suitable for** GEX 125 AC; GEX 125-150 AVE; GEX 150 AC; GEX 150 Turbo Professional							
extra-soft	150	-	C1c	1	1	219457	**2 608 601 114**
soft	150	-	C1c	1	1	219464	**2 608 601 115**
Hard	150	-	C1c	1	1	219471	**2 608 601 116**











Backing Pads





Sanding pad

Suitable for PEX 15 AE; PEX 420 AE

Version	Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
soft	150	-	C1c	1	1	331944	**2 608 601 179**





Sanding pad

Suitable for GEX 125 AC; GEX 125-150 AVE; GEX 150 AC; GEX 150 Turbo Professional

Version	Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
medium-hard	150	8	C1c	1	1	375214	**2 608 601 185**





Sanding pad

Suitable for GEX 150 ACE Professional

Version	Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
medium-hard	150	8	C1c	1	1	018616	**3 608 601 006**

Backing Pad Savers for Random Orbital Sanders



- **Backing Pad Savers for Random Orbital Sanders**

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pad Savers for random orbit sanders						
115	punched	P1b	2	1	968799	**2 608 000 691**
125	punched	P1b	2	1	968409	**2 608 000 689**
150	punched	P1b	2	1	968416	**2 608 000 690**
215	punched	P1b	2	1	968805	**2 608 000 692**

Adapters for Random Orbit Sanders

- **Suitable as** further cushioning layer for especially soft work
- Ideal for sanding or polishing contours and curved surfaces



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Adapter, punched					
	C1c	1	1	220712	**2 608 601 126**



Adapter, punched					
	C1d	1	1	220729	**2 608 601 127**

Protectors for Random Orbital Sanders



Protector for GET 75-150

Suitable for GET 75-150 Professional

	P1d	1	1	967273	**2 607 017 497**

Protectors for Random Orbital Sanders



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Protector for GET 55-125 **Suitable for** GET 55-125 Professional	P1d	1	1	967266	**2 607 017 496**

Suction Sockets for Random Orbital Sanders



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Suction Socket for GET 75-150 **Suitable for** GET 75-150 Professional	P1d	1	1	967297	**2 607 017 499**
Suction Socket for GET 55-125 **Suitable for** GET 55-125 Professional	P1d	1	1	967280	**2 607 017 498**

Dust Box, Filter and Dust Bags for Random Orbital Sanders







PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Filter **Suitable for** GEX 34-125; GEX 40-150; GEX 125-150 AVE; GSS 230 AVE; GSS 280; GSS 280 AVE Professional	C0a	1	1	624152	**2 605 190 930**
Dust box with filter **Suitable for** GEX 34-125; GEX 40-150; GEX 125-150 AVE; GSS 230 AE; GSS 230 AVE; GSS 280 AE; GSS 280 AVE Professional	C0a	1	1	624145	**2 605 411 233**
Dust bag **Suitable for** GEX 12V-125; GEX 18V-125 Professional			1	572444	**2 608 000 715**

Auxiliary Handle for Random Orbit Sanders

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Auxiliary handle **Suitable for** GEX 34-125; GEX 34-150; GEX 125; GEX 125 AC; GEX 150 AC; GSS 230 A; GSS 230 AE; GSS 280 A; GSS 280 AE Professional; PEX 11	P0b	1	1	113816	**2 602 026 070**
 Auxiliary handle **Suitable for** GEX 40-150; GEX 125-150 AVE; GSS 230 AVE; GSS 280; GSS 280 AVE Professional	P0b	1	1	624138	**2 602 026 177**
 Auxiliary Handle GET 55 + 75 **Suitable for** GET 55-125; GET 75-150 Professional	P1d	1	1	967303	**2 607 017 500**

Sanding Plates for Orbital Sanders

PRODUCT PROPERTIES			ORDERING INFORMATION				
Width, sheet mm	Length, sheet mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
							
Sanding plate extended Triangular shape for narrow angled surfaces, can be used on both sides, with hook-and-loop-type fastening. Dimensions same as Bosch delta sander and sanding sheet **Suitable for** GSS 230 A; GSS 230 AE; GSS 230 AVE Professional							
93	185	-	P0b	1	1	105767	**2 608 000 189**
							
Sanding plate extended Thin version for louvres and other hard-to-reach areas, with hook-and-loop-type fastening. Suitable sanding sheets (93 x 280 mm) **Suitable for** GSS 230 A; GSS 230 AE; GSS 230 AVE; GSS 280 A; GSS 280 AE; GSS 280 AVE Professional							
93	185	-	P0b	1	1	105774	**2 608 000 190**
							
Sanding plate with hook-and-loop-type fastening, normal use **Suitable for** GSS 230 A; GSS 230 AE; GSS 230 AVE Professional							
93	185	-	P0b	1	1	111898	**2 608 000 202**
Sanding plate without hook-and-loop-type fastening, for finishing **Suitable for** GSS 230 A; GSS 230 AE; GSS 230 AVE Professional							
93	185	-	P0b	1	1	127271	**2 608 000 213**
							
Sanding plate with hook-and-loop-type fastening, normal use **Suitable for** GSS 280 A; GSS 280 AE; GSS 280 AVE Professional							
115	230	-	P0b	1	1	111904	**2 608 000 204**
Sanding plate without hook-and-loop-type fastening, for finishing **Suitable for** GSS 280 A; GSS 280 AE; GSS 280 AVE Professional							
115	230	-	P0b	1	1	127288	**2 608 000 215**
							
Sanding plate **Suitable for** GSS 23 AE Professional							
93	185	-	P0b	1	1	402163	**2 608 000 326**
							
Sanding plate with felt **Suitable for** GSS 18V-10; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional							
110	100	-	PC1c	1	1	822961	**2 608 601 442**
							
Sanding plate with hook-and-loop-type fastening **Suitable for** GSS 18V-10; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional							
110	100	-	PC1c	1	1	822978	**2 608 601 443**
							
Sanding plate with hook-and-loop-type fastening **Suitable for** GSS 18V-10; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional							
80	130	-	PC1c	1	1	822985	**2 608 601 444**

Sanding Plates for Orbital Sanders



Sanding plate delta with hook-and-loop-type fastening

Suitable for GSS 18V-10; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional

PRODUCT PROPERTIES			ORDERING INFORMATION				
Width, sheet mm	Length, sheet mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
100	150	-	PC1c	1	1	822992	**2 608 601 445**



Swing plate for sanding plate 2 608 601 442 & 2 608 601 443

Suitable for GSS 18V-10; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional

110	100	-	PC1c	1	1	823005	**2 608 601 446**



Orbital plate for sanding plate 2 608 601 444

Suitable for GSS 18V-10; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional

80	130	-	PC1c	1	1	823012	**2 608 601 447**



Swing plate for sanding plate 2 608 601 445

Suitable for GSS 18V-10; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional

110	150	-	PC1c	1	1	823029	**2 608 601 448**



Sanding plate with hook-and-loop-type fastening

Suitable for GSS 140-1 A; GSS 160-1 A; GSS Delta 1-A Professional

92	182	14	PC1c	1	1	014342	**2 608 000 072**

Adapters for Orbital Sanders

- Used as further cushioning layer for especially soft work
- Ideal for sanding contours and curved surfaces

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Width, sheet mm	Length, sheet mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Adapter, 8 holes								
	93	185	8	C1a	1	1	220743	**2 608 601 129**

Dust Boxes for Orbital Sanders

PRODUCT PROPERTIES				ORDERING INFORMATION				
				Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Dust box with filter (of black execution) **Suitable for** GSS 18V-10 Professional								
				C0a	1	1	851770	**2 605 411 238**
 Dust box with filter, black **Suitable for** GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS 1400 Professional								
				C0a	1	1	851794	**2 605 411 240**
 Dust box filter **Suitable for** GSS 140; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS 1400 Professional								
				C0a	1	1	851800	**2 605 411 241**
 Dust box filter cover **Suitable for** GSS 18V-10 Professional								
				C0a	1	1	851787	**2 605 411 239**

Sanding Plates for Delta Sanders

Sanding Plates for Bosch Delta Sanders

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Sanding plate **Suitable for** GDA 280E Professional; PDA 180; PDA 180 E; PDA 240 E	C1d	1	1	109505	**2 608 000 211**
 Sanding plate **Suitable for** PDA 100; PDA 120 E	C1d	1	1	076401	**2 608 000 149**
 Sanding plate **Suitable for** PSM 160 A; PSM 160 AE	C1c	1	1	332293	**2 608 601 181**

Sanding Fingers for Bosch Delta Sanders

- **Suitable for** sanding in tight gaps
- **Appropriate for** GDA 280 E Professional; PDA 180; PDA 180 E; PDA 240 E; PSM 160 A; PSM Ventaro 1400

 Hook-and-loop-type fastening replacement material for sanding finger	C1c	2	1	110907	**2 601 099 074**
 Sanding finger, flat	C1d	1	1	109482	**2 608 000 199**
 Sanding finger, oval	C1d	1	1	109475	**2 608 000 198**

Louvre sanding attachment for Bosch Delta Sanders



▶ **Suitable for** sanding louvre doors and shutters

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Louvre sanding attachment **Suitable for** GDA 280E Professional; PDA 180; PDA 180 E; PDA 240 E; PSM 160 A; PSM 200 AES; Ventaro 1400	C1d	1	1	109499	**2 608 000 200**
 Hook-and-loop-type fastening replacement material for louvre sanding attachment **Suitable for** GDA 280E Professional; PDA 180; PDA 180 E; PDA 240 E; PSM 160 A; Ventaro 140	C1d	2	1	076395	**2 601 099 044**

Adapters for Bosch Delta Sanders

- **Suitable for** especially soft work, ideal for sanding contours or curved surfaces
- **Appropriate for** delta sanders GDA 280 E Professional; PDA 100; PDA 120 E; PDA 180; PDA 180 E; PDA 240 E; PSM 80; PSM 160 A; PSM Ventaro 1400; Bosch-PRIO



PRODUCT PROPERTIES	ORDERING INFORMATION				
Sheet dimensions mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Adapter					
93	C1c	1	1	223782	**2 608 601 137**

Accessories for **Bosch Belt Sanders**

Sanding frames for belt sanders



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Sanding frame with brush and plastic insert Ideal for plane sanding without tilting, protecting the surface Easy and tool-free assembly **Suitable for** GBS 75 A; GBS 75 AE Professional; PBS 75 A; PBS 75 AE	C1a	1	1	015691	**2 608 005 026**

Parallel and angle guide for belt sanders



Parallel and angle guide **Suitable for** GBS 75 AE Professional; PBS 7 A; PBS 7 AE; PBS 60	C1a	1	1	015189	**2 607 001 079**

Fine sanding plate for belt sanders



- **Suitable for** very soft sanding
- **Note:** Please observe operating instructions

Fine sanding plate with graphite base **Suitable for** GBS 100 A; GBS 100 AE Professional	C1a	1	1	031721	**3 601 010 509**
Fine sanding plate with graphite base **Suitable for** GBS 75 AE Professional	C1a	1	1	109222	**2 601 098 043**

Handle for belt sanders



- **Appropriate for** Bosch Belt Sanders PBS 75; PBS 75 E

Handle **Suitable for** PBS 75; PBS 75 E	P0b	1	1	051521	**1 607 000 916**

Accessories for Power Files

Contact Arms for Power Files

▶ Suitable for all sanding belts for power files

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Contact arm for tight spaces for power file	P0h	1	1	732758	**2 608 000 591** i
 Contact arm for surfaces for power file	P0h	1	1	732741	**2 608 000 592** i
 Contact arm for corners for power file	P0h	1	1	732765	**2 608 000 593** i
 Contact arm for surfaces for power file	P0h	1	1	732772	**2 608 000 594** i
 Contact arm for corners (V-shape) for power file	P0h	1	1	732789	**2 608 000 595** i

i = Phase Out Date 12.2026

Auxiliary Handles for Compact Belt Sanders



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Handle appropriate for all Angle Grinders and Compact Belt Sanders with M10 thread. **Suitable for** GUF 4-22 A; GWS 9-125 S; GWS 13-125 CI; GWS 13-125 CIE; GWS 15-125 CIEP; GWS 17-125 CI; GWS 17-125 CIE; GWS 17-125 CIT; GWS 17-150 CI; GWS 18V-125 C; GWS 18V-125 PC; GWS 18V-125 PSC; GWS 18V-125 SC; GWS 19-125 CIE; GWS 1000; GWS 1400; GWX 9-115 S; GWX 9-125 S; GWX 10-125; GWX 13-125; GWX 13-125 S; GWX 14-125; GWX 15-125 PS; GWX 17-125; GWX 17-125 S; GWX 17-125 T; GWX 17-150; GWX 18V-10 C; GWX 18V-10 PC; GWX 18V-10 PSC; GWX 18V-10 SC; GWX 19-125 S Professional; PSF 22 A; PWS 6-13					
	P0f	1	1	016377	**1 602 025 024**

ACCESSORIES FOR CIRCULAR SAWS



- Exact straight cuts due to guided sawing on the new Bosch guide rail system
- Precise work is possible, even with several rails, due to the self-aligning VEL connecting piece

Guide Rails for Hand-Held Circular Saws

PRODUCT PROPERTIES	ORDERING INFORMATION					
	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Guide rail FSN 70 Pair of G-clamps not included **Suitable for** GKS 18 V; GKS 24 V; GKS 55; GKS 55 CE; GKS 66 CE; GKS 68 B; GKS 68 BC; GKS 85; GKS 85 G; GMF 1400 CE; GOF 130; GOF 1300 CE; GOF 1600 CE; GOF 2000 CE; GUF 4-22 A Professional; PKS 40; PKS 54; PKS 54 CE; PKS 66; PKS 66 CE; POF 1200 AE; POF 1400 ACE	**700**	C0a	1	1	087186	**2 602 317 030**
 Guide rail FSN 140 Pair of G-clamps not included (rubber lip as spare part 2 601 010 044) **Suitable for** GKS 18 V; GKS 24 V; GKS 55; GKS 55 CE; GKS 65 CE; GKS 66 CE; GKS 68 B; GKS 68 BC; GKS 85; GKS 85 G; GMF 1400 CE; GOF 130; GOF 1300 CE; GOF 1600 CE; GOF 2000 CE; GUF 4-22 A Professional; PKS 40; PKS 54; PKS 54 CE; PKS 66; PKS 66 CE; POF 1200 AE; POF 1400 ACE	**1,400**	C0a	1	1	087193	**2 602 317 031**
Connector for guide rails FSN 70, FSN 140	-	P0b	1	1	024181	**1 602 319 003**

Parallel Guide for Hand-Held Circular Saws



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Parallel guide **Suitable for** GKS 55; GKS 65; GKS 66 CE; GKS 75 S; GKS 85; GKS 85 G; GKS 85 S; GKS 160 Professional	PC1c	1	1	019033	**1 608 190 007**
Parallel guide **Suitable for** GKS 18 V; GKS 24 V Professional; PKS 40; PKS 46; PKS 54; PKS 54 CE; PKS 66; PKS 66 CE	PC1c	1	1	055512	**2 608 005 018**

Accessories for Hand-Held Circular Saws



Pair of G-clamps for FSN 70, FSN 140	P0b	2	1	516532	**2 608 000 426**



Glide shoe for guide rail Glide shoe **not appropriate for** GKS 55 (0 601 664 0..); GKS 55 CE (0 601 664 7..); GKS 65 (0 601 667 0..); GKS 65 CE Professional (0 601 668 7..) **Suitable for** GKS 55 (0 601 567 1..); GKS 65 (0 601 568 1..); GKS 66 CE (0 601 568 7..) Professional	PC1c	1	1	019590	**1 608 000 114** [i]



Adapter for guide rail **Suitable for** GKS 190 Professional	C0a	1	1	229852	**2 607 001 375**

i = Phase Out Date 06.2028

Accessories for Benchtop Circular Saws



PRODUCT PROPERTIES					ORDERING INFORMATION				
Material	Width [mm]	Height mm	Length mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Nylon carrying bag **Suitable for** GCM 10 Professional									
K	580	580	-	380	P0b	1	1	274081	**2 605 439 019**

Accessories for Benchtop Circular Saws



Vertical quick-action holder

Suitable for GCM 8 S; GCM 10; GCM 10 S; GCM 10 SD; GCM 12; GCM 12 SD; GTM 12 Professional

Material	Width [mm]	Height mm	Length mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-	-	-	-	-	C0a	1	1	274043	**2 608 040 205** i



Foldable sub-frame

Outer dimensions LxWxH: 810x820x590 mm; Support surface: 665x605 mm

Suitable for GTS 10 Professional

Material	Width [mm]	Height mm	Length mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-	833	166	735	-	C0a	1	1	316194	**2 607 001 912**



Insert plate

Suitable for GCM 12 Professional

Material	Width [mm]	Height mm	Length mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-	-	-	-	-	P0b	1	1	316224	**2 607 960 015**



Insert plate

Suitable for GCM 10 S Professional

Material	Width [mm]	Height mm	Length mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-	-	-	-	-	P0b	1	1	317238	**2 607 960 019**

Insert plate

Suitable for GCM 10 SD Professional

Material	Width [mm]	Height mm	Length mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-	-	-	-	-	P0b	1	1	334808	**2 607 960 021**

Insert plate

Suitable for GCM 12 SD Professional

Material	Width [mm]	Height mm	Length mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-	-	-	-	-	P0b	1	1	334792	**2 607 960 020**



Push stick

Suitable for GTS 10 Professional

Material	Width [mm]	Height mm	Length mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-	-	-	-	-	P1b	1	1	316361	**2 607 001 914**



2-piece table extension

Suitable for GCM 10; GCM 10 S; GCM 12; GTM 12 Professional; PCM 10

Material	Width [mm]	Height mm	Length mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-	-	-	356	-	C0a	1	1	316187	**2 607 001 911**

Extension rods

Suitable for GCM 10 SD; GCM 12 SD Professional

Material	Width [mm]	Height mm	Length mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-	-	-	-	-	C0a	4	1	334778	**2 607 001 956**

i = Phase Out Date 12.2026

Anti-Splinter Guard for Jigsaws

- The anti-splinter guard effectively prevents tearing out on the top of the material. All you have to do is insert it into the sole plate. Another **tip:** it is best to saw with the grain or diagonal to the grain.

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Anti-splinter guard **Suitable for** GST 14.4 V; GST 18 V; GST 75 BE; GST 80 Professional; PST 650; PST 650 L; PST 680 E; PST 680 EL; PST 700 PE; PST 800 PEL; PST 900 PEL; PST 1000 CE	C1d	5	5	006651	**2 607 010 079**
Anti-splinter guard **Suitable for** GST 120 BCE; GST 120 E; GST 135 BCE; GST 135 CE Professional	C1d	5	5	356732	**2 607 010 305**
 Anti-splinter guard **Suitable for** GST 12V-70; GST 140 BCE; GST 140 CE; GST 150 BCE; GST 150 CE; GST 1400 BCE; GST 1400 CE Professional	P1d	5	5	516297	**2 601 016 096**

Plates for Base Plate for Jigsaws

- The interchangeable plates ensure good movement on different materials

Metal plate for base plate **Suitable for** GST 14,4 V-LI; GST 18 V-LI; GST 140 BCE; GST 140 CE Professional	P1d	1	1	605809	**2 601 098 123**
 Plastic plate for sole plate **Suitable for** PST 700 PAE; PST 800 PAC	P1d	1	1	073851	**2 601 099 040** i
 Plastic plate for sole plate **Suitable for** PST 650; PST 700 PE; PST 750; PST 800 PEL; PST 850; PST 900 PEL	P1d	1	1	220958	**2 608 000 278** i

i = Phase Out Date 12.2021

Dust Extraction Devices for Jigsaws

 Dust extraction set **Suitable for** GST 100 BCE; GST 135 BCE; GST 140 BCE; GST 150 BCE; GST 150 CE Professional	P1d	1	1	516280	**2 605 510 294**

Dust Extraction Devices for Jigsaws



Dust extraction set

Suitable for GST 14,4 V-LI; GST 18 V-LI; GST 140 BCE; GST 140 CE Professional

Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
P1d	1	1	605816	**2 605 510 301**



Dust extraction

for extracting sanding dust in combination with the sanding plate AVI 93 G

Suitable for GOP 300 SCE Professional

Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
P1d	1	1	641029	**2 608 190 056** [i]

i = Phase Out Date 01.2027

Parallel Guides with Circle Cutter for Jigsaws



Parallel guide with circle cutter

max width parallel 140 mm, max radius 150 mm

Suitable for GST 14.4 V; GST 18 V; GST 24V; GST 75 BE; GST 90 BE; GST 90 E; GST 120 E; GST 135 BCE; GST 135 CE; GST 140 BCE; GST 140 CE; GST 150 BCE; GST 150 CE; GST 160 BCE; GST 160 CE Professional; PST 650; PST 650 L; PST 680 E; PST 680 EL; PST 700 E; PST 700 PE; PST 800 PEL; PST 900 PEL; PST 1000 CE; PST 1000 PEL

Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
P1d	1	1	516273	**2 608 040 289**

Screwdriver for Jigsaws without SDS system



Screwdriver

Appropriate for all jigsaws without SDS system

Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
C1d	1	1	004497	**1 609 200 265**

Parallel Guides for Bosch Routers

- Complete with fine adjustment
- **Suitable for** all routing work parallel to the workpiece edge

PRODUCT PROPERTIES	ORDERING INFORMATION					
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Parallel guide **Suitable for** GMF 1400 CE; GOF 900 CE; GOF 1200 A; GOF 1250 CE; GOF 1250 LCE; GOF 1300 ACE; GOF 1300 CE; GOF 1600 A; GOF 1600 CE; GOF 2000 CE Professional						
10	C0a	1	1	247252	**2 607 001 387**	
Parallel guide **Suitable for** GKF 600 (0 601 60A 1..) Professional						
-	C0a	1	1	431798	**2 608 000 331**	

Circle guide and guide rail adapter set for Bosch routers

- Screw the centring pin into the guide rail adapter to use this accessory
- Adapter enables guide rails FSN 70 (2 602 317 030) and FSN 140 (2 602 317 031) to also be used with router
- Continuously variable adjustment of the router enables cuts at the following circle radii:
  With GOF 900: 95 to 655 mm
  With GOF 1200: 100 to 660 mm
  With GOF 1300: 100 to 660 mm
  With GOF 2000: 100 to 660 mm
  With POF 800: 95 to 655 mm

PRODUCT PROPERTIES	ORDERING INFORMATION					
Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Guide rail FSN 70 Pair of G-clamps not included **Suitable for** GKS 18 V; GKS 24 V; GKS 55; GKS 55 CE; GKS 66 CE; GKS 68 B; GKS 68 BC; GKS 85; GKS 85 G; GMF 1400 CE; GOF 130; GOF 1300 CE; GOF 1600 CE; GOF 2000 CE; GUF 4-22 A Professional; PKS 40; PKS 54; PKS 54 CE; PKS 66; PKS 66 CE; POF 1200 AE; POF 1400 ACE						
700	C0a	1	1	087186	**2 602 317 030**	
Guide rail FSN 140 Pair of G-clamps not included (rubber lip as spare part 2 601 010 044) **Suitable for** GKS 18 V; GKS 24 V; GKS 55; GKS 55 CE; GKS 65 CE; GKS 66 CE; GKS 68 B; GKS 68 BC; GKS 85; GKS 85 G; GMF 1400 CE; GOF 130; GOF 1300 CE; GOF 1600 CE; GOF 2000 CE; GUF 4-22 A Professional; PKS 40; PKS 54; PKS 54 CE; PKS 66; PKS 66 CE; POF 1200 AE; POF 1400 ACE						
1,400	C0a	1	1	087193	**2 602 317 031**	

Circle guide and guide rail adapter set for Bosch routers



PRODUCT PROPERTIES	ORDERING INFORMATION					
Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Suitable for GMF 1400 CE; GOF 130; GOF 900 CE; GOF 1200 A; GOF 1300 ACE; GOF 1300 CE; GOF 1600 A; GOF 1600 CE; GOF 2000 CE Professional; POF 800; POF 1100; POF 1100 AE; POF 1200 AE; POF 1300; POF 1300 ACE; POF 1400 ACE					
-	C1a	1	1	062886	**2 609 200 143**

Extra-Long Guide Bars for Bosch Routers

- For routing work that standard guide bars are not long enough for



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Guide bar **Suitable for** GOF 130; GOF 900 A; GOF 900 ACE Professional; POF 800 ACE; POF 1100 AE; POF 1200 AE; POF 1300 ACE; POF 1400 ACE						
8	800	P0b	2	1	062893	**2 609 200 144**
Guide bar **Appropriate for** all routers with guide rod diameter 10 mm, distance between holes 100 mm **Suitable for** GMF 1400 CE; GOF 900 CE; GOF 1200 A; GOF 1300 ACE; GOF 1300 CE; GOF 1600 A; GOF 1600 CE; GOF 2000 CE Professional						
10	800	P0b	2	1	062909	**2 609 200 145**

Handles for Bosch Routers



PRODUCT PROPERTIES	ORDERING INFORMATION				
Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Handle For circle cutting guide 2 609 200 143 and sub-frame 2 607 020 300				
P0f	1	1	001939	**1 603 481 001**

Collets for Tool Versions as of 02/1985 for Bosch Routers

▶ Collets for holding the router bit



Collet without locking nut

Suitable for GGS 27; GGS 27 C Professional; POF 500 A; POF 600 ACE

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Diameter inches	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
6	-	P1c	1	1	013505	**2 608 570 047**
8	-	P1c	1	1	006705	**2 608 570 049**
-	1/4	P1c	1	1	006699	**2 608 570 048**

Collets for Bosch Routers

▶ **Note:** We recommend using the correct size of collet rather than working with a shank sleeve.



Collet

Suitable for GOF 130; GOF 900; GOF 900 A; GOF 900 ACE; GOF 900 CE Professional; POF 800 ACE; POF 1100 AE; POF 1200 AE; POF 1300 ACE; POF 1400 ACE

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Diameter inches	Key width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
-	1/4	19		1	1	062671	**2 608 570 101**
6	-	19	P0b	1	1	062664	**2 608 570 100**
8	-	19	P0b	1	1	062688	**2 608 570 102**

Collet

Suitable for GMF 1400 CE; GMF 1600 CE; GOF 1200 A; GOF 1300 ACE; GOF 1300 CE; GOF 1600 CE; GOF 2000 CE Professional

-	1/4	24	P0b	1	1	062701	**2 608 570 104**
-	3/8	24	P0b	1	1	062725	**2 608 570 106**
6	-	24	P0b	1	1	062695	**2 608 570 103**
8	-	24	P0b	1	1	062718	**2 608 570 105**
10	-	24	P0b	1	1	090087	**2 608 570 125**
12	-	24	P0b	1	1	062732	**2 608 570 107**

Collet

Suitable for GMF 1400 CE; GOF 1200 A; GOF 1300 ACE; GOF 1300 CE; GOF 1600 CE; GOF 2000 CE Professional

-	1/2	24	P0b	1	1	062749	**2 608 570 108**

Collet

Suitable for GOF 1600 A; GOF 1700 ACE Professional

-	1/4	27	P0b	1	1	062763	**2 608 570 110**
-	3/8	27	P0b	1	1	062787	**2 608 570 112**
-	1/2	27	P0b	1	1	062800	**2 608 570 114**
6	-	27	P0b	1	1	062756	**2 608 570 109**
8	-	27	P0b	1	1	062770	**2 608 570 111**
10	-	27	P0b	1	1	090094	**2 608 570 126**
12	-	27	P0b	1	1	062794	**2 608 570 113**

Collets for Bosch Routers



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Diameter inches	Key width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Collet							
Suitable for GKF 12V-8; GKF 600 CE Professional							
-	1/4	-	P0b	1	1	945219	**2 608 570 142**
6	-	-	P0b	1	1	431842	**2 608 570 133**
8	-	-	P0b	1	1	431859	**2 608 570 134**
Collet							
UK version only							
Suitable for GKF 600 (0 601 60A 1..) Professional							
-	1/4	-	P0b	1	1	431866	**2 608 570 135**
Collet							
Suitable for POF 400/500, POF 52/50							
-	1/4	-		1	1	006712	**2 608 570 066**

Template Guides with Quick Fastening Lock, Tool-Free for Bosch Routers

- Indispensable for work with templates (template guide runs along the template and transfers the shape onto the workpiece)
- Bayonet lock for rapid, tool-free changing
- **Note:** When making a template for use with a template guide, the distance between the guide and the router bit has to be taken into consideration. This distance is calculated using the following formula: (diameter (Ø) of template guide (K) – diameter (Ø) of router bit (F))/2



PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Template guide					
with quick fastening lock, tool-free					
Suitable for GKF 600; GMF 1400 CE; GMF 1600 CE; GOF 130; GOF 900; GOF 900 ACE; GOF 900 CE; GOF 1250 CE; GOF 1250 LCE; GOF 1600 CE; GOF 2000 CE Professional; POF 800; POF 1100 AE; POF 1200 AE; POF 1300 ACE; POF 1400 ACE					
13	P0b	1	1	062831	**2 609 200 138**
17	P0b	1	1	062848	**2 609 200 139**
24	P0b	1	1	062855	**2 609 200 140**
30	P0b	1	1	062879	**2 609 200 142**
Template guide					
with quick fastening lock, without tools					
Suitable for GKF 600; GMF 1400 CE; GMF 1600 CE; GOF 900; GOF 900 ACE; GOF 900 CE; GOF 1600 CE; GOF 2000 CE Professional; POF 800; POF 1100 AE; POF 1200 AE; POF 1300 ACE					
16	P0b	1	1	600590	**2 608 000 471**
Template guide					
with quick fastening lock, tool-free					
Suitable for GKF 600; GMF 1400 CE; GMF 1600 CE; GOF 130; GOF 900; GOF 900 ACE; GOF 900 CE; GOF 1250 CE; GOF 1250 LCE; GOF 1600 CE; GOF 2000 CE Professional; POF 800; POF 1100 AE; POF 1200 AE; POF 1300 ACE					
27	P0b	1	1	062862	**2 609 200 141**

Template Guides with Quick Fastening Lock, Tool-Free for Bosch Routers

PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Template guide with quick fastening lock, tool-free **Suitable for** GKF 600; GMF 1400 CE; GMF 1600 CE; GOF 900; GOF 900 ACE; GOF 900 CE; GOF 1250 CE; GOF 1250 LCE; GOF 1600 CE; GOF 2000 CE Professional; POF 800; POF 1100 AE; POF 1200 AE; POF 1300 ACE					
40	P0b	1	1	252188	**2 609 200 312**

Accessories for Copy Routing



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Diameter inches	Outer diameter inch	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-piece centring pins set for GOF								
8 **12**	1/4 1/2	1/4 1/2	125	P0b	3	1	647885	**2 608 000 498**



Template guide adapter

Suitable for GKF 600 (0 601 60A 1..); GOF 1250 CE (0 601 626 0..); GOF 1250 LCE (0 601 626 1..); GOF 1600 CE (0 601 624 0..); GOF 2000 CE (0 601 619 7..); TE 600 (0 601 60A 8..) Professional

-	-	-	-	P0b	1	1	801058	**2 608 000 628**

Accessories for Bosch Multifunction Router GMF 1400 CE



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Hexagon nutsetter **Suitable for** GMF 1400 CE; GMF 1600 CE Professional					
	P1b	1	1	418324	**2 608 000 328**

Accessories for **Bosch Palm Router GKF 600 Professional**

Accessories for Bosch Palm Router GKF 600 Professional

	PRODUCT PROPERTIES	ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Pilot					
		C0a	1	1	431804	**2 608 000 332**
	Round base plate					
		P1d	1	1	431811	**2 608 000 333**
	Angled router cage					
		C0a	1	1	431828	**2 608 000 334**
	Base plate with handle and dust extraction outlet					
		C0a	1	1	431835	**2 608 000 335**

Handles for Bosch Mini Angle Grinders and Compact Belt Sanders



- For convenient and safe guiding of the machine

Handle appropriate for all Angle Grinders and Compact Belt Sanders with M10 thread.
Suitable for GUF 4-22 A; GWS 9-125 S; GWS 13-125 CI; GWS 13-125 CIE; GWS 15-125 CIEP; GWS 17-125 CI; GWS 17-125 CIE; GWS 17-125 CIT; GWS 17-150 CI; GWS 18V-125 C; GWS 18V-125 PC; GWS 18V-125 PSC; GWS 18V-125 SC; GWS 19-125 CIE; GWS 1000; GWS 1400; GWX 9-115 S; GWX 9-125 S; GWX 10-125; GWX 13-125; GWX 13-125 S; GWX 14-125; GWX 15-125 PS; GWX 17-125; GWX 17-125 S; GWX 17-125 T; GWX 17-150; GWX 18V-10 C; GWX 18V-10 PC; GWX 18V-10 PSC; GWX 18V-10 SC; GWX 19-125 S Professional; PSF 22 A; PWS 6-13

P0f	1	1	016377	**1 602 025 024**

Accessories for **Rotocut**

Rotocut Router Bits



Rotocut cutting bit B 32 G

Suitable for Corian, Eternit (fibre cement panels), soft wall tiles, aerated concrete, fibreglass, polyester corrugated board, Poroton brick, slate

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3.17	25	50	P1c	1	1	233309	**2 608 620 202**



Rotocut cutting bit B 32 CU

Suitable for various types of wood <19 mm, plastics, abrasive materials, soft wall tiles, plasterboard, hard fibre board

3.17	35	70	P1c	5	1	233316	**2 608 620 203**

ACCESSORIES FOR PLANERS



- Accessories for a wide variety of planing applications in interior fitting work or furniture manufacture

Parallel and Angle Guides for Bosch Planers



Parallel and angle guide with 45° setting

Suitable for GHO 14,4 V; GHO 18 V; GHO 26-82; GHO 31-82; GHO 36-82 C; GHO 40-82 C Professional; PHO 1; PHO 15-82; PHO 16-82; PHO 20-82; PHO 25-82; PHO 30-82; PHO 35-82 C; PHO 100; PHO 1500; PHO 2000; PHO 3100

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	C1a	1	1	015165	**2 607 001 077**



Parallel guide without 45° setting

Suitable for GHO 14,4 V; GHO 18 V; GHO 26-82; GHO 31-82; GHO 36-82 C; GHO 40-82 C Professional; PHO 1; PHO 15-82; PHO 16-82; PHO 20-82; PHO 25-82; PHO 30-82; PHO 35-82 C; PHO 100; PHO 1500; PHO 2000; PHO 3100

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	C1a	1	1	013383	**2 607 000 102**

Rebating Depth Guides for Bosch Planers



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Suitable for GHO 26-82; GHO 31-82; GHO 36-82 C; GHO 40-82 C Professional; PHO 25-82; PHO 30-82; PHO 35-82 C; PHO 3100					
	PC1c	1	1	002523	**1 608 132 006**



Suitable for GHO 14,4 V; GHO 18 V Professional; PHO 1; PHO 15-82; PHO 16-82; PHO 20-82; PHO 100					
	PC1c	1	1	006507	**2 607 000 073**

Scraper Blades, HCS Version

- **Suitable for** removing coverings such as carpet, needle felting, PVC, cork tiles from walls and floors, glue residues such as carpet foam backs, elastic adhesives, plaster residues
- HCS, extra-sharp with blade guard
- **Appropriate for** GSE 300 E Professional; PSE 150; PSE 180 E; PSE 220 E



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Description	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Scraper blade SM 35 CS						
35	SM 35 CS	C1d	1	1	166812	**2 608 691 098**
Scraper blade SM 60 CS						
60	SM 60 CS	C1d	1	1	096560	**2 608 691 027**

Scraper Blades, Tungsten Carbide Version

- **Suitable for** removing plaster from hard surfaces or scraping glue from stone floors
- Tungsten carbide, extra-sharp
- **Appropriate for** GSE 300 E Professional; PSE 150; PSE 180 E; PSE 220 E



Width [mm]	Description	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Scraper blade SM 20 HMS with blade guard						
20	SM 20 HMS	C1d	1	1	140102	**2 608 691 062**
Scraper blade SM 40 HMS with blade guard						
40	SM 40 HMS	C1d	1	1	092586	**2 608 691 013**
Scraper blade SM 60 HMS						
60	SM 60 HMS	C1d	1	1	092579	**2 608 691 012**
Scraper blade SM 40 HM						
40	SM 40 HM	C1d	1	1	092609	**2 608 691 015**
Scraper blade SM 60 HM						
60	SM 60 HM	C1d	1	1	092593	**2 608 691 014**

Scraper Blades, Spring Steel Version

- **Suitable for** smoothing grouted joints, removing adhesive or sealing compounds (like silicone on tiles, wood glue from joints, hardened foam in door cavities)
- Spring steel
- **Appropriate for** GSE 300 E Professional; PSE 150; PSE 180 E; PSE 220 E



PRODUCT PROPERTIES			ORDERING INFORMATION				
Width [mm]	Length mm	Description	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Scraper SP 40 C							
40	80	SP 40 C	C1d	1	1	092678	**2 608 691 022**
Scraper SP 60 C							
60	60	SP 60 C	C1d	1	1	092647	**2 608 691 019**

Scraper Blades, Spring Steel Version

PRODUCT PROPERTIES			ORDERING INFORMATION				
Width [mm]	Length mm	Description	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Scraper SP 100 C							
100	83	SP 100 C	C1d	1	1	166775	**2 608 691 102**

Accessories for **Bosch chainsaws**

Chain for Bosch chainsaws



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Chain Durable chain for the highest cutting performance. **Suitable for** GKE 35 BCE Professional	C1d	1	1	345996	**2 604 730 000** i
Chain Durable chain for the highest cutting performance. **Suitable for** GKE 40 BCE Professional	C1d	1	1	346009	**2 604 730 001** i

i = Phase Out Date 01.2026

ACCESSORIES FOR BOSCH NIBBLERS



- Punches and dies for curved or straight cuts with Bosch nibblers
- For easy working, even when performing narrow curved cuts or complicated cutouts in different types of sheet metal

Punches

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Punch for curve cut **Suitable for** GNA 1,3; GNA 1,6; GNA 2,0 Professional; 1530	P0h	1	1	031523	**2 608 639 013**
 Punch for straight cut **Suitable for** GNA 1,3; GNA 1,6; GNA 2,0 Professional; 1530	P0h	1	1	031530	**2 608 639 016**
 Universal punch **Suitable for** GNA 1,3; GNA 1,6; GNA 2,0 Professional; 1530	P0h	1	1	031554	**2 608 639 022**
 Punch for straight cut **Suitable for** GNA 16 (SDS) Professional	P0b	1	1	088640	**2 608 639 027**
 Punch for straight cut **Suitable for** GNA 3-5 Professional	P0b	1	1	088626	**2 608 639 025**

Punches



Universal punch

Suitable for GNA 1.6 L Professional

PRODUCT PROPERTIES	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	P0b	1	1	055604	**2 608 639 024**



Universal cutting oil

Use of the universal cutting oil increases the operational life several times over when cutting metal

PRODUCT PROPERTIES	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	M0b	1	1	271240	**2 607 001 409**

Dies



Die **suitable for** flat sheet metals up to 2 mm

Suitable for GNA 1.6 L; GNA 2,0; GNA 16 (SDS) Professional; 1530

PRODUCT PROPERTIES	System recommendation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	GNA 1.3/1.6/2.0	P0b	1	1	031561	**2 608 639 900**



Die **suitable for** corrugated and most trapezoidal sheet metals up to 1.2 mm

Suitable for GNA 3,2; GNA 3-5 Professional

PRODUCT PROPERTIES	System recommendation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	GNA 3.2 + 3.5	P0b	1	1	088633	**2 608 639 026**



Die **suitable for** corrugated and most trapezoidal sheet metals up to 1.2 mm

Suitable for GNA 1.6 L Professional

PRODUCT PROPERTIES	System recommendation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	GNA 1.6 L	P0b	1	1	055598	**2 608 639 023**



Die **suitable for** corrugated and most trapezoidal sheet metals up to 1.2 mm

Suitable for GNA 16 (SDS) Professional

PRODUCT PROPERTIES	System recommendation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	GNA 16	P0b	1	1	088657	**2 608 639 028**

Dies

PRODUCT PROPERTIES		ORDERING INFORMATION				
	System recommendation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Die **suitable for** corrugated and most trapezoidal sheet metals up to 1.2 mm **Suitable for** GNA 2,0 Professional; 1530	**GNA 2.0**	P0b	1	1	031547	**2 608 639 021**
 Special punch and die suitable for corrugated and most trapezoidal sheet metals up to 1.2 mm **Suitable for** GNA 1,3; GNA 1,6; GNA 2,0 Professional; 1530	**GNA 2.0**	P0b	1	1	031578	**2 608 639 902**

ACCESSORIES FOR BOSCH SHEET METAL AND UNIVERSAL SHEARS



- Shear blades for Bosch shears, for easy cutting of a wide variety of materials
- Re-sharpenable reversible blades for cost-effective use

Shear blade sets

PRODUCT PROPERTIES	ORDERING INFORMATION				
	System recommendation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece blade set **suitable for** sheet metals **Suitable for** GSC 2,8 Professional						
	GSC 2.8	C1d	5	1	029803	**2 607 010 025**



6-piece blade set **suitable for** sheet metals **Suitable for** GSC 1,6; GSC 9.6 V Professional; Typ 1500					
GSC 1.6, type 1500, cordless GSC 9.6 V	C1d	6	1	031783	**3 607 010 028**



Upper blades for Bosch sheet metal and universal shears

	PRODUCT PROPERTIES	ORDERING INFORMATION				
		System recommendation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Upper blade **Suitable for** GSC 3.5; GSC 4.5 Professional						
	GSC 3.5, GSC 4.5		C0a	1	1	032117	**3 608 635 000**
	Upper blade and lower blade **Suitable for** GSC 12V-13; GSC 16; GSC 160 Professional						
	GSC 16 (metalworking) + GSC 160		C0a	1	1	088664	**2 608 635 243**
	Upper blade Only for fabrics, plastics, wallpaper, cardboard, leather, floor coverings **Suitable for** GUS 9.6 V; GUS 12V-300 Professional						
	GUS 9.6 V		C0a	1	1	031516	**2 608 635 126**

Lower blades for Bosch sheet metal and universal shears

	Lower blade **Suitable for** GSC 3.5; GSC 4.5 Professional						
	GSC 3.5, GSC 4.5		C0a	1	1	032131	**3 608 635 002**
	Lower blade Only for fabrics, plastics, wallpaper, cardboard, leather, floor coverings **Suitable for** GUS 9.6 V Professional						
	GUS 9.6 V		C0a	1	1	031509	**2 608 635 125**

Blades for Bosch Slot Shear GSZ 160 Professional

	PRODUCT PROPERTIES	ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Cutter set consisting of 2 cutters and 4 screws					
		P0b	1	1	229937	**2 608 635 410**
	Straight blade up to 1.6 mm					
		P0b	1	1	229890	**2 608 635 406**

Blades for Bosch Slot Shear GSZ 160 Professional

	PRODUCT PROPERTIES	ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Straight blade up to 1.0 mm					
		P0b	1	1	229906	**2 608 635 407**
	Curved blade					
		P0b	1	1	229913	**2 608 635 408**
	Chromium steel blade for cutting inox					
		P0b	1	1	229920	**2 608 635 409**

Universal Cutting Oil



	Universal cutting oil Use of the universal cutting oil increases the operational life several times over when cutting metal					
		M0b	1	1	271240	**2 607 001 409**

NAILS
For Bosch pneumatic nailer.



- Suitable for roof construction, wood construction, door and window frames, furniture frames, pallet construction, case construction
- All nails are additionally resin-coated (for better penetration and greater retention power)
- All nails are manufactured in Europe and therefore guarantee high, consistent quality
- Treatment with resin means the nails are easier to drive into the material. This simultaneously ensures a better hold

34° clipped head strip nails, resin-coated – smooth version

- **Appropriate for** GSN 90-34 DK Professional







PRODUCT PROPERTIES				ORDERING INFORMATION				
Type	Shank diameter (D) mm	Head diameter	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Bright								
SN34DK 50	2.8	7.0 (D-shape)	50	C0a	3,000	1	563291	**2 608 200 000**
SN34DK 65	2.8	7.0 (D-shape)	65	C0a	3,000	1	563307	**2 608 200 001**
SN34DK 75	2.8	7.0 (D-shape)	75	C0a	3,000	1	563314	**2 608 200 002**
SN34DK 80	3.1	7.1 (D-shape)	80	C0a	3,000	1	563321	**2 608 200 003**
SN34DK 90	3.1	7.1 (D-shape)	90	C0a	2,500	1	563338	**2 608 200 004**
Galvanised								
SN34DK 50G	2.8	7.0 (D-shape)	50	C0a	3,000	1	563345	**2 608 200 005**
SN34DK 65G	2.8	7.0 (D-shape)	65	C0a	3,000	1	563352	**2 608 200 006**
SN34DK 75G	2.8	7.0 (D-shape)	75	C0a	3,000	1	563369	**2 608 200 007**
SN34DK 80G	3.1	7.1 (D-shape)	80	C0a	3,000	1	563376	**2 608 200 008**
SN34DK 90G	3.1	7.1 (D-shape)	90	C0a	2,500	1	563383	**2 608 200 009**

34° clipped head strip nails, resin-coated – grooved version

▶ **Appropriate for** GSN 90-34 DK Professional







PRODUCT PROPERTIES				ORDERING INFORMATION				
Type	Shank diameter (D) mm	Head diameter	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Bright								
SN34DK 50R	2.8	7.0 (D-shape)	50	C0a	3,000	1	563437	**2 608 200 014**
SN34DK 65R	2.8	7.0 (D-shape)	65	C0a	3,000	1	563444	**2 608 200 015**
SN34DK 75R	2.8	7.0 (D-shape)	75	C0a	3,000	1	563451	**2 608 200 016**
SN34DK 80R	3.1	7.1 (D-shape)	80	C0a	3,000	1	563468	**2 608 200 017**
SN34DK 90R	3.1	7.1 (D-shape)	90	C0a	2,500	1	563475	**2 608 200 018**
Bright **Suitable for** GSN 100-34 DK Professional								
SN34DK 100R	3.1	7.1 (D-shape)	100	C0a	2,000	1	624268	**2 608 200 050**
Galvanised								
SN34DK 50RG	2.8	7.0 (D-shape)	50	C0a	3,000	1	563482	**2 608 200 019**
SN34DK 65RG	2.8	7.0 (D-shape)	65	C0a	3,000	1	563499	**2 608 200 020**
SN34DK 75RG	2.8	7.0 (D-shape)	75	C0a	3,000	1	563505	**2 608 200 021**
SN34DK 80RG	3.1	7.1 (D-shape)	80	C0a	3,000	1	563512	**2 608 200 022**
SN34DK 90RG	3.1	7.1 (D-shape)	90	C0a	2,500	1	563529	**2 608 200 023**

21° full head strip nails, resin-coated – smooth version

▶ **Appropriate for** GSN 90-21 RK Professional







Bright								
SN21RK 60	2.8	7.0	60	C0a	4,000	1	563574	**2 608 200 028**
SN21RK 75	2.8	7.0	75	C0a	3,000	1	563581	**2 608 200 029**
SN21RK 80	3.1	7.0	80	C0a	3,000	1	563598	**2 608 200 030**
SN21RK 90	3.1	7.0	90	C0a	2,500	1	563604	**2 608 200 031**
Galvanised								
SN21RK 60G	2.8	7.0	60	C0a	4,000	1	563611	**2 608 200 032**
SN21RK 75G	2.8	7.0	75	C0a	3,000	1	563628	**2 608 200 033**
SN21RK 80G	3.1	7.0	80	C0a	3,000	1	563635	**2 608 200 034**
SN21RK 90G	3.1	7.0	90	C0a	2,500	1	563642	**2 608 200 035**

21° full head strip nails, resin-coated – grooved version

▶ **Appropriate for** GSN 90-21 RK Professional





PRODUCT PROPERTIES				ORDERING INFORMATION				
Type	Shank diameter (D) mm	Head diameter	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Galvanised								
SN21RK 60RG	2.8	7.0	60	C0a	4,000	1	563659	**2 608 200 036**
SN21RK 75RG	2.8	7.0	75	C0a	3,000	1	563666	**2 608 200 037**
SN21RK 90RG	3.1	7.0	90	C0a	2,500	1	563673	**2 608 200 038**
Hot-dip galvanised								
SN21RK 65RHG	2.8	7.0	65	C0a	4,000	1	563680	**2 608 200 039**
SN21RK 75RHG	2.8	7.0	75	C0a	3,000	1	563697	**2 608 200 040**
SN21RK 90RHG	3.1	7.0	90	C0a	2,500	1	563703	**2 608 200 041**

FINISH NAILS AND BRADS

For Bosch pneumatic nailer.



- Suitable for case construction, upholstery, picture frames, furniture manufacture, wall coverings, fibre plasterboard, decorative strips and skirting boards, door and window frames
- Version: galvanised and also available in weatherresistant stainless steel
- All finish nails and brads are manufactured in Europe and therefore guarantee high, consistent quality
- Finish nails and brads provide a firm hold with heads that are scarcely visible

1.2/18g brads – galvanised version

- **Appropriate for** GSK 50 Professional



PRODUCT PROPERTIES					ORDERING INFORMATION				
Type	Wire dimension mm	Width (B) mm	Thickness (D) mm	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Galvanised version									
SK50 16G	1.2	2	1	16	C0a	5,000	1	563826	**2 608 200 511**
SK50 19G	1.2	2	1	19	C0a	5,000	1	563833	**2 608 200 512**
SK50 25G	1.2	2	1	25	C0a	5,000	1	563840	**2 608 200 513**
SK50 30G	1.2	2	1	30	C0a	5,000	1	563857	**2 608 200 514**
SK50 35G	1.2	2	1	35	C0a	5,000	1	563864	**2 608 200 515**
SK50 40G	1.2	2	1	40	C0a	5,000	1	563871	**2 608 200 516**
SK50 45G	1.2	2	1	45	C0a	5,000	1	563888	**2 608 200 517**
SK50 50G	1.2	2	1	50	C0a	5,000	1	563895	**2 608 200 518**

1.6/16g finish nails - galvanised version



▶ **Appropriate for** GSK 64 Professional

PRODUCT PROPERTIES					ORDERING INFORMATION				
Type	Wire dimension mm	Width (B) mm	Thickness (D) mm	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Galvanised version									
SK64 25G	1.6	2.8	1.45	25	C0a	2,500	1	563710	**2 608 200 500**
SK64 30G	1.6	2.8	1.45	30	C0a	2,500	1	563727	**2 608 200 501**
SK64 35G	1.6	2.8	1.45	35	C0a	2,500	1	563734	**2 608 200 502**
SK64 40G	1.6	2.8	1.45	40	C0a	2,500	1	563741	**2 608 200 503**
SK64 45G	1.6	2.8	1.45	45	C0a	2,500	1	563758	**2 608 200 504**
SK64 50G	1.6	2.8	1.45	50	C0a	2,500	1	563765	**2 608 200 505**
SK64 55G	1.6	2.8	1.45	55	C0a	2,500	1	563772	**2 608 200 506**
SK64 63G	1.6	2.8	1.45	63	C0a	2,500	1	563789	**2 608 200 507**

20° 1.6/16g finish nails – galvanised version



▶ **Appropriate for** GSK 18 V-Li Professional

Galvanised version									
SK64-20 G	1.6	2.8	1.35	38	C0a	2,000	1	621694	**2 608 200 529**
SK64-20 G	1.6	2.8	1.35	44	C0a	2,000	1	621700	**2 608 200 530**
SK64-20 G	1.6	2.8	1.35	50	C0a	2,000	1	621717	**2 608 200 531**
SK64-20 G	1.6	2.8	1.35	57	C0a	2,000	1	621724	**2 608 200 532**
SK64-20 G	1.6	2.8	1.35	63	C0a	2,000	1	621731	**2 608 200 533**
SK64-20 G	1.6	2.8	1.35	32	C0a	2,000	1	621687	**2 608 200 528**

20° 1.6/16g finish nails – stainless version



▶ **Appropriate for** GSK 18 V-Li Professional

Stainless version									
SK64-20 NR	1.6	2.8	1.35	38	C0a	2,000	1	621748	**2 608 200 534**
SK64-20 NR	1.6	2.8	1.35	50	C0a	2,000	1	621755	**2 608 200 535**
SK64-20 NR	1.6	2.8	1.35	63	C0a	2,000	1	621762	**2 608 200 536**

STAPLES
For Bosch pneumatic stapler.



- Suitable for attaching heat insulation materials, fibre plasterboard, steps and handrails, building fences, door and window frames, upholstery, picture frames
- Version: all staples are galvanised and resin-coated
- All staples are manufactured in Europe and therefore guarantee high, consistent quality
- Narrow crown staples are also a good solution in decoration because the spine of the staple penetrates deep into the wood and is barely noticeable

1.2/18g narrow crown staples, chisel point, resin-coated – galvanised version

- **Appropriate for** GTK 40 Professional



PRODUCT PROPERTIES				ORDERING INFORMATION				
Type	Width (B) mm	Thickness (D) mm	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Galvanised version								
TK40 15G	5.8	1.2	15	C0a	5,000	1	563901	**2 608 200 700**
TK40 20G	5.8	1.2	20	C0a	5,000	1	563918	**2 608 200 701**
TK40 25G	5.8	1.2	25	C0a	5,000	1	563925	**2 608 200 702**
TK40 30G	5.8	1.2	30	C0a	5,000	1	563932	**2 608 200 703**
TK40 35G	5.8	1.2	35	C0a	5,000	1	563949	**2 608 200 704**
TK40 38G	5.8	1.2	38	C0a	5,000	1	563956	**2 608 200 705**

STAPLES, PINS AND NAILS
For tacker.



- Flat wire staples are especially suitable for thin materials if the spine of the staple is not to be pressed into the material that requires tacking
- Fine wire staples are the universal tacking material for numerous applications performed by do-it-yourselfers and professionals
- Narrow crown staples penetrate deeply and, therefore, provide a particularly firm seating with an unobtrusive staple back

Flat wire staples, type 51

- **Suitable for** use with thin cardboard, foils, labels, paper, etc.
- **Appropriate for** tackers from Bukama, Rocagraf



PRODUCT PROPERTIES			ORDERING INFORMATION				
Width (B) mm	Thickness (D) mm	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
10	1	6	C1a	1,000	1	084000	**2 609 200 200**
10	1	8	C1a	1,000	1	084017	**2 609 200 201**
10	1	10	C1a	1,000	1	084024	**2 609 200 202**
10	1	14	C1a	1,000	1	084031	**2 609 200 203**

Flat wire staples, type 52



- **Suitable for** use with thin cardboard, foils, labels, paper, etc.
- **Appropriate for** tackers from Black+Decker

PRODUCT PROPERTIES			ORDERING INFORMATION				
Width (B) mm	Thickness (D) mm	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
12.3	1.25	6	C1a	1,000	1	084048	**2 609 200 204**
12.3	1.25	8	C1a	1,000	1	084055	**2 609 200 205**
12.3	1.25	10	C1a	1,000	1	084062	**2 609 200 206**
12.3	1.25	12	C1a	1,000	1	084079	**2 609 200 207**
Staples with D-tip							
12.3	1.25	14	C1a	1,000	1	084086	**2 609 200 208**

Flat wire staples, type 54



- **Suitable for** use with thin cardboard, foils, labels, paper, etc.
- **Appropriate for** tackers from AEG, Casals, Lux, Peugeot, Rondy, Skil, Swingline

12.9	1.25	6	C1a	1,000	1	084185	**2 609 200 218**
12.9	1.25	8	C1a	1,000	1	084192	**2 609 200 219**
12.9	1.25	10	C1a	1,000	1	084208	**2 609 200 220**
12.9	1.25	12	C1a	1,000	1	084215	**2 609 200 221**
Staples with D-tip							
12.9	1.25	14	C1a	1,000	1	084222	**2 609 200 222**

Flat wire staples, type 57



- **Suitable for** use with thin cardboard, foils, labels, paper, etc.
- **Appropriate for** tackers from Arrow, Black+Decker, Bosch, Bostitch, Emhard, Esco, kwb, Maestri, Mekano, Outifrance, Peugeot, Rapid, Rocafix

10.6	1.25	6	C1a	1,000	1	084291	**2 609 200 229**
10.6	1.25	8	C1a	1,000	1	084307	**2 609 200 230**
10.6	1.25	10	C1a	1,000	1	084314	**2 609 200 231**
10.6	1.25	12	C1a	1,000	1	084321	**2 609 200 232**
Staples with D-tip							
10.6	1.25	14	C1a	1,000	1	084338	**2 609 200 233**

Fine wire staples, type 53



- **Suitable for** e.g. textiles, cardboard, flat wooden slats, woven wire
- **Appropriate for** tackers from AEG, Arrow, Black+Decker, Bosch, Esco, kwb, Maestri, Mekano, Metabo, Neckermann/Bullcraft, Novus, Outifrance, Piranha, Rocagraf, Stanley, Skil Wolfcraft

11.4	0.74	4	C1a	1,000	1	101363	**2 609 200 291**
11.4	0.74	6	C1a	1,000	1	012126	**1 609 200 326**
			C1a	5,000	1	084093	**2 609 200 209**
11.4	0.74	8	C1a	1,000	1	004756	**1 609 200 365**
			C1a	5,000	1	084109	**2 609 200 210**
11.4	0.74	10	C1a	1,000	1	004763	**1 609 200 366**

Fine wire staples, type 53



PRODUCT PROPERTIES			ORDERING INFORMATION				
Width (B) mm	Thickness (D) mm	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
11.4	0.74	10	C1a	5,000	1	084116	**2 609 200 211**
11.4	0.74	12	C1a	1,000	1	004770	**1 609 200 367**
			C1a	5,000	1	084123	**2 609 200 212**
11.4	0.74	14	C1a	1,000	1	004787	**1 609 200 368**
			C1a	5,000	1	084130	**2 609 200 213**
11.4	0.74	18	C1a	1,000	1	004794	**1 609 200 369**
Weatherproof staples made of stainless steel.							
11.4	0.74	6	C1a	1,000	1	084147	**2 609 200 214**
11.4	0.74	8	C1a	1,000	1	084154	**2 609 200 215**
11.4	0.74	10	C1a	1,000	1	084161	**2 609 200 216**
11.4	0.74	14	C1a	1,000	1	084178	**2 609 200 217**

Fine wire staples, type 58



- **Suitable for** e.g. textiles, cardboard, flat wooden slats, woven wire
- **Appropriate for** tackers from Bostitch, Esco, kwb, Lux, Novus, Rocafix, Rocagraf, Swingline

13	0.75	6	C1a	1,000	1	084345	**2 609 200 234**
13	0.75	8	C1a	1,000	1	084352	**2 609 200 235**
13	0.75	10	C1a	1,000	1	084369	**2 609 200 236**
13	0.75	12	C1a	1,000	1	084376	**2 609 200 237**
13	0.75	14	C1a	1,000	1	084383	**2 609 200 238**

Fine wire staples, type 59



- **Suitable for** e.g. textiles, cardboard, flat wooden slats, woven wire
- **Appropriate for** tackers from Rapid, Rocagraf

10.6	0.72	6	C1a	1,000	1	084390	**2 609 200 239**
10.6	0.72	8	C1a	1,000	1	084413	**2 609 200 240**
10.6	0.72	10	C1a	1,000	1	084420	**2 609 200 241**
10.6	0.72	12	C1a	1,000	1	084437	**2 609 200 242**
10.6	0.72	14	C1a	1,000	1	084444	**2 609 200 243**

Narrow crown staples, type 55



- **Suitable for** particularly firm connections, also for thicker materials
- **Appropriate for** tackers from AEG, Bosch, Black+Decker, Buama, Esco, kwb, Lux, Metabo, Novus, Wolfcraft

6	1.08	12	C1a	1,000	1	004800	**1 609 200 370**
6	1.08	14	C1a	1,000	1	004817	**1 609 200 371**
6	1.08	16	C1a	1,000	1	004824	**1 609 200 372**
6	1.08	18	C1a	1,000	1	084239	**2 609 200 223**
6	1.08	19	C1a	1,000	1	004831	**1 609 200 373**

Narrow crown staples, type 55, resin-coated



- **Suitable for** fixing wall and ceiling coverings in conjunction with joint or profile wood claws. The glue effect of the resin coat offers a firm hold over a long period of time.
- **Appropriate for** tackers from AEG, Bosch, Black+Decker, Buama, Esco, kwb, Metabo, Novus, Wolfcraft

PRODUCT PROPERTIES			ORDERING INFORMATION				
Width (B) mm	Thickness (D) mm	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
6	1.08	16	C1a	3,000	1	084253	**2 609 200 225**
6	1.08	19	C1a	1,000	1	004992	**1 609 200 389**
			C1a	3,000	1	084260	**2 609 200 226**
6	1.08	23	C1a	1,000	1	004848	**1 609 200 374**
			C1a	3,000	1	084277	**2 609 200 227**
6	1.08	26	C1a	1,000	1	004985	**1 609 200 388**
6	1.08	28	C1a	1,000	1	004855	**1 609 200 375**
			C1a	3,000	1	084284	**2 609 200 228**
6	1.08	30	C1a	1,000	1	084246	**2 609 200 224**

Pins, type 40



- **Suitable for** simple stapling applications in thick materials
- **Appropriate for** tackers from Bosch, kwb, Novus

PRODUCT PROPERTIES	ORDERING INFORMATION				
Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
16	C1a	1,000	1	004916	**1 609 200 381**
19	C1a	1,000	1	004923	**1 609 200 382**
23	C1a	1,000	1	005005	**1 609 200 390**

Pins, type 41



- **Suitable for** simple stapling applications in thick materials
- **Appropriate for** tackers from Bosch (HT 14), Esco, Kwb (T 14)

14	C1a	1,000	1	101370	**2 609 200 292**

Nails, type 47

- Bosch tacker nails made of hard steel wire with lengths between 16 and 30 mm
- Width of head depending on machine 1.8 or 2.8 mm
- **Appropriate for** tackers from AEG, Bosch, Esco, kwb, Lux, Mekano, Metabo, Novus, Peugeot, Rocafix, Rocagraf, Stanley, Swingline, Wolfcraft



PRODUCT PROPERTIES			ORDERING INFORMATION				
Width (B) mm	Thickness (D) mm	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
1.8	1.27	16	C1a	1,000	1	004862	**1 609 200 376**
1.8	1.27	19	C1a	1,000	1	004879	**1 609 200 377**
1.8	1.27	23	C1a	1,000	1	004886	**1 609 200 378**
1.8	1.27	26	C1a	1,000	1	004893	**1 609 200 379**
1.8	1.27	28	C1a	1,000	1	004909	**1 609 200 380**
1.8	1.27	30	C1a	1,000	1	084406	**2 609 200 249**

Nails, type 48



- Bosch tacker nails are made from hard steel wire
- **Appropriate for** Tacker PTK 14 from Bosch

1.8	1.45	14	C1a	1,000	1	008396	**1 609 200 393**

Staple remover and tacker set





PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Staple remover					
	PC1c	1	1	062459	**2 608 110 002**
4-piece tacker set **Suitable for** PTK 14 E					
	PC1c	1	1	010443	**2 607 000 098**

HAND AND HAMMER TACKER



- Manual tackers for quick fixing of, for example, fabrics, foils, cardboard and insulation material
- Available as hand tackers with a grip trigger or as hammer tackers with an impact trigger
- Bosch hammer tackers drive the staples into the material with enormous power on impact

Hand staple guns

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Handheld Tacker HT 8 **Suitable for** quick fixing of fabrics, foils, insulation material, etc. Robust, polished steel, with padded grip and grip-lock Appropriate staple type 53, length of 4, 6, 8 mm	C1a	1	1	101325	**0 603 038 000**
 Handheld Tacker HT 14 **Suitable for** quick fixing of fabrics, roof felt, foils, insulation materials, woven wires, and for light upholstery work Multi-purpose tacker made of robust, polished steel, with continuously variable power adjustment, padded grip and grip-lock Appropriate staple type 53, length of 4, 6, 8, 10, 12, 14 mm, appropriate pin type 41, length of 14 mm	C1a	1	1	101332	**0 603 038 001**

Hammer tacker

	PRODUCT PROPERTIES	ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Hammer Tacker HMT 53 **Suitable for** packaging, decorating or insulation work, etc. Handle with finger guard, magazine holds up to 200 staples Appropriate staple type 53, length of 4, 6, 8 mm	C1a	1	1	101349	**0 603 038 002**
	Hammer Tacker HMT 57 **Suitable for** packaging, insulation or roofing work, etc. Handle with finger guard, magazine holds up to 160 staples Suitable staple type 57, Length 6, 8, 10 mm	C1a	1	1	101356	**0 603 038 003**

Screw Belts for MA55

Screw Belts



- **Suitable for** drywall applications
- **Appropriate for** MA 55





Coarse thread

Suitable for plasterboard on wood

Suitable for GSR 6-25 TE; GSR 6-45 TE; GSR 18 V-EC TE; GTB 12V-11; MA 55 Professional

Description	Screw head	Diameter mm	Screw length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
S-G	PH2	3.9	25	C0a	1,000	1	688277	**2 608 000 547**
S-G	PH2	3.9	30	C0a	1,000	1	688284	**2 608 000 548**
S-G	PH2	3.9	35	C0a	1,000	1	688291	**2 608 000 549**





Fine thread

Suitable for plasterboard on metal (up to 0.7 mm thick)

Suitable for GSR 6-25 TE; GSR 6-45 TE; GSR 18 V-EC TE; GTB 12V-11; MA 55 Professional

Description	Screw head	Diameter mm	Screw length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
S-F	PH2	3.9	25	C0a	1,000	1	688307	**2 608 000 550**
S-F	PH2	3.9	30	C0a	1,000	1	688314	**2 608 000 551**
S-F	PH2	3.9	35	C0a	1,000	1	688321	**2 608 000 552**





Plasterboard screw

Suitable for plasterboard on wood and metal (up to 0.7 mm thick)

Suitable for GSR 6-25 TE; GSR 6-45 TE; GSR 18 V-EC TE; GTB 12V-11; MA 55 Professional

Description	Screw head	Diameter mm	Screw length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
G	PH2	3.9	30	C0a	1,000	1	688338	**2 608 000 553**

Screw Belts







PRODUCT PROPERTIES				ORDERING INFORMATION				
Description	Screw head	Diameter mm	Screw length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Fine thread with drilling head **Suitable for** plasterboard on metal (0.7 - 2.2 mm thick) **Suitable for** GSR 6-25 TE; GSR 6-45 TE; GSR 18 V-EC TE; GTB 12V-11; MA 55 Professional								
S-FB	PH2	3.9	35	C0a	1,000	1	688345	**2 608 000 554**

ACCESSORIES FOR GLUE GUNS



- Glue sticks made of hot-melt adhesive for easy repairing, fixing, installation, sealing and jointing work
- Appropriate for all makes of glue guns

Glue Sticks, Transparent

- For elastic, tough connections
- **Suitable for** seals, PVC, plastics, leather, ceramics, fabric, glass
- **Appropriate for** glue guns from Bosch, Black+Decker, Bostik, Bühnen, Metabo, Pattex, Peugeot, Steinel, Uhu

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Length mm	Weight g	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
11	45	125	C1a	1	1	005265	**1 609 201 219**
11	45	500	C1a	1	1	005272	**1 609 201 220**
11	200	500	C1a	1	1	005647	**1 609 201 396**
11	200	10,000	C0a	1	1	068291	**2 607 001 104**

Glue Sticks, Black



- For elastic, tough connections
- **Suitable for** seals, carpet, metal
- **Appropriate for** glue guns from Bosch, Black+Decker, Bostik, Bühnen, Metabo, Pattex, Peugeot, Steinel, Uhu

11	45	125	C1a	1	1	005289	**1 609 201 221**
11	200	500	C1a	1	1	048439	**2 607 001 178**

Glue Sticks, Grey



- For elastic, tough connections
- **Suitable for** electrical applications, cable fasteners, PVC, carpet
- **Appropriate for** glue guns from Bosch, Black+Decker, Bostik, Bühnen, Metabo, Pattex, Peugeot, Steinel, Uhu

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Length mm	Weight g	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
11	200	500	C1a	1	1	048422	**2 607 001 177**

Glue Sticks, Yellow



- For hard, firm connections
- **Suitable for** wood, veneer, cardboard, packages, seals, metal
- **Appropriate for** glue guns from Bosch, Black+Decker, Bostik, Bühnen, Metabo, Pattex, Peugeot, Steinel, Uhu

11	200	500	C1a	1	1	048415	**2 607 001 176**

Charging Station for Glue Gun PKP 30 LE



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Charging station **Suitable for** charging Glue Gun PKP 30 LE **Suitable for** GKP 200 CE Professional	P1d	1	1	059008	**2 609 200 136**

Accessories for Bosch Heat Guns

Nozzles for Bosch Heat Guns

▶ **Appropriate for** GHG 500-2; GHG 600-3; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 500-2; PHG 600-3; PHG 630 DCE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Width [mm]	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Surface nozzle with surface distribution of the hot air for drying, removing paint, thawing							
	75	33.5	C1a	1	1	006095	**1 609 390 451**
	50	33.5	C1a	1	1	013109	**1 609 201 795**
 Glass protection nozzle with special side wings to protect heat-sensitive materials such as glass.							
	75	33.5	C1a	1	1	006101	**1 609 390 452**
Glass protection nozzle with special side wings to protect heat-sensitive materials such as glass							
	50	33.5	C1a	1	1	013116	**1 609 201 796**
 Reflector nozzle with frontal deflection for soldering, tinning and shrinking.							
	32	33.5	C1a	1	1	006118	**1 609 390 453**
 Angle nozzle for the Bosch barrel-grip heat gun for easy removal of heat-sensitive material							
	80	33.5	C1a	1	1	015141	**1 609 201 751**
 Reduction nozzle with half diameter for work in corners or for concentrating the hot air jet onto smaller surfaces, e.g. for desoldering							
	-	20	C1a	1	1	015110	**1 609 201 648**

Nozzles for Bosch Heat Guns with Electronic

▶ **Appropriate for** GHG 600-3; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 600-3; PHG 630 DCE

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Reduction nozzle as round nozzle for a concentrated hot air jet or as an adapter for special nozzles **Suitable for** GHG 20-60; GHG 20-63; GHG 23-66; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 630 DCE						
	14	C1a	1	1	015134	**1 609 201 647**

Nozzles for Bosch Heat Guns with Electronic



Reducing nozzle
Basic attachment for all auxiliary nozzles with 9 mm diameter
Suitable for GHG 20-60; GHG 20-63; GHG 23-66; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 630 DCE

PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
9	C1a	1	1	013123	**1 609 201 797**



Welding shoe
with side channel for feeding plastic welding wire up to 5 mm in diameter. In conjunction with reducing nozzle 9 mm diameter
Suitable for GHG 20-60; GHG 20-63; GHG 23-66; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 630 DCE

10	C1a	1	1	013130	**1 609 201 798**



Slot nozzle
for narrow-surface overlap welding of PVC foils. In conjunction with reducing nozzle 9 mm diameter
Suitable for GHG 20-60; GHG 20-63; GHG 23-66; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 630 DCE

10	C1a	1	1	013147	**1 609 201 799**



Cutting nozzle
for a highly concentrated hot air jet for cutting hard foam of up to 100 mm thickness. In conjunction with 9 mm diameter reduction nozzle
Suitable for GHG 20-60; GHG 20-63; GHG 23-66; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 630 DCE

10	C1a	1	1	013154	**1 609 201 800**



Welding nozzle
with opening for feeding plastic welding wire up to 4 mm in diameter. In conjunction with 9 mm diameter reduction nozzle
Suitable for GHG 20-60; GHG 20-63; GHG 23-66; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 630 DCE

10	C1a	1	1	013161	**1 609 201 801**

Plastic Welding Rods



Plastic welding rod
Polyethylene (HDPE) black

PRODUCT PROPERTIES			ORDERING INFORMATION				
Length mm	Diameter mm	Weight g	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
225	4	100	C1a		1	013185	**1 609 201 807**

Plastic welding rod
Hard PVC, transparent

225	4	100	C1a		1	013192	**1 609 201 808**

Plastic welding rod
polypropylene (PP) beige

225	4	100	C1a		1	013215	**1 609 201 810**

Heat Shrink Plastic Tubing

- For butt welding the ends of cables, breaks in cables and cable looms.



PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
1.6-4.8	P1d	50	1	013239	**1 609 201 812**
4.8-9.5	P1d	30	1	013246	**1 609 201 813**

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for wall chasers, slot cutters and angle grinders 670 – 1.400 W.



	Dust extraction guard Ø 100, 115, 125 mm	Dust extraction guard Ø 115, 125 mm	Dust extraction guard Ø 115, 125 mm	Dust extraction guard Ø 150 mm	Elbow	Hose Ø 19 × 3,000 mm	Hose Ø 19 × 5,000 mm	Adapter for 19 to 35 mm
Page number	811	811	812	812	813	922	922	925
Part Number	1 619 P06 514	1 605 510 291	2 605 510 264	2 605 510 265	1 600 793 007	2 600 793 009	1 610 793 002	1 609 200 933
WALL CHASERS AND SLOT CUTTERS								
GNF 20 CA	–	–	–	–	–	✓	✓	✓
GNF 35 CA	–	–	–	–	–	✓	✓	✓
GNF 65 A	–	–	–	–	–	✓	✓	✓
GSF 100 A	–	–	–	–	–	✓	✓	✓
ANGLE GRINDER 670 – 1,400 W								
GWS 5-100 .. GWS 5-115 ..	✓	–	–	–	✓	✓	✓	✓
GWS 6-100 .. GWS 6-115 .. GWS 6-125 ..	✓	–	–	–	✓	✓	✓	✓
GWS 7-115 GWS 7-125	–	✓	–	–	✓	✓	✓	✓
GWS 8-115 GWS 8-115 Z GWS 8-125	–	–	✓	–	✓	✓	✓	✓
GWS 9-125	–	✓	–	–	✓	✓	✓	✓
GWS 10-125 GWS 10-125 Z	–	–	✓	–	✓	✓	✓	✓
GWS 10-125 C GWS 10-125 CE	–	✓	–	–	✓	✓	✓	✓
GWS 11-125 CI/CIE/ CIH	–	–	✓	–	✓	✓	✓	✓
GWS 14-125 C GWS 14-125 CE	–	✓	–	–	✓	✓	✓	✓
GWS 14-125 CI/CIE/ CIT	–	–	✓	–	✓	✓	✓	✓
GWS 14-150 C	–	–	–	–	✓	✓	✓	✓
GWS 14-150 CI	–	–	–	✓	✓	✓	✓	✓
GWS 15-150 CIH	–	–	–	✓	✓	✓	✓	✓
GWS 15-125 CIH / CIEH / CITH	–	–	✓	–	✓	✓	✓	✓
GWS 850 ...	✓	–	–	–	✓	✓	✓	✓
GWS 1000	–	✓	–	–	✓	✓	✓	✓

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for angle grinders 2.000 – 2.500 W, special cut-off grinders and concrete grinders.



	Dust extraction guard Ø 180 mm	Dust extraction guard Ø 230 mm	Dust extraction guard Ø 180 mm	Dust extraction guard Ø 230 mm	Dust extraction guard Ø 300 mm	Elbow	Hose Ø 19 × 3,000 mm	Hose Ø 19 × 5,000 mm	Adapter for 19 to 35 mm
Page number	812	812	813	813	813	813	922	922	925
Part Number	1 605 510 179	1 605 510 180	2 602 025 284	2 602 025 285	1 605 510 215	1 600 793 007	2 600 793 009	1 610 793 002	1 609 200 933
ANGLE GRINDER WITH 2,000 – 2,500 W									
GWS 25-230 / J	–	✓	–	–	–	✓	✓	✓	✓
GWS 26-180 B	✓	–	–	–	–	✓	✓	✓	✓
GWS 26-180 BV / JBV	✓	–	–	–	–	✓	✓	✓	✓
GWS 26-180 H/ JH	✓	–	–	–	–	✓	✓	✓	✓
GWS 26-180 JBV	–	–	✓	–	–	✓	✓	✓	✓
GWS 26-230	–	–	–	✓	–	✓	✓	✓	✓
GWS 26-230 B / BV / JBV	–	✓	–	–	–	✓	✓	✓	✓
GWS 26-230 BV	–	–	–	✓	–	✓	✓	✓	✓
GWS 26-230 JBV	–	✓	–	✓	–	✓	✓	✓	✓
GWS 26-230 JH	–	✓	–	–	–	✓	✓	✓	✓
GWS 180 / J	✓	–	–	–	–	✓	✓	✓	✓
GWS 230	–	✓	–	–	–	✓	✓	✓	✓
SPECIAL CUT-OFF GRINDERS									
GWS 24-300 GWS 24-300 J	–	–	–	–	✓	–	✓	✓	✓
CONCRETE GRINDERS									
GBR 14 CA	–	–	–	–	–	–	✓	✓	–

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for angle grinders 2.000 – 2.500 W, special cut-off grinders and concrete grinders.



	Dust extraction guard Ø 180 mm	Dust extraction guard Ø 230 mm	Dust extraction guard Ø 180 mm	Dust extraction guard Ø 230 mm	Dust extraction guard Ø 300 mm	Elbow	Hose Ø 19 × 3,000 mm	Hose Ø 19 × 5,000 mm	Adapter for 19 to 35 mm
Page number	812	812	813	813	813	813	922	922	925
Part Number	1 605 510 179	1 605 510 180	2 602 025 284	2 602 025 285	1 605 510 215	1 600 793 007	2 600 793 009	1 610 793 002	1 609 200 933
ANGLE GRINDER WITH 2,000 – 2,500 W									
GWS 20-180 / H / JH	✓	–	–	–	–	✓	✓	✓	✓
GWS 20-180 / J	✓	–	–	–	–	✓	✓	✓	✓
GWS 20-230 / J	–	✓	–	–	–	✓	✓	✓	✓
GWS 20-230 H / J / JH	–	✓	–	–	–	✓	✓	✓	✓
GWS 21-180 HV / JHV	✓	–	–	–	–	✓	✓	✓	✓
GWS 21-230 HV / JHV	–	✓	–	–	–	✓	✓	✓	✓
GWS 22-180 H / JH	✓	–	–	–	–	✓	✓	✓	✓
GWS 22-180 LVI	–	–	✓	–	–	✓	✓	✓	✓
GWS 22-230 H / JH	–	✓	–	–	–	✓	✓	✓	✓
GWS 22-230 LVI	–	–	–	✓	–	✓	✓	✓	✓
GWS 23-180 / J	✓	–	–	–	–	✓	✓	✓	✓
GWS 23-230 / J	✓	–	–	–	–	✓	✓	✓	✓
GWS 24-180 BX / JBX	✓	–	–	–	–	✓	✓	✓	✓
GWS 24-180 H / BV / JBV	✓	–	–	–	–	✓	✓	✓	✓
GWS 24-180 H / JH	✓	–	–	–	–	✓	✓	✓	✓
GWS 24-180 LVI	–	–	✓	–	–	✓	✓	✓	✓
GWS 24-230 BX / JBX	–	✓	–	–	–	✓	✓	✓	✓
GWS 24-230 H / BV / JBV	–	✓	–	–	–	✓	✓	✓	✓
GWS 24-230 H / JH	–	✓	–	–	–	✓	✓	✓	✓
GWS 24-230 JBX	–	–	–	✓	–	✓	✓	✓	✓
GWS 24-230 LVI	–	–	–	✓	–	✓	✓	✓	✓
GWS 25-180 / J	✓	–	–	–	–	✓	✓	✓	✓

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for jigsaws and all-purpose saws.





	Hose Ø 19 × 5,000 mm	Hose Ø 35 × 5,000 mm
Page number	922	922
Part Number	2 607 002 162	2 607 002 164
JIGSAWS		
GST 90 E	✓	✓
GST 100 GST 100 B GST 100 BCE GST 100 CE	✓	✓
GST 120 BE GST 120 E	✓	✓
GST 135 BCE GST 135 CE	✓	✓
GST 150 BCE GST 150 CE	✓	✓
GST 14,4 V	✓	✓
GST 18 V	✓	✓
GST 24 V	✓	✓
GST 75 BE	✓	✓
ALL-PURPOSE SAW		
GFZ 14-35 A	✓	✓
GFZ 16-35 AC	✓	✓

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for hand-held circular saws and planers.





	Hose Ø 19 × 5,000 mm	Hose Ø 35 × 5,000 mm
Page number	922	922
Part Number	2 607 002 162	2 607 002 164
HAND-HELD CIRCULAR SAWS		
GKS 54 GKS 54 CE	✓	✓
GKS 55 GKS 55 CE GKS 55 GCE	✓	✓
GKS 65 GKS 65 CE GKS 65 G GKS 65 GCE	✓	✓
GKS 66 CE	✓	✓
GKS 85 S GKS 85 G	✓	✓
GKS 160	✓	✓
GKS 190	✓	✓
GKS 18 V-LI	✓	✓
GKS 24 V	✓	✓
GKS 36 V-LI	✓	✓
PLANERS		
GHO 15-82	✓	✓
GHO 26-82	✓	✓
GHO 31-82	✓	✓
GHO 36-82 C	✓	✓
GHO 40-82 C	✓	✓
GHO 14.4 V	✓	✓

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for routers and jointer.








	Adapter	Adapter	Adapter	Adapter	Hose Ø 19 × 5,000 mm	Hose Ø 35 × 5,000 mm
Page number	933	933	933	932	922	922
Part Number	2 608 000 488	2 608 000 489	2 607 017 128	1 600 499 005	2 607 002 162	2 607 002 164
ROUTERS						
GKF 600	✓	✓	✓	–	✓	✓
GOF 900 ACE	✓	✓	✓	–	✓	✓
GOF 1300 ACE	✓	✓	✓	–	✓	✓
GOF 2000 CE	✓	✓	✓	–	✓	✓
GOF 1600 CE	✓	✓	✓	–	✓	✓
GMF 1600 CE	✓	✓	✓	–	✓	✓
UNIVERSAL ROUTER						
GUF 4-22 A	–	–	–	✓	✓	✓
BISCUIT JOINTER						
GFF 22 A	–	–	–	✓	✓	✓

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for sanders and benchtop tools.






	Adapter	Adapter	Adapter	Hose ⌀ 19 × 5,000 mm	Hose ⌀ 35 × 3,000 mm
Page number	932	933	935	922	922
Part Number	1 600 499 005	2 600 306 007	2 600 499 045	2 607 002 162	2 607 002 163
BELT SANDERS					
GBS 75 AE Set	–	–	✓	✓	✓
GBS 100 AE	✓	–	–	✓	✓
ORBITAL SANDERS					
GSS 16 A	–	✓	–	✓	✓
GSS 23 AE GSS 23 A	–	✓	–	✓	✓
GSS 140 A	–	–	–	✓	✓
GSS 230 AE	–	–	–	✓	✓
GSS 280 A GSS 280 AE	–	–	–	✓	✓
DELTA SANDERS					
GDA 280 E	–	–	–	✓	✓
RANDOM ORBIT SANDERS					
GEX 125 A GEX 125 AC	–	✓	–	✓	✓
GEX 125-1 AE	–	–	–	✓	✓
GEX 150 AC	–	✓	–	✓	✓
GEX 150 Turbo	–	–	–	✓	✓
BENCHTOP TOOLS					
GCM 8 S	–	–	–	✓	✓
GCM 10 GCM 10 J GCM 10 S GCM 10 SD	–	–	–	✓	✓
GCM 12 GCM 12 SD	–	–	–	✓	✓
GTS 10	–	–	–	✓	✓
GKG 24 V	–	–	–	✓	✓

ACCESSORIES FOR PAS 12-27 F / PAS 12-27 / PAS 11-21

External dust extraction for jigsaws and delta sanders.



Hose Ø 19 × 3,000 mm



Hose Ø 19 × 5,000 mm



Adapter for Ø 19 to 35 mm

Page number	922	922	925
Part Number	2 600 793 009	1 610 793 002	2 607 000 748
JIGSAWS			
PST 650 PST 650 E PST 650 PE	✓	✓	✓
PST 680 E	✓	✓	✓
PST 700 E PST 700 PE PST 700 PEL	✓	✓	✓
PST 750 PE	✓	✓	✓
PST 800 PEL	✓	✓	✓
PST 850 PE	✓	✓	✓
PST 900 PEL	✓	✓	✓
PST 1000 PEL	✓	✓	✓
DELTA SANDERS			
PDA 180 PDA 180 E	✓	✓	✓
PDA 240 E	✓	✓	✓

ACCESSORIES FOR PAS 12-27 F / PAS 12-27 / PAS 11-21

External dust extraction for random orbit, orbital sanders and planers.








	Adapter	Hose ⌀ 19 × 3,000 mm	Hose ⌀ 19 × 5,000 mm	Hose ⌀ 35 × 3,000 mm	Hose ⌀ 35 × 5,000 mm	Adapter for ⌀ 19 to 35 mm
Page number	933	922	922	922	922	925
Part Number	2 600 306 007	2 600 793 009	1 610 793 002	2 607 002 149	2 607 002 150	2 607 000 748
RANDOM ORBIT SANDERS						
PEX 150 A	✓	✓	✓	–	–	✓
PEX 220 A	✓	✓	✓	–	–	✓
PEX 270 AE	✓	✓	✓	–	–	✓
PEX 400 AE	✓	✓	✓	–	–	✓
PEX 420 AE	✓	✓	✓	–	–	✓
ORBITAL SANDERS						
PSM 80 A	✓	✓	✓	–	–	✓
PSM 160 A	✓	✓	✓	–	–	✓
PSS 190 AE	✓	✓	✓	–	–	✓
PSS 200 A/AC	✓	✓	✓	–	–	✓
PSS 250 AE	✓	✓	✓	–	–	✓
PSS 280 A	✓	✓	✓	–	–	✓
PSS 300 AE	✓	✓	✓	–	–	✓
PLANERS						
PHO 16-82	✓	–	–	✓	✓	–
PHO 20-82	✓	–	–	✓	✓	–
PHO 25-82	✓	–	–	✓	✓	–
PHO 30-82	✓	–	–	✓	✓	–
PHO 35-82 C	✓	–	–	✓	✓	–
PHO 3100	✓	–	–	✓	✓	–

ACCESSORIES FOR PAS 12-27 F / PAS 12-27 / PAS 11-21

External dust extraction for belt sanders, compact belt sanders and wall chaser.



	Adapter	Adapter	Hose Ø 19 × 3,000 mm	Hose Ø 19 × 5,000 mm	Hose Ø 35 × 3,000 mm	Hose Ø 35 × 5,000 mm	Hose Ø 35 × 3,000 mm	Hose Ø 35 × 5,000 mm	Adapter for Ø 19 to 35 mm
Page number	933	935	922	922	922	923	922	922	925
Part Number	2 600 306 007	2 600 499 045	2 600 793 009	1 610 793 002	2 607 000 837	1 609 202 230	2 607 002 149	2 607 002 150	2 607 000 748
BELT SANDERS									
PBS 60 PBS 60 E	–	–	✓	✓	–	–	–	–	✓
PBS 60 PBS 60 E	–	✓	–	–	✓	✓	–	–	✓
PBS 60 PBS 60 E	–	✓	–	–	–	–	✓	✓	–
PBS 75 A PBS 75 AE	–	–	✓	✓	–	–	–	–	✓
PBS 75 A PBS 75 AE	–	✓	–	–	✓	✓	–	–	✓
PBS 75 A PBS 75 AE	–	✓	–	–	–	–	✓	✓	–
PBS 7 AE	✓	–	✓	✓	–	–	–	–	✓
COMPACT BELT SANDERS									
PVS 300 AE	–	–	✓	✓	–	–	–	–	✓
PVS 300 AE	–	–	–	–	✓	✓	–	–	✓
WALL CHASER									
PSF 22 A	–	–	✓	✓	–	–	–	–	–
PSF 22 A	–	–	–	–	✓	✓	–	–	✓

ACCESSORIES FOR PAS 12-27 F / PAS 12-27 / PAS 11-21

External dust extraction for hand-held circular saws.







	Hose ⌀ 35 × 3,000 mm	Hose ⌀ 35 × 5,000 mm	Hose ⌀ 35 × 3,000 mm	Hose ⌀ 35 × 5,000 mm	Adapter for ⌀ 19 to 35 mm
Page number	922	923	922	922	925
Part Number	2 607 000 837	1 609 202 230	2 607 002 149	2 607 002 150	2 607 000 748
HAND-HELD CIRCULAR SAWS					
PKS 40	✓	✓	–	–	✓
PKS 40	–	–	✓	✓	–
PKS 46	✓	✓	–	–	✓
PKS 46	–	–	✓	✓	–
PKS 54 PKS 54 CE	✓	✓	–	–	✓
PKS 54 PKS 54 CE	–	–	✓	✓	–
PKS 55 PKS 55 A	✓	✓	–	–	✓
PKS 55 PKS 55 A	–	–	✓	✓	–
PKS 66 PKS 66 A PKS 66 AF PKS 66 CE	✓	✓	–	–	✓
PKS 66 PKS 66 A PKS 66 AF PKS 66 CE	–	–	✓	✓	–

ACCESSORIES FOR PAS 12-27 F / PAS 12-27 / PAS 11-21

External dust extraction for routers.







	Hose ⌀ 35 × 3,000 mm	Hose ⌀ 35 × 5,000 mm	Hose ⌀ 35 × 3,000 mm	Hose ⌀ 35 × 5,000 mm	Adapter for ⌀ 19 to 35 mm
Page number	922	923	922	922	925
Part Number	2 607 000 837	1 609 202 230	2 607 002 149	2 607 002 150	2 607 000 748
ROUTERS					
POF 400 A	✓	✓	–	–	✓
POF 400 A	–	–	✓	✓	–
POF 500 A	✓	✓	–	–	✓
POF 500 A	–	–	✓	✓	–
POF 600 ACE	✓	✓	–	–	✓
POF 600 ACE	–	–	✓	✓	–
POF 800 ACE	✓	✓	–	–	✓
POF 800 ACE	–	–	✓	✓	–
POF 1100 AE	✓	✓	–	–	✓
POF 1100 AE	–	–	✓	✓	–
POF 1200 AE	✓	✓	–	–	✓
POF 1200 AE	–	–	✓	✓	–
POF 1300 ACE	✓	✓	–	–	✓
POF 1300 ACE	–	–	✓	✓	–
POF 1400 AE	✓	✓	–	–	✓
POF 1400 AE	–	–	✓	✓	–

ACCESSORIES FOR PAS 12-27 F / PAS 12-27 / PAS 11-21

External dust extraction for angle grinders.



	Cutting Guide	Cutting Guide	Cutting Guide	Cutting Guide	Hose Ø 35 × 3,000 mm	Hose Ø 35 × 5,000 mm	Hose Ø 35 × 3,000 mm	Hose Ø 35 × 5,000 mm	Adapter for Ø 19 to 35 mm
Page number	812	812	811	812	922	923	922	922	925
Part Number	1 605 510 180	2 605 510 264	1 605 510 291	2 605 510 292	2 607 000 837	1 609 202 230	2 607 002 149	2 607 002 150	2 607 000 748
ANGLE GRINDERS									
PWS 7-100 (0 603 402 0..)	–	–	✓	–	–	–	✓	✓	–
PWS 7-115 (0 603 402 0..)	–	–	✓	–	–	–	✓	✓	–
PWS 7-125 (0 603 403 0..)	–	–	✓	–	–	–	✓	✓	–
PWS 7-125 (3 603 C99 8..)	–	–	–	✓	–	–	✓	✓	–
PWS 9-125 CE (0 603 405 7..)	–	–	✓	–	–	–	✓	✓	–
PWS 9-125 CE (3 603 C99 A..)	–	–	–	✓	–	–	✓	✓	–
PWS 10-125 CE (0 603 347 ...)	–	–	✓	–	–	–	✓	✓	–
PWS 10-125 CE (3 603 C47 0..)	–	✓	–	–	✓	✓	–	–	✓
PWS 13-125 CE (0 603 348 ...)	–	–	✓	–	✓	✓	–	–	✓
PWS 13-125 CE (3 603 C48 0..)	–	✓	–	–	✓	✓	–	–	✓
PWS 20-230 J	✓	–	–	–	✓	✓	–	–	✓
PWS 21-230	✓	–	–	–	✓	✓	–	–	✓
PWS 700 (0 603 402 0..)	–	–	✓	–	–	–	✓	✓	–
PWS 700-115 (0 603 A64 2..)	–	–	–	✓	–	–	✓	✓	–
PWS 720 (0 603 403 0..)	–	–	✓	–	–	–	✓	✓	–
PWS 720-115 (0 603 A64 0..)	–	–	–	✓	–	–	✓	✓	–
PWS 720-125 (0 603 A64 0..)	–	–	–	✓	–	–	✓	✓	–
PWS 750-115 (0 603 A84 1..)	–	–	–	✓	–	–	✓	✓	–
PWS 750-125 (0 603 A84 1..)	–	–	–	✓	–	–	✓	✓	–
PWS 850 CE (0 603 404 7..)	–	–	✓	–	–	–	✓	✓	–
PWS 1900	✓	–	–	–	✓	✓	–	–	✓

ACCESSORIES FOR PAS 11-25 F / PAS 11-27 / PAS 11-25 F, (PAS 12-50 / PAS 12-50 F)

External dust extraction for jigsaws and delta sanders.



Hose Ø 19 × 3,000 mm



Hose Ø 19 × 5,000 mm



Adapter for Ø 19 to 35 mm

Page number	922	922	925
Part Number	2 600 793 009	1 610 793 002	1 609 200 933
JIGSAWS			
PST 650 PST 650 E PST 650 PE	✓	✓	✓
PST 680 E	✓	✓	✓
PST 700 E PST 700 PE PST 700 PEL	✓	✓	✓
PST 750 PE	✓	✓	✓
PST 800 PEL	✓	✓	✓
PST 850 PE	✓	✓	✓
PST 900 PEL	✓	✓	✓
PST 1000 PEL	✓	✓	✓
DELTA SANDERS			
PDA 180 PDA 180 E	✓	✓	✓
PDA 240 E	✓	✓	✓

ACCESSORIES FOR PAS 11-25 F / PAS 11-27 / PAS 11-25 F, (PAS 12-50 / PAS 12-50 F)

External dust extraction for random orbit, orbital sanders and planers.








	Adapter	Hose ⌀ 19 × 3,000 mm	Hose ⌀ 19 × 5,000 mm	Hose ⌀ 35 × 3,000 mm	Hose ⌀ 35 × 5,000 mm	Adapter for ⌀ 19 to 35 mm
Page number	933	922	922	922	923	925
Part Number	2 600 306 007	2 600 793 009	1 610 793 002	2 607 000 837	1 609 202 230	1 609 200 933
RANDOM ORBIT SANDERS						
PEX 150 A	✓	✓	✓	–	–	✓
PEX 220 A	✓	✓	✓	–	–	✓
PEX 270 AE	✓	✓	✓	–	–	✓
PEX 400 AE	✓	✓	✓	–	–	✓
PEX 420 AE	✓	✓	✓	–	–	✓
ORBITAL SANDERS						
PSM 80 A	–	✓	✓	–	–	✓
PSM 160 A	✓	✓	✓	–	–	✓
PSS 190 AE	–	✓	✓	–	–	✓
PSS 200 A/AC	–	✓	✓	–	–	✓
PSS 250 AE	–	✓	✓	–	–	✓
PSS 280 A	–	✓	✓	–	–	✓
PSS 300 AE	–	✓	✓	–	–	✓
PLANERS						
PHO 16-82	–	–	–	✓	✓	–
PHO 20-82	–	–	–	✓	✓	–
PHO 25-82	–	–	–	✓	✓	–
PHO 30-82	–	–	–	✓	✓	–
PHO 35-82 C	–	–	–	✓	✓	–
PHO 3100	–	–	–	✓	✓	–

ACCESSORIES FOR PAS 11-25 F / PAS 11-27 / PAS 11-25 F, (PAS 12-50 / PAS 12-50 F)

External dust extraction for belt sanders, compact belt sanders and wall chaser.



	Adapter	Adapter	Hose Ø 19 × 3,000 mm	Hose Ø 19 × 5,000 mm	Hose Ø 35 × 3,000 mm	Hose Ø 35 × 5,000 mm	Adapter for Ø 19 to 35 mm
Page number	935	933	922	922	922	923	925
Part Number	2 600 499 045	2 600 306 007	2 600 793 009	1 610 793 002	2 607 000 837	1 609 202 230	1 609 200 933
BELT SANDERS							
PBS 60 PBS 60 E	✓	–	✓	✓	–	–	✓
PBS 60 PBS 60 E	✓	–	–	–	✓	✓	–
PBS 75 A PBS 75 AE	✓	–	✓	✓	–	–	✓
PBS 75 A PBS 75 AE	✓	–	–	–	✓	✓	–
PBS 7 AE	–	✓	✓	✓	–	–	✓
COMPACT BELT SANDERS							
PVS 300 AE	–	–	✓	✓	–	–	✓
PVS 300 AE	–	–	–	–	✓	✓	✓
WALL CHASER							
PSF 22 A	–	–	✓	✓	–	–	✓
PSF 22 A	–	–	–	–	✓	✓	–

ACCESSORIES FOR PAS 11-25 F / PAS 11-27 / PAS 11-25 F, (PAS 12-50 / PAS 12-50 F)

External dust extraction for hand-held circular saws and routers.





	Hose Ø 35 × 3,000 mm	Hose Ø 35 × 5,000 mm
Page number	**922**	**923**
Part Number	**2 607 000 837**	**1 609 202 230**
HAND-HELD CIRCULAR SAWS		
PKS 40	✓	✓
PKS 46	✓	✓
PKS 54 PKS 54 CE	✓	✓
PKS 55 PKS 55 A	✓	✓
PKS 66 PKS 66 A PKS 66 AF PKS 66 CE	✓	✓
ROUTERS		
POF 400 A	✓	✓
POF 500 A	✓	✓
POF 600 ACE	✓	✓
POF 800 ACE	✓	✓
POF 1100 AE	✓	✓
POF 1200 AE	✓	✓
POF 1300 ACE	✓	✓
POF 1400 AE	✓	✓

ACCESSORIES FOR PAS 11-25 F / PAS 11-27 / PAS 11-25 F, (PAS 12-50 / PAS 12-50 F)

External dust extraction for angle grinders.








	Cutting Guide	Cutting Guide	Cutting Guide	Cutting Guide	Hose Ø 35 × 3,000 mm	Hose Ø 35 × 5,000 mm
Page number	812	812	811	812	922	923
Part Number	1 605 510 180	2 605 510 264	1 605 510 291	2 605 510 292	2 607 000 837	1 609 202 230
ANGLE GRINDERS						
PWS 7-100 (0 603 402 0..)	–	–	✓	–	✓	✓
PWS 7-115 (0 603 402 0..)	–	–	✓	–	✓	✓
PWS 7-125 (0 603 403 0..)	–	–	✓	–	✓	✓
PWS 7-125 (3 603 C99 8..)	–	–	–	✓	✓	✓
PWS 9-125 CE (0 603 405 7..)	–	–	✓	–	✓	✓
PWS 9-125 CE (3 603 C99 A..)	–	–	–	✓	✓	✓
PWS 10-125 CE (0 603 347 ...)	–	–	✓	–	✓	✓
PWS 10-125 CE (3 603 C47 0..)	–	✓	–	–	✓	✓
PWS 13-125 CE (0 603 348 ...)	–	–	✓	–	✓	✓
PWS 13-125 CE (3 603 C48 0..)	–	✓	–	–	✓	✓
PWS 20-230 J	✓	–	–	–	✓	✓
PWS 21-230	✓	–	–	–	✓	✓
PWS 700 (0 603 402 0..)	–	–	✓	–	✓	✓
PWS 700-115 (0 603 A64 2..)	–	–	–	✓	✓	✓
PWS 720 (0 603 403 0..)	–	–	✓	–	✓	✓
PWS 720-115 (0 603 A64 0..)	–	–	–	✓	✓	✓
PWS 720-125 (0 603 A64 0..)	–	–	–	✓	✓	✓
PWS 750-115 (0 603 A84 1..)	–	–	–	✓	✓	✓
PWS 750-125 (0 603 A84 1..)	–	–	–	✓	✓	✓
PWS 850 CE (0 603 404 7..)	–	–	✓	–	✓	✓
PWS 1900	✓	–	–	–	✓	✓

ACCESSORIES FOR PAS 10-20 (PAS 850)

External dust extraction for jigsaws and delta sanders.



Hose Ø 19 × 3,000 mm



Hose Ø 19 × 5,000 mm



Adapter for Ø 19 to 35 mm

Page number	922	922	925
Part Number	2 600 793 009	1 610 793 002	2 607 000 748
JIGSAWS			
PST 650 PST 650 E PST 650 PE	✓	✓	✓
PST 680 E	✓	✓	✓
PST 700 E PST 700 PE PST 700 PEL	✓	✓	✓
PST 750 PE	✓	✓	✓
PST 800 PEL	✓	✓	✓
PST 850 PE	✓	✓	✓
PST 900 PEL	✓	✓	✓
PST 1000 PEL	✓	✓	✓
DELTA SANDERS			
PDA 180 PDA 180 E	✓	✓	✓
PDA 240 E	✓	✓	✓

ACCESSORIES FOR PAS 10-20 (PAS 850)

External dust extraction for random orbit, orbital sanders and planers.








	Adapter	Hose ⌀ 19 × 3,000 mm	Hose ⌀ 19 × 5,000 mm	Hose ⌀ 35 × 3,000 mm	Hose ⌀ 35 × 5,000 mm	Adapter for ⌀ 19 to 35 mm
Page number	933	922	922	922	923	925
Part Number	2 600 306 007	2 600 793 009	1 610 793 002	2 607 000 837	1 609 202 230	2 607 000 748
RANDOM ORBIT SANDERS						
PEX 150 A	✓	✓	✓	–	–	✓
PEX 220 A	✓	✓	✓	–	–	✓
PEX 270 AE	✓	✓	✓	–	–	✓
PEX 400 AE	✓	✓	✓	–	–	✓
PEX 420 AE	✓	✓	✓	–	–	✓
ORBITAL SANDERS						
PSM 80 A	–	✓	✓	–	–	✓
PSM 160 A	✓	✓	✓	–	–	✓
PSS 190 AE	–	✓	✓	–	–	✓
PSS 200 A/AC	–	✓	✓	–	–	✓
PSS 250 AE	–	✓	✓	–	–	✓
PSS 280 A	–	✓	✓	–	–	✓
PSS 300 AE	–	✓	✓	–	–	✓
PLANERS						
PHO 16-82	–	–	–	✓	✓	✓
PHO 20-82	–	–	–	✓	✓	✓
PHO 25-82	–	–	–	✓	✓	✓
PHO 30-82	–	–	–	✓	✓	✓
PHO 35-82 C	–	–	–	✓	✓	✓
PHO 3100	–	–	–	✓	✓	–

ACCESSORIES FOR PAS 10-20 (PAS 850)

External dust extraction for belt sanders, compact belt sanders and wall chaser.









	Hose Ø 19 × 3,000 mm	Hose Ø 19 × 5,000 mm	Hose Ø 35 × 3,000 mm	Hose Ø 35 × 5,000 mm	Adapter for Ø 19 to 35 mm	Adapter	Adapter
Page number	922	922	922	923	925	933	935
Part Number	2 600 793 009	1 610 793 002	2 607 000 837	1 609 202 230	2 607 000 748	2 600 306 007	2 600 499 045
BELT SANDERS							
PBS 60 PBS 60 E	✓	✓	–	–	✓	–	✓
PBS 60 PBS 60 E	–	–	✓	✓	–	–	✓
PBS 75 A PBS 75 AE	✓	✓	–	–	✓	–	✓
PBS 75 A PBS 75 AE	–	–	✓	✓	–	–	✓
PBS 7 AE	✓	✓	–	–	✓	✓	–
COMPACT BELT SANDERS							
PVS 300 AE	✓	✓	–	–	✓	–	–
WALL CHASER							
PSF 22 A	–	–	✓	✓	✓	–	–

ACCESSORIES FOR PAS 10-20 (PAS 850)

External dust extraction for hand-held circular saws and routers.



Hose Ø 35 × 3,000 mm



Hose Ø 35 × 5,000 mm



Adapter for Ø 19 to 35 mm

Page number	922	923	925
Part Number	2 607 000 837	1 609 202 230	2 607 000 748
HAND-HELD CIRCULAR SAWS			
PKS 40	✓	✓	✓
PKS 46	✓	✓	✓
PKS 54 PKS 54 CE	✓	✓	✓
PKS 55 PKS 55 A	✓	✓	✓
PKS 66 PKS 66 A PKS 66 AF PKS 66 CE	✓	✓	✓
ROUTERS			
POF 400 A	✓	✓	–
POF 500 A	✓	✓	–
POF 600 ACE	✓	✓	–
POF 800 ACE	✓	✓	–
POF 1100 AE	✓	✓	–
POF 1200 AE	✓	✓	–
POF 1300 ACE	✓	✓	–
POF 1400 AE	✓	✓	–

ACCESSORIES FOR PAS 10-20 (PAS 850)

External dust extraction for angle grinders.








	Cutting Guide	Cutting Guide	Cutting Guide	Cutting Guide	Hose Ø 35 × 3,000 mm	Hose Ø 35 × 5,000 mm
Page number	**812**	**812**	**811**	**812**	**922**	**923**
Part Number	**1 605 510 180**	**2 605 510 264**	**1 605 510 291**	**2 605 510 292**	**2 607 000 837**	**1 609 202 230**
ANGLE GRINDERS						
PWS 7-100 (0 603 402 0..)	–	–	✓	–	✓	✓
PWS 7-115 (0 603 402 0..)	–	–	✓	–	✓	✓
PWS 7-125 (0 603 403 0..)	–	–	✓	–	✓	✓
PWS 7-125 (3 603 C99 8..)	–	–	–	✓	✓	✓
PWS 9-125 CE (0 603 405 7..)	–	–	✓	–	✓	✓
PWS 9-125 CE (3 603 C99 A..)	–	–	–	✓	✓	✓
PWS 10-125 CE (0 603 347 ...)	–	–	✓	–	✓	✓
PWS 10-125 CE (3 603 C47 0..)	–	✓	–	–	✓	✓
PWS 13-125 CE (0 603 348 ...)	–	–	✓	–	✓	✓
PWS 13-125 CE (3 603 C48 0..)	–	✓	–	–	✓	✓
PWS 20-230 J	✓	–	–	–	✓	✓
PWS 21-230	✓	–	–	–	✓	✓
PWS 700 (0 603 402 0..)	–	–	✓	–	✓	✓
PWS 700-115 (0 603 A64 2..)	–	–	–	✓	✓	✓
PWS 720 (0 603 403 0..)	–	–	✓	–	✓	✓
PWS 720-115 (0 603 A64 0..)	–	–	–	✓	✓	✓
PWS 720-125 (0 603 A64 0..)	–	–	–	✓	✓	✓
PWS 750-115 (0 603 A84 1..)	–	–	–	✓	✓	✓
PWS 750-125 (0 603 A84 1..)	–	–	–	✓	✓	✓
PWS 850 CE (0 603 404 7..)	–	–	✓	–	✓	✓
PWS 1900	✓	–	–	–	✓	✓

Accessories for External Dust Extraction using Bosch Dust Extractors

Nozzles for Bosch dust extractors

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
 Crevice nozzle **Suitable for** GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 1000 RF Professional; PAS 10-20; PAS 11-25; PAS 11-25 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F	**49**	C1d	1	1	005173	**1 609 200 971**
 Rubber nozzle **Suitable for** GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F	**35**	C1d	1	1	005319	**1 609 201 229**
 Floor nozzle **Suitable for** GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F	**35**	C1d	1	1	005326	**1 609 201 230**
 Multi-purpose nozzle for wet and dry applications with 2 inserts: rubber lip for water, brush for smooth surfaces **Suitable for** GAS12-25/12-25PS; GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 15 PS; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F	**35**	C1d	1	1	015936	**1 609 390 478**
 Small round brush **Suitable for** GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F	**35**	C1a	1	1	015967	**1 609 390 481**
 Crevice nozzle **Suitable for** GAS12-25/12-25PS; GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 15 PS; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F	**35**	C1d	1	1	056656	**2 607 000 165**
 Small floor nozzle **Suitable for** GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F	**35**	C1d	1	1	056335	**2 607 000 166**

Nozzles for Bosch dust extractors



Coarse dirt nozzle

Suitable for GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F

PRODUCT PROPERTIES	ORDERING INFORMATION					
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
35	C1d	1	1	056359	**2 607 000 170**



Crevice Nozzle

Suitable for GAS 18V-10 L Professional; AdvancedVac 18V-8

35	P1d	1	1	917926	**2 608 000 661**



Suction Nozzle

Suitable for GAS 18V-10 L Professional

35	P1d	1	1	917933	**2 608 000 662**



Crevice nozzle

Suitable for GAS 18V-1 Professional; EasyVac 12; UniversalVac 18

31.2	P1d	1	1	923378	**2 608 000 665**



Suction Nozzle

Suitable for GAS 18V-1 Professional; EasyVac 12; UniversalVac 18

31.2	P1d	1	1	923392	**2 608 000 667**

Nozzles for Bosch dust extractors

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
 Blast Nozzle **Suitable for** GBL 18V-120 Professional	**52**	C0a	1	1	923675	**2 608 000 670**
 Blast Nozzle **Suitable for** GBL 18V-120 Professional	**48**	C0a	0		923682	**2 608 000 671**
 Suction nozzle for GAS 18V-10 L **Suitable for** GAS 18V-10 L (0 601 9C6 3..) Professional	**-**	P1d	1	1	553771	**2 608 000 707**

Hoses for Bosch dust extractors

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Length [m]	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
 Hose **Suitable for** GAS 18V-10 L; GOF 130 Professional	**35**	1.5	C0a	1	1	917902	**2 608 000 658**

Hoses for Bosch dust extractors

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Length [m]	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
Flexible Tube **Suitable for** GAS 18V-1 Professional; EasyVac 12; UniversalVac 18						
35	0.8	C0a	1	1	923415	**2 608 000 669**





Hose
Suitable for GAS 11-21; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 25 L SFC; GAS 50; GAS 50 M; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-25; PAS 11-25 F; PAS 12-50 F; PAS 1000; PAS 1000 F

19	3	C0a	1	1	015462	**2 600 793 009**



Hose
Suitable for GAS 11-21; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 25 L SFC; GAS 50; GAS 50 M; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-25; PAS 11-25 F; PAS 12-50 F; PAS 1000; PAS 1000 F

19	5	C0a	1	1	006149	**1 610 793 002**



Antistatic hose, with bayonet lock
Suitable for GAS 25 L SFC; GAS 50; GAS 50 M Professional

19	5	C0a	1	1	257558	**2 607 002 162**



Hose
Suitable for GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 25 L SFC; GAS 1000 RF Professional; PAS 10-20; PAS 11-25; PAS 11-25 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F

35	3	C0a	1	1	097277	**2 607 000 837**



Hose
Suitable for GAS 11-21 Professional; PAS 11-21; PAS 12-27; PAS 12-27 F

35	3	C0a	1	1	205313	**2 607 002 149**
35	5	C0a	1	1	205320	**2 607 002 150**



Antistatic hose, with bayonet lock
Suitable for GAS 25 L SFC; GAS 50; GAS 50 M; GOF 130 Professional

35	3	C0a	1	1	257565	**2 607 002 163**
35	5	C0a	1	1	257572	**2 607 002 164**



Hose with bayonet lock
Suitable for GAS 25 L SFC; GAS 50; GAS 50 M Professional

35	3	C0a	1	1	292771	**2 609 390 392**
35	5	C0a	1	1	292788	**2 609 390 393**

Hoses for Bosch dust extractors



Hose

Adapter 1 609 390 474 is required for PAS 850

Suitable for GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 25 L SFC; GAS 1000 RF; GDB 1600 DE; GDB 1600 WE; GDB 2500 WE; GFF 22 A; GNF 65 A; GUF 4-22 A Professional; PAS 10-20; PAS 11-25; PAS 11-25 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Length [m]	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
35	5	C0a	1	1	053082	**1 609 202 230**



Hose

Suitable for GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 1000 RF Professional; PAS 11-25; PAS 11-25 F; PAS 12-50 F; PAS 1000; PAS 1000 F

49	3	C0a	1	1	062572	**2 607 000 167**



Hose with bayonet lock including power tool adapter

Suitable for GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC; GOF 130 Professional

22	5	P0b	1	1	713658	**2 608 000 567**



Antistatic hose, with bayonet lock including power tool adapter

Suitable for GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC; GOF 130 Professional

22	5	P0b	1	1	713665	**2 608 000 568**



Antistatic hose, with bayonet lock including power tool adapter

Suitable for GAS12-25/12-25PS; GAS 15 PS; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC; GNF 20 CA; GNF 35 CA; GNF 65 A Professional

35	3	P0b	1	1	713689	**2 608 000 570**



Hose with bayonet lock including power tool adapter

Suitable for GAS12-25/12-25PS; GAS 15 PS; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC; GNF 20 CA; GNF 35 CA; GNF 65 A; GOF 130 Professional

35	5	P0b	1	1	713634	**2 608 000 565**



Hose with bayonet lock including power tool adapter

Suitable for GAS12-25/12-25PS; GAS 15 PS; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC; GNF 20 CA; GNF 35 CA; GNF 65 A; GOF 130 Professional

35	5	P0b	1	1	713641	**2 608 000 566**



Extension hose for GAS 12-25 PL and GAS 15 PS

-	3		1	10	232298	**2 608 000 712**

Pipes for Bosch dust extractors



Pipe

Suitable for GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF Professional; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 1000; PAS 1000 F

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Length [m]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
35	0.5	C0a	1	1	605748	**2 607 002 631**



Pipe

Suitable for GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 50; GAS 50 M; GAS 1000 RF Professional; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 1000; PAS 1000 F

35	0.5	C0a	2	1	062619	**2 607 000 162**



Pipe

Suitable for GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 1000 RF Professional; PAS 11-25; PAS 11-25 F; PAS 12-50 F; PAS 1000; PAS 1000 F

49	0.5	C0a	1	1	017664	**1 609 200 968**



Pipe, chrome-plated

Suitable for GAS12-25/12-25PS; GAS 15 PS; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC Professional

35	0.35	P0b	3	1	713733	**2 608 000 575**



Suction Pipe

Suitable for GAS 18V-10 L Professional

35	-	P1d	1	1	917902	**2 608 000 659**



Pipe

Suitable for GAS 18V-1 Professional; EasyVac 12; UniversalVac 18

32	0.37	P1d	2	1	923385	**2 608 000 666**



Suction Pipe

Suitable for GAS 18V-10 L Professional

35	0.3	P1d	1	1	917919	**2 608 000 660**

Elbow for Bosch dust extractors



Elbow, antistatic

Suitable for GAS12-25/12-25PS; GAS 15 PS; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
35		P0b	1	1	713719	**2 608 000 573**

Suction regulator controls for Bosch dust extractors

PRODUCT PROPERTIES		ORDERING INFORMATION					
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Suction regulator control **Suitable for** GAS 20 L SFC Professional	**35**	P0b	1	1	605731	**2 607 002 630**
 Suction regulator control **Suitable for** GAS 10-50 RFH; GAS 10-50 RFK; GAS 11-21; GAS 11-27; GAS 11-27 F; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 25 L SFC; GAS 50; GAS 50 M; GAS 1000 RF Professional; PAS 10-20; PAS 11-25; PAS 11-25 F; PAS 12-50 F; PAS 1000; PAS 1000 F	**35**	P1d	1	1	056328	**2 607 000 164**

Reducing adapters and adapters for Bosch dust extractors

 Adapter for connecting 19 mm hose Diameter: 58 > 19 mm **Suitable for** GAS 12-30; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 25 L SFC; GAS 50; GAS 50 M; GAS 1000 RF Professional; PAS 1000	**35**	C1d	1	1	005142	**1 609 200 933**
 2-piece adapter Diameter: 49/35/19 mm **Suitable for** GAS 12-50 RFH; GAS 1000 RF Professional; PAS 850; PAS 1000; PAS 1000 F	**35**	C1a	1	1	015899	**1 609 390 474**
 Adapter for hoses 1 609 202 230, 1 610 706 001, 1 610 793 002, 2 600 793 009, 2 607 000 167, 2 607 000 837 Diameter: 35/19 mm **Suitable for** GAS 11-21 Professional; PAS 11-21; PAS 11-27; PAS 11-27 F; PAS 12-27 F	**35**	P0b	1	1	205337	**2 607 000 748**
 Only suitable as reduction from 59 mm to 35 mm Bosch hose system, for specified tools Also suitable for **GAS 1000** **Suitable for** GAS 12-50 RFH; GAS 1000 RF Professional; PAS 800; PAS 850; PAS 900; PAS 1000; PAS 1000 F	**59**	C1a	1	1	005180	**1 609 200 976**

Hose sleeves for hoses

 Hose sleeve Also suitable for GAS 25 **Suitable for** GAS 50 (0 601 989 1..); GAS 50 M (0 601 988 1..) Professional	**19**	P1d	1	1	435963	**2 607 001 976**
 Hose sleeve **Suitable for** GCM 12 GDL Professional	**35**	P1d	1	1	435970	**2 607 001 977**

Hose sleeves for hoses



Power tool adapter

Suitable for GAS12-25/12-25PS; GAS 15 PS; GAS 18V-10 L; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional

PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
22 **35**	P0b	1	1	726887	**2 608 000 585**



Hose adapter

Suitable for GAS 20 L SFC; GOF 130 Professional

PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
35	P0b	1	1	605755	**2 607 002 632**

Bellows filter



Bellows filter

Suitable for GAS12-25/12-25PS; GAS 15 PS; GAS 20 L SFC Professional

PRODUCT PROPERTIES			ORDERING INFORMATION				
Size cm²	Diameter mm	Height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
3,000	139	185	C0a	1	1	619240	**2 607 432 024**



Polyester bellows filter

Diamond, wet sponge

Suitable for GAS 12-50 RF Professional

PRODUCT PROPERTIES			ORDERING INFORMATION				
Size cm²	Diameter mm	Height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
7,200	242	231	C0a	1	1	142915	**2 607 432 008**



Filter

Suitable for GAS 18V-10 L Professional

PRODUCT PROPERTIES			ORDERING INFORMATION				
Size cm²	Diameter mm	Height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
2,375	125	155	C0a	1	1	917940	**2 608 000 663**

Bellows filter



PRODUCT PROPERTIES			ORDERING INFORMATION				
Size cm²	Diameter mm	Height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
HEPA filter for GAS 12-25 PL and GAS 15 PS **Suitable for** GAS 15 PS (0 601 9E5 1..) Professional							
-	-	-	C0a	1	18	231291	**2 608 000 699**

Bellows filters, square



PRODUCT PROPERTIES		ORDERING INFORMATION				
Size cm²	Dimensions (length x width x height) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Cellulose bellows filter, dry application **Suitable for** GAS 25 L SFC Professional						
4,300	257 x 69 x 187	C0a	1	1	257589	**2 607 432 014**



Polyester bellows filter, wet application **Suitable for** GAS 25 L SFC Professional						
4,300	257 x 69 x 187	C0a	1	1	257596	**2 607 432 015**



Cellulose bellows filter, dry application **Suitable for** GAS 50; GAS 50 M Professional						
8,600	257 x 69 x 187	C0a	2	1	257602	**2 607 432 016**



Polyester bellows filter **Suitable for** GAS 50; GAS 50 M Professional						
8,600	257 x 69 x 187	C0a	2	1	257619	**2 607 432 017**



Cellulose flat-pleated filter **Suitable for** GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional						
6,150	240 x 140 x 56	C1a	1	1	713566	**2 607 432 033**



Polyester (PES) flat-pleated filter **Suitable for** GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional						
6,150	240 x 140 x 56	C1a	1	1	713573	**2 607 432 034**

Bellows filters, square



Polytetrafluoroethylene (PTFE) flat-pleated filter

Suitable for GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional

PRODUCT PROPERTIES		ORDERING INFORMATION				
Size cm²	Dimensions (length x width x height) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
6,150	240 x 140 x 56	C1a	1	1	718233	**2 607 432 041**



Cellulose – pleated filter

Suitable for GAS 12V Professional; EasyVac 12

190	100 x 73 x 26	C1b	1	1	790185	**2 607 432 046**



Flat-pleated Filter H-Class (HEPA), PTFE

Suitable for GAS 35 H AFC Professional

-	-		1	1	574882	**2 607 432 052**



Filter for GAS 18V-1

Suitable for GAS 18V-1 Professional

230	97 x 79 x 30	C0a	1	1	923361	**2 608 000 664**

Textile filters



Textile filter with plastic ring

Suitable for PAS 11-21; PAS 12-27; PAS 12-27 F

PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
		P0b	1	1	205344	**2 607 432 013**

Pre-filters for Bosch dust extractors



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
Pre-filter for GAS 12-25 PL					
		1	20	231307	**2 608 000 700**

Foam filters for Bosch dust extractors



Foam filter for GAS 15 PS					
		1	50	231314	**2 608 000 701**



Foam filter for GAS 12-25 PL					
		1	50	232281	**2 608 000 711**

Fleece filter bag



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Fleece bag for GAS 12-25 PL					
		5	10	232038	**2 608 000 709**

Fleece filter bag

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
 Fleece bag **Suitable for** GAS 15; GAS 20 L SFC Professional	P1c	5	1	605779	**2 605 411 229**
 Fleece filter bag **Suitable for** GAS 50; GAS 50 M Professional	P0b	5	1	257633	**2 605 411 163**
 Fleece filter bag **Suitable for** GAS 25 L SFC Professional	P0b	5	1	257985	**2 605 411 167**
 Fleece filter bag **Suitable for** GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC Professional	P1b	5	1	713603	**2 607 432 037**
 Wet filter bag **Suitable for** GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional	P1b	5	1	713627	**2 607 432 039**
 Fleece filter bag **Suitable for** GAS 55 M AFC Professional	P1b	5	1	713610	**2 607 432 038**
 Safety filter bag with integrated fleece filter bag **Suitable for** GAS 35 H AFC Professional		5	1	574868	**2 607 432 050**

Paper filter bag

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Paper filter bag **Suitable for** PAS 900	P0b	5	1	005777	**1 609 201 628**
 Paper filter bag **Suitable for** GAS 12-30F Professional; PAS 11-25; PAS 11-25 F	P0b	5	1	073615	**2 605 411 061**
 Paper filter bag **Suitable for** GAS 12-50 RF Professional; PAS 12-50 F	P0b	5	1	073622	**2 605 411 062**
 Paper filter bag **Suitable for** GAS 55 M AFC Professional	P1b	5	1	713597	**2 607 432 036**
 Paper filter bags **Suitable for** PAS 11-21; PAS 12-27; PAS 12-27 F	P0b	5	1	210454	**2 605 411 150**
 Dust bag **Suitable for** Ventaro; Ventaro 140; Ventaro 1400	C1a	3	1	437141	**2 605 411 225**
 Paper filter bag **Suitable for** GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC Professional	P1b	5	1	713580	**2 607 432 035**

Disposal bag

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
 Disposal bag **Suitable for** GAS 15; GAS 20 L SFC; GAS 1200 L Professional	P1c	5	1	617161	**2 605 411 231**

Disposal bag



Disposal bag

Suitable for GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
	P1b	10	1	744850	**2 607 432 043**



PE Disposal bags

Suitable for GAS 35 H AFC; GAS 35 M AFC; GAS 55 M AFC Professional

	10	1	574875	**2 607 432 051**



Disposal Bag Plastic (5pcs) for GAS 12-25 PL

It has a capacity of 20 litres.

	5	30	231277	**2 608 000 697**



Disposal Bag Plastic (5pcs) for GAS 15 PS

It has a capacity of 5 litres.

	5	30	231284	**2 608 000 698**

Adapter

- For connecting power tools to hose



Connector

Suitable for GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC; GBS 75 AE; GBS 100 A; GBS 100 AE; GDA 280E; GEX 125 A; GEX 125 AC; GEX 125-1 AE; GEX 150 AC; GEX 150 ACE; GEX 150 Turbo; GFF 22 A; GUF 4-22 A Professional; EasySander 12; PBS 7 A; PBS 7 AE; PBS 60; PBS 60 E; PBS 75 A; PBS 75 AE; PDA 240 E; PKS 14.4 V; PKS 40; PKS 46; PKS 54; PKS 54 CE; PKS 55; PKS 55 A; PKS 66; PKS 66 AF; PKS 66 CE; PRIO; PRR 250 ES; PSF 22 A; PSM 18 LI; PSM 80 A; PSM 160 A; PST 52 A; PST 52 AE; PST 53 A; PST 53 AE; PST 650 E; PST 6500 E; PVS 300 AE

PRODUCT PROPERTIES	ORDERING INFORMATION					
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
25-35	C1a	1	1	001847	**1 600 499 005**

Adapter

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Adapter for random orbit, orbital and multi-sanders **Suitable for** GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC; GEX 125; GEX 125 AC; GEX 150 AC; GSS 140; GSS 140 A; GSS 230; GSS 230 A; GSS 230 AE; GSS 280 A; GSS 280 AE Professional; PBS 75 A; PBS 75 AE; PEX 11; PEX 12; PEX 15 AE; PEX 270 A; PEX 270 AE; PEX 400 A; PEX 420 AE; PSM 160 A; PSS 180; PSS 240 AE	-	P1b	1	1	063050	**2 600 306 007**
 Adapter for planers **Suitable for** PHO 1; PHO 15-82; PHO 100	-	PC1c	1	1	006521	**2 607 000 075**
 Adapter for routers **Suitable for** GMF 1400 CE; GOF 900; GOF 900 CE; GOF 1300 CE Professional	-	P0b	1	1	247269	**2 608 190 038**
 Cutting guide with dust extraction outlet for working on edges **Suitable for** GMF 1400 CE; GMF 1600 CE; GOF 1300 CE; GOF 1600 CE; GOF 2000 CE Professional	-	P0b	1	1	617130	**2 608 000 488**
 Dust extraction adapter, fixed base unit for GMF 1600 CE Professional	-	P0b	1	1	609265	**2 607 017 128**
 Dust extraction adapter, plunge unit for GMF 1600 CE; GOF 1600 CE Professional	-	P0b	1	1	617147	**2 608 000 489**
 Adapter for router **Suitable for** GOF 2000 CE Professional	-	P0b	1	1	247276	**2 608 190 039**
 Dust extraction adapter for routers **Suitable for** POF 1200 AE; POF 1400 ACE	-	P0b	1	1	452939	**2 600 499 077**
 Adapter for jigsaws **Suitable for** GST 60 P; GST 60 PAE; GST 60 PBAE Professional; PST 700; PST 800	-	C1a	1	1	015714	**2 600 306 005**

Adapter

PRODUCT PROPERTIES	ORDERING INFORMATION					
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Dust extraction guard for parallel guide **Suitable for** GKF 1600 (1 600 A00 1..); GOF 1250 CE (0 601 626 0..); GOF 1250 LCE (0 601 626 1..); GOF 1600 (3 156 3..); GOF 2000 CE (0 601 619 7..); TE 600 (0 601 60A 8..) Professional	**36**	P0b	1	1	801034	**2 608 000 626**
 Dust extraction guard for plunge unit **Suitable for** GKF 1600; GMF 1600 CE; GOF 1600; GOF 2000 CE; TE 600 Professional	**-**	P2e	1	1	801041	**2 608 000 627**
 Wallholder **Suitable for** GAS 18V-1 (0 601 9C6 2..) Professional	**-**	P1d	1	1	923408	**2 608 000 668**
 **Suitable for** GAS 18V-10 L (0 601 9C6 3..); GHO 12V-20 (0 601 5A7 0..) Professional	**35**	P1d	1	1	935418	**2 608 000 674**
 Vacuum Adapter **Suitable for** GKS 18V-57; GKS 18V-57 G; GKS 55 GCE; GKS 165; GKS 600; GKS 7000 Professional	**-**	P1b	1	1	211668	**2 608 000 563**
 Vacuum Adapter **Suitable for** GAS 18V-10 L; GEX 150 Turbo; GFF 22 A Professional	**35.8-45.3**	P1d	1	1	945202	**2 608 000 682**

Angle adapter for hoses

▶ For 19 mm diameter and 35 mm diameter

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Connector for belt sanders and random orbit sanders **Suitable for** GBS 75 AE Professional; PBS 7 A; PBS 7 AE; PBS 75; PBS 75 A; PBS 75 AE; PBS 75 E; PEX 115; PEX 125	P1d	1	1	110778	**2 600 499 045**

Dust extraction for jigsaws

 Dust extraction set **Suitable for** GST 100 BCE; GST 135 BCE; GST 140 BCE; GST 150 BCE; GST 150 CE Professional	P1d	1	1	516280	**2 605 510 294**
 Dust extraction set **Suitable for** GST 14,4 V-LI; GST 18 V-LI; GST 140 BCE; GST 140 CE Professional	P1d	1	1	605816	**2 605 510 301**
 **Dust extraction** for extracting sanding dust in combination with the sanding plate AVI 93 G **Suitable for** GOP 300 SCE Professional	P1d	1	1	641029	**2 608 190 056** i

i = Phase Out Date 01.2027

Shoulder Straps for Dust Extractors

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
 Shoulder Strap GAS 18V-10 L **Suitable for** GAS 18V-10 L (0 601 9C6 3..) Professional	P1d	1	1	553764	**2 608 000 706**

Accessories for Internal Dust Extraction when using Bosch Power Tools

Dust bags for benchtop circular saws



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Dust bag for mitre saws **Suitable for** GCM 10 J Professional	P0b	1	1	612685	**2 605 411 230**
Dust bag for mitre saws **Suitable for** GCM 10 Professional	P0b	1	1	274067	**2 605 411 187**
Dust bag with adapter **Suitable for** GCM 12 SD Professional	P0b	1	1	334815	**2 605 411 211**



Dust bag **Suitable for** GTS 10 Professional	P0b	1	1	316248	**2 605 411 205**

Adapters for benchtop circular saws



Dust extraction adapter **Suitable for** GCM 10 S Professional	P0b	1	1	316316	**2 600 499 071**



Dust extraction adapter **Suitable for** GCM 10 Professional	P0b	1	1	274074	**2 608 601 171**

Cloth dust bags



Dust bag for dust extraction hammers **Suitable for** GAH 500 DSR Professional	P0b	1	1	069717	**2 605 411 044**

Cloth dust bags

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Dust bag **Suitable for** GAH 350; GBH 2-20 REA Professional	P1d	1	1	050159	**1 615 411 002**
 Dust bag for belt sanders **Suitable for** GBS 75 AE Professional; PBS 75; PBS 75 E	P1d	1	1	008389	**1 605 411 025**
 Dust bag for mitre saws **Suitable for** GCM 10 Professional	P0b	1	1	274067	**2 605 411 187**
 Dust bag for random orbit, belt, orbital sanders, hand-held circular saws Also suitable for GEX 150 ACE, PSS 28 AE, GSS 16 A, PBS 60/60 E **Suitable for** GSS 23 AE; GUF 4-22 A Professional; PEX 115 A; PEX 125 AE; PSS 23 A	P1d	1	1	021487	**2 605 411 009**
 Dust bag for orbital sanders **Suitable for** GSS 28 A Professional	P1d	1	1	047036	**2 605 411 900**
 Dust bag for orbital sanders **Suitable for** GSS 230 A; GSS 230 AE; GSS 280 A; GSS 280 AE Professional	P0b	1	1	111911	**2 605 411 112**

Cloth dust bags with adapter

Suitable for GHO 12V-20 (0 601 5A7 0..) Professional	P1d	1	1	935425	**2 608 000 675**
 Dust bag for GKS 18V-68 GC **Suitable for** GKS 18V-68 C (0 601 6B5 0..); GKS 18V-68 GC (0 601 6B5 1..); GKT 18V-52 GC (0 601 6B4 0..) Professional	P1d	1	1	506722	**2 608 000 696**
					

Cloth dust bags with adapter

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Dust bag for random orbit, orbital sanders and universal router **Suitable for** GEX 150 ACE (0 601 370 7..); GSS 14 A (3 158 2..); GSS 16 A (0 601 289 0..); GSS 23 AE (0 601 070 7..); GUF 4-22 A (0 601 607 1..) Professional; PEX 115 (3 162 3..); PEX 115 A (3 162 4..); PKS 40 (0 603 328 0..); PSF 22 A (0 603 228 1..); PSS 23 A (3 166 6..); PSS 23 AE (3 166 7..); PSS 28 A (3 167 0..)	P1d	1	1	002035	**1 605 411 028**
 Dust bag for biscuit joiner can be directly connected **Suitable for** GFF 22 A Professional	C0a	1	1	184366	**3 605 411 003**
 Dust bag for planers **Suitable for** GHO 3-82 Professional	P1d	1	1	002011	**1 605 411 022**
 Dust bag for hand-held circular saws **Suitable for** GKS 24 V; GKS 54; GKS 66 CE; GKS 68 BC; GKS 75 S; GKS 85 S Professional; PKS 40; PKS 46; PKS 54; PKS 54 CE; PKS 66; PKS 66 CE	P1d	1	1	002042	**1 605 411 029**
 Dust bag for planers **Suitable for** PHO 1; PHO 15-82; PHO 100	P1d	1	1	006514	**2 607 000 074**

Cloth dust bag with adapter, type 2 (oval)

 Dust bag for belt and random orbit sanders Also suitable for PEX 11/12/15 AE/115 A-1 **Suitable for** GBS 75 AE; GEX 34-125; GEX 34-150; GEX 125 AC; GEX 150 AC Professional; PEX 12 AE; PEX 15	P1d	1	1	098458	**2 605 411 096**
 Dust bag for planers **Suitable for** GHO 10-82; GHO 14,4 V; GHO 14,4 V-LI; GHO 15-82; GHO 18 V; GHO 26-82; GHO 31-82; GHO 36-82 C; GHO 40-82; GHO 40-82 C Professional; PCM 10; PHO 20-82; PHO 25-82; PHO 30-82; PHO 35-82 C; PHO 1500; PHO 2000; PHO 3100	P1d	1	1	056366	**2 605 411 035**
 Dust bag for belt and random orbit sanders **Suitable for** PBS 60; PBS 60 E; PEX 115 A; PEX 125 AE	P1d	1	1	033862	**1 605 411 026**

Fleece dust bag



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Fleece dust bag for quartz dust **Suitable for** GAH 500 DSR Professional	C0a	3	1	069724	**2 605 411 043**

Paper dust bags (one-way system)



Dust bag for belt, random orbit, orbital sanders, universal router Also suitable for PEX 11 A/11 AE/115 A-1, GEX 125 A **Suitable for** GEX 34-125; GEX 34-150; GEX 125 AC; GSS 16; GSS 23 AE; GUF 4-22 A Professional; PBS 60; PBS 75 A; PEX 115; PEX 115 A; PEX 115 AE; PSF 22 A	P1d	3	1	077477	**2 605 411 067**



Dust bag for belt, random orbit, orbital sanders, universal router Also suitable for PEX 11 A/11 AE/115 A-1, GEX 125 A **Suitable for** GEX 34-125; GEX 34-150; GEX 125 AC; GSS 16; GSS 23 AE; GUF 4-22 A Professional; PBS 60; PBS 75 A; PEX 115; PEX 115 A; PEX 115 AE; PSF 22 A	P1d	10	1	077484	**2 605 411 068**



Dust bag for orbital sanders **Suitable for** GSS 230; GSS 230 A; GSS 230 AE; GSS 280 A; GSS 280 AE Professional	P0b	3	1	111928	**2 605 411 113**
	P0b	10	1	111935	**2 605 411 114**



Dust bag for orbital sanders, universal router **Suitable for** GBS 75 A; GSS 14; GSS 14 A; GSS 16; GSS 16 A; GSS 23 AE; GUF 4-22 A Professional; PSF 22 A; PSS 23 AE; PSS 28 AE	P1d	3	1	034760	**2 605 411 027**

Dust boxes and adapters



Dust box HW2 complete **Suitable for** PEX 270 A; PEX 270 AE; PSS 28 AE; PSS 180; PSS 240	C1d	1	1	198592	**2 605 411 145**



Dust box HW3 complete PEX 125 (old, round connection) PBS 60; PBS 75 (round connection) **Suitable for** GBS 75 A; GEX 34-125; GEX 34-150; GEX 125; GEX 125 AC; GEX 150 AC; GSS 230 A; GSS 230 AE; GSS 280 A; GSS 280 AE Professional; PBS 7 A; PBS 7 AE; PBS 60; PBS 75 A; PBS 75 AE; PEX 11; PEX 12; PEX 15; PEX 125; PEX 400 A; PEX 400 AE	C1d	1	1	198615	**2 605 411 147**

Dust boxes and adapters

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Cover for dust box HW3 complete					
	C1d	1	1	198660	**2 605 190 266**



Additional adapter
Fitted on dust box cover
Suitable for GEX 125; GEX 150; GSS 230; GSS 280 Professional; PEX 11; PEX 12; PEX 15; PEX 400 A; PEX 400 AE; PEX 420 AE



	P0b	5	1	220316	**2 605 702 034**

Dust box with filter
Suitable for GEX 34-125; GEX 40-150; GEX 125-150 AVE; GSS 230 AE; GSS 230 AVE; GSS 280 AE; GSS 280 AVE Professional



	C0a	1	1	624145	**2 605 411 233**

Filter
Suitable for GEX 34-125; GEX 40-150; GEX 125-150 AVE; GSS 230 AVE; GSS 280; GSS 280 AVE Professional



	C0a	1	1	624152	**2 605 190 930**

Angle adapter
Suitable for PBS 60; PBS 60 E; PBS 75 A; PBS 75 AE; PEX 115 A; PEX 115 AE; PEX 125 A; PEX 125 AE



	C1d	1	1	207331	**2 605 702 037**

Extraction devices

▶ **Appropriate for** impact drills, two-speed impact drills and rotary hammers



Suction nozzle
Suitable for GBH 2-23 REA Professional

	C0a	1	1	466141	**2 607 002 610**



Set with core cutter adapter and dust box
suitable for 40 - 68 mm diameter
Suitable for GBH 2-23 REA Professional

	C0a	1	1	466158	**2 607 002 611**

Extraction devices



Filter

Suitable for GBH 2-23 REA; GSB 19-2 REA Professional

PRODUCT PROPERTIES	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	C0a	1	1	480642	**2 607 002 614**



Dust protection and friction ring

Suitable for: PSB 500, PSB 650, PSB 650 RA, PSB 680 RE, PSB 750, PSB 850-2, PSB 850-2 RA, PSB 1000-2, PSB 1000 RCA

PRODUCT PROPERTIES	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	P1b	1	1	336178	**2 600 206 005**

Carrying Cases for Bosch Power Tools

Carrying cases for cordless tools



Plastic case

Suitable for GBH 36 V-EC Compact; GBH 36 V-LI; GBH 36 VF-LI Professional

Material	Width [mm]	Height mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
K	505	395	145	U0	1	1	374958	**2 605 438 179**



Plastic case

Suitable for GBH 36 V-EC Compact; GBH 36 V-LI Professional

Material	Width [mm]	Height mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
K	360	480	131	C1b	1	1	483278	**2 605 438 668**

Plastic case

Suitable for GSR 14,4 V-LI; GSR 18 V-LI Professional

Material	Width [mm]	Height mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
K	360	393	114	C1b	1	1	478779	**2 605 438 667** i



Plastic case

Suitable for GST 150 BCE; GST 150 CE Professional

Material	Width [mm]	Height mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
K	114	388	356	U0	1	1	534048	**2 605 438 686**



Plastic case

Suitable for PSR 14,4 V LI-2; PSR 18 V LI-2

Material	Width [mm]	Height mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
K	297	388	106	U0	1	1	434089	**2 605 438 623**

i = Phase Out Date 07.2022

Carrying cases for drills and impact drills



Plastic case

Suitable for GBM 10-2; GBM 10-2 RE; GBM 13-2; GBM 13-2 RE; GSB 20-2; GSB 20-2 RCE; GSB 20-2 RE; GSB 20-2 RET Professional; PSB 650-1000 W

Material	Width [mm]	Height mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
K	380	300	110	U0	1	1	068222	**2 605 438 286**

Plastic case

Suitable for GBM 10 SRE; GSB 16 RE; GSB 1600 RE Professional; PSB 400-620 W

Material	Width [mm]	Height mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
K	330	260	90	U0	1	1	096393	**2 605 438 328** i



Plastic case

Suitable for GSB 13 RE; GSB 1600 RE Professional

Material	Width [mm]	Height mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
K	350	294	105	U0	1	1	413299	**2 605 438 607**

i = Phase Out Date 06.2023

Carrying cases for rotary and demolition hammers, screwdrivers

	PRODUCT PROPERTIES				ORDERING INFORMATION				
	Material	Width [mm]	Height mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Plastic case **Suitable for** GBH 2 SE; GBH 2 SR; GBH 2-24 DSE; GBH 2-24 DSR Professional								
	K	420	285	108	U0	1	1	070935	**2 605 438 294**
	Plastic case **Suitable for** GBH 2-26 DE; GBH 2-26 DFR; GBH 2-26 DFR + DMF 10 Zoom; GBH 2-26 DRE; GBH 2-26 E; GBH 2-26 RE Professional								
	K	445	360	114	U0	1	1	334051	**2 605 438 098**
	Plastic case **Suitable for** GBH 5; GBH 5 DCE Professional								
	K	620	410	132	U0	1	1	042512	**2 605 438 261**
	Plastic case **Suitable for** GBH 7-46 Professional								
	K	620	410	132	U0	1	1	166256	**2 605 438 396**
	Plastic case **Suitable for** GBH 10 DC; GBH 11 DE Professional								
	K	615	410	135	U0	1	1	086707	**2 605 438 322**
	Plastic case **Suitable for** GSH 10 C; GSH 11 E Professional								
	K	620	410	132	U0	1	1	072373	**2 605 438 297**
	Plastic case **Suitable for** GSH 16-28; GSH 16-30 Professional								
	K	355	895	228	U0	1	1	438186	**2 605 438 628**

Carrying cases for random orbit, delta, orbital, belt sanders, and angle grinders

	Plastic case **Suitable for** GWS 5-100; GWS 5-115; GWS 6-100; GWS 6-100 S; GWS 6-115; GWS 6-115 E; GWS 6-125; GWS 7-100; GWS 7-115; GWS 7-115 E; GWS 7-125; GWS 8-100 C; GWS 8-115; GWS 8-115 Z; GWS 8-125; GWS 8-125 C; GWS 660; GWS 850; GWS 850 C Professional; PWS 600; PWS 1000; PWS 1500								
	K	316	445	124	U0	1	1	492812	**1 619 P06 556**

Carrying cases for random orbit, delta, orbital, belt sanders, and angle grinders

PRODUCT PROPERTIES				ORDERING INFORMATION				
Material	Width [mm]	Height mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Metal case **Suitable for** GGS 27 C; GWS 7-115; GWS 9-15 CE; GWS 9-15 M; GWS 9-125 C; GWS 9-125 CES; GWS 9-125 CMS; GWS 9-125 CS; GWS 9-125 CSS; GWS 650 Professional								
M	380	240	100	U0	1	1	050081	**2 605 438 083** [i]
 Plastic case **Suitable for** PSM 160 A								
K	388	297	144	U0	1	1	327961	**2 605 438 091**
 Plastic case **Suitable for** PSS 190 AC; PSS 200 A; PSS 200 AC; PSS 250 AE								
K	420	117	336	U0	1	1	361484	**2 605 438 168**
 Plastic case **Suitable for** PWS 6-115 (0 603 399 4..); PWS 7-115 (0 603 399 6../0 603 402 0..); PWS 7-125 (0 603 399 8../0 603 403 0../0 603 403 1..); PWS 8-125 CE (0 603 375 7../0 603 399 B../0 603 404 6..); PWS 9-125 CE (0 603 399 A..); PWS 550 (0 603 399 0..); PWS 600 (0 603 399 1../0 603 400 0..)								
K	380	300	120	U0	1	1	361491	**2 605 438 169**
 Plastic case **Suitable for** GWS 8-115; GWS 8-125; GWS 9-115; GWS 9-125; GWS 10-125; GWS 11-125; GWS 11-125 CI; GWS 11-125 CIE; GWS 12-125 CI; GWS 14-125 CI; GWS 14-125 CIE; GWS 14-125 CIT; GWS 14-125 Inox; GWS 14-150 CI; GWS 15-125 CI; GWS 15-150 CI; GWX 10-125; GWX 13-125; GWX 13-125 S; GWX 14-125; GWX 17-125; GWX 17-125 S; GWX 17-125 T Professional								
K	445	360	123	U0	1	1	362597	**2 605 438 170**
Plastic case **Suitable for** GEX 125 A; GEX 125 AC; GEX 150 AC; GEX 150 Turbo Professional								
K	720	317	173	U0	1	1	376563	**2 605 438 186**
 Plastic case For all GWS with diameter 180-230 manufactured in or after 1998 **Suitable for** GWS 18-180; GWS 22-180 LVI; GWS 22-230 LVI; GWS 24-230 LVI; GWS 25-230 Professional; PWS 20-230; PWS 20-230 J								
K	720	317	170	U0	1	1	379878	**2 605 438 197**
 Plastic case **Suitable for** GSS 230 A; GSS 230 AE; GSS 280 A; GSS 280 AE Professional								
K	420	330	130	U0	1	1	124331	**2 605 438 368**

i = Phase Out Date 01.2031

Carrying cases for random orbit, delta, orbital, belt sanders, and angle grinders



Plastic case

Suitable for GWS 7-115; GWS 7-125; GWS 8-125; GWS 9-125; GWS 10-125; GWS 14-125; GWS 14-150 Professional; PWS 9-125; PWS 10-125 CE; PWS 14-125; PWS 14-150

PRODUCT PROPERTIES				ORDERING INFORMATION				
Material	Width [mm]	Height mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
K	380	300	115	U0	1	1	189170	**2 605 438 404**



Plastic case

Suitable for GDA 280E Professional; PDA 120 E; PDA 180; PDA 180 E; PDA 240 E

K	390	300	110	U0	1	1	209090	**2 605 438 414**



Plastic case

Suitable for GWS 11-125 CIH; GWS 15-125 CIEH; GWS 15-125 CIH; GWS 15-125 CITH; GWS 15-150 CIH Professional

K	360	480	131	U0	1	1	427487	**2 605 438 619**



Plastic case

Suitable for PWS 700-115; PWS 720-115; PWS 720-125; PWS 750-115; PWS 750-125

K	286	343	127	U0	1	1	498470	**2 605 438 678**

Carrying cases for jigsaws and reciprocating saws



Plastic case

Suitable for GST 150 BCE; GST 150 CE Professional

K	114	388	356	U0	1	1	534048	**2 605 438 686**

Carrying cases for circular saws



Metal case

Suitable for GKS 54; GKS 54 CE; GKS 55; GKS 65; GKS 66 CE Professional

M	420	290	280	U0	1	1	435956	**2 605 438 624** [i]

i = Phase Out Date 10.2026

Carrying cases for circular saws



PRODUCT PROPERTIES				ORDERING INFORMATION				
Material	Width [mm]	Height mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Suitable for PKS 46; PKS 54; PKS 54 CE								
K	400	235	335		1	1	269780	**2 605 438 508**

Carrying cases for routers, biscuit joiner



Plastic case

Suitable for POF 1200 AE; POF 1400 ACE

K	340	400	210	U0	1	1	452946	**2 605 438 643**

Carrying cases for planers



Plastic case

GHO 40-82 C Professional

K	480	360	220	U0	1	1	315098	**2 605 438 567**

CORDLESS WORKING

Accessories you can take anywhere

The best your tool can get. Bosch Professional Accessories.





3.6 V straight-shape battery packs



PRODUCT PROPERTIES			ORDERING INFORMATION				
Applications	Battery capacity Ah	Cell technology	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
GBA 3.6V 2.0Ah							
SD	2	Li-Ion	C0a	1	1	948937	**1 607 A35 0CN** [i]
			C0a	1	1	948944	**1 607 A35 0CP**

i = Phase Out Date 01.2025

7.2 V bulb-shape battery packs



7.2V O-pack Battery NiMH, LD							
LD	1.5	NiMH		1	1	892902	**2 607 337 288**

9.6 V pod style battery packs



9.6 V pod-style battery pack Battery only appropriate for nickel cadmium (NiCd) / nickel metal hydride (NiMH) tools from the professional range in the same voltage class							
SD	2.6	NiMH	C1a	1	1	334655	**2 607 335 682**
9.6 V O battery pack							
LD	1.5	NiMH	C1a	1	1	892919	**2 607 335 846**
				1	1	892933	**2 607 337 290**

10.8 V straight-shape battery packs



GBA 10.8V 1.5Ah							
LD	1.5	Li-Ion	C0a	1	1	948951	**1 607 A35 0CR**

10.8 V straight-shape battery packs



PRODUCT PROPERTIES			ORDERING INFORMATION				
Applications	Battery capacity Ah	Cell technology	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
GBA 10.8V 2.0Ah							
-	2	Li-Ion	C0a	1	1	949026	**1 607 A35 0CY**

12 V straight-shape battery packs



GBA 12V 2.0Ah							
-	2	Li-Ion	C0a	1	1	948968	**1 607 A35 0CS**



PBA 12V 2.0Ah							
SD	2	Li-Ion	C1a	1	1	948982	**1 607 A35 0CU**



GBA 12V 2.5Ah							
-	2.5	Li-Ion	C0a	1	1	948999	**1 607 A35 0CV**



GBA 12V 4.0Ah							
-	4	Li-Ion	C0a	1	1	949019	**1 607 A35 0CX**



GBA 12V 6.0Ah							
-	6	Li-Ion	C0a	1	1	987585	**2 607 337 302**
			C0a	1	1	987592	**2 607 337 304**

12 V pod style battery packs



12 V pod-style battery pack
Battery only appropriate for nickel cadmium (NiCd) / nickel metal hydride (NiMH) tools from the professional range in the same voltage class

PRODUCT PROPERTIES				ORDERING INFORMATION				
Applications	Battery capacity Ah	Cell technology	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
SD	2.6	NiMH	C1a	1	1	334662	**2 607 335 684**



12 V O battery pack

LD	1.5	NiMH	C1a	1	1	892957	**2 607 335 848**
				1	1	892971	**2 607 337 294**

14.4 V slide-in battery packs

14.4 V slide-in battery pack with ECP (Electronic Cell Protection) and CLI (Charge Level Indicator)
Battery only appropriate for Li-Ion tools from the professional range in the same voltage class

HD	4	Li-Ion	C1a	1	1	770576	**2 607 336 814**



14.4 V slide-in battery pack with ECP (Electronic Cell Protection)
Battery only appropriate for Li-Ion tools from the professional range in the same voltage class

SD	2	Li-Ion	C1a	1	1	801287	**2 607 336 878**

14.4 V pod style battery packs



14.4 V pod-style battery pack
Battery only appropriate for nickel cadmium (NiCd) / nickel metal hydride (NiMH) tools from the professional range in the same voltage class

SD	2.6	NiMH	C1a	1	1	334679	**2 607 335 686**



14.4 V O battery pack

LD	1.5	NiMH	C1a	1	1	892988	**2 607 335 850**
				1	1	892995	**2 607 337 296**

18 V slide-in battery packs

PRODUCT PROPERTIES			ORDERING INFORMATION				
Applications	Battery capacity Ah	Cell technology	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952…	Part number
18 V slide-in battery pack with ECP (Electronic Cell Protection) and CLI (Charge Level Indicator)							
Battery only appropriate for Li-Ion tools from the professional range in the same voltage class							
HD	4	Li-Ion	C1a	1	1	770583	**2 607 336 816**
18 V slide-in battery pack with ECP (Electronic Cell Protection)							
Battery only appropriate for Li-Ion tools from the professional range in the same voltage class							
LD	2	Li-Ion	C1a	1	1	801348	**2 607 336 906**
18 V slide-in battery pack with ECP (Electronic Cell Protection) and CLI (Charge Level Indicator)							
Battery only appropriate for Li-Ion tools from the professional range in the same voltage class							
HD	5	Li-Ion	C1a	1	1	801300	**2 607 337 070**
18 V slide-in battery with SCM (Single Cell Monitoring) and CLI (Charge Level Indicator)							
Battery only appropriate for Li-Ion tools from the professional range in the same voltage class							
HD	6	Li-Ion	C1a	1	1	837859	**2 607 337 264**
ProCORE 18 V slide-in battery pack with Charge Level Indicator							
Battery only appropriate for Li-ion tools from the professional range in the same voltage class							
-	8	Li-Ion	P0a	1	1	987608	**2 607 337 306**
ProCORE 18 V slide-in battery pack with Charge Level Indicator							
Battery only appropriate for Li-ion tools from the professional range in the same voltage class							
-	4	Li-Ion	P0a	1	1	586021	**2 607 337 320**

36 V slide-in battery packs

PRODUCT PROPERTIES			ORDERING INFORMATION				
Applications	Battery capacity Ah	Cell technology	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
GBA 36V 6Ah Professional							
HD	6	Li-Ion	C0a	1	1	951951	**1 600 A01 6D3**
				1	1	963091	**1 607 A35 0E8**

36 V slide-in battery packs

PRODUCT PROPERTIES			ORDERING INFORMATION				
Applications	Battery capacity Ah	Cell technology	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
36 V slide-in battery pack with SCM (Single Cell Monitoring), ECP (Electronic Cell Protection) and CLI (Charge Level Indicator) Battery only appropriate for Li-Ion tools from the professional range in the same voltage class							
LD	2	Li-Ion	C1a	1	1	801317	**2 607 336 914**
36 V slide-in battery pack with SCM (Single Cell Monitoring), ECP (Electronic Cell Protection) and CLI (Charge Level Indicator) Battery only appropriate for Li-Ion tools from the professional range in the same voltage class							
HD	4	Li-Ion	C1a	1	1	801324	**2 607 336 916**

BOSCH BATTERY CHARGERS

Charging times in minutes for Li-Ion battery packs.





	GAL 1215 CV	GAL 1230 CV
Page number	**956**	**956**
3.6 V – 80 % / 100 %*		
1.3 Ah 1 607 A35 0CN	**55 / 65**	**–**
12 V – 80 % / 100 %*		
2.0 Ah 1 607 A35 0CS	**65 / 80**	**33 / 45**
2.5 Ah 1 607 A35 0CV	**80 / 105**	**40 / 65**
4.0 Ah 1 607 A35 0CX	**130 / 165**	**65 / 85**
6.0 Ah	**–**	**98 / 133**

*The charge times listed in minutes are approximate specifications, measured at a room temperature of 20 °C / 68 °F. Charging state, age and temperature of the battery influence the charge times considerably.

BOSCH BATTERY CHARGERS

Charging times in minutes for NiMH battery packs.



AL 2404



AL 2422 DC



AL 2425 DV



AL 2450 DV

Page number	956	956	956	956
9.6 V *				
1.5 Ah 2 607 335 846	**240**	**46**	**44**	**19**
2.6 Ah 2 607 335 682	**433**	**80**	**76**	**33**
12 V *				
1.5 Ah[1] 2 607 335 292	**240**	**46**	**44**	**19**
1.5 Ah 2 607 335 848	**240**	**46**	**44**	**19**
2.6 Ah 2 607 335 684	**433**	**80**	**76**	**33**
14.4 V *				
1.5 Ah 2 607 335 850	**240**	**46**	**44**	**19**
2.6 Ah 2 607 335 686	**433**	**80**	**76**	**33**
18.0 V *				
1.5 Ah 2 607 335 852	**240**	**46**	**44**	**19**
2.6 Ah 2 607 335 688	**433**	**80**	**76**	**33**
24.0 V *				
2.6 Ah 2 607 337 298	**433**	**80**	**76**	**33**
2.6 Ah 2 607 335 562	**433**	**80**	**76**	**33**

1: Charging only possible with intermediate adapter
* The charge times listed in minutes are approximate specifications, measured at a room temperature of 20 °C / 68 °F. Charging state, age and temperature of the battery influence the charge times considerably.



AL 1820 CV



GAL 1880 CV



GAL 3680 CV

Page number	956	956	956
14.4 V – 80 % / 100 % *			
2.0 Ah 2 607 336 878	**50 / 65**	**15 / 30**	**15 / 30**
4.0 Ah 2 607 336 814	**90 / 125**	**25 / 35**	**25 / 35**
18 V – 80 % / 100 % *			
1.5 Ah 2 607 336 804	**35 / 50**	**10 / 25**	**10 / 25**
2.0 Ah[1] 2 607 336 722	**50 / 65**	**15 / 30**	**15 / 30**
2.0 Ah 2 607 336 906	**50 / 65**	**15 / 30**	**15 / 30**
4.0 Ah 2 607 336 816	**90 / 125**	**25 / 35**	**25 / 35**
4.0 Ah[1] 2 607 336 724	**90 / 125**	**25 / 35**	**25 / 35**
5.0 Ah 2 607 336 070	**120 / 150**	**35 / 45**	**35 / 45**
6.0 Ah 2 607 336 264	**145 / 180**	**35 / 55**	**35 / 55**
36 V – 80 % / 100 % *			
2.0 Ah 2 607 336 914	–	–	**15 / 30**
4.0 Ah 2 607 336 916	–	–	**25 / 35**
6.0 Ah 1 600 A01 6D3	–	–	**35 / 55**

1: Wireless chargeable
* The charge times listed in minutes are approximate specifications, measured at a room temperature of 20 °C / 68 °F. Charging state, age and temperature of the battery influence the charge times considerably.

Singlevolt chargers 12 V Li-Ion



PRODUCT PROPERTIES			ORDERING INFORMATION				
Charge current A	Input voltage(s) V	Country version	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Li-Ion charger GAL 12V-40 for straight-shape battery packs, for Pro & DIY							
4	230	EU	C0a	1	1	987646	**2 607 226 220**

Multivolt chargers 3.6 - 12 V Li-Ion



Li-Ion charger GAL 1215 CV for straight-shape battery packs, for Pro & DIY							
1.5	230	EU	C0a	1	1	522465	**2 607 225 514**
1.5	230	UK	C0a	1	1	522472	**2 607 225 516**

Multivolt chargers 7.2 - 24 V NiCd / NiMH



Quick charger AL 2450 DV							
5	230	EU	C1a	1	1	357050	**2 607 225 028** [i]
5	230	UK	C1a	1	1	357067	**2 607 225 030** [i]

i = Phase Out Date 12.2021

Multivolt chargers 14.4 - 36 V Li-ion



Li-Ion quick charger AL 2215 CV for slide-in battery pack							
1.5	230	EU	C0a	1	1	512084	**2 607 225 472**



Multi-volt quick charger GAL 18V-40 for all Bosch professional Li-ion slide-in batteries from 14.4 V to 18 V							
4	230	-	P0a	1	1	987677	**2 607 226 252**



Multi-volt quick charger GAL 18V-160 C for all Bosch professional Li-ion slide-in batteries from 14.4 V to 18 V							
16	230	-	P0a	1	1	594569	**2 607 226 318**

Multivolt chargers 14.4 - 36 V Li-ion



PRODUCT PROPERTIES			ORDERING INFORMATION				
Charge current A	Input voltage(s) V	Country version	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Multi-volt quick charger GAL 1880 CV for all Bosch professional Li-ion slide-in batteries from 14.4 V to 18 V							
8	230	EU	C0a	1	1	880862	**2 607 225 922**
8	230	UK	C0a	1	1	880879	**2 607 225 924**



Multi-volt quick charger GAL 3680 CV for all Bosch professional Li-ion slide-in batteries from 14.4 V to 36 V							
8	220 – 240	EU	C0a	1	1	847438	**2 607 225 900**
8	220 – 240	UK	C0a	1	1	847445	**2 607 225 902**



Multi-volt quick charger GAL 3680 CV for all Bosch professional Li-ion slide-in batteries from 14.4 V to 36 V							
8	230 – 230	CH	C0a	1	1	847452	**2 607 226 044**

Intermediate adapter for battery chargers

- Used to charge bulb-shape batteries and flat-shape batteries without APT insertion end.



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Adapter for chargers AL 60 DV 1411 / 1419 / 2411 / 2422 / 2425, AL 30 DV 1450 / 2450 and AL 2498 FC					
	C0a	1	1	109239	**2 607 000 198**

Accessories for Bosch Cordless Worklights GLI Professional, PLI



PRODUCT PROPERTIES	ORDERING INFORMATION				
Voltage(s) V	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Bulb					
12 **14.4**	C1d	1	1	239561	**2 609 200 306**
18	C1d	1	1	239578	**2 609 200 307**
24	C1d	1	1	239585	**2 609 200 308**

Accessories set for Bosch Pneumatic Pump PAG



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Accessory set consisting of pneumatic hose, sealing nut, rubber seal, valve for balls, bicycle and air mattresses	P1d	1	1	218450	**2 607 010 333**

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ
0 603 004 101	775	1
0 603 038 000	887	1
0 603 038 001	887	1
0 603 038 002	888	1
0 603 038 003	888	1
1 600 499 005	932	1
1 600 793 007	813	1
1 600 A01 6D3	951	1
1 601 329 013	828	1
1 602 025 024	809, 852, 863	1
1 602 319 003	853	1
1 603 115 004	784	1
1 603 340 015	806	1
1 603 340 031	805, 826, 830	1
1 603 340 040	806, 830	1
1 603 345 004	804	1
1 603 345 025	806	1
1 603 345 034	834	1
1 603 481 001	859	1
1 605 411 022	938	1
1 605 411 025	937	1
1 605 411 026	938	1
1 605 411 028	938	1
1 605 411 029	938	1
1 605 510 179	812	1
1 605 510 180	812	1
1 605 510 215	813	1
1 605 510 224	823	1
1 605 510 281	825	1
1 605 510 291	811	1
1 605 510 364	817	1
1 605 510 365	818	1
1 605 510 366	818	1
1 605 703 028 [i]	780	1
1 605 703 065	806	1
1 605 703 084	807	1
1 605 703 099	807, 831	5
1 607 000 158	825	1
1 607 000 247	810	1
1 607 000 916	850	1
1 607 950 004	827	1
1 607 950 028	795	1
1 607 950 041	795	5
1 607 950 042	795	5
1 607 950 043	827	1
1 607 950 044	795	5
1 607 950 045	795	5
1 607 950 048	827, 833	1
1 607 950 053	795	5
1 607 950 511	833	1
1 607 950 525	833	1
1 607 A35 0CN [i]	948	1
1 607 A35 0CP	948	1
1 607 A35 0CR	948	1
1 607 A35 0CS	949	1
1 607 A35 0CU	949	1
1 607 A35 0CV	949	1
1 607 A35 0CX	949	1
1 607 A35 0CY	949	1
1 607 A35 0E8	951	1
1 608 000 114 [i]	854	1
1 608 040 047	835	1
1 608 132 006	866	1
1 608 190 007	854	1
1 608 500 013	177, 195	1
1 608 551 002	163	1
1 608 551 003	163	1
1 608 551 004	163	1
1 608 551 005	163	1
1 608 551 006	163	1
1 608 551 007	163	1
1 608 551 008	163	1
1 608 551 009	163	1
1 608 552 000	163	1
1 608 552 001	163	1
1 608 552 003	163	1
1 608 552 005	163	1
1 608 552 006	163	1
1 608 552 008	163	1
1 608 552 009	163	1
1 608 552 010	163	1
1 608 552 012	164	1
1 608 552 013	164	1
1 608 552 015	164	1
1 608 552 019	164	1
1 608 552 021	164	1
1 608 555 024	164	1
1 608 555 053	164	1
1 608 555 059	164	1
1 608 555 065	164	1
1 608 556 005	164	1
1 608 556 011	164	1
1 608 556 015	164	1
1 608 556 021	164	1
1 608 556 027	164	1
1 608 556 029	164	1
1 608 556 033	164	1
1 608 557 043	164	1
1 608 557 046	164	1
1 608 557 049	164	1
1 608 557 050	164	1
1 608 557 054	164	1
1 608 557 058	164	1
1 608 557 060	164	1
1 608 557 063	164	1
1 608 557 067	164	1
1 608 570 040	832	1
1 608 570 041	832	1
1 608 570 042	832	1
1 608 570 043	832	1
1 608 571 048	794	1
1 608 571 053	794	1
1 608 571 054	794	1
1 608 571 056	795	1
1 608 571 057	795	1
1 608 571 058	794	1
1 608 571 061	794	1
1 608 571 062	794	1
1 608 571 066	794	1
1 608 571 068	794	1
1 608 572 003	792	1
1 608 572 007	792	1
1 608 572 014	792	1
1 608 572 017	792	1
1 608 572 018	792	1
1 608 598 028	784	1
1 608 600 059	338	1
1 608 600 068	338	1
1 608 600 069	338	1
1 608 600 231	336	1
1 608 600 232	336	1
1 608 600 233	336	1
1 608 600 234	336	1
1 608 600 239	336	1
1 608 600 240	336	1
1 608 600 241	336	1
1 608 601 033	803	1
1 608 610 000	780	1
1 608 611 002 [i]	780	1
1 608 612 002	780	1
1 608 613 013	779	1
1 608 614 000	344	1
1 608 614 001	344	1
1 608 614 002	344	1
1 608 614 011	344	1
1 608 614 020	347	1
1 608 620 055	353	1
1 608 620 056	353	1
1 608 622 015	349	1
1 608 622 029	344	1
1 608 690 014	202	1
1 608 690 015	202	1
1 609 200 154	774	1
1 609 200 160	773	5
1 609 200 161	773	5
1 609 200 162	773	5
1 609 200 163	773	5
1 609 200 164	773	5
1 609 200 165	773	5
1 609 200 240	774	1
1 609 200 243	623	1
1 609 200 245	774	5
1 609 200 250	774	1
1 609 200 265	857	1
1 609 200 269	349	1
1 609 200 270	348	1
1 609 200 271	348	1
1 609 200 273	349	1
1 609 200 274	349	1
1 609 200 286	353	1
1 609 200 287	777	1
1 609 200 288	777	1
1 609 200 291	798	1
1 609 200 307	800	1
1 609 200 314	801	1
1 609 200 315	50	1
1 609 200 326	883	1
1 609 200 365	883	1
1 609 200 366	883	1
1 609 200 367	884	1
1 609 200 368	884	1
1 609 200 369	884	1
1 609 200 370	884	1
1 609 200 371	884	1
1 609 200 372	884	1
1 609 200 373	884	1
1 609 200 374	885	1
1 609 200 375	885	1
1 609 200 376	886	1
1 609 200 377	886	1
1 609 200 378	886	1
1 609 200 379	886	1
1 609 200 380	886	1
1 609 200 381	885	1
1 609 200 382	885	1
1 609 200 388	885	1
1 609 200 389	885	1
1 609 200 390	885	1
1 609 200 393	886	1
1 609 200 933	925	1
1 609 200 968	924	1
1 609 200 971	919	1
1 609 200 976	925	1
1 609 201 219	891	1
1 609 201 220	891	1
1 609 201 221	891	1
1 609 201 229	919	1
1 609 201 230	919	1
1 609 201 396	891	1
1 609 201 628	931	1
1 609 201 647	893	1
1 609 201 648	893	1
1 609 201 649	337	1
1 609 201 650	337	1
1 609 201 751	893	1
1 609 201 795	893	1
1 609 201 796	893	1
1 609 201 797	894	1
1 609 201 798	894	1
1 609 201 799	894	1
1 609 201 800	894	1
1 609 201 801	894	1
1 609 201 807	894	1
1 609 201 808	894	1
1 609 201 810	894	1
1 609 201 812	895	1
1 609 201 813	895	1
1 609 202 230	923	1
1 609 390 451	893	1
1 609 390 452	893	1
1 609 390 453	893	1
1 609 390 474	925	1
1 609 390 478	919	1
1 609 390 481	919	1
1 610 793 002	922	1
1 610 795 007	218	1
1 612 025 020	796	1
1 612 025 032	788	1
1 613 001 003	796	1
1 613 001 010	796	1
1 615 411 002	937	1
1 617 000 117	105	1
1 617 000 118	105	1
1 617 000 132	786	5
1 617 000 328	782	1
1 618 571 014	794	1
1 618 580 000	785	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
1 618 596 164	101	5
1 618 596 165	101	5
1 618 596 166	101	5
1 618 596 167	101	5
1 618 596 168	101	5
1 618 596 169	101	5
1 618 596 170	101	5
1 618 596 171	101	5
1 618 596 172	101	5
1 618 596 173	101	5
1 618 596 174	101	5
1 618 596 175	101	5
1 618 596 176	102	5
1 618 596 177	102	5
1 618 596 178	102	5
1 618 596 179	102	5
1 618 596 180	102	5
1 618 596 181	102	5
1 618 596 182	102	5
1 618 596 183	102	5
1 618 596 184	102	5
1 618 596 185	102	5
1 618 596 186	102	5
1 618 596 187	102	5
1 618 596 188	102	5
1 618 596 189	101	5
1 618 596 203	102	1
1 618 596 204	102	1
1 618 596 205	102	1
1 618 596 207	102	1
1 618 596 224	102	1
1 618 596 225	102	1
1 618 596 226	102	1
1 618 596 231	101	5
1 618 596 232	102	1
1 618 596 233	103	1
1 618 596 236	103	1
1 618 596 237	103	1
1 618 596 238	103	1
1 618 596 239	103	1
1 618 596 240	103	1
1 618 596 241	103	1
1 618 596 257	102	1
1 618 596 259	102	1
1 618 596 260	102	1
1 618 596 261	102	1
1 618 596 262	102	1
1 618 596 263	102	1
1 618 596 264	101	5
1 618 596 265	102	5
1 618 596 266	102	5
1 618 596 267	102	1
1 618 596 268	102	5
1 618 596 269	102	1
1 618 596 270	102	5
1 618 596 271	102	5
1 618 596 315	102	5
1 618 596 316	102	5
1 618 596 318	102	5
1 618 596 319	102	1
1 618 596 320	102	1
1 618 596 321	102	1

PART NUMBER	PAGE	MOQ
1 618 596 439	125	1
1 618 596 443	125	1
1 618 596 444	125	1
1 618 596 455	126	1
1 618 596 456	126	1
1 618 596 457	126	1
1 618 596 458	126	1
1 618 596 459	126	1
1 618 596 460	126	1
1 618 596 461	126	1
1 618 596 462	126	1
1 618 596 502	125	1
1 618 596 503	125	1
1 618 596 504	125	1
1 618 596 505	125	1
1 618 596 506	125	1
1 618 596 507	125	1
1 618 598 124	786	1
1 618 598 159	786	1
1 618 598 161	786	1
1 618 600 005	200	1
1 618 600 007	786	1
1 618 600 008	786	1
1 618 600 012	208	1
1 618 600 015	208	1
1 618 600 019	217	1
1 618 600 023	208	1
1 618 600 203	209	1
1 618 600 204	209	1
1 618 600 206	217	1
1 618 600 210	209	1
1 618 601 004	202	1
1 618 601 007	209	1
1 618 601 008	209	1
1 618 601 011	217	1
1 618 601 017	211	1
1 618 601 019	209	1
1 618 601 101	210	1
1 618 601 102	210	1
1 618 601 302	210	1
1 618 609 003	211	1
1 618 609 005	218	1
1 618 609 006	218	1
1 618 623 205	212	1
1 618 623 206	212	1
1 618 630 000	214	1
1 618 630 001	214	1
1 618 630 002	213	1
1 618 630 003	213	1
1 618 630 007	213	1
1 618 630 200	214	1
1 618 630 201	214	1
1 618 631 001	214	1
1 618 633 101	211, 216	1
1 618 633 102	211, 216	1
1 618 633 104	218, 220	1
1 618 633 105	218, 220	1
1 618 660 000	217	1
1 618 661 000	217	1
1 618 662 000	217	1
1 619 P06 514	811	1
1 619 P06 546	817	1

PART NUMBER	PAGE	MOQ
1 619 P06 547	817	1
1 619 P06 548	817	1
1 619 P06 549	820	1
1 619 P06 550	821	1
1 619 P06 551	821	1
1 619 P06 556	943	1
2 600 100 185	426	1
2 600 100 186	426	1
2 600 100 187	426	1
2 600 100 188	426	1
2 600 100 192	426	1
2 600 100 193	426	1
2 600 100 194	426	1
2 600 100 195	426	1
2 600 100 197	426	1
2 600 100 201	426	1
2 600 100 202	426	1
2 600 100 203	426	1
2 600 100 207	426	1
2 600 100 208	426	1
2 600 100 209	426	1
2 600 100 210	426	1
2 600 100 211	426	1
2 600 100 212	427	1
2 600 100 214	427	1
2 600 100 215	427	1
2 600 100 217	427	1
2 600 100 219	427	1
2 600 100 220	427	1
2 600 100 221	427	1
2 600 100 222	427	1
2 600 100 225	427	1
2 600 100 227	427	1
2 600 100 228	427	1
2 600 100 230	427	1
2 600 100 231	427	1
2 600 100 232	427	1
2 600 100 371	426	1
2 600 100 372	426	1
2 600 100 373	426	1
2 600 100 374	426	1
2 600 100 375	426	1
2 600 100 376	426	1
2 600 100 377	426	1
2 600 100 378	426	1
2 600 100 379	426	1
2 600 100 380	426	1
2 600 116 081	288	1
2 600 206 005	941	1
2 600 290 026	830	1
2 600 306 005	933	1
2 600 306 007	933	1
2 600 499 045	935	1
2 600 499 071	936	1
2 600 499 077	933	1
2 600 793 009	922	1
2 601 016 096	524, 856	5
2 601 098 043	850	1
2 601 098 123	856	1
2 601 099 040 [i]	856	1
2 601 099 044	848	1
2 601 099 074	847	1

PART NUMBER	PAGE	MOQ
2 602 025 062	788	1
2 602 025 063	788	1
2 602 025 075	809	1
2 602 025 076	788	1
2 602 025 077	788	1
2 602 025 086	788	1
2 602 025 102	787	1
2 602 025 103	788	1
2 602 025 117	789	1
2 602 025 120	787	1
2 602 025 141	789	1
2 602 025 142	788	1
2 602 025 147	787	1
2 602 025 169	787	1
2 602 025 176	789	1
2 602 025 182	809	1
2 602 025 183	809	1
2 602 025 190	787	1
2 602 025 191	788	1
2 602 025 193	787	1
2 602 025 202	787	1
2 602 025 282	822	1
2 602 025 283	823	1
2 602 025 284	813	1
2 602 025 285	813	1
2 602 026 070	843	1
2 602 026 177	843	1
2 602 317 030	853, 858	1
2 602 317 031	853, 858	1
2 603 001 019	796	1
2 603 340 018	806	1
2 603 345 002	804	1
2 603 345 003	826	1
2 603 345 018	804	1
2 603 703 039	807	1
2 604 730 000 [i]	869	1
2 604 730 001 [i]	869	1
2 605 190 266	940	1
2 605 190 930	842, 940	1
2 605 411 009	937	1
2 605 411 027	939	1
2 605 411 035	938	1
2 605 411 043	939	1
2 605 411 044	936	1
2 605 411 061	931	1
2 605 411 062	931	1
2 605 411 067	939	1
2 605 411 068	939	1
2 605 411 096	938	1
2 605 411 112	937	1
2 605 411 113	939	1
2 605 411 114	939	1
2 605 411 145	939	1
2 605 411 147	939	1
2 605 411 150	931	1
2 605 411 163	930	1
2 605 411 167	930	1
2 605 411 187	936, 937	1
2 605 411 205	936	1
2 605 411 211	936	1
2 605 411 225	931	1
2 605 411 229	930	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 605 411 230	936	1
2 605 411 231	931	1
2 605 411 233	842, 940	1
2 605 411 238	846	1
2 605 411 239	846	1
2 605 411 240	846	1
2 605 411 241	846	1
2 605 411 900	937	1
2 605 438 083 [i]	944	1
2 605 438 091	944	1
2 605 438 098	943	1
2 605 438 168	944	1
2 605 438 169	944	1
2 605 438 170	944	1
2 605 438 179	942	1
2 605 438 186	944	1
2 605 438 197	944	1
2 605 438 261	943	1
2 605 438 286	942	1
2 605 438 294	943	1
2 605 438 297	943	1
2 605 438 322	943	1
2 605 438 328 [i]	942	1
2 605 438 368	944	1
2 605 438 396	943	1
2 605 438 404	945	1
2 605 438 414	945	1
2 605 438 508	946	1
2 605 438 567	946	1
2 605 438 607	942	1
2 605 438 619	945	1
2 605 438 623	942	1
2 605 438 624 [i]	945	1
2 605 438 628	943	1
2 605 438 643	946	1
2 605 438 667 [i]	942	1
2 605 438 668	942	1
2 605 438 678	945	1
2 605 438 686	942, 945	1
2 605 439 019	854	1
2 605 510 101	817	1
2 605 510 155	819	1
2 605 510 172	819	1
2 605 510 224	824	1
2 605 510 226	825	1
2 605 510 256	821	1
2 605 510 257	822	1
2 605 510 258	822	1
2 605 510 264	812	1
2 605 510 265	812	1
2 605 510 280	818	1
2 605 510 281	818	1
2 605 510 288	819	1
2 605 510 289	819	1
2 605 510 290	821	1
2 605 510 291	822	1
2 605 510 292	812	1
2 605 510 294	856, 935	1
2 605 510 297	818	1
2 605 510 298	819	1
2 605 510 299	823	1
2 605 510 300	823	1

PART NUMBER	PAGE	MOQ
2 605 510 301	857, 935	1
2 605 702 034	940	1
2 605 702 037	940	1
2 605 703 030	807	1
2 605 703 031	830	1
2 607 000 073	866	1
2 607 000 074	938	1
2 607 000 075	933	1
2 607 000 096	471	5
2 607 000 098	886	1
2 607 000 102	865	1
2 607 000 103	469	1
2 607 000 147	469	1
2 607 000 148	469	1
2 607 000 149	469	1
2 607 000 157	192	5
2 607 000 162	924	1
2 607 000 164	925	1
2 607 000 165	919	1
2 607 000 166	919	1
2 607 000 167	923	1
2 607 000 170	920	1
2 607 000 193	472	1
2 607 000 198	957	1
2 607 000 206	193	5
2 607 000 207	193	1
2 607 000 443	81	1
2 607 000 444	81	1
2 607 000 445	81	1
2 607 000 446	81	1
2 607 000 447	81	1
2 607 000 448	81	1
2 607 000 449	81	1
2 607 000 542	81	1
2 607 000 543	81	1
2 607 000 544	82	1
2 607 000 545	82	1
2 607 000 546	82	1
2 607 000 548	82	1
2 607 000 549	81	1
2 607 000 635	746	1
2 607 000 636	746	1
2 607 000 637	746	1
2 607 000 748	925	1
2 607 000 796	469	1
2 607 000 797	469	1
2 607 000 837	922	1
2 607 001 077	865	1
2 607 001 079	850	1
2 607 001 104	891	1
2 607 001 176	892	1
2 607 001 177	892	1
2 607 001 178	891	1
2 607 001 292	471	1
2 607 001 375	854	1
2 607 001 387	858	1
2 607 001 409	55, 524, 613, 871, 875	1
2 607 001 457	181	5
2 607 001 458	181	1
2 607 001 459	181	5
2 607 001 460	181	1
2 607 001 461	181	5

PART NUMBER	PAGE	MOQ
2 607 001 462	181	1
2 607 001 463	181	1
2 607 001 464	181	5
2 607 001 465	181	1
2 607 001 466	181	5
2 607 001 467	181	1
2 607 001 468	181	5
2 607 001 469	181	1
2 607 001 471	181	10
2 607 001 472	181	1
2 607 001 473	181	5
2 607 001 475	181	5
2 607 001 477	181	5
2 607 001 479	182	5
2 607 001 481	182	5
2 607 001 483	182	5
2 607 001 485	182	5
2 607 001 487	182	5
2 607 001 506	176	5
2 607 001 507	176	1
2 607 001 508	176	5
2 607 001 509	176	1
2 607 001 510	176	1
2 607 001 511	176	5
2 607 001 512	176	1
2 607 001 513	176	1
2 607 001 514	176	1
2 607 001 515	176	5
2 607 001 516	176	1
2 607 001 517	176	1
2 607 001 518	176	10
2 607 001 519	176	1
2 607 001 520	176	5
2 607 001 522	176	5
2 607 001 524	176	5
2 607 001 526	177	5
2 607 001 528	177	5
2 607 001 531	177	5
2 607 001 533	177	5
2 607 001 535	177	5
2 607 001 537	177	5
2 607 001 539	177	5
2 607 001 540	177	5
2 607 001 542	177	5
2 607 001 554	177	5
2 607 001 555	177	1
2 607 001 556	177	1
2 607 001 557	177	1
2 607 001 558	177	5
2 607 001 559	177	1
2 607 001 560	177	1
2 607 001 561	177	1
2 607 001 562	177	5
2 607 001 563	177	1
2 607 001 564	177	1
2 607 001 565	177	1
2 607 001 566	177	5
2 607 001 567	177	1
2 607 001 569	178	5
2 607 001 571	178	5
2 607 001 573	178	5
2 607 001 575	178	5

PART NUMBER	PAGE	MOQ
2 607 001 577	178	5
2 607 001 579	178	5
2 607 001 581	178	5
2 607 001 583	178	5
2 607 001 585	178	5
2 607 001 587	178	5
2 607 001 588	178	5
2 607 001 590	178	5
2 607 001 601	179	5
2 607 001 604	179	5
2 607 001 607	179	5
2 607 001 608	179	1
2 607 001 611	179	5
2 607 001 612	179	1
2 607 001 615	179	5
2 607 001 616	179	1
2 607 001 619	179	5
2 607 001 622	179	5
2 607 001 625	179	5
2 607 001 628	179	5
2 607 001 630	179	5
2 607 001 632	179	5
2 607 001 634	179	5
2 607 001 636	179	5
2 607 001 638	179	5
2 607 001 640	179	5
2 607 001 642	179	5
2 607 001 644	179	5
2 607 001 646	179	5
2 607 001 648	179	5
2 607 001 650	180	5
2 607 001 652	180	5
2 607 001 654	180	5
2 607 001 656	180	5
2 607 001 658	180	5
2 607 001 660	180	5
2 607 001 662	180	5
2 607 001 664	180	5
2 607 001 666	180	5
2 607 001 668	180	5
2 607 001 670	180	5
2 607 001 672	180	5
2 607 001 674	180	5
2 607 001 676	180	5
2 607 001 716	180	5
2 607 001 718	180	5
2 607 001 720	180	5
2 607 001 722	180	5
2 607 001 724	180	5
2 607 001 726	180	5
2 607 001 728	180	5
2 607 001 730	181	10
2 607 001 732	181	5
2 607 001 733	181	5
2 607 001 734	181	5
2 607 001 735	181	5
2 607 001 736	184	10
2 607 001 737	184	10
2 607 001 738	184	5
2 607 001 739	184	5
2 607 001 740	184	5
2 607 001 741	184	5

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 607 001 742	184	5
2 607 001 743	184	5
2 607 001 744	184	5
2 607 001 745	184	5
2 607 001 746	184	5
2 607 001 747	184	5
2 607 001 748	184	5
2 607 001 749	184	5
2 607 001 750	183	5
2 607 001 752	183	5
2 607 001 753	183	5
2 607 001 757	183	5
2 607 001 758	183	5
2 607 001 759	183	5
2 607 001 760	183	5
2 607 001 761	183	5
2 607 001 762	183	5
2 607 001 763	183	5
2 607 001 764	183	5
2 607 001 765	183	10
2 607 001 766	183	10
2 607 001 767	183	5
2 607 001 768	183	5
2 607 001 911	855	1
2 607 001 912	855	1
2 607 001 914	855	1
2 607 001 956	855	1
2 607 001 976	925	1
2 607 001 977	925	1
2 607 002 149	922	1
2 607 002 150	922	1
2 607 002 162	922	1
2 607 002 163	922	1
2 607 002 164	922	1
2 607 002 493	179	1
2 607 002 494	179	1
2 607 002 495	179	1
2 607 002 496	179	1
2 607 002 497	179	1
2 607 002 498	179	1
2 607 002 499	179	1
2 607 002 500	179	1
2 607 002 502	177	1
2 607 002 503	177	1
2 607 002 504	177	1
2 607 002 505	178	1
2 607 002 506	178	1
2 607 002 507	178	1
2 607 002 508	179	1
2 607 002 509	179	1
2 607 002 510	179	1
2 607 002 511	179	1
2 607 002 512	179	1
2 607 002 513	179	1
2 607 002 514	179	1
2 607 002 515	179	1
2 607 002 517	178	1
2 607 002 519	176	1
2 607 002 556	185	5
2 607 002 557	185	5
2 607 002 558	185	5
2 607 002 559	185	5
2 607 002 560	185	5
2 607 002 561	185	5
2 607 002 562	185	5
2 607 002 563	185	5
2 607 002 564	185	5
2 607 002 565	185	5
2 607 002 566	185	5
2 607 002 567	185	5
2 607 002 568	185	5
2 607 002 569	186	5
2 607 002 584	192	5
2 607 002 585	195	1
2 607 002 586	195	1
2 607 002 610	940	1
2 607 002 611	940	1
2 607 002 614	941	1
2 607 002 630	925	1
2 607 002 631	924	1
2 607 002 632	926	1
2 607 002 786	189	6
2 607 002 797	176	10
2 607 002 798	178	10
2 607 002 799	180	10
2 607 002 800	180	10
2 607 002 801	180	10
2 607 002 802	180	10
2 607 002 803	159	10
2 607 002 804	159	10
2 607 002 805	159	10
2 607 002 806	159	10
2 607 002 807	159	10
2 607 002 808	159	10
2 607 002 824	18	1
2 607 002 825	18	1
2 607 002 826	18	1
2 607 010 025	873	1
2 607 010 079	524, 856	5
2 607 010 305	524, 856	5
2 607 010 333	959	1
2 607 010 515	521	10
2 607 010 516	522	10
2 607 010 524	137	1
2 607 010 526	137	1
2 607 010 527	68	1
2 607 010 529	24	1
2 607 010 530	42	1
2 607 010 531	517	1
2 607 010 532	521	1
2 607 010 533	68	5
2 607 010 535	25	1
2 607 010 536	43	1
2 607 010 538	25	1
2 607 010 539	43	1
2 607 010 540	516	1
2 607 010 541	516	1
2 607 010 542	517	1
2 607 010 545	136	1
2 607 010 572	517	1
2 607 010 573	517	1
2 607 010 574	517	1
2 607 010 629	518	1
2 607 010 630	519	1
2 607 010 631	519	1
2 607 010 901	573	1
2 607 010 902	573	1
2 607 010 903	515	1
2 607 010 904	516	1
2 607 010 905	516	1
2 607 010 906	573	1
2 607 010 907	574	1
2 607 010 908	574	1
2 607 010 909	516, 573	1
2 607 010 995	573	1
2 607 010 996	573	1
2 607 010 997	573	1
2 607 010 998	573	1
2 607 011 169	520	5
2 607 011 170	519	5
2 607 011 171	519	5
2 607 011 172	519	5
2 607 011 436	518	1
2 607 011 437	518	1
2 607 011 438	518	1
2 607 011 439	517	1
2 607 011 477	616	1
2 607 011 478	616	1
2 607 017 034	68	1
2 607 017 035	139	1
2 607 017 037	186	1
2 607 017 047	40	1
2 607 017 079	139	1
2 607 017 080	136	1
2 607 017 081	136	1
2 607 017 082	136	1
2 607 017 083	136	1
2 607 017 128	933	1
2 607 017 164	187	6
2 607 017 319	187	10
2 607 017 320	187	1
2 607 017 326	188	6
2 607 017 327	188	6
2 607 017 328	188	6
2 607 017 368	212	1
2 607 017 376	108	1
2 607 017 465	461	1
2 607 017 466	461	1
2 607 017 467	462	1
2 607 017 468	462	1
2 607 017 469	462	1
2 607 017 470	463	1
2 607 017 471	463	1
2 607 017 472	464	1
2 607 017 473	464	1
2 607 017 474	465	1
2 607 017 475	466	1
2 607 017 476	467	1
2 607 017 496	842	1
2 607 017 497	841	1
2 607 017 498	842	1
2 607 017 499	842	1
2 607 017 500	843	1
2 607 017 515	204	1
2 607 017 516	204	1
2 607 017 517	212	1
2 607 017 561	187	3
2 607 017 564	187	4
2 607 017 565	188	3
2 607 017 566	188	3
2 607 017 567	154	3
2 607 017 568	152	3
2 607 017 570	154	3
2 607 017 571	188	3
2 607 017 574	153	3
2 607 017 578	186	5
2 607 017 579	279	1
2 607 018 010	525	1
2 607 018 011	525	1
2 607 018 012	525	1
2 607 018 013	525	1
2 607 018 277	105	4
2 607 018 296	203	1
2 607 018 361	27	1
2 607 018 395	77	1
2 607 018 726	28	1
2 607 018 727	29	1
2 607 018 750	75	1
2 607 019 033	805, 830	1
2 607 019 051	200	1
2 607 019 052	201	1
2 607 019 159	203	1
2 607 019 322	74	1
2 607 019 323	74	1
2 607 019 577	27	1
2 607 019 578	27	1
2 607 019 880	274	1
2 607 019 902	108	10
2 607 019 903	108	10
2 607 019 904	108	1
2 607 019 923	71	1
2 607 019 924	39	1
2 607 019 925	39	1
2 607 019 926	39	1
2 607 019 927	105	5
2 607 019 928	105	5
2 607 019 929	105	1
2 607 225 028 [i]	956	1
2 607 225 030 [i]	956	1
2 607 225 472	956	1
2 607 225 514	956	1
2 607 225 516	956	1
2 607 225 900	957	1
2 607 225 902	957	1
2 607 225 922	957	1
2 607 225 924	957	1
2 607 226 044	957	1
2 607 226 220	956	1
2 607 226 252	956	1
2 607 226 318	956	1
2 607 335 682	948	1
2 607 335 684	950	1
2 607 335 686	950	1
2 607 335 846	948	1
2 607 335 848	950	1
2 607 335 850	950	1
2 607 336 814	950	1
2 607 336 816	951	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 607 336 878	950	1
2 607 336 906	951	1
2 607 336 914	952	1
2 607 336 916	952	1
2 607 337 070	951	1
2 607 337 264	951	1
2 607 337 288	948	1
2 607 337 290	948	1
2 607 337 294	950	1
2 607 337 296	950	1
2 607 337 302	949	1
2 607 337 304	949	1
2 607 337 306	951	1
2 607 337 320	951	1
2 607 432 008	926	1
2 607 432 013	928	1
2 607 432 014	927	1
2 607 432 015	927	1
2 607 432 016	927	1
2 607 432 017	927	1
2 607 432 024	926	1
2 607 432 033	927	1
2 607 432 034	927	1
2 607 432 035	931	1
2 607 432 036	931	1
2 607 432 037	930	1
2 607 432 038	930	1
2 607 432 039	930	1
2 607 432 041	928	1
2 607 432 043	932	1
2 607 432 046	928	1
2 607 432 050	930	1
2 607 432 051	932	1
2 607 432 052	928	1
2 607 960 015	855	1
2 607 960 019	855	1
2 607 960 020	855	1
2 607 960 021	855	1
2 607 990 006	799	1
2 607 990 010	210	1
2 607 990 014	797	1
2 607 990 015	797	1
2 607 990 016	797	1
2 607 990 017	797	1
2 607 990 018	799	1
2 607 990 019	799	1
2 607 990 020	799	1
2 607 990 022	797	1
2 607 990 023	797	1
2 607 990 024	798	1
2 607 990 025	798	1
2 607 990 026	798	1
2 607 990 027	798	1
2 607 990 028	798	1
2 607 990 029	798	1
2 607 990 050	54	1
2 608 000 072	845	1
2 608 000 149	847	1
2 608 000 189	844	1
2 608 000 190	844	1
2 608 000 198	847	1
2 608 000 199	847	1

PART NUMBER	PAGE	MOQ
2 608 000 200	848	1
2 608 000 202	844	1
2 608 000 204	844	1
2 608 000 211	847	1
2 608 000 213	844	1
2 608 000 215	844	1
2 608 000 278 [i]	856	1
2 608 000 326	844	1
2 608 000 328	862	1
2 608 000 331	858	1
2 608 000 332	863	1
2 608 000 333	863	1
2 608 000 334	863	1
2 608 000 335	863	1
2 608 000 349	838	1
2 608 000 351	838	1
2 608 000 352	838	1
2 608 000 426	854	1
2 608 000 471	861	1
2 608 000 488	933	1
2 608 000 489	933	1
2 608 000 493	666	1
2 608 000 495	574	12
2 608 000 498	862	1
2 608 000 502	785	1
2 608 000 503	290	1
2 608 000 504	290	1
2 608 000 547	889	1
2 608 000 548	889	1
2 608 000 549	889	1
2 608 000 550	889	1
2 608 000 551	889	1
2 608 000 552	889	1
2 608 000 553	889	1
2 608 000 554	890	1
2 608 000 563	934	1
2 608 000 565	923	1
2 608 000 566	923	1
2 608 000 567	923	1
2 608 000 568	923	1
2 608 000 570	923	1
2 608 000 573	924	1
2 608 000 575	924	1
2 608 000 585	926	1
2 608 000 589	681	1
2 608 000 590	681	1
2 608 000 591 [i]	851	1
2 608 000 592 [i]	851	1
2 608 000 593 [i]	851	1
2 608 000 594 [i]	851	1
2 608 000 595 [i]	851	1
2 608 000 596	732	1
2 608 000 597	732	1
2 608 000 598	732	1
2 608 000 599	733	1
2 608 000 600	733	1
2 608 000 601	733	1
2 608 000 602	733	1
2 608 000 603	733	1
2 608 000 604	733	1
2 608 000 605	733	1
2 608 000 607	733	1

PART NUMBER	PAGE	MOQ
2 608 000 608	733	1
2 608 000 609	733	1
2 608 000 610	733	1
2 608 000 618	826	1
2 608 000 623	785	1
2 608 000 625	806	1
2 608 000 626	934	1
2 608 000 627	934	1
2 608 000 628	862	1
2 608 000 632	823	1
2 608 000 633	805	1
2 608 000 636	666	1
2 608 000 638	805, 830	1
2 608 000 652	747	1
2 608 000 655	820	1
2 608 000 658	921	1
2 608 000 659	924	1
2 608 000 660	924	1
2 608 000 661	920	1
2 608 000 662	920	1
2 608 000 663	926	1
2 608 000 664	928	1
2 608 000 665	920	1
2 608 000 666	924	1
2 608 000 667	920	1
2 608 000 668	934	1
2 608 000 669	922	1
2 608 000 670	921	1
2 608 000 671	921	
2 608 000 672	471	1
2 608 000 673	471	1
2 608 000 674	934	1
2 608 000 675	937	1
2 608 000 676	820	1
2 608 000 677	820	1
2 608 000 678	819	1
2 608 000 679	820	1
2 608 000 680	821	1
2 608 000 681	822	1
2 608 000 682	934	1
2 608 000 684	806	1
2 608 000 689	841	1
2 608 000 690	841	1
2 608 000 691	841	1
2 608 000 692	841	1
2 608 000 695	829	1
2 608 000 696	937	1
2 608 000 697	932	30
2 608 000 698	932	30
2 608 000 699	927	18
2 608 000 700	929	20
2 608 000 701	929	50
2 608 000 703	789	1
2 608 000 704	782	1
2 608 000 706	935	1
2 608 000 707	921	1
2 608 000 709	929	10
2 608 000 710	782	1
2 608 000 711	929	50
2 608 000 712	923	10
2 608 000 714	838	1
2 608 000 715	842	1

PART NUMBER	PAGE	MOQ
2 608 000 741	829	1
2 608 000 908	525	5
2 608 000 C23	805	1
2 608 002 000	293	1
2 608 002 001	293	1
2 608 002 021	129, 221, 786	8
2 608 005 018	854	1
2 608 005 026	850	1
2 608 030 053	790	1
2 608 030 055	790	1
2 608 030 056	790	1
2 608 030 057	790	1
2 608 040 205 [i]	855	1
2 608 040 289	857	1
2 608 110 002	886	1
2 608 120 004	790	1
2 608 135 020	525	1
2 608 135 021	525	1
2 608 135 022	525	1
2 608 135 023	525	1
2 608 190 016	747	1
2 608 190 017	747	1
2 608 190 038	933	1
2 608 190 039	933	1
2 608 190 048	274, 604	1
2 608 190 056 [i]	857, 935	1
2 608 200 000	876	1
2 608 200 001	876	1
2 608 200 002	876	1
2 608 200 003	876	1
2 608 200 004	876	1
2 608 200 005	876	1
2 608 200 006	876	1
2 608 200 007	876	1
2 608 200 008	876	1
2 608 200 009	876	1
2 608 200 014	877	1
2 608 200 015	877	1
2 608 200 016	877	1
2 608 200 017	877	1
2 608 200 018	877	1
2 608 200 019	877	1
2 608 200 020	877	1
2 608 200 021	877	1
2 608 200 022	877	1
2 608 200 023	877	1
2 608 200 028	877	1
2 608 200 029	877	1
2 608 200 030	877	1
2 608 200 031	877	1
2 608 200 032	877	1
2 608 200 033	877	1
2 608 200 034	877	1
2 608 200 035	877	1
2 608 200 036	878	1
2 608 200 037	878	1
2 608 200 038	878	1
2 608 200 039	878	1
2 608 200 040	878	1
2 608 200 041	878	1
2 608 200 050	877	1
2 608 200 500	880	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 608 200 501	880	1
2 608 200 502	880	1
2 608 200 503	880	1
2 608 200 504	880	1
2 608 200 505	880	1
2 608 200 506	880	1
2 608 200 507	880	1
2 608 200 511	879	1
2 608 200 512	879	1
2 608 200 513	879	1
2 608 200 514	879	1
2 608 200 515	879	1
2 608 200 516	879	1
2 608 200 517	879	1
2 608 200 518	879	1
2 608 200 528	880	1
2 608 200 529	880	1
2 608 200 530	880	1
2 608 200 531	880	1
2 608 200 532	880	1
2 608 200 533	880	1
2 608 200 534	880	1
2 608 200 535	880	1
2 608 200 536	880	1
2 608 200 700	881	1
2 608 200 701	881	1
2 608 200 702	881	1
2 608 200 703	881	1
2 608 200 704	881	1
2 608 200 705	881	1
2 608 201 228	267	1
2 608 201 231	269	1
2 608 521 108	181	5
2 608 521 109	181	5
2 608 521 110	181	5
2 608 521 111	181	1
2 608 521 112	181	1
2 608 521 113	181	1
2 608 521 114	181	5
2 608 521 115	181	5
2 608 521 116	181	5
2 608 521 117	181	5
2 608 521 118	181	5
2 608 521 119	181	5
2 608 522 006	180	5
2 608 522 007	180	10
2 608 522 008	180	5
2 608 522 009	180	5
2 608 522 010	180	5
2 608 522 011	180	5
2 608 522 012	180	5
2 608 522 013	180	5
2 608 522 014	180	5
2 608 522 015	180	5
2 608 522 068	177	5
2 608 522 069	178	5
2 608 522 129	186	12
2 608 522 130	186	12
2 608 522 131	186	12
2 608 522 186	176	25
2 608 522 187	178	25
2 608 522 270	179	25
2 608 522 271	179	25
2 608 522 272	179	25
2 608 522 301	163	1
2 608 522 302	164	1
2 608 522 303	164	1
2 608 522 304	164	1
2 608 522 305	164	1
2 608 522 306	164	1
2 608 522 307	164	1
2 608 522 308	164	1
2 608 522 309	164	1
2 608 522 310	164	1
2 608 522 311	164	1
2 608 522 316	192	1
2 608 522 317	192	1
2 608 522 318	192	1
2 608 522 319	192	1
2 608 522 320	192	5
2 608 522 321	192	5
2 608 522 322	156	5
2 608 522 323	156	5
2 608 522 324	156	5
2 608 522 325	156	5
2 608 522 326	155	5
2 608 522 327	156	5
2 608 522 328	155	5
2 608 522 329	155	5
2 608 522 330	155	5
2 608 522 331	155	5
2 608 522 332	155	5
2 608 522 333	159	5
2 608 522 334	160	5
2 608 522 335	159	5
2 608 522 336	160	5
2 608 522 337	159	5
2 608 522 338	159	5
2 608 522 339	159	5
2 608 522 340	159	5
2 608 522 341	159	5
2 608 522 342	159	5
2 608 522 343	159	5
2 608 522 344	159	5
2 608 522 345	160	5
2 608 522 346	159	5
2 608 522 347	160	5
2 608 522 348	159	5
2 608 522 349	159	5
2 608 522 350	157	5
2 608 522 351	163	5
2 608 522 352	163	5
2 608 522 353	163	5
2 608 522 354	194	5
2 608 522 358	160	5
2 608 522 359	160	5
2 608 522 360	160	5
2 608 522 361	160	5
2 608 522 362	151	5
2 608 522 363	151	5
2 608 522 364	152	5
2 608 522 365	152	6
2 608 522 366	153	6
2 608 522 376	189	1
2 608 522 377	189	1
2 608 522 378	155	5
2 608 522 379	156	5
2 608 522 380	156	5
2 608 522 381	156	5
2 608 522 382	156	5
2 608 522 383	156	5
2 608 522 400	158	5
2 608 522 401	158	5
2 608 522 402	158	5
2 608 522 403	158	5
2 608 522 405	161	320
2 608 522 406	160	280
2 608 522 407	161	80
2 608 522 408	161	1
2 608 522 409	161	1
2 608 522 410	161	1
2 608 522 411	598, 606	1
2 608 522 468	158	5
2 608 522 469	158	5
2 608 522 470	157	5
2 608 522 471	157	5
2 608 522 472	158	5
2 608 522 473	158	5
2 608 522 474	158	5
2 608 522 475	158	5
2 608 522 476	158	5
2 608 522 477	158	5
2 608 522 478	158	5
2 608 522 479	157	5
2 608 522 480	158	5
2 608 522 481	158	5
2 608 522 482	158	5
2 608 522 483	158	5
2 608 522 484	158	5
2 608 522 485	158	5
2 608 522 486	158	5
2 608 522 487	158	5
2 608 522 488	158	5
2 608 522 489	158	5
2 608 522 490	158	5
2 608 522 491	157	5
2 608 550 036	786	1
2 608 550 037	190	5
2 608 550 039	190	5
2 608 550 040	190	5
2 608 550 041	190	5
2 608 550 057	117, 288	1
2 608 550 064	117	1
2 608 550 065	117	1
2 608 550 068	190	1
2 608 550 069	190	5
2 608 550 070	190	5
2 608 550 071	190	5
2 608 550 072	190	5
2 608 550 073	190	5
2 608 550 074	117	1
2 608 550 075	117	1
2 608 550 076	117	1
2 608 550 077	117	1
2 608 550 078	117, 288	1
2 608 550 079	288	1
2 608 550 080	190	5
2 608 550 081	190	5
2 608 550 082	190	5
2 608 550 090	190	5
2 608 550 557	190	1
2 608 550 558	190	5
2 608 550 559	190	5
2 608 550 560	190	5
2 608 550 561	190	5
2 608 550 562	190	5
2 608 550 563	190	5
2 608 550 564	190	5
2 608 550 605	273	1
2 608 550 606	273	1
2 608 550 607	273	1
2 608 550 608	273	1
2 608 550 609	273	1
2 608 550 610	273	1
2 608 550 611	273	1
2 608 550 612	117	1
2 608 550 613	117	1
2 608 550 614	117	1
2 608 550 615	117	1
2 608 550 616	117	1
2 608 550 617	117	1
2 608 550 620	292	1
2 608 550 621	292	1
2 608 550 623	294	1
2 608 550 624	292	1
2 608 550 625	294	1
2 608 550 626	294	1
2 608 550 628	295	1
2 608 551 029	165	1
2 608 551 075	190	5
2 608 551 076	190	5
2 608 551 078	190	5
2 608 551 079	191	10
2 608 551 096	165	1
2 608 551 097	165	1
2 608 551 098	165	1
2 608 551 099	165	1
2 608 551 100	165	1
2 608 551 101	166	1
2 608 551 102	165	1
2 608 551 107	194	5
2 608 551 108	194	5
2 608 551 109	194	5
2 608 551 110	194	5
2 608 570 008	832	1
2 608 570 047	832, 860	1
2 608 570 048	832, 860	1
2 608 570 049	832, 860	1
2 608 570 066	861	1
2 608 570 082	832	1
2 608 570 083	832	1
2 608 570 084	832	1
2 608 570 085	832	1
2 608 570 086	832	1
2 608 570 100	860	1
2 608 570 101	860	1
2 608 570 102	860	1
2 608 570 103	860	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 608 570 104	860	1
2 608 570 105	860	1
2 608 570 106	860	1
2 608 570 107	860	1
2 608 570 108	860	1
2 608 570 109	860	1
2 608 570 110	860	1
2 608 570 111	860	1
2 608 570 112	860	1
2 608 570 113	860	1
2 608 570 114	860	1
2 608 570 125	860	1
2 608 570 126	860	1
2 608 570 133	861	1
2 608 570 134	861	1
2 608 570 135	861	1
2 608 570 136	832	1
2 608 570 137	832	1
2 608 570 138	832	1
2 608 570 139	832	1
2 608 570 140	832	1
2 608 570 141	832	1
2 608 570 142	861	1
2 608 571 010	794	1
2 608 571 020	795	1
2 608 571 048	794	1
2 608 571 056	783	1
2 608 571 068	783	1
2 608 571 078	794	1
2 608 571 079	794	1
2 608 571 080	794	1
2 608 572 034	792	1
2 608 572 053	792	1
2 608 572 059	782	1
2 608 572 060	792	1
2 608 572 062	792	1
2 608 572 068	792	1
2 608 572 072	792	1
2 608 572 075	792	1
2 608 572 080	792	1
2 608 572 093	792	1
2 608 572 097	800	1
2 608 572 105	792	1
2 608 572 112	782	1
2 608 572 146	783	1
2 608 572 149 [i]	783	1
2 608 572 150	783	1
2 608 572 159	782	1
2 608 572 182	792	1
2 608 572 183	792	1
2 608 572 210	784	1
2 608 572 212	782	1
2 608 572 213	782	1
2 608 572 217	792	1
2 608 572 218	792	1
2 608 572 227	793	1
2 608 572 247	784	1
2 608 572 253	794	1
2 608 572 257	784	1
2 608 572 273	783, 792	1
2 608 576 280	110	1
2 608 576 281	110	1
2 608 576 282	110	5
2 608 576 286	114	1
2 608 576 287	114	1
2 608 576 288	114	1
2 608 576 289	114	1
2 608 576 290	114	1
2 608 576 291	115	1
2 608 576 293	123	1
2 608 576 294	123	1
2 608 576 295	123	1
2 608 576 296	123	1
2 608 576 297	123	1
2 608 576 298	123	1
2 608 576 299	123	1
2 608 576 300	123	1
2 608 576 301	124	1
2 608 576 302	124	1
2 608 576 669	279	1
2 608 576 779	123	1
2 608 577 000	76	1
2 608 577 001	76	1
2 608 577 002	76	1
2 608 577 003	76	1
2 608 577 004	76	1
2 608 577 005	76	1
2 608 577 006	76	1
2 608 577 007	76	1
2 608 577 008	76	1
2 608 577 009	76	1
2 608 577 010	76	1
2 608 577 011	76	1
2 608 577 012	76	1
2 608 577 013	76	1
2 608 577 014	76	1
2 608 577 015	76	1
2 608 577 016	76	1
2 608 577 017	76	1
2 608 577 018	76	1
2 608 577 019	76	1
2 608 577 020	76	1
2 608 577 021	76	1
2 608 577 022	77	1
2 608 577 045	33	5
2 608 577 047	33	5
2 608 577 048	33	5
2 608 577 049	33	5
2 608 577 050	33	5
2 608 577 051	33	5
2 608 577 052	33	5
2 608 577 054	33	5
2 608 577 055	33	5
2 608 577 056	33	5
2 608 577 057	33	5
2 608 577 058	33	5
2 608 577 059	33	5
2 608 577 060	34	5
2 608 577 061	34	5
2 608 577 062	34	5
2 608 577 063	34	5
2 608 577 064	34	5
2 608 577 065	34	5
2 608 577 128	34	5
2 608 577 129	34	5
2 608 577 130	34	5
2 608 577 139	34	5
2 608 577 140	34	5
2 608 577 141	142	1
2 608 577 143	162	5
2 608 577 144	162	5
2 608 577 145	162	5
2 608 577 146	35	6
2 608 577 147	154	6
2 608 577 148	154	6
2 608 577 149	34	5
2 608 577 153	10	5
2 608 577 154	10	5
2 608 577 155	10	5
2 608 577 156	10	5
2 608 577 157	10	5
2 608 577 158	10	5
2 608 577 159	10	5
2 608 577 160	10	5
2 608 577 161	10	5
2 608 577 162	10	5
2 608 577 163	10	5
2 608 577 164	10	5
2 608 577 165	11	5
2 608 577 166	11	5
2 608 577 167	11	5
2 608 577 168	11	5
2 608 577 169	11	5
2 608 577 170	11	5
2 608 577 171	11	5
2 608 577 172	11	5
2 608 577 173	11	5
2 608 577 174	11	5
2 608 577 175	11	5
2 608 577 176	11	5
2 608 577 177	11	5
2 608 577 178	11	1
2 608 577 179	11	1
2 608 577 180	11	1
2 608 577 181	11	1
2 608 577 182	11	1
2 608 577 183	11	1
2 608 577 184	11	1
2 608 577 185	11	1
2 608 577 186	11	1
2 608 577 187	11	1
2 608 577 188	11	1
2 608 577 189	11	1
2 608 577 190	11	1
2 608 577 191	11	1
2 608 577 192	11	1
2 608 577 193	11	1
2 608 577 194	11	1
2 608 577 195	11	1
2 608 577 196	11	1
2 608 577 197	11	1
2 608 577 198	11	1
2 608 577 199	11	1
2 608 577 200	11	1
2 608 577 201	11	1
2 608 577 202	11	1
2 608 577 203	11	1
2 608 577 204	11	1
2 608 577 205	11	1
2 608 577 206	11	1
2 608 577 207	11	1
2 608 577 208	11	1
2 608 577 209	11	1
2 608 577 210	11	1
2 608 577 211	11	1
2 608 577 212	11	1
2 608 577 213	11	1
2 608 577 214	11	1
2 608 577 215	11	1
2 608 577 216	11	1
2 608 577 217	11	1
2 608 577 218	11	1
2 608 577 219	12	1
2 608 577 220	12	1
2 608 577 221	12	1
2 608 577 222	12	1
2 608 577 223	12	1
2 608 577 224	12	1
2 608 577 225	12	1
2 608 577 226	12	1
2 608 577 227	12	1
2 608 577 228	12	1
2 608 577 229	12	1
2 608 577 230	12	1
2 608 577 231	12	1
2 608 577 232	12	1
2 608 577 233	12	1
2 608 577 234	12	1
2 608 577 235	12	1
2 608 577 236	12	1
2 608 577 237	12	1
2 608 577 238	12	1
2 608 577 239	12	1
2 608 577 240	12	1
2 608 577 241	12	1
2 608 577 242	12	1
2 608 577 243	12	1
2 608 577 244	12	1
2 608 577 245	12	1
2 608 577 246	12	1
2 608 577 247	12	1
2 608 577 248	12	1
2 608 577 249	12	1
2 608 577 250	12	1
2 608 577 251	12	1
2 608 577 252	12	1
2 608 577 253	12	1
2 608 577 254	12	1
2 608 577 255	12	1
2 608 577 256	12	1
2 608 577 257	12	1
2 608 577 258	12	1
2 608 577 259	12	1
2 608 577 260	12	1
2 608 577 261	12	1
2 608 577 262	12	1
2 608 577 263	12	1
2 608 577 264	12	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 608 577 265	12	1
2 608 577 266	12	1
2 608 577 267	12	1
2 608 577 268	12	1
2 608 577 269	13	1
2 608 577 270	13	1
2 608 577 271	13	1
2 608 577 272	13	1
2 608 577 273	13	1
2 608 577 274	13	1
2 608 577 275	13	1
2 608 577 276	13	1
2 608 577 277	13	1
2 608 577 278	13	1
2 608 577 279	13	1
2 608 577 280	13	1
2 608 577 281	13	1
2 608 577 282	13	1
2 608 577 283	13	1
2 608 577 284	13	1
2 608 577 285	13	1
2 608 577 286	13	1
2 608 577 287	13	1
2 608 577 288	13	1
2 608 577 289	13	1
2 608 577 290	13	1
2 608 577 291	13	1
2 608 577 292	13	1
2 608 577 293	13	1
2 608 577 294	13	1
2 608 577 295	13	1
2 608 577 296	13	1
2 608 577 297	13	1
2 608 577 298	13	1
2 608 577 299	14	5
2 608 577 300	14	5
2 608 577 301	14	5
2 608 577 302	14	1
2 608 577 303	14	1
2 608 577 304	14	1
2 608 577 305	14	1
2 608 577 306	14	1
2 608 577 307	14	1
2 608 577 308	14	1
2 608 577 309	14	1
2 608 577 310	14	1
2 608 577 311	14	1
2 608 577 312	14	1
2 608 577 313	14	1
2 608 577 314	14	1
2 608 577 315	14	1
2 608 577 316	12	1
2 608 577 317	12	1
2 608 577 318	12	1
2 608 577 319	12	1
2 608 577 320	12	1
2 608 577 321	12	1
2 608 577 322	13	1
2 608 577 323	13	1
2 608 577 324	13	1
2 608 577 325	13	1
2 608 577 326	13	1
2 608 577 327	13	1
2 608 577 328	13	1
2 608 577 329	13	1
2 608 577 330	13	1
2 608 577 331	13	1
2 608 577 332	13	1
2 608 577 333	13	1
2 608 577 334	13	1
2 608 577 335	13	1
2 608 577 336	13	1
2 608 577 337	13	1
2 608 577 338	13	1
2 608 577 339	13	1
2 608 577 340	13	1
2 608 577 341	13	1
2 608 577 342	13	1
2 608 577 343	13	1
2 608 577 344	13	1
2 608 577 345	14	1
2 608 577 346	15	1
2 608 577 347	15	1
2 608 577 348	15	1
2 608 577 349	15	1
2 608 577 350	16	1
2 608 577 351	16	1
2 608 577 352	16	1
2 608 577 426	64	5
2 608 577 427	64	5
2 608 577 428	64	5
2 608 577 429	64	5
2 608 577 430	64	5
2 608 577 431	64	5
2 608 577 432	64	5
2 608 577 433	64	5
2 608 577 434	64	5
2 608 577 435	64	5
2 608 577 436	64	5
2 608 577 437	64	5
2 608 577 438	64	5
2 608 577 439	64	5
2 608 577 440	64	5
2 608 577 441	64	5
2 608 577 442	64	5
2 608 577 443	64	5
2 608 577 444	64	5
2 608 577 445	65	5
2 608 577 446	65	5
2 608 577 447	65	5
2 608 577 448	65	5
2 608 577 449	65	5
2 608 577 450	65	5
2 608 577 451	65	5
2 608 577 452	65	5
2 608 577 453	65	5
2 608 577 454	65	5
2 608 577 455	65	5
2 608 577 456	65	5
2 608 577 457	65	5
2 608 577 458	65	5
2 608 577 459	65	5
2 608 577 460	65	5
2 608 577 461	65	5
2 608 577 462	65	5
2 608 577 463	65	5
2 608 577 464	65	5
2 608 577 465	66	1
2 608 577 466	66	1
2 608 577 467	66	1
2 608 577 468	65	5
2 608 577 469	65	5
2 608 577 470	65	5
2 608 577 471	65	5
2 608 577 472	65	5
2 608 577 473	65	5
2 608 577 474	65	5
2 608 577 475	65	5
2 608 577 476	65	5
2 608 577 517	17	5
2 608 577 518	17	5
2 608 577 519	17	5
2 608 577 520	17	5
2 608 577 521	17	5
2 608 577 522	17	5
2 608 577 523	17	5
2 608 577 524	17	5
2 608 577 525	17	5
2 608 577 526	17	5
2 608 577 527	17	5
2 608 577 528	17	5
2 608 577 529	17	5
2 608 577 530	17	5
2 608 577 531	17	5
2 608 577 532	17	5
2 608 577 533	17	5
2 608 577 534	17	5
2 608 577 535	17	5
2 608 577 536	17	5
2 608 577 537	17	5
2 608 577 538	17	5
2 608 577 539	17	5
2 608 577 540	17	1
2 608 577 541	17	1
2 608 577 542	17	1
2 608 577 543	17	1
2 608 577 544	17	1
2 608 577 545	17	1
2 608 577 546	17	1
2 608 577 547	17	1
2 608 577 548	17	1
2 608 577 549	17	1
2 608 578 179	98	5
2 608 578 180	98	5
2 608 578 181	98	5
2 608 578 182	98	5
2 608 578 183	98	5
2 608 578 184	98	5
2 608 578 185	98	5
2 608 578 186	98	5
2 608 578 187	98	5
2 608 578 188	98	5
2 608 578 189	99	5
2 608 578 190	99	5
2 608 578 191	99	5
2 608 578 192	99	1
2 608 578 193	99	5
2 608 578 194	99	5
2 608 578 195	99	5
2 608 578 196	99	5
2 608 578 197	99	5
2 608 578 198	99	5
2 608 578 199	99	1
2 608 578 200	99	1
2 608 578 201	99	5
2 608 578 202	99	5
2 608 578 203	99	5
2 608 578 204	99	5
2 608 578 205	99	5
2 608 578 206	99	1
2 608 578 207	99	1
2 608 578 208	99	1
2 608 578 209	99	5
2 608 578 210	99	1
2 608 578 211	99	5
2 608 578 212	99	5
2 608 578 213	99	5
2 608 578 214	99	1
2 608 578 215	99	5
2 608 578 216	99	5
2 608 578 217	99	5
2 608 578 218	99	5
2 608 578 219	99	5
2 608 578 220	99	1
2 608 578 221	99	1
2 608 578 222	99	5
2 608 578 223	99	5
2 608 578 224	99	1
2 608 578 225	99	5
2 608 578 226	99	5
2 608 578 227	99	1
2 608 578 228	99	1
2 608 578 229	99	1
2 608 578 230	99	1
2 608 578 231	99	1
2 608 578 232	99	1
2 608 578 233	99	1
2 608 578 234	99	1
2 608 578 235	99	1
2 608 578 236	99	1
2 608 578 237	99	1
2 608 578 238	99	1
2 608 578 239	99	1
2 608 578 240	99	1
2 608 578 241	99	1
2 608 578 242	99	1
2 608 578 243	100	1
2 608 578 244	100	1
2 608 578 245	100	1
2 608 578 246	100	1
2 608 578 247	100	1
2 608 578 248	100	1
2 608 578 249	100	1
2 608 578 250	100	1
2 608 578 251	100	1
2 608 578 252	100	1
2 608 578 253	100	1
2 608 578 254	100	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 608 578 255	100	1
2 608 578 256	100	1
2 608 578 257	100	1
2 608 578 258	92	5
2 608 578 259	92	5
2 608 578 260	92	5
2 608 578 261	92	5
2 608 578 262	92	5
2 608 578 263	92	5
2 608 578 264	92	5
2 608 578 265	92	5
2 608 578 266	92	1
2 608 578 267	92	1
2 608 578 268	92	5
2 608 578 269	92	5
2 608 578 270	92	5
2 608 578 271	92	1
2 608 578 272	92	1
2 608 578 273	92	5
2 608 578 274	92	5
2 608 578 275	92	5
2 608 578 276	92	5
2 608 578 277	92	5
2 608 578 278	92	1
2 608 578 279	92	1
2 608 578 280	92	1
2 608 578 282	92	5
2 608 578 283	92	5
2 608 578 284	92	5
2 608 578 285	92	1
2 608 578 286	92	1
2 608 578 287	92	1
2 608 578 288	92	5
2 608 578 289	92	5
2 608 578 290	92	5
2 608 578 291	92	1
2 608 578 292	92	1
2 608 578 293	92	1
2 608 578 294	92	5
2 608 578 295	92	1
2 608 578 296	92	5
2 608 578 297	92	5
2 608 578 298	92	5
2 608 578 299	92	1
2 608 578 300	92	1
2 608 578 301	92	5
2 608 578 302	92	5
2 608 578 303	92	5
2 608 578 304	92	1
2 608 578 305	92	1
2 608 578 306	92	1
2 608 578 307	92	1
2 608 578 308	92	1
2 608 578 309	92	1
2 608 578 310	93	1
2 608 578 311	93	1
2 608 578 312	93	1
2 608 578 313	93	1
2 608 578 314	93	1
2 608 578 315	93	1
2 608 578 316	93	1
2 608 578 317	93	1
2 608 578 318	93	1
2 608 578 319	93	1
2 608 578 320	93	1
2 608 578 321	93	1
2 608 578 322	93	1
2 608 578 323	93	1
2 608 578 324	93	1
2 608 578 516	200	10
2 608 578 517	201	1
2 608 578 518	201	10
2 608 578 519	201	1
2 608 578 738	109	1
2 608 578 765	112	1
2 608 578 962	114	1
2 608 578 963	114	1
2 608 578 964	114	1
2 608 578 965	123	1
2 608 579 118	112	1
2 608 579 119	112	1
2 608 579 120	112	1
2 608 579 122	111	1
2 608 579 124	111	1
2 608 579 125	111	1
2 608 579 166	103	1
2 608 579 167	103	1
2 608 579 168	103	1
2 608 579 169	103	1
2 608 579 170	103	1
2 608 579 171	103	1
2 608 579 172	103	1
2 608 579 173	103	1
2 608 579 174	103	1
2 608 579 175	103	1
2 608 579 176	103	1
2 608 579 177	103	1
2 608 579 178	103	1
2 608 579 179	103	1
2 608 579 180	103	1
2 608 579 181	103	1
2 608 579 182	103	1
2 608 579 183	103	1
2 608 579 184	103	1
2 608 579 185	103	1
2 608 579 186	103	1
2 608 579 187	103	1
2 608 579 188	103	1
2 608 579 189	103	1
2 608 579 190	103	1
2 608 579 191	103	1
2 608 579 192	103	1
2 608 579 193	103	1
2 608 579 194	103	1
2 608 579 195	103	1
2 608 579 196	103	1
2 608 579 197	103	1
2 608 579 198	103	1
2 608 579 199	103	1
2 608 579 200	103	1
2 608 579 201	103	1
2 608 579 202	103	1
2 608 579 203	103	1
2 608 579 204	103	1
2 608 579 205	104	1
2 608 579 206	104	1
2 608 579 207	104	1
2 608 579 208	104	1
2 608 579 209	104	1
2 608 579 210	104	1
2 608 579 211	104	1
2 608 579 212	104	1
2 608 579 213	104	1
2 608 579 214	104	1
2 608 579 215	104	1
2 608 579 216	104	1
2 608 579 217	104	1
2 608 579 218	104	1
2 608 579 219	104	1
2 608 579 280	100	12
2 608 579 281	100	1
2 608 579 285	113	1
2 608 579 286	112	1
2 608 579 287	112	1
2 608 579 288	112	1
2 608 579 289	112	1
2 608 579 290	112	1
2 608 579 291	114	1
2 608 579 292	114	1
2 608 579 293	114	1
2 608 579 294	114	1
2 608 579 295	114	1
2 608 579 296	123	1
2 608 579 297	123	1
2 608 579 298	123	1
2 608 579 299	124	1
2 608 579 412	110	20
2 608 579 413	110	20
2 608 579 414	110	20
2 608 579 415	110	20
2 608 579 416	110	20
2 608 579 417	110	20
2 608 579 418	110	20
2 608 579 419	110	20
2 608 579 420	110	20
2 608 579 421	110	20
2 608 579 422	110	20
2 608 579 423	110	20
2 608 579 424	110	20
2 608 579 425	110	20
2 608 579 426	110	20
2 608 579 427	110	20
2 608 579 428	110	20
2 608 579 429	110	20
2 608 579 430	110	20
2 608 579 431	110	20
2 608 579 432	110	20
2 608 579 433	110	20
2 608 579 434	110	10
2 608 579 435	110	10
2 608 579 436	110	10
2 608 579 437	111	10
2 608 579 438	111	10
2 608 579 439	111	10
2 608 579 440	111	10
2 608 579 441	111	10
2 608 579 442	111	10
2 608 579 443	111	10
2 608 579 444	111	10
2 608 579 445	111	10
2 608 579 446	111	10
2 608 579 447	111	10
2 608 579 448	111	10
2 608 579 449	111	10
2 608 579 450	111	10
2 608 579 451	111	10
2 608 579 452	111	10
2 608 579 453	111	10
2 608 579 916	108	1
2 608 580 094	611	1
2 608 580 301	273, 603	1
2 608 580 302	273, 603	1
2 608 580 303	273, 603	1
2 608 580 304	273, 603	1
2 608 580 305	273, 603	1
2 608 580 306	273, 603	1
2 608 580 307	273, 603	1
2 608 580 308	273, 603	1
2 608 580 309	273, 603	1
2 608 580 310	273, 603	1
2 608 580 311	273, 603	1
2 608 580 312	273, 603	1
2 608 580 313	273, 603	1
2 608 580 314	273, 603	1
2 608 580 315	273, 603	1
2 608 580 316	273, 603	1
2 608 580 317	273, 603	1
2 608 580 318	273, 603	1
2 608 580 319	273, 604	1
2 608 580 320	274, 604	1
2 608 580 321	274, 604	1
2 608 580 327	275, 604	1
2 608 580 394	273, 603	1
2 608 580 396	616	1
2 608 580 397	616	1
2 608 580 398	616	1
2 608 580 399	616	1
2 608 580 400	616	1
2 608 580 401	616	1
2 608 580 402	616	1
2 608 580 403	616	1
2 608 580 404	616	1
2 608 580 405	616	1
2 608 580 406	616	1
2 608 580 407	616	1
2 608 580 408	616	1
2 608 580 409	616	1
2 608 580 410	616	1
2 608 580 411	616	1
2 608 580 412	616	1
2 608 580 413	616	1
2 608 580 414	616	1
2 608 580 415	616	1
2 608 580 416	616	1
2 608 580 417	616	1
2 608 580 418	617	1
2 608 580 419	617	1
2 608 580 420	617	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 608 580 421	617	1
2 608 580 422	617	1
2 608 580 423	617	1
2 608 580 424	617	1
2 608 580 425	617	1
2 608 580 426	617	1
2 608 580 427	617	1
2 608 580 428	617	1
2 608 580 429	617	1
2 608 580 430	617	1
2 608 580 431	617	1
2 608 580 432	617	1
2 608 580 433	617	1
2 608 580 434	617	1
2 608 580 435	617	1
2 608 580 436	617	1
2 608 580 437	617	1
2 608 580 438	617	1
2 608 580 439	617	1
2 608 580 440	617	1
2 608 580 441	617	1
2 608 580 442	617	1
2 608 580 443	617	1
2 608 580 444	617	1
2 608 580 445	617	1
2 608 580 446	617	1
2 608 580 447	617	1
2 608 580 448	617	1
2 608 580 516	127	1
2 608 580 518	127	1
2 608 580 519	127	1
2 608 580 520	127	1
2 608 580 521	127	1
2 608 580 522	127	1
2 608 580 523	127	1
2 608 580 524	127	1
2 608 580 525	127	1
2 608 580 526	127	1
2 608 580 527	128	1
2 608 580 528	128	1
2 608 580 529	604, 609, 610	1
2 608 580 803	617	1
2 608 580 804	617	1
2 608 580 862	618	1
2 608 580 864	289	1
2 608 580 865	289	1
2 608 580 866	618	1
2 608 580 868	618	1
2 608 580 881	602	1
2 608 580 882	602	1
2 608 580 883	598	1
2 608 580 884	592	1
2 608 580 885	615	1
2 608 580 886	615	1
2 608 580 887	615	1
2 608 580 888	615	1
2 608 584 061	623	1
2 608 584 062	623	1
2 608 584 063	623	1
2 608 584 100	614	1
2 608 584 101	614	1
2 608 584 102	614	1

PART NUMBER	PAGE	MOQ
2 608 584 103	614	1
2 608 584 104	614	1
2 608 584 105	614	1
2 608 584 106	614	1
2 608 584 107	614	1
2 608 584 108	614	1
2 608 584 109	614	1
2 608 584 110	614	1
2 608 584 111	614	1
2 608 584 112	614	1
2 608 584 113	614	1
2 608 584 114	614	1
2 608 584 115	614	1
2 608 584 116	614	1
2 608 584 117	614	1
2 608 584 118	614	1
2 608 584 119	614	1
2 608 584 120	614	1
2 608 584 121	614	1
2 608 584 122	614	1
2 608 584 123	614	1
2 608 584 124	614	1
2 608 584 125	614	1
2 608 584 126	614	1
2 608 584 127	614	1
2 608 584 128	614	1
2 608 584 129	614	1
2 608 584 130	614	1
2 608 584 131	614	1
2 608 584 132	614	1
2 608 584 133	614	1
2 608 584 134	614	1
2 608 584 135	614	1
2 608 584 136	614	1
2 608 584 137	614	1
2 608 584 138	614	1
2 608 584 139	623	1
2 608 584 140	614	1
2 608 584 141	614	1
2 608 584 142	614	1
2 608 584 143	614	1
2 608 584 144	614	1
2 608 584 145	614	1
2 608 584 147	614	1
2 608 584 676	610	5
2 608 584 677	610	5
2 608 584 681	611	5
2 608 584 682	612	1
2 608 584 750	610	5
2 608 584 777	288, 610, 619	1
2 608 584 778	601	1
2 608 584 779	601	1
2 608 584 780	601	1
2 608 584 781	601	1
2 608 584 782	601	1
2 608 584 783	601	1
2 608 584 784	601	1
2 608 584 785	601	1
2 608 584 786	601	1
2 608 584 787	601	1
2 608 584 788	601	1
2 608 584 789	601	1

PART NUMBER	PAGE	MOQ
2 608 584 790	601	1
2 608 584 791	601	1
2 608 584 792	601	1
2 608 584 793	601	1
2 608 584 794	601	1
2 608 584 795	601	1
2 608 584 796	601	1
2 608 584 797	601	1
2 608 584 798	601	1
2 608 584 799	601	1
2 608 584 800	601	1
2 608 584 801	601	1
2 608 584 802	601	1
2 608 584 803	601	1
2 608 584 804	602	1
2 608 584 805	602	1
2 608 584 806	602	1
2 608 584 807	602	1
2 608 584 808	602	1
2 608 584 809	602	1
2 608 584 810	602	1
2 608 584 811	602	1
2 608 584 816	602	5
2 608 584 838	614	1
2 608 584 839	614	1
2 608 584 840	614	1
2 608 584 841	615	1
2 608 584 842	615	1
2 608 584 843	610, 619	5
2 608 584 846	614	1
2 608 584 847	614	1
2 608 584 848	614	1
2 608 584 849	614	1
2 608 584 850	614	1
2 608 584 851	614	1
2 608 584 852	614	1
2 608 584 854	602	1
2 608 584 855	602	1
2 608 585 225	135	1
2 608 585 433	22	1
2 608 585 434	22	1
2 608 585 435	22	1
2 608 585 436	22	1
2 608 585 437	22	1
2 608 585 438	22	1
2 608 585 439	22	1
2 608 585 440	22	1
2 608 585 441	22	1
2 608 585 442	22	1
2 608 585 443	22	1
2 608 585 444	22	1
2 608 585 445	22	1
2 608 585 446	22	1
2 608 585 447	22	1
2 608 585 448	22	1
2 608 585 449	23	1
2 608 585 450	23	1
2 608 585 451	23	1
2 608 585 452	23	1
2 608 585 453	24	1
2 608 585 454	24	1
2 608 585 455	24	1

PART NUMBER	PAGE	MOQ
2 608 585 456	24	1
2 608 585 457	24	1
2 608 585 458	24	1
2 608 585 459	24	1
2 608 585 460	24	1
2 608 585 461	24	1
2 608 585 462	24	1
2 608 585 463	24	1
2 608 585 464	24	1
2 608 585 465	24	1
2 608 585 466	24	1
2 608 585 467	21	1
2 608 585 468	21	1
2 608 585 469	21	1
2 608 585 470	21	1
2 608 585 471	21	1
2 608 585 472	21	1
2 608 585 473	21	1
2 608 585 474	21	1
2 608 585 475	21	1
2 608 585 476	21	1
2 608 585 477	21	1
2 608 585 478	21	1
2 608 585 479	21	1
2 608 585 480	21	1
2 608 585 481	21	1
2 608 585 482	21	1
2 608 585 483	21	1
2 608 585 484	21	1
2 608 585 485	21	1
2 608 585 486	22	1
2 608 585 487	22	1
2 608 585 488	22	1
2 608 585 489	22	1
2 608 585 490	22	1
2 608 585 491	22	1
2 608 585 492	22	1
2 608 585 493	22	1
2 608 585 494	22	1
2 608 585 495	22	1
2 608 585 496	22	1
2 608 585 497	22	1
2 608 585 498	22	1
2 608 585 499	22	1
2 608 585 500	22	1
2 608 585 501	22	1
2 608 585 502	22	1
2 608 585 503	22	1
2 608 585 504	22	1
2 608 585 505	22	1
2 608 585 506	22	1
2 608 585 507	22	1
2 608 585 508	23	1
2 608 585 509	23	1
2 608 585 510	23	1
2 608 585 511	23	1
2 608 585 512	23	1
2 608 585 513	23	1
2 608 585 514	23	1
2 608 585 515	23	1
2 608 585 516	23	1
2 608 585 517	23	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 608 585 518	23	1
2 608 585 519	23	1
2 608 585 520	23	1
2 608 585 521	23	1
2 608 585 522	23	1
2 608 585 523	23	1
2 608 585 524	23	1
2 608 585 525	23	1
2 608 585 526	23	1
2 608 585 527	23	1
2 608 585 528	23	1
2 608 585 529	23	1
2 608 585 530	23	1
2 608 585 531	23	1
2 608 585 532	23	1
2 608 585 533	23	1
2 608 585 534	23	1
2 608 585 535	23	1
2 608 585 536	23	1
2 608 585 537	23	1
2 608 585 538	23	1
2 608 585 539	23	1
2 608 585 540	23	1
2 608 585 541	23	1
2 608 585 542	23	1
2 608 585 543	23	1
2 608 585 544	23	1
2 608 585 545	23	1
2 608 585 593	24	1
2 608 585 594	24	1
2 608 585 595	24	1
2 608 585 596	101	1
2 608 585 597	101	5
2 608 585 598	101	5
2 608 585 599	101	1
2 608 585 600	101	5
2 608 585 601	101	1
2 608 585 602	101	5
2 608 585 603	101	1
2 608 585 604	101	1
2 608 585 605	101	1
2 608 585 606	102	5
2 608 585 607	102	5
2 608 585 608	104	1
2 608 585 609	104	1
2 608 585 610	104	1
2 608 585 611	104	1
2 608 585 612	104	1
2 608 585 613	104	1
2 608 585 614	104	1
2 608 585 615	104	1
2 608 585 616	104	1
2 608 585 617	104	1
2 608 585 618	104	1
2 608 585 619	104	1
2 608 585 620	104	1
2 608 585 621	104	1
2 608 585 622	104	1
2 608 585 623	104	1
2 608 585 624	104	1
2 608 585 625	104	1
2 608 585 626	104	1
2 608 585 627	104	1
2 608 585 628	104	1
2 608 585 629	104	1
2 608 585 630	104	1
2 608 585 631	104	1
2 608 585 634	135	1
2 608 585 694	72	1
2 608 585 695	72	1
2 608 585 696	72	1
2 608 585 697	72	1
2 608 585 698	72	1
2 608 585 699	72	1
2 608 585 700	72	1
2 608 585 701	72	1
2 608 585 702	72	1
2 608 585 703	72	1
2 608 585 704	72	1
2 608 585 705	73	1
2 608 585 706	73	1
2 608 585 707	73	1
2 608 585 708	73	1
2 608 585 709	73	1
2 608 585 710	73	1
2 608 585 711	73	1
2 608 585 712	73	1
2 608 585 713	73	1
2 608 585 714	73	1
2 608 585 716	73	1
2 608 585 717	73	1
2 608 585 718	73	1
2 608 585 719	73	1
2 608 585 720	73	1
2 608 585 721	73	1
2 608 585 722	73	1
2 608 585 723	74	1
2 608 585 724	74	1
2 608 585 725	74	1
2 608 585 726	74	1
2 608 585 727	74	1
2 608 585 730	73	1
2 608 585 737	69	1
2 608 585 738	69	1
2 608 585 739	69	1
2 608 585 740	69	1
2 608 585 741	69	1
2 608 585 742	69	1
2 608 585 743	78	1
2 608 585 744	78	1
2 608 585 745	78	1
2 608 585 746	78	1
2 608 585 747	78	1
2 608 585 748	78	1
2 608 585 749	78	1
2 608 585 838	36	5
2 608 585 839	36	5
2 608 585 840	36	5
2 608 585 841	36	5
2 608 585 842	36	5
2 608 585 843	36	5
2 608 585 844	36	5
2 608 585 845	37	5
2 608 585 846	37	5
2 608 585 847	37	5
2 608 585 848	37	5
2 608 585 849	37	5
2 608 585 850	37	5
2 608 585 851	37	5
2 608 585 852	37	1
2 608 585 853	37	1
2 608 585 854	37	1
2 608 585 855	37	1
2 608 585 856	37	1
2 608 585 857	37	1
2 608 585 858	37	1
2 608 585 859	37	1
2 608 585 860	37	1
2 608 585 861	37	1
2 608 585 862	37	1
2 608 585 863	37	1
2 608 585 864	37	1
2 608 585 865	37	1
2 608 585 866	37	1
2 608 585 867	37	1
2 608 585 868	37	1
2 608 585 869	37	1
2 608 585 870	37	1
2 608 585 871	37	1
2 608 585 872	38	1
2 608 585 873	38	1
2 608 585 874	38	1
2 608 585 875	38	1
2 608 585 876	38	1
2 608 585 877	38	1
2 608 585 878	38	1
2 608 585 879	38	1
2 608 585 880	38	1
2 608 585 881	38	1
2 608 585 882	38	1
2 608 585 883	38	1
2 608 585 884	38	1
2 608 585 885	38	1
2 608 585 886	38	1
2 608 585 887	38	1
2 608 585 888	38	1
2 608 585 889	38	1
2 608 585 890	38	1
2 608 585 891	38	1
2 608 585 892	38	1
2 608 585 893	38	1
2 608 585 894	38	1
2 608 585 895	38	1
2 608 585 896	38	1
2 608 585 897	38	1
2 608 585 898	38	1
2 608 585 899	38	1
2 608 585 900	38	1
2 608 585 901	38	1
2 608 585 902	38	1
2 608 585 903	38	1
2 608 585 904	38	1
2 608 585 905	38	1
2 608 585 906	19	5
2 608 585 907	19	5
2 608 585 908	19	5
2 608 585 909	19	5
2 608 585 910	19	5
2 608 585 911	19	5
2 608 585 912	19	5
2 608 585 913	19	5
2 608 585 914	19	5
2 608 585 915	19	5
2 608 585 916	19	5
2 608 585 917	20	5
2 608 585 918	20	5
2 608 585 919	20	5
2 608 585 920	20	5
2 608 585 921	20	5
2 608 585 922	20	5
2 608 585 923	20	5
2 608 585 924	20	5
2 608 585 925	20	5
2 608 585 926	20	5
2 608 585 927	20	5
2 608 585 928	20	5
2 608 585 929	20	5
2 608 585 930	20	5
2 608 585 931	20	5
2 608 585 932	20	5
2 608 585 933	20	5
2 608 585 934	20	5
2 608 585 935	20	5
2 608 585 936	20	5
2 608 585 937	20	5
2 608 585 938	20	5
2 608 585 939	20	5
2 608 585 940	20	5
2 608 585 941	20	5
2 608 585 942	20	5
2 608 585 952	102	1
2 608 585 953	102	1
2 608 586 380	103	1
2 608 586 381	103	5
2 608 586 384	103	1
2 608 586 385	103	1
2 608 586 737	121	1
2 608 586 742	121	1
2 608 586 743	121	1
2 608 586 748	121	1
2 608 586 749	121	1
2 608 586 750	121	1
2 608 586 755	121	1
2 608 586 756	121	1
2 608 586 757	121	1
2 608 586 762	121	1
2 608 586 763	121	1
2 608 586 764	121	1
2 608 586 769	121	1
2 608 586 774	121	1
2 608 586 781	121	1
2 608 586 788	121	1
2 608 586 795	121	1
2 608 586 796	121	1
2 608 586 797	121	1
2 608 586 798	121	1
2 608 586 799	121	1
2 608 586 800	121	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 608 586 801	121	1
2 608 586 802	121	1
2 608 586 803	121	1
2 608 586 804	121	1
2 608 586 805	121	1
2 608 586 806	121	1
2 608 586 807	121	1
2 608 586 994	116	1
2 608 586 995	116	1
2 608 586 996	116	1
2 608 586 997	116	1
2 608 586 998	116	1
2 608 586 999	116	1
2 608 587 007	287	1
2 608 587 013	28	1
2 608 587 014	40	1
2 608 587 015	43	1
2 608 587 017	29	1
2 608 587 018	41	1
2 608 587 019	44	1
2 608 587 100	116	1
2 608 587 113	277	1
2 608 587 114	277	1
2 608 587 115	277	1
2 608 587 116	277	1
2 608 587 117	277	1
2 608 587 118	277	1
2 608 587 119	277	1
2 608 587 120	277	1
2 608 587 121	277	1
2 608 587 122	277	1
2 608 587 123	277	1
2 608 587 124	277	1
2 608 587 125	277	1
2 608 587 126	277	1
2 608 587 127	277	1
2 608 587 128	277	1
2 608 587 129	277	1
2 608 587 130	277	1
2 608 587 131	277	1
2 608 587 132	277	1
2 608 587 133	277	1
2 608 587 134	277	1
2 608 587 135	277	1
2 608 587 139	272	1
2 608 587 140	272	1
2 608 587 141	272	1
2 608 587 142	272	1
2 608 587 143	272	1
2 608 587 144	272	1
2 608 587 145	272	1
2 608 587 157	145	5
2 608 587 158	145	5
2 608 587 159	145	5
2 608 587 160	145	5
2 608 587 161	145	5
2 608 587 162	145	5
2 608 587 163	145	5
2 608 587 164	145	5
2 608 587 165	145	5
2 608 587 166	145	5
2 608 587 167	145	5

PART NUMBER	PAGE	MOQ
2 608 587 168	145	5
2 608 587 169	145	1
2 608 587 170	145	1
2 608 587 184	209	1
2 608 587 313	286	1
2 608 587 314	286	1
2 608 587 315	286	1
2 608 587 316	286	1
2 608 587 317	286	1
2 608 587 318	286	1
2 608 587 319	286	1
2 608 587 320	286	1
2 608 587 321	286	1
2 608 587 322	286	1
2 608 587 323	286	1
2 608 587 324	286	1
2 608 587 325	286	1
2 608 587 326	286	1
2 608 587 327	286	1
2 608 587 328	286	1
2 608 587 329	286	1
2 608 587 330	286	1
2 608 587 331	286	1
2 608 587 332	286	1
2 608 587 333	286	1
2 608 587 334	286	1
2 608 587 335	286	1
2 608 587 336	286	1
2 608 587 337	286	1
2 608 587 338	286	1
2 608 587 339	286	1
2 608 587 340	286	1
2 608 587 341	286	1
2 608 587 342	286	1
2 608 587 343	286	1
2 608 587 425	48	1
2 608 587 426	49	1
2 608 587 427	48	1
2 608 587 428	49	1
2 608 587 429	48	1
2 608 587 430	48	1
2 608 587 431	48	1
2 608 587 432	49	1
2 608 587 433	47	1
2 608 587 434	48	1
2 608 587 435	49	1
2 608 587 520	63	1
2 608 587 521	63	1
2 608 587 554	74	1
2 608 587 555	74	1
2 608 587 556	74	1
2 608 587 557	74	1
2 608 587 558	74	1
2 608 587 559	74	1
2 608 587 560	74	1
2 608 587 561	74	1
2 608 587 562	74	1
2 608 587 563	74	1
2 608 587 564	74	1
2 608 587 565	74	1
2 608 587 566	74	1
2 608 587 801	101	5

PART NUMBER	PAGE	MOQ
2 608 587 802	101	1
2 608 587 830	101	1
2 608 587 834	101	5
2 608 587 835	101	1
2 608 587 836	101	1
2 608 587 846	101	1
2 608 587 849	101	1
2 608 587 910	103	1
2 608 587 929	104	1
2 608 588 057	110	5
2 608 588 058	110	5
2 608 588 059	111	5
2 608 588 064	48	1
2 608 588 065	48	1
2 608 588 066	48	1
2 608 588 067	48	1
2 608 588 068	48	1
2 608 588 069	49	1
2 608 588 070	47	1
2 608 588 071	48	1
2 608 588 072	49	1
2 608 588 088	38	1
2 608 588 089	38	1
2 608 588 090	38	1
2 608 588 091	38	1
2 608 588 092	38	1
2 608 588 093	38	1
2 608 588 094	38	1
2 608 588 095	38	1
2 608 588 096	38	1
2 608 588 097	38	1
2 608 588 098	38	1
2 608 588 099	38	1
2 608 588 100	38	1
2 608 588 101	38	1
2 608 588 102	38	1
2 608 588 103	38	1
2 608 588 136	133	5
2 608 588 137	133	5
2 608 588 138	133	5
2 608 588 140	133	5
2 608 588 141	133	5
2 608 588 142	133	5
2 608 588 144	133	5
2 608 588 145	133	5
2 608 588 146	133	1
2 608 588 147	133	5
2 608 588 149	133	5
2 608 588 151	133	5
2 608 588 152	133	5
2 608 588 153	133	5
2 608 588 154	133	5
2 608 588 155	133	5
2 608 588 156	133	1
2 608 588 157	133	5
2 608 588 158	133	1
2 608 588 159	133	5
2 608 588 164	133	1
2 608 588 165	134	1
2 608 588 167	134	1
2 608 588 228	20	5
2 608 588 229	20	5

PART NUMBER	PAGE	MOQ
2 608 588 230	20	5
2 608 588 231	20	5
2 608 588 232	21	5
2 608 588 233	21	5
2 608 588 234	21	5
2 608 588 235	21	5
2 608 588 236	21	5
2 608 588 237	21	5
2 608 588 238	21	5
2 608 588 239	21	1
2 608 588 240	21	5
2 608 588 241	21	5
2 608 588 242	21	5
2 608 588 243	21	1
2 608 588 244	21	5
2 608 588 245	21	5
2 608 588 246	21	5
2 608 588 247	21	2
2 608 588 248	21	5
2 608 588 249	21	5
2 608 588 250	21	5
2 608 588 251	21	2
2 608 588 252	21	5
2 608 588 253	21	5
2 608 588 254	21	5
2 608 588 255	21	1
2 608 588 265	20	5
2 608 588 266	20	5
2 608 588 267	20	5
2 608 588 268	20	5
2 608 588 269	20	5
2 608 588 270	20	5
2 608 588 271	20	5
2 608 588 272	20	5
2 608 588 273	20	5
2 608 588 274	20	5
2 608 588 275	20	5
2 608 588 276	20	5
2 608 588 277	20	5
2 608 588 278	20	5
2 608 588 279	20	5
2 608 588 280	20	5
2 608 588 281	20	5
2 608 588 282	20	5
2 608 588 283	20	5
2 608 588 284	20	5
2 608 588 285	20	5
2 608 588 286	20	5
2 608 588 287	20	5
2 608 588 288	20	5
2 608 588 289	20	5
2 608 588 290	31	5
2 608 588 291	31	5
2 608 588 292	31	5
2 608 588 293	31	5
2 608 588 294	31	5
2 608 588 295	31	5
2 608 588 296	31	5
2 608 588 297	31	5
2 608 588 298	31	5
2 608 588 299	31	5
2 608 588 300	31	5

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 608 588 307	37	5
2 608 588 309	37	5
2 608 588 313	37	5
2 608 588 317	37	5
2 608 588 336	36	5
2 608 588 337	36	5
2 608 588 338	36	5
2 608 588 339	37	5
2 608 588 340	37	5
2 608 588 341	37	5
2 608 588 342	37	5
2 608 588 343	37	5
2 608 588 344	37	5
2 608 588 345	37	5
2 608 588 346	37	5
2 608 588 348	37	5
2 608 588 350	37	1
2 608 588 352	37	5
2 608 588 353	37	5
2 608 588 354	37	2
2 608 588 356	37	5
2 608 588 357	37	3
2 608 588 358	37	5
2 608 588 364	46	4
2 608 588 396	29	5
2 608 588 397	30	5
2 608 588 398	25	5
2 608 588 399	26	5
2 608 588 402	28	5
2 608 588 403	30	2
2 608 588 404	26	5
2 608 588 405	26	5
2 608 588 406	40	5
2 608 588 407	41	5
2 608 589 177	101	1
2 608 589 178	101	1
2 608 589 295	26	1
2 608 589 296	39	1
2 608 589 539	148	5
2 608 589 546	148	5
2 608 589 547	148	5
2 608 589 550	148	5
2 608 590 066	138	5
2 608 590 067	138	5
2 608 590 068	138	5
2 608 590 070	138	5
2 608 590 071	138	5
2 608 590 072	138	5
2 608 590 074	138	5
2 608 590 076	138	5
2 608 590 077	138	5
2 608 590 078	138	5
2 608 590 079	138	5
2 608 590 081	138	5
2 608 590 083	138	5
2 608 590 084	138	5
2 608 590 087	138	5
2 608 590 088	138	5
2 608 590 089	138	5
2 608 590 090	139	1
2 608 590 091	139	1
2 608 590 126	138	5

PART NUMBER	PAGE	MOQ
2 608 590 127	138	1
2 608 590 202	138	5
2 608 590 205	138	5
2 608 590 208	138	5
2 608 590 210	138	5
2 608 590 211	138	5
2 608 590 212	138	5
2 608 590 214	138	5
2 608 590 215	138	5
2 608 590 216	138	5
2 608 590 217	138	5
2 608 590 219	138	5
2 608 590 221	138	5
2 608 594 126	621	1
2 608 594 127	621	1
2 608 594 128	621	1
2 608 594 129	621	1
2 608 594 130	621	1
2 608 594 131	621	1
2 608 594 132	621	1
2 608 594 133	621	1
2 608 594 134	621	1
2 608 594 135	621	1
2 608 594 136	621	1
2 608 594 137	621	1
2 608 594 138	621	1
2 608 594 139	621	1
2 608 594 140	621	1
2 608 594 141	621	1
2 608 594 142	621	1
2 608 594 143	621	1
2 608 594 144	621	1
2 608 594 145	621	1
2 608 594 146	621	1
2 608 594 147	621	1
2 608 594 148	621	1
2 608 594 149	621	1
2 608 594 150	621	1
2 608 594 151	621	1
2 608 594 152	621	1
2 608 594 153	621	1
2 608 594 154	621	1
2 608 594 155	621	1
2 608 594 156	621	1
2 608 594 157	621	1
2 608 594 158	621	1
2 608 594 159	621	1
2 608 594 160	621	1
2 608 594 161	622	1
2 608 594 162	622	1
2 608 594 187	595	1
2 608 594 188	595	1
2 608 594 189	595	1
2 608 594 190	595	1
2 608 594 191	596	1
2 608 594 192	597	1
2 608 594 193	597	1
2 608 594 194	596	1
2 608 594 195	593	1
2 608 594 196	593	1
2 608 594 197	593	1
2 608 594 198	593	1

PART NUMBER	PAGE	MOQ
2 608 594 199	593	1
2 608 594 200	593	1
2 608 594 201	593	1
2 608 594 202	593	1
2 608 594 203	593	1
2 608 594 204	593	1
2 608 594 205	593	1
2 608 594 206	593	1
2 608 594 207	593	1
2 608 594 208	593	1
2 608 594 209	593	1
2 608 594 210	593	1
2 608 594 211	593	1
2 608 594 212	593	1
2 608 594 213	593	1
2 608 594 214	593	1
2 608 594 215	593	1
2 608 594 216	593	1
2 608 594 217	593	1
2 608 594 218	593	1
2 608 594 219	593	1
2 608 594 220	593	1
2 608 594 221	593	1
2 608 594 222	593	1
2 608 594 223	593	1
2 608 594 224	593	1
2 608 594 225	593	1
2 608 594 226	593	1
2 608 594 227	593	1
2 608 594 228	593	1
2 608 594 229	593	1
2 608 594 230	593	1
2 608 594 231	593	1
2 608 594 232	593	1
2 608 594 233	593	1
2 608 594 234	593	1
2 608 594 235	593	1
2 608 594 236	593	1
2 608 594 237	593	1
2 608 594 238	593	1
2 608 594 239	593	1
2 608 594 240	593	1
2 608 594 241	593	1
2 608 594 242	593	1
2 608 594 243	593	1
2 608 594 244	593	1
2 608 594 245	593	1
2 608 594 246	593	1
2 608 594 247	593	1
2 608 594 248	594	1
2 608 594 249	594	1
2 608 594 250	594	1
2 608 594 251	594	1
2 608 594 253	598, 606	1
2 608 594 254	598, 609	5
2 608 594 255	598, 609	5
2 608 594 256	602, 606	1
2 608 594 257	602, 609	5
2 608 594 262	606	1
2 608 594 263	606	1
2 608 594 264	606	1
2 608 594 265	606	1

PART NUMBER	PAGE	MOQ
2 608 594 266	606	1
2 608 594 268	624	1
2 608 594 269	597	1
2 608 594 270	594	1
2 608 594 271	596	1
2 608 594 299	594	1
2 608 594 301	594	1
2 608 595 049	21	1
2 608 595 050	21	1
2 608 595 051	21	1
2 608 595 052	21	1
2 608 595 053	21	1
2 608 595 054	21	1
2 608 595 055	21	1
2 608 595 056	21	1
2 608 595 057	21	1
2 608 595 058	21	1
2 608 595 059	22	1
2 608 595 060	22	1
2 608 595 061	22	1
2 608 595 062	22	1
2 608 595 063	22	1
2 608 595 064	22	1
2 608 595 065	22	1
2 608 595 066	22	1
2 608 595 067	22	1
2 608 595 068	22	1
2 608 595 069	22	1
2 608 595 070	22	1
2 608 595 071	22	1
2 608 595 072	23	1
2 608 595 073	23	1
2 608 595 074	23	1
2 608 595 075	23	1
2 608 595 076	23	1
2 608 595 077	23	1
2 608 595 078	23	1
2 608 595 079	23	1
2 608 595 080	23	1
2 608 595 081	23	1
2 608 595 082	23	1
2 608 595 083	24	1
2 608 595 332	21	1
2 608 595 333	22	1
2 608 595 334	22	1
2 608 595 335	22	1
2 608 595 336	22	1
2 608 595 337	22	1
2 608 595 338	23	1
2 608 595 345	69	1
2 608 595 422	63	1
2 608 595 423	63	1
2 608 595 517	25	1
2 608 595 518	70	5
2 608 595 519	70	5
2 608 595 520	70	5
2 608 595 521	70	5
2 608 595 522	70	5
2 608 595 523	70	5
2 608 595 524	70	5
2 608 595 525	70	1
2 608 595 676	31	5

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 608 595 677	31	5
2 608 595 678	31	5
2 608 595 679	31	5
2 608 595 680	31	5
2 608 595 681	31	5
2 608 595 682	31	5
2 608 595 683	31	5
2 608 595 684	31	5
2 608 595 685	31	5
2 608 595 686	31	5
2 608 595 687	31	5
2 608 595 688	31	5
2 608 595 689	31	5
2 608 595 690	31	5
2 608 595 691	31	5
2 608 595 692	31	5
2 608 595 693	31	5
2 608 596 115	101	5
2 608 596 116	101	1
2 608 596 117	102	1
2 608 596 118	102	1
2 608 596 119	620	10
2 608 596 120	102	1
2 608 596 123	103	1
2 608 596 146	101	5
2 608 596 157	117	5
2 608 596 158	101	5
2 608 596 183	101	1
2 608 596 185	102	5
2 608 596 186	102	5
2 608 596 199	101	5
2 608 596 295	620	10
2 608 596 300	67	5
2 608 596 301	67	5
2 608 596 302	67	5
2 608 596 303	67	5
2 608 596 304	67	5
2 608 596 305	67	5
2 608 596 306	67	5
2 608 596 307	67	5
2 608 596 308	67	5
2 608 596 309	67	5
2 608 596 310	67	1
2 608 596 311	67	1
2 608 596 312	67	1
2 608 596 313	67	1
2 608 596 333	63	1
2 608 596 335	79	1
2 608 596 336	79	1
2 608 596 337	79	1
2 608 596 338	79	1
2 608 596 339	79	1
2 608 596 340	79	1
2 608 596 341	79	1
2 608 596 342	79	1
2 608 596 343	79	1
2 608 596 344	79	1
2 608 596 345	79	1
2 608 596 346	79	1
2 608 596 347	79	1
2 608 596 348	79	1
2 608 596 371	50	1
2 608 596 372	50	1
2 608 596 373	50	1
2 608 596 391	69	1
2 608 596 392	69	1
2 608 596 393	69	1
2 608 596 394	69	1
2 608 596 395	69	1
2 608 596 396	69	1
2 608 596 397	69	1
2 608 596 399	52	1
2 608 596 400	53	1
2 608 596 401	52	1
2 608 596 405	50	1
2 608 596 407	50	1
2 608 596 408	50	1
2 608 596 661	42	1
2 608 596 664	50	1
2 608 596 665	50	1
2 608 596 666	42	5
2 608 596 667	51	1
2 608 596 668	52	1
2 608 596 669	52	1
2 608 596 671	42	5
2 608 596 676	42	5
2 608 596 681	42	5
2 608 596 683	42	5
2 608 596 686	42	5
2 608 596 691	42	5
2 608 596 696	42	5
2 608 596 701	42	5
2 608 596 706	42	1
2 608 596 711	42	1
2 608 596 716	42	1
2 608 596 721	42	1
2 608 596 726	42	1
2 608 596 731	42	1
2 608 596 736	42	1
2 608 596 741	42	1
2 608 596 746	42	1
2 608 596 751	42	1
2 608 596 761	42	1
2 608 596 771	42	1
2 608 596 781	42	1
2 608 596 808	31	1
2 608 596 809	31	1
2 608 596 810	31	1
2 608 596 812	31	1
2 608 596 813	31	1
2 608 596 814	31	1
2 608 596 816	31	1
2 608 596 817	31	1
2 608 596 818	31	1
2 608 596 819	31	1
2 608 596 820	31	1
2 608 596 821	31	1
2 608 596 822	31	1
2 608 596 824	31	1
2 608 596 825	31	1
2 608 596 826	31	1
2 608 596 827	32	1
2 608 596 828	32	1
2 608 596 829	32	1
2 608 596 830	32	1
2 608 596 832	32	1
2 608 596 833	32	1
2 608 596 834	32	1
2 608 596 835	32	1
2 608 596 971	76	1
2 608 596 972	76	1
2 608 596 973	76	1
2 608 596 974	76	1
2 608 596 975	76	1
2 608 596 976	76	1
2 608 596 977	76	1
2 608 596 978	76	1
2 608 596 979	77	1
2 608 596 980	77	1
2 608 596 981	77	1
2 608 597 101	76	1
2 608 597 102	76	1
2 608 597 104	76	1
2 608 597 107	76	1
2 608 597 108	76	1
2 608 597 111	76	1
2 608 597 112	76	1
2 608 597 114	76	1
2 608 597 115	76	1
2 608 597 117	76	1
2 608 597 118	76	1
2 608 597 120	76	1
2 608 597 121	76	1
2 608 597 122	102	1
2 608 597 123	102	1
2 608 597 124	102	1
2 608 597 125	102	1
2 608 597 126	102	1
2 608 597 127	102	1
2 608 597 128	103	1
2 608 597 129	103	1
2 608 597 130	101	5
2 608 597 165	79	1
2 608 597 167	79	1
2 608 597 168	79	1
2 608 597 169	79	1
2 608 597 170	79	1
2 608 597 171	79	1
2 608 597 172	79	1
2 608 597 173	79	1
2 608 597 174	79	1
2 608 597 175	79	1
2 608 597 176	79	1
2 608 597 177	79	1
2 608 597 178	79	1
2 608 597 187	67	1
2 608 597 188	67	1
2 608 597 189	67	1
2 608 597 190	67	1
2 608 597 191	67	1
2 608 597 192	67	1
2 608 597 193	67	1
2 608 597 194	67	1
2 608 597 195	67	1
2 608 597 196	67	1
2 608 597 197	67	1
2 608 597 198	68	1
2 608 597 199	68	1
2 608 597 200	68	1
2 608 597 201	68	1
2 608 597 202	67	1
2 608 597 203	67	1
2 608 597 204	67	1
2 608 597 205	67	1
2 608 597 206	67	1
2 608 597 207	67	1
2 608 597 208	67	1
2 608 597 209	45	1
2 608 597 214	45	1
2 608 597 219	45	1
2 608 597 221	45	1
2 608 597 222	45	1
2 608 597 223	45	1
2 608 597 225	45	1
2 608 597 229	45	1
2 608 597 231	45	1
2 608 597 232	45	1
2 608 597 233	45	1
2 608 597 236	45	1
2 608 597 238	45	1
2 608 597 239	45	1
2 608 597 240	45	1
2 608 597 241	45	1
2 608 597 242	45	1
2 608 597 243	45	1
2 608 597 244	45	1
2 608 597 247	45	1
2 608 597 248	45	1
2 608 597 249	45	1
2 608 597 250	45	1
2 608 597 251	45	1
2 608 597 252	45	1
2 608 597 253	45	1
2 608 597 255	45	1
2 608 597 257	45	1
2 608 597 259	45	1
2 608 597 261	77	1
2 608 597 262	77	1
2 608 597 263	77	1
2 608 597 400	80	1
2 608 597 401	80	1
2 608 597 402	80	1
2 608 597 403	80	1
2 608 597 404	80	1
2 608 597 405	80	1
2 608 597 406	80	1
2 608 597 407	80	1
2 608 597 408	80	1
2 608 597 409	80	1
2 608 597 410	80	1
2 608 597 411	80	1
2 608 597 412	80	1
2 608 597 413	80	1
2 608 597 414	80	1
2 608 597 415	80	1
2 608 597 416	80	1
2 608 597 417	80	1
2 608 597 418	80	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 608 597 419	80	1
2 608 597 420	80	1
2 608 597 421	80	1
2 608 597 475	289	1
2 608 597 476	289	1
2 608 597 477	289	1
2 608 597 478	289	1
2 608 597 479	289	1
2 608 597 480	289	1
2 608 597 481	289	1
2 608 597 482	289	1
2 608 597 500	50	1
2 608 597 501	50	1
2 608 597 502	50	1
2 608 597 503	50	1
2 608 597 504	51	1
2 608 597 505	51	1
2 608 597 506	51	1
2 608 597 507	51	1
2 608 597 508	51	1
2 608 597 509	51	1
2 608 597 510	51	1
2 608 597 511	52	1
2 608 597 512	52	1
2 608 597 513	52	1
2 608 597 514	52	1
2 608 597 515	52	1
2 608 597 516	52	1
2 608 597 517	53	1
2 608 597 518	48	1
2 608 597 519	48	1
2 608 597 520	48	1
2 608 597 521	48	1
2 608 597 522	52	1
2 608 597 523	52	1
2 608 597 524	47	1
2 608 597 525	48	1
2 608 597 526	48	1
2 608 597 527	51	1
2 608 597 528	54, 801	1
2 608 597 580	46	1
2 608 597 581	46	1
2 608 597 582	46	1
2 608 597 583	46	1
2 608 597 584	46	1
2 608 597 585	46	1
2 608 597 586	46	1
2 608 597 587	46	1
2 608 597 588	46	1
2 608 597 589	46	1
2 608 597 590	46	1
2 608 597 591	46	1
2 608 597 592	46	1
2 608 597 593	46	1
2 608 597 594	46	1
2 608 597 595	46	1
2 608 597 596	46	1
2 608 597 597	46	1
2 608 597 598	46	1
2 608 597 599	46	1
2 608 597 600	46	1
2 608 597 601	75	1

PART NUMBER	PAGE	MOQ
2 608 597 602	75	1
2 608 597 603	75	1
2 608 597 604	75	1
2 608 597 605	75	1
2 608 597 606	75	1
2 608 597 607	75	1
2 608 597 608	75	1
2 608 597 609	75	1
2 608 597 610	75	1
2 608 597 611	75	1
2 608 597 612	75	1
2 608 597 613	75	1
2 608 597 614	75	1
2 608 597 615	75	1
2 608 597 616	75	1
2 608 597 617	75	1
2 608 597 618	75	1
2 608 597 622	73	1
2 608 597 623	73	1
2 608 597 624	73	1
2 608 597 625	73	1
2 608 597 626	73	1
2 608 597 627	73	1
2 608 597 628	73	1
2 608 597 629	73	1
2 608 597 630	73	1
2 608 597 631	73	1
2 608 597 632	73	1
2 608 597 633	73	1
2 608 597 634	73	1
2 608 597 635	73	1
2 608 597 636	73	1
2 608 597 637	73	1
2 608 597 638	73	1
2 608 597 639	73	1
2 608 597 640	73	1
2 608 597 641	73	1
2 608 597 642	73	1
2 608 597 643	73	1
2 608 597 644	73	1
2 608 597 645	73	1
2 608 597 646	73	1
2 608 597 647	73	1
2 608 597 648	73	1
2 608 597 649	73	1
2 608 597 650	73	1
2 608 597 651	73	1
2 608 597 652	73	1
2 608 597 655	135	5
2 608 597 656	135	5
2 608 597 657	135	5
2 608 597 658	135	5
2 608 597 659	135	5
2 608 597 660	135	5
2 608 597 661	135	5
2 608 597 662	135	5
2 608 597 663	135	5
2 608 597 664	135	5
2 608 597 665	135	5
2 608 597 666	135	5
2 608 597 667	135	5
2 608 597 668	135	5

PART NUMBER	PAGE	MOQ
2 608 597 669	135	5
2 608 597 670	135	1
2 608 597 671	135	5
2 608 597 677	135	5
2 608 597 678	135	5
2 608 597 679	135	5
2 608 597 680	135	5
2 608 597 681	135	5
2 608 597 682	135	5
2 608 597 683	135	5
2 608 597 684	135	5
2 608 597 685	135	5
2 608 597 686	135	5
2 608 597 688	135	1
2 608 597 689	135	1
2 608 597 690	135	1
2 608 597 691	135	1
2 608 597 692	135	1
2 608 597 693	135	1
2 608 597 694	135	1
2 608 597 704	135	1
2 608 597 705	135	5
2 608 597 706	135	1
2 608 597 709	136	1
2 608 597 715	135	1
2 608 597 716	135	1
2 608 597 719	135	1
2 608 597 720	135	1
2 608 597 773	101	5
2 608 597 774	101	5
2 608 597 775	101	5
2 608 597 776	101	5
2 608 597 777	101	5
2 608 597 778	101	5
2 608 597 779	101	5
2 608 597 780	101	5
2 608 597 782	102	5
2 608 597 898	135	5
2 608 597 899	135	5
2 608 597 900	121	1
2 608 597 901	121	1
2 608 597 904	289	1
2 608 597 905	289	1
2 608 597 921	295	1
2 608 597 922	295	1
2 608 597 944	101	5
2 608 598 018	194	1
2 608 598 019	194	1
2 608 598 037	194	1
2 608 598 042	289	1
2 608 598 043	289	1
2 608 598 044	290	1
2 608 598 045	290	1
2 608 598 046	118	1
2 608 598 047	118	1
2 608 598 048	118	1
2 608 598 109	117, 288	1
2 608 598 110	117, 288	1
2 608 598 111	293	1
2 608 598 122	289	1
2 608 598 123	289	1
2 608 598 125	290	1

PART NUMBER	PAGE	MOQ
2 608 598 126	290	1
2 608 598 128	291	1
2 608 598 142	275	1
2 608 598 143	290	1
2 608 598 144	291	1
2 608 598 145	289	1
2 608 598 146	291	1
2 608 598 147	291	1
2 608 598 150	290	1
2 608 598 151	290	1
2 608 598 153	290	1
2 608 599 011	277	1
2 608 599 014	276	1
2 608 599 015	276	1
2 608 599 016	276	1
2 608 599 017	276	1
2 608 599 018	276	1
2 608 599 019	276	1
2 608 599 020	276	1
2 608 599 021	276	1
2 608 599 022	276	1
2 608 599 023	276	1
2 608 599 024	276	1
2 608 599 025	276	1
2 608 599 026	276	1
2 608 599 027	276	1
2 608 599 028	276	1
2 608 599 029	276	1
2 608 599 030	276	1
2 608 599 031	276	1
2 608 599 032	276	1
2 608 599 033	276	1
2 608 599 034	276	1
2 608 599 035	276	1
2 608 599 036	276	1
2 608 599 037	278	1
2 608 599 038	276	1
2 608 599 039	277	1
2 608 599 040	277	1
2 608 599 041	277	1
2 608 599 042	277	1
2 608 599 047	288	1
2 608 599 048	288	1
2 608 600 004	323	25
2 608 600 005	321	25
2 608 600 007	329	10
2 608 600 017	329	25
2 608 600 029	54	1
2 608 600 091	320	25
2 608 600 093	312	25
2 608 600 094	312	25
2 608 600 095	312	25
2 608 600 096	312	25
2 608 600 106	337	1
2 608 600 109	337	1
2 608 600 110	337	1
2 608 600 111	337	1
2 608 600 112	337	1
2 608 600 175	335	1
2 608 600 176	335	1
2 608 600 177	335	1
2 608 600 178	335	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 608 600 179	335	1
2 608 600 180	335	1
2 608 600 214	320	25
2 608 600 215	312	25
2 608 600 218	329	10
2 608 600 219	320	25
2 608 600 220	312	25
2 608 600 221	321	25
2 608 600 222	323	25
2 608 600 223	329	10
2 608 600 225	321	25
2 608 600 226	321	25
2 608 600 227	323	25
2 608 600 228	330	10
2 608 600 249	335	1
2 608 600 250	335	1
2 608 600 251	335	1
2 608 600 315	330	10
2 608 600 316	321	25
2 608 600 317	323	25
2 608 600 318	320	25
2 608 600 319	312	25
2 608 600 320	323	25
2 608 600 321	320	25
2 608 600 322	312	25
2 608 600 323	323	25
2 608 600 324	320	25
2 608 600 325	312	25
2 608 600 326	323	25
2 608 600 362	335	1
2 608 600 363	335	1
2 608 600 364	335	1
2 608 600 365	335	1
2 608 600 366	335	1
2 608 600 367	335	1
2 608 600 379	330	10
2 608 600 380	320	10
2 608 600 382	320	25
2 608 600 383	323	25
2 608 600 385	323	25
2 608 600 386	330	10
2 608 600 389	329	10
2 608 600 394	320	25
2 608 600 537	329	10
2 608 600 538	330	10
2 608 600 539	328	10
2 608 600 540	328	10
2 608 600 541	328	10
2 608 600 542	320	10
2 608 600 543	320	10
2 608 600 544	320	10
2 608 600 545	311	25
2 608 600 546	325	25
2 608 600 549	311	25
2 608 600 649	320	10
2 608 600 706	321	10
2 608 600 710	312	25
2 608 600 711	312	25
2 608 601 005	803	1
2 608 601 046	803	1
2 608 601 051	839	1
2 608 601 052	839	1
2 608 601 053	839	1
2 608 601 061	838	1
2 608 601 062	838	1
2 608 601 063	838	1
2 608 601 064	838	1
2 608 601 065	838	1
2 608 601 066	838	1
2 608 601 076	804	1
2 608 601 077	804	1
2 608 601 114	839	1
2 608 601 115	839	1
2 608 601 116	839	1
2 608 601 117	838	1
2 608 601 118	838	1
2 608 601 119	838	1
2 608 601 126	841	1
2 608 601 127	841	1
2 608 601 129	846	1
2 608 601 137	849	1
2 608 601 169	839	1
2 608 601 171	936	1
2 608 601 173	839	1
2 608 601 175	839	1
2 608 601 179	840	1
2 608 601 181	847	1
2 608 601 185	840	1
2 608 601 209	803	1
2 608 601 210	803	1
2 608 601 218	746	1
2 608 601 238	320	20
2 608 601 239	320	25
2 608 601 240	320	25
2 608 601 241	320	25
2 608 601 242	320	25
2 608 601 243	320	25
2 608 601 244	320	10
2 608 601 245	321	25
2 608 601 246	323	25
2 608 601 247	323	25
2 608 601 248	329	10
2 608 601 249	329	10
2 608 601 250	330	10
2 608 601 252	311	25
2 608 601 253	320	25
2 608 601 254	319	25
2 608 601 261	321	25
2 608 601 262	330	10
2 608 601 263	315	1
2 608 601 264	314	1
2 608 601 265	315	1
2 608 601 270	768	10
2 608 601 271	768	10
2 608 601 272	768	10
2 608 601 273	768	10
2 608 601 274	768	10
2 608 601 275	768	10
2 608 601 276	768	10
2 608 601 277	768	10
2 608 601 339	326	10
2 608 601 343	280	1
2 608 601 344	280	1
2 608 601 345	280	1
2 608 601 346	280	1
2 608 601 347	280	1
2 608 601 348	280	1
2 608 601 349	280	1
2 608 601 350	280	1
2 608 601 351	280	1
2 608 601 352	280	1
2 608 601 353	280	1
2 608 601 354	280	1
2 608 601 355	280	1
2 608 601 356	280	1
2 608 601 357	280	1
2 608 601 358	280	1
2 608 601 359	281	1
2 608 601 360	281	1
2 608 601 361	281	1
2 608 601 362	281	1
2 608 601 363	281	1
2 608 601 364	281	1
2 608 601 365	281	1
2 608 601 366	281	1
2 608 601 367	281	1
2 608 601 368	281	1
2 608 601 369	281	1
2 608 601 370	281	1
2 608 601 371	281	1
2 608 601 372	281	1
2 608 601 373	281	1
2 608 601 374	281	1
2 608 601 375	281	1
2 608 601 376	281	1
2 608 601 377	281	1
2 608 601 378	281	1
2 608 601 379	281	1
2 608 601 380	281	1
2 608 601 381	281	1
2 608 601 382	281	1
2 608 601 383	281	1
2 608 601 384	281	1
2 608 601 385	281	1
2 608 601 386	281	1
2 608 601 387	281	1
2 608 601 388	281	1
2 608 601 389	281	1
2 608 601 390	282	1
2 608 601 391	282	1
2 608 601 392	282	1
2 608 601 393	282	1
2 608 601 394	282	1
2 608 601 395	282	1
2 608 601 396	282	1
2 608 601 397	282	1
2 608 601 398	282	1
2 608 601 399	282	1
2 608 601 400	282	1
2 608 601 401	282	1
2 608 601 402	285	1
2 608 601 403	285	1
2 608 601 404	285	1
2 608 601 405	285	1
2 608 601 406	285	1
2 608 601 407	285	1
2 608 601 408	285	1
2 608 601 409	285	1
2 608 601 410	285	1
2 608 601 411	285	1
2 608 601 412	285	1
2 608 601 413	285	1
2 608 601 414	285	1
2 608 601 415	285	1
2 608 601 416	285	1
2 608 601 417	285	1
2 608 601 418	285	1
2 608 601 419	285	1
2 608 601 420	285	1
2 608 601 421	285	1
2 608 601 422	285	1
2 608 601 423	285	1
2 608 601 442	844	1
2 608 601 443	844	1
2 608 601 444	844	1
2 608 601 445	845	1
2 608 601 446	845	1
2 608 601 447	845	1
2 608 601 448	845	1
2 608 601 513	316	50
2 608 601 514	317	25
2 608 601 520	334	1
2 608 601 567	321	25
2 608 601 573	268	1
2 608 601 575	268	1
2 608 601 607	839	1
2 608 601 705	334	1
2 608 601 711	802	1
2 608 601 712	802	1
2 608 601 713	802	1
2 608 601 714	802	1
2 608 601 715	802	1
2 608 601 716	802	1
2 608 601 717	802	1
2 608 601 718	802	1
2 608 601 719	802	1
2 608 601 720	803	1
2 608 601 721	803	1
2 608 601 722	803	1
2 608 601 723	803	1
2 608 601 724	803	1
2 608 601 733	283	1
2 608 601 734	283	1
2 608 601 735	283	1
2 608 601 736	284	1
2 608 601 737	284	1
2 608 601 738	284	1
2 608 601 739	284	1
2 608 601 740	284	1
2 608 601 741	284	1
2 608 601 742	284	1
2 608 601 743	284	1
2 608 601 744	284	1
2 608 601 745	284	1
2 608 601 746	284	1
2 608 601 747	284	1
2 608 601 748	284	1
2 608 601 749	284	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 608 601 750	284	1
2 608 601 751	284	1
2 608 601 752	284	1
2 608 601 753	284	1
2 608 601 754	284	1
2 608 601 755	284	1
2 608 601 756	284	1
2 608 601 761	268	1
2 608 601 762	268	1
2 608 601 763	268	1
2 608 601 778	269	1
2 608 601 783	804	1
2 608 601 784	804	1
2 608 602 196	242	1
2 608 602 197	242	1
2 608 602 198	242	1
2 608 602 199	242	1
2 608 602 200	242	1
2 608 602 201	235	1
2 608 602 202	235	1
2 608 602 203	235	1
2 608 602 204	235	1
2 608 602 205	235	1
2 608 602 217	327	10
2 608 602 218	327	10
2 608 602 220	309	25
2 608 602 221	309	25
2 608 602 282	243	1
2 608 602 283	243	1
2 608 602 383	324	25
2 608 602 384	324	25
2 608 602 385	324	25
2 608 602 388	307	25
2 608 602 389	307	25
2 608 602 393	240	1
2 608 602 394	240	1
2 608 602 395	240	1
2 608 602 396	240	1
2 608 602 397	240	1
2 608 602 478	234	1
2 608 602 479	234	1
2 608 602 488	328	10
2 608 602 489	328	10
2 608 602 535	235	1
2 608 602 536	251	1
2 608 602 537	251	1
2 608 602 538	251	1
2 608 602 539	251	1
2 608 602 540	251	1
2 608 602 541	251	1
2 608 602 542	242	1
2 608 602 543	253, 261	1
2 608 602 544	253, 261	1
2 608 602 545	253, 261	1
2 608 602 546	253, 261	1
2 608 602 553	270	1
2 608 602 586	255	1
2 608 602 587	255	1
2 608 602 597	236	1
2 608 602 598	236	1
2 608 602 599	236	1
2 608 602 600	236	1

PART NUMBER	PAGE	MOQ
2 608 602 601	236	1
2 608 602 602	252	1
2 608 602 603	252	1
2 608 602 604	252	1
2 608 602 605	252	1
2 608 602 615	244	1
2 608 602 616	244	1
2 608 602 617	244	1
2 608 602 618	244	1
2 608 602 619	244	1
2 608 602 620	258	1
2 608 602 621	258	1
2 608 602 622	258	1
2 608 602 623	258	1
2 608 602 624	259, 263	1
2 608 602 625	259, 263	1
2 608 602 626	259, 263	1
2 608 602 627	263	1
2 608 602 634	234	1
2 608 602 635	251	1
2 608 602 636	251	1
2 608 602 637	251	1
2 608 602 638	251	1
2 608 602 639	251	1
2 608 602 640	251	1
2 608 602 641	236	1
2 608 602 642	236	1
2 608 602 643	236	1
2 608 602 644	236	1
2 608 602 645	236	1
2 608 602 646	236	1
2 608 602 647	252	1
2 608 602 648	252	1
2 608 602 649	252	1
2 608 602 650	252	1
2 608 602 651	242	1
2 608 602 652	242	1
2 608 602 653	242	1
2 608 602 654	242	1
2 608 602 655	242	1
2 608 602 656	242	1
2 608 602 657	253, 261	1
2 608 602 658	253, 261	1
2 608 602 659	253, 261	1
2 608 602 660	253, 261	1
2 608 602 671	238	1
2 608 602 672	238	1
2 608 602 673	238	1
2 608 602 674	238	1
2 608 602 675	238	1
2 608 602 677	255	1
2 608 602 678	255	1
2 608 602 679	244	1
2 608 602 680	244	1
2 608 602 681	244	1
2 608 602 682	244	1
2 608 602 683	244	1
2 608 602 685	258	1
2 608 602 686	258	1
2 608 602 687	258	1
2 608 602 688	258	1
2 608 602 689	243	1

PART NUMBER	PAGE	MOQ
2 608 602 690	243	1
2 608 602 691	243	1
2 608 602 692	243	1
2 608 602 693	243	1
2 608 602 696	240	1
2 608 602 698	236	1
2 608 602 701	257	1
2 608 602 702	257	1
2 608 602 759	321	20
2 608 602 766	324	25
2 608 602 767	324	25
2 608 603 035	322	50
2 608 603 036	322	50
2 608 603 037	322	50
2 608 603 038	322	40
2 608 603 039	322	25
2 608 603 040	322	25
2 608 603 041	322	25
2 608 603 042	322	20
2 608 603 043	324	25
2 608 603 044	324	25
2 608 603 045	324	25
2 608 603 046	324	25
2 608 603 047	311	25
2 608 603 048	312	25
2 608 603 049	311	25
2 608 603 050	323	50
2 608 603 051	323	50
2 608 603 052	323	50
2 608 603 053	323	50
2 608 603 054	323	25
2 608 603 055	323	25
2 608 603 056	330	25
2 608 603 057	330	25
2 608 603 058	330	25
2 608 603 059	330	20
2 608 603 060	330	20
2 608 603 061	331	10
2 608 603 062	332	25
2 608 603 063	332	25
2 608 603 064	332	20
2 608 603 159	322	25
2 608 603 160	322	25
2 608 603 161	322	20
2 608 603 162	322	25
2 608 603 163	321	25
2 608 603 164	321	25
2 608 603 165	321	25
2 608 603 166	321	25
2 608 603 167	321	40
2 608 603 168	321	25
2 608 603 169	314	25
2 608 603 170	316	25
2 608 603 171	314	25
2 608 603 172	316	25
2 608 603 173	323	25
2 608 603 174	323	25
2 608 603 175	323	20
2 608 603 176	323	25
2 608 603 177	323	25
2 608 603 178	323	25
2 608 603 179	323	25

PART NUMBER	PAGE	MOQ
2 608 603 180	323	25
2 608 603 181	330	10
2 608 603 182	330	10
2 608 603 183	330	10
2 608 603 184	331	10
2 608 603 216	321	50
2 608 603 231	235	1
2 608 603 232	235	1
2 608 603 233	235	1
2 608 603 234	235	1
2 608 603 235	236	1
2 608 603 236	236	1
2 608 603 237	236	1
2 608 603 238	236	1
2 608 603 239	242	1
2 608 603 240	242	1
2 608 603 241	242	1
2 608 603 242	242	1
2 608 603 243	242	1
2 608 603 249	240	1
2 608 603 250	240	1
2 608 603 251	240	1
2 608 603 252	240	1
2 608 603 254	315	10
2 608 603 255	315	10
2 608 603 394	319	25
2 608 603 395	320	25
2 608 603 396	319	25
2 608 603 397	320	25
2 608 603 398	320	25
2 608 603 399	319	25
2 608 603 400	319	25
2 608 603 401	321	25
2 608 603 402	321	25
2 608 603 403	320	25
2 608 603 404	320	25
2 608 603 405	312	25
2 608 603 406	311	25
2 608 603 407	311	25
2 608 603 408	312	25
2 608 603 440	779	1
2 608 603 457	314	1
2 608 603 464	316	10
2 608 603 467	316	10
2 608 603 470	316	10
2 608 603 486	308	25
2 608 603 488	308	25
2 608 603 490	309	25
2 608 603 491	309	25
2 608 603 492	309	25
2 608 603 493	309	25
2 608 603 494	309	25
2 608 603 495	310	25
2 608 603 496	309	25
2 608 603 497	310	25
2 608 603 498	309	25
2 608 603 499	309	25
2 608 603 500	309	25
2 608 603 501	309	25
2 608 603 502	309	25
2 608 603 503	310	25
2 608 603 504	309	25

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 608 603 505	310	25
2 608 603 506	309	25
2 608 603 507	310	25
2 608 603 508	309	25
2 608 603 509	310	25
2 608 603 510	328	10
2 608 603 511	328	10
2 608 603 512	318	25
2 608 603 513	318	25
2 608 603 514	318	25
2 608 603 515	318	25
2 608 603 516	318	25
2 608 603 517	318	25
2 608 603 518	318	25
2 608 603 519	318	25
2 608 603 520	318	25
2 608 603 521	318	25
2 608 603 522	318	25
2 608 603 523	318	25
2 608 603 524	318	25
2 608 603 525	318	25
2 608 603 526	318	25
2 608 603 527	318	25
2 608 603 528	318	25
2 608 603 529	318	25
2 608 603 530	318	25
2 608 603 531	318	25
2 608 603 532	329	10
2 608 603 533	329	10
2 608 603 534	329	10
2 608 603 535	329	10
2 608 603 641	258, 263	1
2 608 603 642	258, 263	1
2 608 603 643	258, 263	1
2 608 603 652	767	10
2 608 603 653	767	10
2 608 603 654	767	10
2 608 603 655	767	10
2 608 603 656	767	10
2 608 603 657	767	10
2 608 603 658	767	10
2 608 603 659	767	10
2 608 603 712	767	10
2 608 603 713	767	10
2 608 603 714	767	10
2 608 603 715	767	10
2 608 603 716	767	10
2 608 603 717	767	10
2 608 603 718	767	10
2 608 603 719	767	10
2 608 604 494	668	5
2 608 604 495	668	5
2 608 604 496	668	5
2 608 605 103	698	5
2 608 605 104	698	5
2 608 605 105	698	5
2 608 605 106	698	5
2 608 605 107	698	5
2 608 605 112	699	5
2 608 605 113	700	5
2 608 605 114	700	5
2 608 605 115	700	5
2 608 605 116	700	5
2 608 605 117	700	5
2 608 605 118	700	5
2 608 605 119	700	5
2 608 605 120	700	5
2 608 605 121	700	5
2 608 605 122	700	5
2 608 605 123	700	5
2 608 605 124	701	5
2 608 605 125	701	5
2 608 605 126	701	5
2 608 605 127	701	5
2 608 605 128	701	5
2 608 605 129	701	5
2 608 605 130	701	5
2 608 605 131	701	5
2 608 605 132	701	5
2 608 605 166	711	5
2 608 605 167	711	5
2 608 605 168	711	5
2 608 605 169	711	5
2 608 605 170	711	5
2 608 605 171	711	5
2 608 605 182	712	5
2 608 605 183	712	5
2 608 605 184	712	5
2 608 605 185	712	5
2 608 605 186	712	5
2 608 605 192	668, 708	5
2 608 605 193	668, 708	5
2 608 605 194	668, 708	5
2 608 605 195	668, 708	5
2 608 605 196	668, 708	5
2 608 605 197	668, 708	5
2 608 605 198	668, 708	5
2 608 605 199	668, 708	5
2 608 605 200	668, 708	5
2 608 605 279	719	5
2 608 605 280	719	5
2 608 605 281	719	5
2 608 605 282	719	5
2 608 605 283	719	5
2 608 605 294	720	5
2 608 605 295	720	5
2 608 605 296	720	5
2 608 605 297	720	5
2 608 605 298	720	5
2 608 605 300	720	5
2 608 605 301	720	5
2 608 605 302	719	5
2 608 605 303	719	5
2 608 605 304	719	5
2 608 605 305	719	5
2 608 605 306	719	5
2 608 605 308	719	5
2 608 605 309	719	5
2 608 605 310	720	5
2 608 605 311	721	5
2 608 605 312	721	5
2 608 605 313	721	5
2 608 605 314	721	5
2 608 605 315	721	5
2 608 605 316	721	5
2 608 605 317	721	5
2 608 605 318	721	5
2 608 605 319	721	5
2 608 605 320	721	5
2 608 605 322	721	5
2 608 605 323	722	5
2 608 605 324	722	5
2 608 605 325	722	5
2 608 605 326	722	5
2 608 605 327	722	5
2 608 605 341	721	5
2 608 605 342	721	5
2 608 605 343	721	5
2 608 605 344	721	5
2 608 605 345	721	5
2 608 605 347	721	5
2 608 605 348	721	5
2 608 605 411	737	50
2 608 605 412	737	50
2 608 605 413	737	50
2 608 605 414	737	50
2 608 605 415	737	50
2 608 605 416	737	50
2 608 605 417	737	50
2 608 605 450	765	10
2 608 605 451	765	10
2 608 605 452	765	10
2 608 605 464	761	50
2 608 605 466	761	50
2 608 605 467	761	50
2 608 605 468	761	50
2 608 605 469	761	50
2 608 605 474	761	50
2 608 605 476	761	50
2 608 605 477	761	50
2 608 605 478	761	50
2 608 605 479	761	50
2 608 605 484	761	50
2 608 605 486	761	50
2 608 605 487	761	50
2 608 605 488	761	50
2 608 605 489	761	50
2 608 605 496	772	5
2 608 605 497	772	5
2 608 605 498	772	5
2 608 605 499	772	5
2 608 605 500	772	5
2 608 605 558	700	5
2 608 605 559	700	5
2 608 605 560	700	5
2 608 605 561	700	5
2 608 605 562	700	5
2 608 605 577	712	5
2 608 605 578	712	5
2 608 605 583	721	5
2 608 605 584	721	5
2 608 605 585	722	5
2 608 605 640	699	5
2 608 605 641	699	5
2 608 605 642	699	5
2 608 605 643	699	5
2 608 605 644	699	5
2 608 605 645	699	5
2 608 605 657	698	5
2 608 605 716	699	5
2 608 605 717	699	5
2 608 605 718	699	5
2 608 605 720	699	5
2 608 605 721	699	5
2 608 605 722	699	5
2 608 605 979	719	5
2 608 606 000	725	4
2 608 606 001	725	4
2 608 606 002	725	4
2 608 606 003	725	4
2 608 606 004	725	4
2 608 606 005	725	4
2 608 606 007	725	4
2 608 606 015	725	4
2 608 606 016	725	4
2 608 606 017	725	4
2 608 606 018	725	4
2 608 606 019	725	4
2 608 606 020	725	4
2 608 606 021	725	4
2 608 606 022	725	4
2 608 606 023	725	4
2 608 606 032	725	4
2 608 606 033	725	4
2 608 606 034	725	4
2 608 606 035	725	4
2 608 606 036	725	4
2 608 606 037	725	4
2 608 606 038	725	4
2 608 606 039	725	4
2 608 606 040	725	4
2 608 606 042	725	4
2 608 606 043	725	4
2 608 606 044	725	4
2 608 606 045	725	4
2 608 606 046	725	4
2 608 606 047	725	4
2 608 606 048	726	4
2 608 606 049	726	4
2 608 606 059	726	4
2 608 606 060	726	4
2 608 606 061	726	4
2 608 606 062	726	4
2 608 606 063	726	4
2 608 606 064	726	4
2 608 606 065	726	4
2 608 606 066	726	4
2 608 606 067	726	4
2 608 606 068	726	4
2 608 606 069	726	4
2 608 606 070	726	4
2 608 606 071	726	4
2 608 606 072	726	4
2 608 606 073	726	4
2 608 606 074	726	4
2 608 606 076	726	4
2 608 606 078	726	4
2 608 606 080	726	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 608 606 081	726	1
2 608 606 082	726	1
2 608 606 083	726	1
2 608 606 084	726	1
2 608 606 085	726	1
2 608 606 089	726	4
2 608 606 090	726	4
2 608 606 091	726	4
2 608 606 092	726	4
2 608 606 093	726	4
2 608 606 094	726	4
2 608 606 095	726	4
2 608 606 113	727	4
2 608 606 114	727	4
2 608 606 115	727	4
2 608 606 116	727	4
2 608 606 117	727	4
2 608 606 118	727	4
2 608 606 128	727	4
2 608 606 129	727	4
2 608 606 130	727	4
2 608 606 131	727	4
2 608 606 132	727	4
2 608 606 133	727	4
2 608 606 134	727	1
2 608 606 135	727	1
2 608 606 136	727	1
2 608 606 137	727	1
2 608 606 138	727	1
2 608 606 139	727	4
2 608 606 141	727	4
2 608 606 142	727	4
2 608 606 143	727	4
2 608 606 144	727	4
2 608 606 145	727	4
2 608 606 146	727	4
2 608 606 161	727	4
2 608 606 162	727	4
2 608 606 163	727	4
2 608 606 164	727	4
2 608 606 165	727	4
2 608 606 166	727	4
2 608 606 173	727	4
2 608 606 203	729	4
2 608 606 204	729	4
2 608 606 205	729	4
2 608 606 206	727	4
2 608 606 207	728	4
2 608 606 208	728	4
2 608 606 209	728	4
2 608 606 211	728	4
2 608 606 217	729	4
2 608 606 218	729	4
2 608 606 219	729	4
2 608 606 220	728	4
2 608 606 221	728	4
2 608 606 222	728	4
2 608 606 223	728	4
2 608 606 515	721	5
2 608 606 531	721	5
2 608 606 546	722	5
2 608 606 716	766	10
2 608 606 717	766	10
2 608 606 718	766	10
2 608 606 725	760	50
2 608 606 727	760	50
2 608 606 728	760	50
2 608 606 729	760	50
2 608 606 730	760	50
2 608 606 731	760	50
2 608 606 733	760	50
2 608 606 734	760	50
2 608 606 735	760	50
2 608 606 736	760	50
2 608 606 737	765	10
2 608 606 738	765	10
2 608 606 739	765	10
2 608 606 740	760	50
2 608 606 742	760	50
2 608 606 743	760	50
2 608 606 744	760	50
2 608 606 745	760	50
2 608 606 752	766	10
2 608 606 753	766	10
2 608 606 754	766	10
2 608 606 755	772	5
2 608 606 756	772	5
2 608 606 757	772	5
2 608 606 758	772	5
2 608 606 759	772	5
2 608 606 802	739	4
2 608 606 803	739	4
2 608 606 804	739	4
2 608 606 805	739	4
2 608 606 806	739	4
2 608 606 807	739	4
2 608 606 817	739	4
2 608 606 818	739	4
2 608 606 819	739	4
2 608 606 820	739	4
2 608 606 821	739	4
2 608 606 822	739	4
2 608 606 863	776	1
2 608 606 864	776	1
2 608 606 865	776	1
2 608 606 866	776	1
2 608 606 867	776	1
2 608 606 868	776	1
2 608 606 869	776	1
2 608 606 870	776	1
2 608 606 871	776	1
2 608 606 872	776	1
2 608 606 873	776	1
2 608 606 874	776	1
2 608 606 875	776, 778	1
2 608 606 876	776, 778	1
2 608 606 877	776, 778	1
2 608 606 878	776, 778	1
2 608 606 879	776	1
2 608 606 880	776	1
2 608 606 881	776	1
2 608 606 882	776	1
2 608 606 916	761	50
2 608 606 918	761	50
2 608 606 919	761	50
2 608 606 920	761	50
2 608 606 921	761	50
2 608 606 922	765	10
2 608 606 923	765	10
2 608 606 924	765	10
2 608 606 929	725	4
2 608 607 199	728	1
2 608 607 200	728	1
2 608 607 201	728	1
2 608 607 202	728	1
2 608 607 246	698	5
2 608 607 247	699	5
2 608 607 248	761	50
2 608 607 249	761	50
2 608 607 250	761	50
2 608 607 251	761	50
2 608 607 254	760	50
2 608 607 255	760	50
2 608 607 256	760	50
2 608 607 258	726	4
2 608 607 259	726	1
2 608 607 260	726	4
2 608 607 261	726	1
2 608 607 262	727	4
2 608 607 263	727	1
2 608 607 319	765	10
2 608 607 320	765	10
2 608 607 322	765	10
2 608 607 323	765	10
2 608 607 324	765	10
2 608 607 325	765	10
2 608 607 326	765	10
2 608 607 327	765	10
2 608 607 328	765	10
2 608 607 329	765	10
2 608 607 334	765	10
2 608 607 335	765	10
2 608 607 336	765	10
2 608 607 337	765	10
2 608 607 338	765	10
2 608 607 339	765	10
2 608 607 340	765	10
2 608 607 341	765	10
2 608 607 342	766	10
2 608 607 343	766	10
2 608 607 344	766	10
2 608 607 346	766	10
2 608 607 347	766	10
2 608 607 349	766	10
2 608 607 350	766	10
2 608 607 351	766	10
2 608 607 352	766	10
2 608 607 353	766	10
2 608 607 354	766	10
2 608 607 355	766	10
2 608 607 356	766	10
2 608 607 361	767	10
2 608 607 362	767	10
2 608 607 363	767	10
2 608 607 364	767	10
2 608 607 365	767	10
2 608 607 366	767	10
2 608 607 367	767	10
2 608 607 368	767	10
2 608 607 407	711	1
2 608 607 408	711	1
2 608 607 409	711	1
2 608 607 410	711	1
2 608 607 417	711	1
2 608 607 419	712	1
2 608 607 428	712	5
2 608 607 429	712	5
2 608 607 430	712	5
2 608 607 431	712	5
2 608 607 432	712	5
2 608 607 540	667, 708	5
2 608 607 632	769	5
2 608 607 633	769	5
2 608 607 638	762	10
2 608 607 639	762	10
2 608 607 640	762	10
2 608 607 772	740	1
2 608 607 773	740	1
2 608 607 774	740	1
2 608 607 775	740	1
2 608 607 776	740	1
2 608 607 786	740	1
2 608 607 787	740	1
2 608 607 788	740	1
2 608 607 789	740	1
2 608 608 235	728	1
2 608 608 263	762	10
2 608 608 264	762	10
2 608 608 265	762	10
2 608 608 267	763	10
2 608 608 268	763	10
2 608 608 269	763	10
2 608 608 276	763	10
2 608 608 277	763	10
2 608 608 278	763	10
2 608 608 305	780	5
2 608 608 586	746	1
2 608 608 587	746	1
2 608 608 784	740	1
2 608 608 785	740	1
2 608 608 786	740	1
2 608 608 789	740	1
2 608 608 791	740	1
2 608 608 792	740	1
2 608 608 793	740	1
2 608 608 794	740	1
2 608 608 795	740	1
2 608 608 798	740	1
2 608 608 C05	737	25
2 608 608 C06	737	25
2 608 608 C07	737	25
2 608 608 C08	737	25
2 608 608 C09	737	25
2 608 608 C10	737	25
2 608 608 C11	737	25
2 608 608 C12	737	25
2 608 608 C13	737	25
2 608 608 C14	737	25

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 608 608 C15	737	25
2 608 608 C16	737	25
2 608 608 C29	741	1
2 608 608 C30	741	1
2 608 608 C31	741	1
2 608 608 C32	741	1
2 608 608 C33	741	1
2 608 608 C35	741	1
2 608 608 C37	741	1
2 608 608 C38	741	1
2 608 608 C39	741	1
2 608 608 H61	737	50
2 608 608 H62	737	50
2 608 608 H63	737	50
2 608 608 H64	737	50
2 608 608 H65	737	50
2 608 608 H66	737	50
2 608 608 H67	737	50
2 608 608 H68	737	50
2 608 608 H69	737	50
2 608 608 N16	746	1
2 608 608 N17	746	1
2 608 608 N23	746	1
2 608 608 N24	746	1
2 608 608 N25	747	5
2 608 608 N26	747	5
2 608 608 N27	747	5
2 608 608 N28	747	5
2 608 608 N29	747	5
2 608 608 N30	747	5
2 608 608 X97	720	5
2 608 608 X98	720	5
2 608 608 Y01	768, 773	5
2 608 608 Y03	768, 773	5
2 608 608 Y05	768, 773	5
2 608 608 Y06	768, 773	5
2 608 608 Y08	768, 773	5
2 608 608 Y10	768, 773	5
2 608 608 Y12	768, 773	5
2 608 608 Y14	768, 773	5
2 608 608 Y15	768, 773	5
2 608 608 Y17	768, 773	5
2 608 608 Y46	729	1
2 608 608 Y47	729	1
2 608 608 Y48	729	1
2 608 608 Y49	729	1
2 608 608 Z41	731	1
2 608 608 Z42	731	1
2 608 608 Z43	731	1
2 608 608 Z44	731	1
2 608 608 Z45	731	1
2 608 608 Z79	732	1
2 608 608 Z80	732	1
2 608 608 Z81	732	1
2 608 608 Z82	732	1
2 608 608 Z83	732	1
2 608 610 001	704	1
2 608 612 005	703	1
2 608 612 006	703	1
2 608 612 023	779	1
2 608 612 024	703, 779	1
2 608 612 025	779	1
2 608 612 026	704, 779	1
2 608 612 027	779	1
2 608 613 005	703	1
2 608 613 009	703	1
2 608 613 016	669	5
2 608 615 027	240	10
2 608 615 028	240	10
2 608 615 029	240	10
2 608 615 030	240	10
2 608 615 031	240	10
2 608 615 032	256	1
2 608 615 033	256	1
2 608 615 034	256	1
2 608 615 035	256	1
2 608 615 036	241	10
2 608 615 037	241	10
2 608 615 038	241	10
2 608 615 039	241	10
2 608 615 040	241	1
2 608 615 041	241	1
2 608 615 042	241	1
2 608 615 043	241	1
2 608 615 044	241	1
2 608 615 045	241	1
2 608 615 046	241	1
2 608 615 047	241	1
2 608 615 048	241	1
2 608 615 057	240	1
2 608 615 058	240	1
2 608 615 059	240	1
2 608 615 060	240	1
2 608 615 061	240	1
2 608 615 062	240	1
2 608 615 063	240	1
2 608 615 064	240	1
2 608 615 065	240	1
2 608 615 066	240	1
2 608 615 067	240	1
2 608 615 068	255	1
2 608 615 069	255	1
2 608 615 070	255	1
2 608 615 071	255	1
2 608 615 072	255	1
2 608 615 073	255	1
2 608 615 074	255	1
2 608 615 131	233	1
2 608 615 132	233	1
2 608 615 136	234	1
2 608 615 137	234	1
2 608 615 138	234	1
2 608 615 165	239	1
2 608 615 166	239	1
2 608 619 049	321	5
2 608 619 050	316	10
2 608 619 153	759	50
2 608 619 154	759	50
2 608 619 155	759	50
2 608 619 156	759	50
2 608 619 157	759	50
2 608 619 158	759	50
2 608 619 159	759	50
2 608 619 160	759	50
2 608 619 161	759	50
2 608 619 162	759	50
2 608 619 163	759	50
2 608 619 164	759	50
2 608 619 165	760	50
2 608 619 166	760	50
2 608 619 167	760	50
2 608 619 168	760	50
2 608 619 169	760	50
2 608 619 170	760	50
2 608 619 171	760	50
2 608 619 172	760	50
2 608 619 173	760	50
2 608 619 174	760	50
2 608 619 175	760	50
2 608 619 176	760	50
2 608 619 177	758	50
2 608 619 178	758	50
2 608 619 179	758	50
2 608 619 180	758	50
2 608 619 181	758	50
2 608 619 182	758	50
2 608 619 183	758	50
2 608 619 184	758	50
2 608 619 185	758	50
2 608 619 186	758	50
2 608 619 187	758	50
2 608 619 188	758	50
2 608 619 197	763	10
2 608 619 198	763	10
2 608 619 199	763	10
2 608 619 200	763	10
2 608 619 201	763	10
2 608 619 202	763	10
2 608 619 203	763	10
2 608 619 204	763	10
2 608 619 205	764	10
2 608 619 206	764	10
2 608 619 207	764	10
2 608 619 208	764	10
2 608 619 209	764	10
2 608 619 210	764	10
2 608 619 211	764	10
2 608 619 212	764	10
2 608 619 252	319	25
2 608 619 253	319	25
2 608 619 254	319	25
2 608 619 255	319	25
2 608 619 256	319	25
2 608 619 257	319	25
2 608 619 258	329	10
2 608 619 259	329	10
2 608 619 260	311	25
2 608 619 261	313	25
2 608 619 262	313	25
2 608 619 263	310	25
2 608 619 264	310	25
2 608 619 265	311	25
2 608 619 266	313	10
2 608 619 267	313	10
2 608 619 268	324	25
2 608 619 269	324	25
2 608 619 270	324	25
2 608 619 353	321	25
2 608 619 362	314	25
2 608 619 363	314	25
2 608 619 364	314	10
2 608 619 365	330	10
2 608 619 366	330	10
2 608 619 374	333	1
2 608 619 383	322	50
2 608 619 384	322	25
2 608 619 738	321	25
2 608 619 739	321	25
2 608 619 740	321	25
2 608 619 741	314	25
2 608 619 742	316	25
2 608 619 743	331	10
2 608 619 744	330	10
2 608 620 012	353	1
2 608 620 014	353	1
2 608 620 034	776	1
2 608 620 035	776	1
2 608 620 036	776	1
2 608 620 037	776	1
2 608 620 038	776	1
2 608 620 202	864	1
2 608 620 203	864	1
2 608 620 647	778	1
2 608 620 691	830	1
2 608 620 692	830	1
2 608 620 725	341	1
2 608 620 726	340	1
2 608 620 727	340	1
2 608 620 728	342	1
2 608 620 729	342	1
2 608 620 730	343	1
2 608 620 731	341	1
2 608 620 732	341	1
2 608 620 733	342	1
2 608 621 274	714	1
2 608 621 276	714	1
2 608 621 455	740	1
2 608 621 456	740	1
2 608 621 457	740	1
2 608 621 458	740	1
2 608 621 460	740	1
2 608 621 462	740	1
2 608 621 463	740	1
2 608 621 464	740	1
2 608 621 465	740	1
2 608 621 466	740	1
2 608 621 467	740	1
2 608 621 469	740	1
2 608 621 471	740	1
2 608 621 472	740	1
2 608 621 473	741	1
2 608 621 474	741	1
2 608 621 475	741	1
2 608 621 476	741	1
2 608 621 478	741	1
2 608 621 480	741	1
2 608 621 481	741	1
2 608 621 482	741	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 608 621 483	741	1
2 608 621 484	741	1
2 608 621 485	741	1
2 608 621 487	741	1
2 608 621 489	741	1
2 608 621 490	741	1
2 608 621 591	736	50
2 608 621 592	736	50
2 608 621 593	736	50
2 608 621 594	736	50
2 608 621 595	736	50
2 608 621 596	736	50
2 608 621 597	736	50
2 608 621 604	759	50
2 608 621 605	759	50
2 608 621 606	759	50
2 608 621 607	759	50
2 608 621 608	759	50
2 608 621 609	759	50
2 608 621 610	759	50
2 608 621 611	759	50
2 608 621 612	759	50
2 608 621 613	759	50
2 608 621 614	759	50
2 608 621 615	759	50
2 608 621 616	759	50
2 608 621 617	759	50
2 608 621 618	759	50
2 608 621 619	759	50
2 608 621 620	759	50
2 608 621 621	759	50
2 608 621 684	667, 708	5
2 608 621 685	667, 708	5
2 608 621 686	667, 708	5
2 608 621 687	667, 708	5
2 608 621 688	667, 708	5
2 608 621 689	667, 708	5
2 608 621 690	667, 708	5
2 608 621 721	698	1
2 608 621 722	698	1
2 608 621 723	698	1
2 608 621 724	698	1
2 608 621 725	698	1
2 608 621 726	698	1
2 608 621 727	698	1
2 608 621 728	698	1
2 608 621 729	698	1
2 608 621 730	698	1
2 608 621 731	698	1
2 608 621 732	698	1
2 608 621 733	698	1
2 608 621 734	698	1
2 608 621 735	698	1
2 608 621 736	698	1
2 608 621 737	698	1
2 608 621 738	698	1
2 608 621 739	697	1
2 608 621 740	697	1
2 608 621 741	697	1
2 608 621 742	697	1
2 608 621 743	697	1
2 608 621 744	697	1
2 608 621 745	697	1
2 608 621 746	697	1
2 608 621 747	697	1
2 608 621 748	697	1
2 608 621 749	697	1
2 608 621 750	697	1
2 608 621 751	697	1
2 608 621 752	697	1
2 608 621 753	697	1
2 608 621 754	697	1
2 608 621 755	697	1
2 608 621 756	697	1
2 608 621 763	764	10
2 608 621 764	764	10
2 608 621 765	764	10
2 608 621 766	764	10
2 608 621 767	764	10
2 608 621 768	764	10
2 608 621 769	764	10
2 608 621 770	764	10
2 608 621 779	755	5
2 608 621 780	755	5
2 608 621 781	755	5
2 608 621 782	755	5
2 608 621 783	755	5
2 608 621 784	756	5
2 608 621 788	756	1
2 608 621 789	756	1
2 608 621 790	756	1
2 608 621 791	756	1
2 608 621 792	756	1
2 608 621 793	756	1
2 608 621 794	756	1
2 608 621 795	756	1
2 608 621 796	756	1
2 608 621 797	757	1
2 608 621 798	757	1
2 608 621 799	757	1
2 608 621 804	752	5
2 608 621 805	752	5
2 608 621 806	752	5
2 608 621 807	752	5
2 608 621 808	752	5
2 608 621 809	753	5
2 608 621 810	753	5
2 608 621 811	753	5
2 608 621 816	753	1
2 608 621 817	753	1
2 608 621 818	753	1
2 608 621 819	753	1
2 608 621 820	753	1
2 608 621 821	753	1
2 608 621 822	753	1
2 608 621 823	753	1
2 608 621 824	753	1
2 608 621 825	753	1
2 608 621 826	753	1
2 608 621 827	753	1
2 608 621 828	754	1
2 608 621 829	754	1
2 608 621 830	754	1
2 608 621 831	754	1
2 608 621 832	769	5
2 608 621 833	769	5
2 608 621 921	744	20
2 608 621 922	744	20
2 608 621 923	744	20
2 608 621 924	745	20
2 608 621 925	745	20
2 608 621 926	745	20
2 608 622 006	348	1
2 608 622 007	349	1
2 608 622 008	351	1
2 608 622 009	351	1
2 608 622 010	344	1
2 608 622 011	345	1
2 608 622 022	348	1
2 608 622 050	348	1
2 608 622 051	352	1
2 608 622 052	352	1
2 608 622 053	349	1
2 608 622 054	351	1
2 608 622 055	352	1
2 608 622 056	352	1
2 608 622 057	345	1
2 608 622 058	345	1
2 608 622 059	344	1
2 608 622 060	346	1
2 608 622 061	346	1
2 608 622 062	347	1
2 608 622 063	344	1
2 608 622 098	344	1
2 608 622 099	344	1
2 608 622 100	345	1
2 608 622 101	345	1
2 608 622 102	346	1
2 608 622 103	346	1
2 608 622 104	346	1
2 608 622 105	346	1
2 608 622 106	346	1
2 608 622 107	346	1
2 608 622 108	347	1
2 608 622 109	347	1
2 608 622 110	349	1
2 608 622 111	349	1
2 608 622 112	349	1
2 608 622 113	348	1
2 608 622 114	349	1
2 608 622 115	349	1
2 608 622 116	349	1
2 608 622 117	350	1
2 608 622 118	350	1
2 608 622 119	350	1
2 608 622 120	350	1
2 608 622 121	350	1
2 608 622 122	350	1
2 608 622 123	350	1
2 608 622 124	350	1
2 608 622 125	350	1
2 608 622 126	351	1
2 608 622 127	351	1
2 608 622 128	350	1
2 608 622 129	350	1
2 608 622 130	352	1
2 608 622 300	163	1
2 608 628 339	450	1
2 608 628 340	450	1
2 608 628 341	450	1
2 608 628 342	450	1
2 608 628 343	450	1
2 608 628 344	450	1
2 608 628 345	450	1
2 608 628 346	443	1
2 608 628 347	443	1
2 608 628 348	443	1
2 608 628 350	445	1
2 608 628 351	451	1
2 608 628 352	451	1
2 608 628 353	448	1
2 608 628 354	452	1
2 608 628 355	455	1
2 608 628 356	455	1
2 608 628 357	456	1
2 608 628 358	455	1
2 608 628 359	456	1
2 608 628 360	452	1
2 608 628 361	449	1
2 608 628 362	449	1
2 608 628 363	449	1
2 608 628 364	449	1
2 608 628 365	449	1
2 608 628 367	457	1
2 608 628 368	457	1
2 608 628 369	457	1
2 608 628 370	457	1
2 608 628 371	444	1
2 608 628 372	441	1
2 608 628 373	441	1
2 608 628 374	441	1
2 608 628 375	440	1
2 608 628 376	440	1
2 608 628 377	440	1
2 608 628 378	440	1
2 608 628 379	440	1
2 608 628 380	440	1
2 608 628 381	440	1
2 608 628 382	440	1
2 608 628 383	440	1
2 608 628 384	440	1
2 608 628 385	440	1
2 608 628 386	440	1
2 608 628 387	440	1
2 608 628 388	441	1
2 608 628 389	441	1
2 608 628 390	441	1
2 608 628 391	441	1
2 608 628 392	441	1
2 608 628 393	453	1
2 608 628 394	453	1
2 608 628 395	453	1
2 608 628 396	454	1
2 608 628 397	454	1
2 608 628 398	456	1
2 608 628 399	442	1
2 608 628 401	447	1
2 608 628 402	447	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 608 628 403	447	1
2 608 628 404	447	1
2 608 628 405	459	1
2 608 628 406	458	1
2 608 628 407	458	1
2 608 628 408	446	1
2 608 628 411	441	1
2 608 628 412	441	1
2 608 628 413	441	1
2 608 628 414	441	1
2 608 628 415	458	1
2 608 628 416	451	1
2 608 628 417	445	1
2 608 628 418	457	1
2 608 628 419	453	1
2 608 628 420	449	1
2 608 628 421	450	1
2 608 628 422	450	1
2 608 628 423	450	1
2 608 628 424	455	1
2 608 628 425	457	1
2 608 628 427	440	1
2 608 628 428	440	1
2 608 628 429	441	1
2 608 628 438	440	1
2 608 628 439	440	1
2 608 628 440	440	1
2 608 628 441	440	1
2 608 628 442	440	1
2 608 628 443	440	1
2 608 628 444	440	1
2 608 628 445	458	1
2 608 628 446	458	1
2 608 628 447	458	1
2 608 628 448	451	1
2 608 628 449	445	1
2 608 628 450	457	1
2 608 628 451	457	1
2 608 628 452	457	1
2 608 628 453	457	1
2 608 628 454	453	1
2 608 628 455	449	1
2 608 628 456	450	1
2 608 628 457	450	1
2 608 628 458	450	1
2 608 628 459	455	1
2 608 628 460	457	1
2 608 628 461	443	1
2 608 628 462	443	1
2 608 628 463	443	1
2 608 628 464	441	1
2 608 628 465	441	1
2 608 628 466	441	1
2 608 628 467	441	1
2 608 628 468	441	1
2 608 628 469	441	1
2 608 628 470	441	1
2 608 628 471	450	1
2 608 628 472	457	1
2 608 628 473	457	1
2 608 628 474	449	1
2 608 628 630	458	1

PART NUMBER	PAGE	MOQ
2 608 628 631	458	1
2 608 628 632	457	1
2 608 628 633	457	1
2 608 628 634	457	1
2 608 628 635	443	1
2 608 628 636	443	1
2 608 628 637	443	1
2 608 629 353	430	1
2 608 629 354	430	1
2 608 629 355	430	1
2 608 629 356	430	1
2 608 629 357	430	1
2 608 629 358	430	1
2 608 629 359	430	1
2 608 629 360	430	1
2 608 629 361	430	1
2 608 629 362	430	1
2 608 629 363	430	1
2 608 629 364	430	1
2 608 629 365	430	1
2 608 629 366	430	1
2 608 629 367	431	1
2 608 629 368	437	1
2 608 629 369	438	1
2 608 629 370	438	1
2 608 629 371	434	1
2 608 629 372	434	1
2 608 629 373	434	1
2 608 629 374	434	1
2 608 629 375	434	1
2 608 629 376	434	1
2 608 629 377	435	1
2 608 629 378	435	1
2 608 629 379	436	1
2 608 629 380	432	1
2 608 629 381	432	1
2 608 629 382	432	1
2 608 629 383	432	1
2 608 629 384	432	1
2 608 629 385	432	1
2 608 629 386	433	1
2 608 629 387	433	1
2 608 629 388	433	1
2 608 629 389	433	1
2 608 629 390	433	1
2 608 629 391	439	1
2 608 629 392	430	1
2 608 629 393	430	1
2 608 630 014	491	10
2 608 630 030	491	10
2 608 630 031	491	10
2 608 630 032	491	10
2 608 630 033	493	10
2 608 630 037	492	10
2 608 630 040	491	10
2 608 630 058	492	10
2 608 630 310	492	10
2 608 630 557	491	10
2 608 630 558	491	10
2 608 630 559	490	10
2 608 630 560	491	10
2 608 630 565	512	10

PART NUMBER	PAGE	MOQ
2 608 630 566	513	10
2 608 630 568	512	10
2 608 630 808	493	10
2 608 630 878	492	10
2 608 630 879	492	10
2 608 631 010	506	10
2 608 631 012	497	10
2 608 631 013	498	10
2 608 631 014	498	10
2 608 631 017	499	10
2 608 631 030	499	10
2 608 631 032	498	10
2 608 631 319	498	10
2 608 631 404	498	10
2 608 631 507	498	10
2 608 631 508	499	10
2 608 631 511	514	10
2 608 631 512	514	10
2 608 631 670	506	10
2 608 631 671	499	10
2 608 631 672	498	10
2 608 631 673	498	10
2 608 631 674	497	10
2 608 631 706	498	1
2 608 631 770	514	10
2 608 631 771	514	10
2 608 631 808	498	1
2 608 631 964	498	1
2 608 631 965	498	1
2 608 631 966	499	1
2 608 632 119 [i]	577	1
2 608 632 120	577	1
2 608 632 122 [i]	577	1
2 608 632 123	577	1
2 608 633 104	510	1
2 608 633 105	510	1
2 608 633 523	490	10
2 608 633 524	490	1
2 608 633 525	512	10
2 608 633 528	490	10
2 608 633 577	491	1
2 608 633 622	491	1
2 608 633 623	491	1
2 608 633 625	491	1
2 608 633 626	492	1
2 608 633 779	491	10
2 608 633 A31	489	10
2 608 633 A32	490	10
2 608 633 A33	490	10
2 608 633 A34	492	10
2 608 633 A35	489	10
2 608 633 A36	490	10
2 608 633 A37	490	10
2 608 633 A38	493	1
2 608 633 A39	490	1
2 608 633 A40	490	1
2 608 633 A41	490	1
2 608 633 A42	490	1
2 608 634 233	484	10
2 608 634 234	484	10
2 608 634 235	484	10
2 608 634 237	496	10

PART NUMBER	PAGE	MOQ
2 608 634 241	497	10
2 608 634 242	497	10
2 608 634 243	485	10
2 608 634 486	502	1
2 608 634 503	497	10
2 608 634 505	497	10
2 608 634 567	484	10
2 608 634 586	497	1
2 608 634 694	497	10
2 608 634 774	497	1
2 608 634 897	484	10
2 608 634 988	484	1
2 608 634 989	484	1
2 608 634 990	484	1
2 608 634 991	497	1
2 608 634 992	497	1
2 608 634 993	502	10
2 608 634 994	502	10
2 608 634 995	502	1
2 608 635 125	874	1
2 608 635 126	874	1
2 608 635 177	510	5
2 608 635 187	510	5
2 608 635 243	874	1
2 608 635 350	471	5
2 608 635 376	471	5
2 608 635 406	874	1
2 608 635 407	875	1
2 608 635 408	875	1
2 608 635 409	875	1
2 608 635 410	874	1
2 608 635 512	577	1
2 608 635 521	569	5
2 608 635 527	568	5
2 608 635 528	568	5
2 608 635 529	568	5
2 608 636 222	484	10
2 608 636 223	485	10
2 608 636 224	484	10
2 608 636 225	484	10
2 608 636 226	484	10
2 608 636 227	484	10
2 608 636 228	484	10
2 608 636 229	484	10
2 608 636 230	497	10
2 608 636 231	496	10
2 608 636 232	497	10
2 608 636 233	497	10
2 608 636 236	511	10
2 608 636 335	499	5
2 608 636 420	495	10
2 608 636 429	521	10
2 608 636 430	522	10
2 608 636 431	487	10
2 608 636 432	487	10
2 608 636 496	495	10
2 608 636 497	495	10
2 608 636 498	495	10
2 608 636 499	495	10
2 608 636 695	496	10
2 608 636 696	496	10
2 608 636 697	496	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 608 636 698	496	10
2 608 636 699	496	10
2 608 636 700	496	1
2 608 636 701	496	10
2 608 636 702	496	10
2 608 636 703	496	1
2 608 636 704	496	10
2 608 636 705	496	10
2 608 636 706	496	10
2 608 636 707	496	10
2 608 636 780	505	10
2 608 636 781	505	10
2 608 636 793	500	5
2 608 636 879	523	10
2 608 636 974	484	5
2 608 636 975	502	5
2 608 636 976	497	5
2 608 636 977	495	5
2 608 637 559	513	10
2 608 637 590	491	10
2 608 637 591	491	10
2 608 637 723	512	10
2 608 637 724	512	10
2 608 637 788	492	5
2 608 637 876	491	1
2 608 637 877	491	1
2 608 637 878	493	1
2 608 637 879	492	1
2 608 637 880	492	1
2 608 637 881	492	1
2 608 637 944	492	10
2 608 638 382	499	1
2 608 638 470	498	1
2 608 638 471	498	1
2 608 638 472	495	10
2 608 638 473	495	10
2 608 638 474	495	1
2 608 638 698	498	10
2 608 638 699	498	10
2 608 638 700	495	1
2 608 639 013	870	1
2 608 639 016	870	1
2 608 639 021	872	1
2 608 639 022	870	1
2 608 639 023	871	1
2 608 639 024	871	1
2 608 639 025	870	1
2 608 639 026	871	1
2 608 639 027	870	1
2 608 639 028	871	1
2 608 639 900	871	1
2 608 639 902	872	1
2 608 640 430	397	1
2 608 640 431	397	1
2 608 640 432	397	1
2 608 640 433	397	1
2 608 640 434	397	1
2 608 640 435	397	1
2 608 640 436	397	1
2 608 640 437	397	1
2 608 640 438	397	1
2 608 640 440	397	1
2 608 640 441	397	1
2 608 640 442	397	1
2 608 640 443	398	1
2 608 640 444	398	1
2 608 640 445	412	1
2 608 640 446	412	1
2 608 640 447	412	1
2 608 640 449	412	1
2 608 640 450	412	1
2 608 640 451	412	1
2 608 640 452	412	1
2 608 640 453	412	1
2 608 640 501	411	1
2 608 640 503	411	1
2 608 640 506	411	1
2 608 640 507	411	1
2 608 640 508	411	1
2 608 640 509	411	1
2 608 640 510	411	1
2 608 640 511	411	1
2 608 640 513	411	1
2 608 640 514	411	1
2 608 640 516	412	1
2 608 640 518	412	1
2 608 640 519	411	1
2 608 640 582	395	1
2 608 640 583	395	1
2 608 640 586	395	1
2 608 640 592	395	1
2 608 640 593	395	1
2 608 640 596	395	1
2 608 640 597	395	1
2 608 640 602	395	1
2 608 640 603	395	1
2 608 640 608	395	1
2 608 640 609	395	1
2 608 640 610	395	1
2 608 640 611	395	1
2 608 640 612	396	1
2 608 640 613	396	1
2 608 640 614	396	1
2 608 640 615	396	1
2 608 640 616	396	1
2 608 640 617	396	1
2 608 640 618	396	1
2 608 640 620	396	1
2 608 640 621	396	1
2 608 640 622	396	1
2 608 640 623	396	1
2 608 640 627	396	1
2 608 640 628	396	1
2 608 640 629	396	1
2 608 640 630	405	1
2 608 640 632	405	1
2 608 640 633	405	1
2 608 640 634	405	1
2 608 640 635	405	1
2 608 640 636	405	1
2 608 640 641	397	1
2 608 640 642	397	1
2 608 640 643	397	1
2 608 640 644	397	1
2 608 640 645	397	1
2 608 640 651	398	1
2 608 640 660	398	1
2 608 640 665	398	1
2 608 640 670	398	1
2 608 640 672	398	1
2 608 640 673	398	1
2 608 640 674	398	1
2 608 640 675	398	1
2 608 640 680	401	1
2 608 640 681	401	1
2 608 640 682	401	1
2 608 640 683	401	1
2 608 640 684	401	1
2 608 640 690	406	1
2 608 640 691	406	1
2 608 640 692	406	1
2 608 640 693	406	1
2 608 640 694	406	1
2 608 640 695	406	1
2 608 640 700	406	1
2 608 640 701	406	1
2 608 640 702	406	1
2 608 640 703	406	1
2 608 640 704	406	1
2 608 640 705	406	1
2 608 640 725	396	1
2 608 640 727	396	1
2 608 640 728	396	1
2 608 640 729	396	1
2 608 640 732	395	1
2 608 640 761	406	1
2 608 640 762	406	1
2 608 640 770	412	1
2 608 640 774	400	1
2 608 640 775	400	1
2 608 640 781	400	1
2 608 640 784	400	1
2 608 640 785	400	1
2 608 640 786	400	1
2 608 640 787	400	1
2 608 640 789	400	1
2 608 640 795	400	1
2 608 640 799	400	1
2 608 640 800	400	1
2 608 640 801	400	1
2 608 640 803	400	1
2 608 640 804	400	1
2 608 640 805	400	1
2 608 640 807	400	1
2 608 640 815	411	1
2 608 640 817	395	1
2 608 640 818	395	1
2 608 640 839	395	1
2 608 640 850	395	1
2 608 640 852	395	1
2 608 640 853	395	1
2 608 640 854	395	1
2 608 640 863	395	1
2 608 640 871	396	1
2 608 640 872	396	1
2 608 640 876	396	1
2 608 640 885	396	1
2 608 640 886	396	1
2 608 640 887	396	1
2 608 640 894	396	1
2 608 640 895	396	1
2 608 640 901	399	1
2 608 640 902	399	1
2 608 640 907	398	1
2 608 640 908	398	1
2 608 640 909	398	1
2 608 640 910	398	1
2 608 640 913	399	1
2 608 640 914	397	1
2 608 640 920	398	1
2 608 640 921	398	1
2 608 640 922	398	1
2 608 640 923	398	1
2 608 640 931	398	1
2 608 640 932	398	1
2 608 640 933	398	1
2 608 640 935	398	1
2 608 640 981	412	1
2 608 641 167	395	1
2 608 641 168	395	1
2 608 641 169	395	1
2 608 641 170	395	1
2 608 641 171	395	1
2 608 641 172	395	1
2 608 641 173	395	1
2 608 641 175	395	1
2 608 641 181	395	1
2 608 641 184	396	1
2 608 641 185	396	1
2 608 641 186	396	1
2 608 641 187	396	1
2 608 641 188	396	1
2 608 641 190	396	1
2 608 641 192	396	1
2 608 641 195	411	1
2 608 641 199	405	1
2 608 641 200	405	1
2 608 641 201	405	1
2 608 641 202	397	1
2 608 641 204	412	1
2 608 641 765	397	1
2 608 641 768	397	1
2 608 641 769	397	1
2 608 641 771	398	1
2 608 641 774	406	1
2 608 642 096	366	1
2 608 642 097	366	1
2 608 642 098	366	1
2 608 642 099	366	1
2 608 642 100	360	1
2 608 642 101	360	1
2 608 642 102	360	1
2 608 642 103	360	1
2 608 642 104	362	1
2 608 642 105	362	1
2 608 642 106	362	1
2 608 642 107	363	1
2 608 642 108	362	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 608 642 109	362	1
2 608 642 110	362	1
2 608 642 111	361	1
2 608 642 112	361	1
2 608 642 113	361	1
2 608 642 114	361	1
2 608 642 115	361	1
2 608 642 116	361	1
2 608 642 117	361	1
2 608 642 118	361	1
2 608 642 119	361	1
2 608 642 120	361	1
2 608 642 121	361	1
2 608 642 122	361	1
2 608 642 123	361	1
2 608 642 124	361	1
2 608 642 125	361	1
2 608 642 126	363	1
2 608 642 127	363	1
2 608 642 128	363	1
2 608 642 129	363	1
2 608 642 130	363	1
2 608 642 131	363	1
2 608 642 133	365	1
2 608 642 135	365	1
2 608 642 137	365	1
2 608 642 192	411	1
2 608 642 193	411	1
2 608 642 195	412	1
2 608 642 197	411	1
2 608 642 200	412	1
2 608 642 201	412	1
2 608 642 202	412	1
2 608 642 203	412	1
2 608 642 208	412	1
2 608 642 209	412	1
2 608 642 210	412	1
2 608 642 212	412	1
2 608 642 213	412	1
2 608 642 214	412	1
2 608 642 384	360	1
2 608 642 385	360	1
2 608 642 386	360	1
2 608 642 387	366	1
2 608 642 388	366	1
2 608 642 492	390	1
2 608 642 493	390	1
2 608 642 494	390	1
2 608 642 495	390	1
2 608 642 496	370	1
2 608 642 497	370	1
2 608 642 498	370	1
2 608 642 499	371	1
2 608 642 500	371	1
2 608 642 501	372	1
2 608 642 502	372	1
2 608 642 503	372	1
2 608 642 504	373	1
2 608 642 505	372	1
2 608 642 506	372	1
2 608 642 507	372	1
2 608 642 508	372	1

PART NUMBER	PAGE	MOQ
2 608 642 509	372	1
2 608 642 510	373	1
2 608 642 511	373	1
2 608 642 512	373	1
2 608 642 513	373	1
2 608 642 514	378	1
2 608 642 515	378	1
2 608 642 516	378	1
2 608 642 517	378	1
2 608 642 518	378	1
2 608 642 528	390	1
2 608 642 529	390	1
2 608 642 530	371	1
2 608 642 531	371	1
2 608 642 600	400	1
2 608 642 601	400	1
2 608 642 602	395	1
2 608 642 606	364	1
2 608 642 607	364	1
2 608 642 608	364	1
2 608 642 609	364	1
2 608 642 610	364	1
2 608 643 054	387	1
2 608 643 055	387	1
2 608 643 056	387	1
2 608 643 057	387	1
2 608 643 058	387	1
2 608 643 059	387	1
2 608 643 060	387	1
2 608 643 061	387	1
2 608 643 062	387	1
2 608 643 063	387	1
2 608 643 071	395	1
2 608 644 003	367	1
2 608 644 004	367	1
2 608 644 005	367	1
2 608 644 006	367	1
2 608 644 007	367	1
2 608 644 008	367	1
2 608 644 009	367	1
2 608 644 010	367	1
2 608 644 011	367	1
2 608 644 012	367	1
2 608 644 013	367	1
2 608 644 014	367	1
2 608 644 015	367	1
2 608 644 016	367	1
2 608 644 017	367	1
2 608 644 018	367	1
2 608 644 019	367	1
2 608 644 020	367	1
2 608 644 021	367	1
2 608 644 022	367	1
2 608 644 023	367	1
2 608 644 024	367	1
2 608 644 025	367	1
2 608 644 026	367	1
2 608 644 027	367	1
2 608 644 028	367	1
2 608 644 029	367	1
2 608 644 030	367	1
2 608 644 031	367	1

PART NUMBER	PAGE	MOQ
2 608 644 032	367	1
2 608 644 033	367	1
2 608 644 034	367	1
2 608 644 035	367	1
2 608 644 036	367	1
2 608 644 037	367	1
2 608 644 038	367	1
2 608 644 039	367	1
2 608 644 040	368	1
2 608 644 041	368	1
2 608 644 042	368	1
2 608 644 043	368	1
2 608 644 044	368	1
2 608 644 045	368	1
2 608 644 046	368	1
2 608 644 047	368	1
2 608 644 048	368	1
2 608 644 049	368	1
2 608 644 050	368	1
2 608 644 051	368	1
2 608 644 052	368	1
2 608 644 053	368	1
2 608 644 054	368	1
2 608 644 055	368	1
2 608 644 056	368	1
2 608 644 057	368	1
2 608 644 058	368	1
2 608 644 059	368	1
2 608 644 060	368	1
2 608 644 061	368	1
2 608 644 062	368	1
2 608 644 063	368	1
2 608 644 064	368	1
2 608 644 065	368	1
2 608 644 066	368	1
2 608 644 067	368	1
2 608 644 068	368	1
2 608 644 069	368	1
2 608 644 070	368	1
2 608 644 071	368	1
2 608 644 072	368	1
2 608 644 073	368	1
2 608 644 074	368	1
2 608 644 075	368	1
2 608 644 076	368	1
2 608 644 077	369	1
2 608 644 078	369	1
2 608 644 079	370	1
2 608 644 080	371	1
2 608 644 081	371	1
2 608 644 082	371	1
2 608 644 083	371	1
2 608 644 084	371	1
2 608 644 085	371	1
2 608 644 086	371	1
2 608 644 087	371	1
2 608 644 088	371	1
2 608 644 089	371	1
2 608 644 090	371	1
2 608 644 091	372	1
2 608 644 092	382	1
2 608 644 093	382	1

PART NUMBER	PAGE	MOQ
2 608 644 094	382	1
2 608 644 095	382	1
2 608 644 096	382	1
2 608 644 097	382	1
2 608 644 098	382	1
2 608 644 099	382	1
2 608 644 100	382	1
2 608 644 101	382	1
2 608 644 102	382	1
2 608 644 103	382	1
2 608 644 104	382	1
2 608 644 105	382	1
2 608 644 106	382	1
2 608 644 107	382	1
2 608 644 108	382	1
2 608 644 109	383	1
2 608 644 110	383	1
2 608 644 111	383	1
2 608 644 112	383	1
2 608 644 113	383	1
2 608 644 114	383	1
2 608 644 115	383	1
2 608 644 116	383	1
2 608 644 117	384	1
2 608 644 118	384	1
2 608 644 119	384	1
2 608 644 120	392	1
2 608 644 121	392	1
2 608 644 122	392	1
2 608 644 123	392	1
2 608 644 124	392	1
2 608 644 125	392	1
2 608 644 126	377	1
2 608 644 127	377	1
2 608 644 128	377	1
2 608 644 129	377	1
2 608 644 130	377	1
2 608 644 131	380	1
2 608 644 132	380	1
2 608 644 133	380	1
2 608 644 134	380	1
2 608 644 135	380	1
2 608 644 136	376	1
2 608 644 137	376	1
2 608 644 138	376	1
2 608 644 139	376	1
2 608 644 140	376	1
2 608 644 141	376	1
2 608 644 142	391	1
2 608 644 143	391	1
2 608 644 144	391	1
2 608 644 145	391	1
2 608 644 146	391	1
2 608 644 147	391	1
2 608 644 148	391	1
2 608 644 165	391	1
2 608 644 225	410	1
2 608 644 282	389	1
2 608 644 283	389	1
2 608 644 284	389	1
2 608 644 285	389	1
2 608 644 286	389	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 608 644 287	389	1
2 608 644 288	389	1
2 608 644 289	389	1
2 608 644 338	376	1
2 608 644 339	376	1
2 608 644 340	371	1
2 608 644 341	372	1
2 608 644 342	372	1
2 608 644 343	372	1
2 608 644 344	392	1
2 608 644 345	392	1
2 608 644 346	392	1
2 608 644 347	392	1
2 608 644 348	392	1
2 608 644 349	392	1
2 608 644 350	392	1
2 608 644 351	393	1
2 608 644 352	393	1
2 608 644 353	393	1
2 608 644 354	380	1
2 608 644 355	380	1
2 608 644 356	380	1
2 608 644 357	380	1
2 608 644 358	380	1
2 608 644 359	381	1
2 608 644 360	380	1
2 608 644 361	381	1
2 608 644 362	381	1
2 608 644 363	381	1
2 608 644 364	381	1
2 608 644 365	391	1
2 608 644 366	391	1
2 608 644 367	391	1
2 608 644 368	391	1
2 608 644 370	421	1
2 608 644 371	421	1
2 608 644 372	421	1
2 608 644 373	421	1
2 608 644 374	421	1
2 608 644 376	421	1
2 608 644 377	421	1
2 608 644 378	421	1
2 608 644 379	421	1
2 608 644 380	421	1
2 608 644 381	421	1
2 608 644 382	421	1
2 608 644 383	422	1
2 608 644 384	422	1
2 608 644 385	422	1
2 608 644 386	422	1
2 608 644 387	424	1
2 608 644 388	424	1
2 608 644 389	424	1
2 608 644 390	424	1
2 608 644 391	424	1
2 608 644 392	424	1
2 608 644 393	424	1
2 608 644 394	424	
2 608 644 395	424	1
2 608 644 396	424	1
2 608 644 397	424	1
2 608 644 398	421	1
2 608 644 399	421	1
2 608 644 400	421	1
2 608 644 401	421	1
2 608 644 402	421	1
2 608 644 403	421	1
2 608 644 404	421	1
2 608 644 405	421	1
2 608 644 406	422	1
2 608 644 407	422	1
2 608 644 408	422	1
2 608 644 409	422	1
2 608 644 410	422	1
2 608 644 411	424	1
2 608 644 412	424	1
2 608 644 413	424	1
2 608 644 414	424	1
2 608 644 415	421	
2 608 644 416	421	1
2 608 644 418	421	1
2 608 644 419	422	1
2 608 644 420	422	1
2 608 644 421	424	1
2 608 644 422	424	1
2 608 644 423	424	1
2 608 644 424	423	1
2 608 644 497	373	1
2 608 644 498	373	1
2 608 644 499	373	1
2 608 644 500	373	1
2 608 644 502	373	1
2 608 644 503	373	1
2 608 644 504	373	1
2 608 644 505	373	1
2 608 644 506	373	1
2 608 644 507	373	1
2 608 644 508	373	1
2 608 644 509	373	1
2 608 644 510	373	1
2 608 644 511	373	1
2 608 644 512	373	1
2 608 644 513	374	1
2 608 644 514	374	1
2 608 644 515	374	1
2 608 644 516	375	1
2 608 644 517	375	1
2 608 644 518	374	1
2 608 644 519	374	1
2 608 644 520	375	1
2 608 644 521	375	1
2 608 644 522	374	1
2 608 644 523	374	1
2 608 644 524	375	1
2 608 644 525	375	1
2 608 644 526	375	1
2 608 644 527	374	1
2 608 644 528	374	1
2 608 644 529	374	1
2 608 644 530	388	1
2 608 644 531	388	1
2 608 644 532	388	1
2 608 644 533	388	1
2 608 644 534	385	1
2 608 644 535	385	1
2 608 644 536	385	1
2 608 644 537	385	1
2 608 644 538	385	1
2 608 644 539	385	1
2 608 644 540	385	1
2 608 644 541	385	1
2 608 644 542	386	1
2 608 644 543	386	1
2 608 644 544	386	1
2 608 644 545	386	1
2 608 644 546	386	1
2 608 644 547	386	1
2 608 644 548	379	1
2 608 644 549	379	1
2 608 644 550	379	1
2 608 644 551	377	1
2 608 644 552	377	1
2 608 644 553	377	1
2 608 644 554	393	1
2 608 644 555	393	1
2 608 644 556	393	1
2 608 644 557	394	1
2 608 644 558	394	1
2 608 644 559	394	1
2 608 644 560	414	1
2 608 644 561	414	1
2 608 644 562	414	1
2 608 644 563	414	1
2 608 644 564	414	1
2 608 644 565	414	1
2 608 644 566	414	1
2 608 644 567	414	1
2 608 644 568	414	1
2 608 644 569	415	1
2 608 644 570	415	1
2 608 644 571	414	1
2 608 644 572	414	1
2 608 644 573	414	1
2 608 644 574	415	1
2 608 644 575	415	1
2 608 644 576	415	1
2 608 644 577	415	1
2 608 644 578	415	1
2 608 644 579	415	1
2 608 644 580	415	1
2 608 644 581	415	1
2 608 644 582	415	1
2 608 644 583	414	1
2 608 644 584	414	1
2 608 644 585	414	1
2 608 644 586	414	1
2 608 644 587	414	1
2 608 644 588	416	1
2 608 644 589	416	1
2 608 644 590	416	1
2 608 644 591	416	1
2 608 644 592	416	1
2 608 644 593	416	1
2 608 644 594	416	1
2 608 644 595	417	1
2 608 644 596	416	1
2 608 644 597	420	1
2 608 644 598	420	1
2 608 644 599	420	1
2 608 644 600	420	1
2 608 644 601	420	1
2 608 644 602	420	1
2 608 644 603	420	1
2 608 644 604	420	1
2 608 644 605	420	1
2 608 644 606	420	1
2 608 644 607	420	1
2 608 644 608	418	1
2 608 644 609	418	1
2 608 644 610	419	1
2 608 644 646	416	1
2 608 644 647	416	1
2 608 644 648	416	1
2 608 644 660	421	1
2 608 644 661	421	
2 608 644 662	421	1
2 608 644 663	425	1
2 608 649 000	579	1
2 608 649 001	579	1
2 608 649 002	580	1
2 608 649 003	580	1
2 608 649 004	580	1
2 608 650 065	575	1
2 608 650 414	575	1
2 608 650 463	572	1
2 608 650 464	571	1
2 608 650 465	571	1
2 608 650 551	571	1
2 608 650 613	571	5
2 608 650 614	571	5
2 608 650 616	572	5
2 608 650 617	572	5
2 608 650 673	571	5
2 608 650 676	571	5
2 608 650 677	572	5
2 608 650 678	572	5
2 608 650 679	572	5
2 608 650 681	571	5
2 608 650 682	571	5
2 608 650 698	571	1
2 608 651 780	551	5
2 608 651 781	551	5
2 608 651 821	551	5
2 608 651 944	551	5
2 608 652 900	569	5
2 608 653 065	571	1
2 608 653 066	548	1
2 608 653 067	547	1
2 608 654 401	549	5
2 608 654 402	549	5
2 608 654 403	572	5
2 608 654 404	572	5
2 608 654 405	561	5
2 608 654 406	561	5
2 608 654 416	549	1
2 608 654 417	572	1
2 608 654 418	561	1
2 608 654 763	559	5

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 608 654 820	548	5
2 608 654 834	559	5
2 608 654 981	562	5
2 608 656 010	549	5
2 608 656 011	550	5
2 608 656 012	549	5
2 608 656 013	549	5
2 608 656 014	550	5
2 608 656 015	550	5
2 608 656 016	561	5
2 608 656 017	562	5
2 608 656 018	549	5
2 608 656 019	550	5
2 608 656 020	550	5
2 608 656 021	561	5
2 608 656 022	562	5
2 608 656 027	550	1
2 608 656 028	550	1
2 608 656 032	550	1
2 608 656 034	561	1
2 608 656 036	549	5
2 608 656 037	550	5
2 608 656 038	550	5
2 608 656 039	561	5
2 608 656 040	562	5
2 608 656 041	550	5
2 608 656 042	550	5
2 608 656 043	562	5
2 608 656 253	550	5
2 608 656 255	548	5
2 608 656 258	559	5
2 608 656 259	559	1
2 608 656 260	559	5
2 608 656 261	559	5
2 608 656 263	568	5
2 608 656 265	548	5
2 608 656 267	549	5
2 608 656 268	550	5
2 608 656 269	550	5
2 608 656 270	561	5
2 608 656 271	559	5
2 608 656 272	559	5
2 608 656 273	559	5
2 608 656 274	568	5
2 608 656 320	561	1
2 608 656 567	559	1
2 608 656 571	548	1
2 608 656 636	561	1
2 608 656 931	575	1
2 608 656 932	576	1
2 608 656 934	576	1
2 608 656 973	576	1
2 608 657 394	547	5
2 608 657 395	547	5
2 608 657 396	547	5
2 608 657 397	547	5
2 608 657 398	547	5
2 608 657 406	547	5
2 608 657 407	548	5
2 608 657 408	548	5
2 608 657 409	548	5
2 608 657 523	545	5
2 608 657 524	545	5
2 608 657 525	546	5
2 608 657 526	546	5
2 608 657 527	546	5
2 608 657 528	546	5
2 608 657 550	550	1
2 608 657 551	550	1
2 608 657 552	550	1
2 608 657 553	550	1
2 608 657 554	547	1
2 608 657 555	547	1
2 608 657 556	548	1
2 608 657 557	548	1
2 608 657 558	562	1
2 608 657 559	562	1
2 608 657 560	561	1
2 608 657 561	559	1
2 608 657 562	559	1
2 608 657 608	559	5
2 608 657 610	560	5
2 608 657 611	560	1
2 608 657 612	560	5
2 608 657 721	549	5
2 608 657 722	559	5
2 608 657 723	559	5
2 608 657 724	568	5
2 608 657 725	568	5
2 608 657 932	546	1
2 608 657 933	545	1
2 608 657 934	546	1
2 608 657 935	546	1
2 608 657 936	545	1
2 608 657 937	549	1
2 608 657 938	561	1
2 608 658 009	545	5
2 608 658 010	545	5
2 608 658 011	545	5
2 608 658 013	545	5
2 608 658 027	560	5
2 608 658 028	560	1
2 608 658 030	560	5
2 608 658 031	560	1
2 608 658 033	560	5
2 608 658 034	560	1
2 608 658 036	560	5
2 608 658 037	560	1
2 608 658 147	546	5
2 608 658 148	546	1
2 608 661 200	578	1
2 608 661 201	578	1
2 608 661 202	578	1
2 608 661 203	578	1
2 608 661 204	578	1
2 608 661 205	578	1
2 608 661 626	640	1
2 608 661 628	643	1
2 608 661 629	643	1
2 608 661 630	641	1
2 608 661 633	646	1
2 608 661 636	645	4
2 608 661 637	640	4
2 608 661 640	643	4
2 608 661 641	643	1
2 608 661 642	671	1
2 608 661 643	642	1
2 608 661 644	643	4
2 608 661 645	641	4
2 608 661 646	657	1
2 608 661 647	657	1
2 608 661 688	647	4
2 608 661 691	658	1
2 608 661 692	671	1
2 608 661 693	657	1
2 608 661 694	679	1
2 608 661 695	679	1
2 608 661 696	679	1
2 608 661 758	656	1
2 608 661 781	644	4
2 608 661 868	675	1
2 608 661 901	644	25
2 608 661 902	643	25
2 608 661 903	641	25
2 608 661 904	640	25
2 608 661 905	647	25
2 608 661 906	658	25
2 608 661 907	644	1
2 608 661 908	647	1
2 608 661 909	658	1
2 608 662 013	680	1
2 608 662 017	642	1
2 608 662 031	642	1
2 608 662 032	642	25
2 608 662 036	683	25
2 608 662 037	684	25
2 608 662 043	685	1
2 608 662 311	640	25
2 608 662 312	682	25
2 608 662 315	644	25
2 608 662 316	682	25
2 608 662 317	684	25
2 608 662 342	679	10
2 608 662 343	680	10
2 608 662 346	667	1
2 608 662 350	682	25
2 608 662 351	683	25
2 608 662 352	683	25
2 608 662 353	684	25
2 608 662 354	641	1
2 608 662 355	641	1
2 608 662 356	641	25
2 608 662 357	641	1
2 608 662 358	641	1
2 608 662 359	641	25
2 608 662 360	641	1
2 608 662 361	641	1
2 608 662 362	641	25
2 608 662 431	658	1
2 608 662 558	644	1
2 608 662 561	640	1
2 608 662 564	645	1
2 608 662 568	640	1
2 608 662 571	644	1
2 608 662 574	645	1
2 608 662 575	659	1
2 608 662 577	674	1
2 608 662 578	675	1
2 608 662 579	659	1
2 608 662 582	676	1
2 608 662 583	659	1
2 608 662 767	640	25
2 608 662 768	644	25
2 608 662 769	645	25
2 608 663 314	492	5
2 608 664 131	678	5
2 608 664 132	679	5
2 608 664 133	678	5
2 608 664 202	656	1
2 608 664 203	656	1
2 608 664 204	656	1
2 608 664 205	656	25
2 608 664 207	655	1
2 608 664 208	655	1
2 608 664 209	676	1
2 608 664 226	646	1
2 608 664 227	677	1
2 608 664 231	658	1
2 608 664 470	643	1
2 608 664 471	641	1
2 608 664 472	640	1
2 608 664 474	644	1
2 608 664 475	647	1
2 608 664 476	641	1
2 608 664 477	645	1
2 608 664 478	656	1
2 608 664 479	642	1
2 608 664 480	646	1
2 608 664 481	641	1
2 608 664 483	642	1
2 608 664 484	671	1
2 608 664 485	641	1
2 608 664 486	671	1
2 608 664 487	657	1
2 608 664 488	657	1
2 608 664 489	658	1
2 608 664 492	640	1
2 608 664 493	644	1
2 608 664 494	645	1
2 608 664 496	640	1
2 608 664 497	644	1
2 608 664 498	645	1
2 608 664 501	659	1
2 608 664 503	659	1
2 608 664 622	678	5
2 608 664 623	678	5
2 608 664 624	678	5
2 608 664 904	640	1
2 608 664 905	641	1
2 608 664 907	642	1
2 608 664 908	643	1
2 608 664 910	644	1
2 608 664 911	643	1
2 608 664 912	643	1
2 608 664 913	647	1
2 608 664 915	642	1
2 608 664 916	645	1
2 608 664 917	656	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 608 664 919	671	1
2 608 664 923	657	1
2 608 664 924	658	1
2 608 664 925	658	1
2 608 664 926	666	1
2 608 664 927	644	1
2 608 664 928	645	1
2 608 664 930	644	1
2 608 665 050	492	5
2 608 665 051	493	5
2 608 665 052	489	5
2 608 665 053	492	5
2 608 665 054	492	5
2 608 665 055	491	5
2 608 665 056	491	5
2 608 665 057	491	5
2 608 665 058	491	5
2 608 665 059	491	5
2 608 665 061	490	5
2 608 667 394	490	5
2 608 667 396	510	5
2 608 667 411	513	10
2 608 667 443	505	10
2 608 667 444	505	10
2 608 667 445	505	10
2 608 667 446	505	10
2 608 667 447	505	10
2 608 667 448	505	10
2 608 667 843	505	5
2 608 667 853	523	10
2 608 667 854	523	10
2 608 667 855	522	10
2 608 667 856	520	10
2 608 667 857	520	10
2 608 667 858	520	10
2 608 668 173	499	10
2 608 668 643	497	5
2 608 668 644	498	5
2 608 668 645	498	5
2 608 668 646	499	5
2 608 668 647	499	5
2 608 680 257	110	5
2 608 680 258	110	5
2 608 680 259	110	5
2 608 680 260	110	5
2 608 680 261	110	5
2 608 680 262	110	5
2 608 680 263	110	5
2 608 680 264	110	5
2 608 680 265	110	5
2 608 680 266	110	5
2 608 680 267	110	5
2 608 680 268	110	5
2 608 680 269	110	5
2 608 680 270	110	5
2 608 680 271	110	5
2 608 680 272	110	5
2 608 680 273	110	5
2 608 680 274	110	5
2 608 680 275	110	5
2 608 680 276	110	1
2 608 680 277	110	5
2 608 680 278	110	5
2 608 680 279	111	5
2 608 680 280	111	1
2 608 680 281	111	5
2 608 680 282	111	5
2 608 680 283	111	5
2 608 680 284	111	1
2 608 680 285	111	5
2 608 680 286	111	5
2 608 680 287	111	1
2 608 680 288	111	1
2 608 680 289	111	1
2 608 680 290	111	1
2 608 680 291	111	1
2 608 680 292	111	1
2 608 680 293	111	1
2 608 680 294	111	1
2 608 680 295	111	1
2 608 685 860	122	1
2 608 685 861	122	1
2 608 685 862	122	1
2 608 685 863	122	1
2 608 685 864	122	1
2 608 685 865	122	1
2 608 685 866	122	1
2 608 685 867	122	1
2 608 685 868	122	1
2 608 685 869	122	1
2 608 685 870	122	1
2 608 685 871	122	1
2 608 685 872	122	1
2 608 685 873	122	1
2 608 685 874	122	1
2 608 685 875	122	1
2 608 685 876	122	1
2 608 685 877	122	1
2 608 690 000	210	1
2 608 690 003	211	1
2 608 690 004	211	1
2 608 690 005	211	1
2 608 690 006	202	1
2 608 690 007	202	1
2 608 690 010	203	1
2 608 690 091	202	1
2 608 690 097	209	1
2 608 690 098	209	1
2 608 690 099	209	1
2 608 690 100	209	1
2 608 690 101	201	1
2 608 690 102	201	1
2 608 690 106	217	1
2 608 690 108	217	1
2 608 690 110	219	1
2 608 690 111	219	1
2 608 690 112	219	1
2 608 690 113	219	1
2 608 690 114	219	1
2 608 690 115	220	1
2 608 690 124	208	1
2 608 690 125	209	1
2 608 690 126	209	1
2 608 690 127	209	1
2 608 690 128	208	1
2 608 690 129	208	1
2 608 690 130	208	1
2 608 690 131	201	1
2 608 690 132	200	1
2 608 690 133	201	1
2 608 690 141	209	1
2 608 690 142	208	1
2 608 690 143	209	1
2 608 690 144	201	1
2 608 690 145	200	1
2 608 690 146	201	1
2 608 690 166	208	1
2 608 690 167	208	1
2 608 690 168	208	1
2 608 690 176	200	1
2 608 690 177	201	1
2 608 690 178	201	1
2 608 690 179	212	1
2 608 690 180	204	1
2 608 690 188	215	1
2 608 690 190	215	1
2 608 690 192	215	1
2 608 690 193	215	1
2 608 690 194	215	1
2 608 690 195	215	1
2 608 690 196	215	1
2 608 690 197	216	1
2 608 690 198	209	1
2 608 690 199	209	1
2 608 690 200	203	1
2 608 690 201	203	1
2 608 690 235	208	1
2 608 690 236	208	1
2 608 690 237	209	1
2 608 690 238	209	1
2 608 690 239	209	2
2 608 690 240	208	2
2 608 690 241	209	1
2 608 690 242	208	1
2 608 691 012	867	1
2 608 691 013	867	1
2 608 691 014	867	1
2 608 691 015	867	1
2 608 691 019	867	1
2 608 691 022	867	1
2 608 691 027	867	1
2 608 691 062	867	1
2 608 691 098	867	1
2 608 691 102	868	1
2 608 831 000	106	5
2 608 831 001	106	5
2 608 831 002	106	5
2 608 831 003	106	5
2 608 831 004	106	5
2 608 831 005	106	5
2 608 831 006	106	5
2 608 831 007	106	5
2 608 831 008	106	5
2 608 831 009	106	5
2 608 831 010	106	5
2 608 831 011	106	1
2 608 831 012	106	5
2 608 831 013	106	5
2 608 831 014	106	5
2 608 831 015	106	5
2 608 831 016	106	5
2 608 831 017	106	5
2 608 831 018	106	5
2 608 831 019	106	5
2 608 831 020	106	5
2 608 831 021	106	5
2 608 831 022	106	1
2 608 831 023	106	5
2 608 831 024	106	5
2 608 831 025	106	5
2 608 831 026	106	5
2 608 831 027	106	5
2 608 831 028	106	5
2 608 831 029	106	5
2 608 831 030	106	1
2 608 831 031	106	5
2 608 831 032	106	5
2 608 831 033	106	5
2 608 831 034	106	5
2 608 831 035	106	5
2 608 831 036	106	1
2 608 831 037	106	5
2 608 831 038	106	5
2 608 831 039	106	5
2 608 831 040	106	5
2 608 831 041	106	5
2 608 831 042	106	1
2 608 831 043	106	5
2 608 831 044	106	5
2 608 831 045	106	5
2 608 831 046	106	1
2 608 831 047	106	1
2 608 831 048	106	1
2 608 831 049	106	1
2 608 831 050	106	1
2 608 831 051	107	1
2 608 831 052	107	1
2 608 831 053	107	1
2 608 831 054	107	1
2 608 831 055	107	1
2 608 831 056	107	1
2 608 831 057	107	1
2 608 831 058	107	1
2 608 831 059	107	1
2 608 831 060	107	1
2 608 831 061	107	1
2 608 831 062	107	1
2 608 831 063	107	1
2 608 831 103	107	1
2 608 831 104	107	1
2 608 831 105	107	1
2 608 831 106	107	1
2 608 831 107	107	1
2 608 831 108	107	1
2 608 831 109	107	1
2 608 831 110	107	1
2 608 831 111	107	1
2 608 831 112	107	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 608 831 113	107	1
2 608 831 114	107	1
2 608 831 115	107	1
2 608 831 116	107	1
2 608 831 117	107	1
2 608 831 118	107	1
2 608 831 119	107	1
2 608 831 120	107	1
2 608 831 121	107	1
2 608 831 122	107	1
2 608 831 123	107	1
2 608 831 124	107	1
2 608 831 125	107	1
2 608 831 126	107	1
2 608 833 771	94	10
2 608 833 772	94	10
2 608 833 773	94	5
2 608 833 774	94	10
2 608 833 775	94	5
2 608 833 776	94	1
2 608 833 777	94	10
2 608 833 778	94	10
2 608 833 779	95	10
2 608 833 780	95	10
2 608 833 781	95	10
2 608 833 782	95	10
2 608 833 783	95	5
2 608 833 784	95	5
2 608 833 785	95	10
2 608 833 786	95	10
2 608 833 787	95	5
2 608 833 788	95	10
2 608 833 789	95	10
2 608 833 790	95	10
2 608 833 791	95	10
2 608 833 792	95	5
2 608 833 793	95	5
2 608 833 794	95	5
2 608 833 795	95	5
2 608 833 796	95	5
2 608 833 797	95	10
2 608 833 798	95	10
2 608 833 799	95	10
2 608 833 800	95	10
2 608 833 801	95	5
2 608 833 802	95	5
2 608 833 803	95	5
2 608 833 804	95	5
2 608 833 805	95	1
2 608 833 806	95	5
2 608 833 807	95	10
2 608 833 808	95	10
2 608 833 809	95	10
2 608 833 810	95	5
2 608 833 811	95	5
2 608 833 812	95	5
2 608 833 813	95	5
2 608 833 814	95	1
2 608 833 815	95	5
2 608 833 816	95	10
2 608 833 817	95	10
2 608 833 818	95	10

PART NUMBER	PAGE	MOQ
2 608 833 819	95	5
2 608 833 820	95	5
2 608 833 821	95	5
2 608 833 822	95	5
2 608 833 823	95	5
2 608 833 824	96	1
2 608 833 825	96	10
2 608 833 826	96	5
2 608 833 827	96	5
2 608 833 828	96	5
2 608 833 829	96	5
2 608 833 889	97	1
2 608 833 890	97	1
2 608 833 891	97	5
2 608 833 892	97	5
2 608 833 893	97	1
2 608 833 894	97	1
2 608 833 895	97	1
2 608 833 896	97	1
2 608 833 897	97	1
2 608 833 898	97	1
2 608 833 899	97	1
2 608 833 900	97	1
2 608 833 901	97	1
2 608 833 902	97	1
2 608 833 903	97	1
2 608 833 904	97	1
2 608 833 905	97	1
2 608 833 906	97	1
2 608 833 907	97	1
2 608 833 908	97	1
2 608 833 909	97	1
2 608 833 910	98	5
2 608 833 911	98	5
2 608 833 912	98	10
2 608 833 959	122	1
2 608 833 960	122	1
2 608 833 961	122	1
2 608 833 962	122	1
2 608 833 963	122	1
2 608 833 964	122	1
2 608 836 604	94	5
2 608 836 605	94	5
2 608 836 606	94	5
2 608 836 607	94	5
2 608 836 608	94	5
2 608 836 609	94	5
2 608 836 610	94	5
2 608 836 611	94	5
2 608 836 612	95	5
2 608 836 613	95	5
2 608 836 614	95	5
2 608 836 615	95	5
2 608 836 616	95	1
2 608 836 617	95	5
2 608 836 618	95	1
2 608 836 620	95	1
2 608 836 622	95	5
2 608 836 623	95	1
2 608 836 625	95	5
2 608 836 626	96	1
2 608 836 628	96	5

PART NUMBER	PAGE	MOQ
2 608 836 629	96	5
2 608 836 630	96	5
2 608 836 631	96	5
2 608 836 632	96	1
2 608 836 633	96	1
2 608 836 634	96	1
2 608 836 636	96	5
2 608 836 637	96	1
2 608 836 638	96	1
2 608 836 639	96	5
2 608 836 640	96	1
2 608 836 641	96	1
2 608 836 642	96	1
2 608 836 644	96	5
2 608 836 645	96	1
2 608 836 646	96	1
2 608 836 647	96	1
2 608 836 648	96	1
2 608 836 649	96	1
2 608 836 650	96	1
2 608 836 651	96	1
2 608 836 652	96	1
2 608 836 653	97	5
2 608 836 654	97	5
2 608 836 655	96	5
2 608 836 656	97	5
2 608 836 657	97	5
2 608 836 658	97	5
2 608 836 659	97	5
2 608 836 660	97	5
2 608 836 661	97	5
2 608 836 662	97	5
2 608 836 663	97	5
2 608 836 664	96	5
2 608 836 665	96	5
2 608 836 666	96	5
2 608 836 667	96	5
2 608 836 668	96	5
2 608 836 669	96	5
2 608 836 670	96	5
2 608 836 671	97	5
2 608 836 672	97	5
2 608 836 673	97	5
2 608 836 674	96	5
2 608 836 675	96	5
2 608 836 676	96	5
2 608 836 677	96	5
2 608 836 678	96	5
2 608 836 679	97	5
2 608 836 680	97	5
2 608 836 681	97	5
2 608 836 682	96	5
2 608 836 683	96	5
2 608 836 684	96	5
2 608 836 685	96	5
2 608 836 686	96	5
2 608 836 687	97	5
2 608 836 688	97	5
2 608 836 689	97	5
2 608 836 690	97	5
2 608 836 691	97	5
2 608 836 692	97	5

PART NUMBER	PAGE	MOQ
2 608 836 693	97	5
2 608 836 694	97	1
2 608 836 695	96	1
2 608 836 696	96	1
2 608 836 697	96	1
2 608 836 698	96	1
2 608 836 699	97	1
2 608 836 700	97	1
2 608 836 701	97	1
2 608 836 702	97	1
2 608 836 703	96	1
2 608 836 704	96	1
2 608 836 705	96	1
2 608 836 706	96	1
2 608 837 138	98	1
2 608 837 666	402	1
2 608 837 667	402	1
2 608 837 668	402	1
2 608 837 669	402	1
2 608 837 670	402	1
2 608 837 671	402	1
2 608 837 672	402	1
2 608 837 673	402	1
2 608 837 674	402	1
2 608 837 675	402	1
2 608 837 676	402	1
2 608 837 677	402	1
2 608 837 678	402	1
2 608 837 679	402	1
2 608 837 680	402	1
2 608 837 681	402	1
2 608 837 682	402	1
2 608 837 683	402	1
2 608 837 684	402	1
2 608 837 685	402	1
2 608 837 686	402	1
2 608 837 687	402	1
2 608 837 688	402	1
2 608 837 689	402	1
2 608 837 690	402	1
2 608 837 697	402	1
2 608 837 698	402	1
2 608 837 699	402	1
2 608 837 700	403	1
2 608 837 701	403	1
2 608 837 702	402	1
2 608 837 703	402	1
2 608 837 704	402	1
2 608 837 705	403	1
2 608 837 706	402	1
2 608 837 708	402	1
2 608 837 710	402	1
2 608 837 711	402	1
2 608 837 713	404	1
2 608 837 714	404	1
2 608 837 721	403	1
2 608 837 723	403	1
2 608 837 724	404	1
2 608 837 726	404	1
2 608 837 727	403	1
2 608 837 728	403	1
2 608 837 733	404	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 608 837 734	404	1
2 608 837 736	404	1
2 608 837 741	403	1
2 608 837 742	403	1
2 608 837 744	403	1
2 608 837 745	410	1
2 608 837 746	410	1
2 608 837 747	410	1
2 608 837 748	410	1
2 608 837 749	410	1
2 608 837 750	410	1
2 608 837 752	413	1
2 608 837 753	407	1
2 608 837 754	407	1
2 608 837 755	407	1
2 608 837 756	407	1
2 608 837 757	407	1
2 608 837 758	407	1
2 608 837 759	407	1
2 608 837 761	407	1
2 608 837 762	407	1
2 608 837 763	407	1
2 608 837 764	407	1
2 608 837 766	407	1
2 608 837 767	408	1
2 608 837 768	407	1
2 608 837 769	407	1
2 608 837 770	408	1
2 608 837 771	407	1
2 608 837 773	409	1
2 608 837 776	408	1
2 608 837 778	408	1
2 608 837 780	409	1
2 608 837 782	408	1
2 608 838 409	398	1
2 608 838 410	398	1
2 608 838 411	398	1
2 608 838 412	398	1
2 608 840 001	416	1
2 608 840 002	416	1
2 608 840 003	416	1
2 608 840 004	416	1
2 608 900 000	808	1
2 608 900 001	809	1
2 608 900 003	837	1
2 608 900 004	837	1
2 608 900 005	837	1
2 608 900 006	837	1
2 608 900 007	837	1
2 608 900 008	837	1
2 608 900 009	836	1
2 608 900 010	836	1
2 608 900 011	836	1
2 608 900 012	648	1
2 608 900 013	648	1
2 608 900 014	649	1
2 608 900 015	649	1
2 608 900 016	649	1
2 608 900 017	649	25
2 608 900 018	650	1
2 608 900 019	649	1
2 608 900 020	649	1
2 608 900 021	651	1
2 608 900 022	650	1
2 608 900 023	650	1
2 608 900 024	652	1
2 608 900 025	652	1
2 608 900 026	652	1
2 608 900 027	652	25
2 608 900 028	653	1
2 608 900 029	653	1
2 608 900 030	653	1
2 608 900 031	654	1
2 608 900 032	654	1
2 608 900 034	670	1
2 608 900 035	670	1
2 608 900 036	673	1
2 608 900 037	673	1
2 608 900 038	674	1
2 608 900 039	666	1
2 608 900 040	665	1
2 608 900 041	672	1
2 608 900 042	672	1
2 608 900 043	662	1
2 608 900 045	660	1
2 608 900 046	660	1
2 608 900 047	661	1
2 608 900 049	661	1
2 608 900 051	664	1
2 608 900 052	662	1
2 608 900 053	663	1
2 608 900 054	663	1
2 608 900 055	88	1
2 608 900 056	88	1
2 608 900 057	88	1
2 608 900 058	88	1
2 608 900 059	88	5
2 608 900 060	89	5
2 608 900 061	89	5
2 608 900 062	89	5
2 608 900 063	89	5
2 608 900 064	89	1
2 608 900 065	89	5
2 608 900 066	89	5
2 608 900 067	89	5
2 608 900 068	89	5
2 608 900 069	89	1
2 608 900 070	89	1
2 608 900 071	89	5
2 608 900 072	89	5
2 608 900 073	89	5
2 608 900 074	89	5
2 608 900 075	89	5
2 608 900 076	89	1
2 608 900 077	89	1
2 608 900 078	89	5
2 608 900 079	89	5
2 608 900 080	89	5
2 608 900 081	89	1
2 608 900 082	89	1
2 608 900 083	89	1
2 608 900 084	89	1
2 608 900 085	89	1
2 608 900 086	89	1
2 608 900 087	89	5
2 608 900 088	89	5
2 608 900 089	89	5
2 608 900 090	89	5
2 608 900 091	89	1
2 608 900 092	89	5
2 608 900 093	89	1
2 608 900 094	89	1
2 608 900 095	89	1
2 608 900 096	89	1
2 608 900 097	89	5
2 608 900 098	89	5
2 608 900 099	89	5
2 608 900 100	89	1
2 608 900 101	89	5
2 608 900 102	89	1
2 608 900 103	89	1
2 608 900 104	89	1
2 608 900 105	89	1
2 608 900 106	89	1
2 608 900 107	89	1
2 608 900 108	89	5
2 608 900 109	89	5
2 608 900 110	89	5
2 608 900 111	89	5
2 608 900 112	89	5
2 608 900 113	89	1
2 608 900 114	89	1
2 608 900 115	89	1
2 608 900 116	89	1
2 608 900 117	89	1
2 608 900 118	89	1
2 608 900 119	89	5
2 608 900 120	89	5
2 608 900 121	89	5
2 608 900 122	89	5
2 608 900 123	89	1
2 608 900 124	89	1
2 608 900 125	89	1
2 608 900 126	89	1
2 608 900 127	89	1
2 608 900 128	90	1
2 608 900 129	90	1
2 608 900 130	90	5
2 608 900 131	90	5
2 608 900 132	90	1
2 608 900 133	90	1
2 608 900 134	90	1
2 608 900 135	90	1
2 608 900 136	90	1
2 608 900 137	90	1
2 608 900 138	90	1
2 608 900 139	90	1
2 608 900 140	90	1
2 608 900 141	90	1
2 608 900 142	90	1
2 608 900 143	90	1
2 608 900 144	90	1
2 608 900 145	90	1
2 608 900 146	90	1
2 608 900 147	90	1
2 608 900 148	90	1
2 608 900 149	90	1
2 608 900 150	90	1
2 608 900 151	90	1
2 608 900 152	90	1
2 608 900 153	90	1
2 608 900 154	90	1
2 608 900 155	90	1
2 608 900 156	90	1
2 608 900 157	90	1
2 608 900 158	90	1
2 608 900 159	90	1
2 608 900 160	90	1
2 608 900 161	90	1
2 608 900 162	90	1
2 608 900 163	90	1
2 608 900 164	90	1
2 608 900 165	90	1
2 608 900 166	90	1
2 608 900 167	90	1
2 608 900 168	90	1
2 608 900 169	90	1
2 608 900 170	90	1
2 608 900 171	90	1
2 608 900 172	90	1
2 608 900 173	90	1
2 608 900 174	90	1
2 608 900 175	90	1
2 608 900 176	90	1
2 608 900 177	90	1
2 608 900 178	90	1
2 608 900 179	90	1
2 608 900 180	90	1
2 608 900 181	90	1
2 608 900 182	90	1
2 608 900 183	90	1
2 608 900 184	90	1
2 608 900 185	90	1
2 608 900 186	90	1
2 608 900 187	90	1
2 608 900 188	90	1
2 608 900 189	90	1
2 608 900 190	90	1
2 608 900 191	90	1
2 608 900 192	90	1
2 608 900 193	91	1
2 608 900 194	91	1
2 608 900 195	91	1
2 608 900 196	91	1
2 608 900 197	91	1
2 608 900 198	91	1
2 608 900 201	119	1
2 608 900 202	119	1
2 608 900 203	119	1
2 608 900 204	119	1
2 608 900 207	119	1
2 608 900 208	119	1
2 608 900 209	120	1
2 608 900 210	120	1
2 608 900 214	120	1
2 608 900 215	120	1
2 608 900 216	120	1
2 608 900 217	120	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 608 900 221	120	1
2 608 900 222	120	1
2 608 900 223	120	1
2 608 900 224	120	1
2 608 900 228	120	1
2 608 900 229	120	1
2 608 900 230	120	1
2 608 900 231	120	1
2 608 900 233	120	1
2 608 900 234	120	1
2 608 900 235	120	1
2 608 900 236	120	1
2 608 900 238	120	1
2 608 900 239	120	1
2 608 900 240	120	1
2 608 900 241	120	1
2 608 900 242	120	1
2 608 900 243	120	1
2 608 900 245	120	1
2 608 900 246	120	1
2 608 900 247	120	1
2 608 900 248	120	1
2 608 900 249	120	1
2 608 900 250	120	1
2 608 900 252	120	1
2 608 900 253	120	1
2 608 900 254	120	1
2 608 900 255	120	1
2 608 900 256	120	1
2 608 900 257	120	1
2 608 900 260	120	1
2 608 900 261	120	1
2 608 900 262	120	1
2 608 900 263	120	1
2 608 900 264	120	1
2 608 900 265	120	1
2 608 900 266	120	1
2 608 900 267	120	1
2 608 900 268	120	1
2 608 900 269	120	1
2 608 900 270	120	1
2 608 900 309	60	5
2 608 900 310	60	5
2 608 900 311	60	5
2 608 900 312	61	5
2 608 900 313	61	5
2 608 900 314	61	5
2 608 900 315	61	5
2 608 900 316	61	5
2 608 900 317	61	5
2 608 900 318	61	5
2 608 900 319	61	5
2 608 900 320	61	5
2 608 900 321	61	5
2 608 900 322	61	5
2 608 900 323	61	5
2 608 900 324	61	5
2 608 900 325	61	5
2 608 900 326	61	5
2 608 900 327	61	5
2 608 900 328	61	5
2 608 900 329	61	5
2 608 900 330	61	5
2 608 900 331	62	5
2 608 900 332	62	1
2 608 900 333	62	1
2 608 900 334	62	5
2 608 900 335	62	5
2 608 900 336	62	5
2 608 900 337	61	5
2 608 900 338	61	5
2 608 900 339	61	5
2 608 900 340	61	5
2 608 900 341	61	5
2 608 900 342	61	5
2 608 900 343	61	5
2 608 900 344	61	5
2 608 900 345	61	5
2 608 900 346	61	5
2 608 900 347	61	5
2 608 900 348	61	5
2 608 900 349	61	5
2 608 900 350	61	5
2 608 900 351	61	5
2 608 900 352	61	5
2 608 900 353	61	5
2 608 900 354	61	5
2 608 900 355	61	5
2 608 900 356	61	5
2 608 900 357	61	5
2 608 900 358	61	5
2 608 900 359	540	1
2 608 900 360	541	1
2 608 900 361	541	1
2 608 900 362	541	1
2 608 900 363	541	1
2 608 900 364	535	1
2 608 900 365	536	1
2 608 900 366	536	1
2 608 900 367	536	1
2 608 900 368	536	1
2 608 900 369	536	1
2 608 900 370	536	1
2 608 900 371	537	1
2 608 900 372	537	1
2 608 900 373	538	1
2 608 900 374	539	1
2 608 900 375	539	1
2 608 900 376	539	1
2 608 900 377	539	1
2 608 900 378	542	1
2 608 900 379	542	1
2 608 900 380	543	1
2 608 900 381	543	1
2 608 900 382	543	1
2 608 900 383	544	1
2 608 900 384	556	1
2 608 900 385	554	1
2 608 900 386	554	1
2 608 900 387	555	1
2 608 900 388	555	1
2 608 900 389	557	1
2 608 900 390	557	1
2 608 900 391	558	1
2 608 900 392	558	1
2 608 900 393	558	1
2 608 900 394	558	1
2 608 900 395	558	1
2 608 900 396	552	1
2 608 900 397	552	1
2 608 900 398	553	1
2 608 900 399	553	1
2 608 900 400	553	1
2 608 900 401	553	1
2 608 900 402	553	1
2 608 900 403	570	1
2 608 900 404	570	1
2 608 900 405	570	1
2 608 900 406	571	1
2 608 900 407	567	1
2 608 900 408	565	1
2 608 900 409	565	1
2 608 900 410	566	1
2 608 900 411	566	1
2 608 900 412	566	1
2 608 900 413	566	1
2 608 900 414	564	1
2 608 900 415	564	1
2 608 900 416	564	1
2 608 900 417	563	1
2 608 900 418	564	1
2 608 900 419	584	1
2 608 900 420	584	1
2 608 900 421	584	1
2 608 900 422	585	1
2 608 900 423	585	1
2 608 900 424	585	1
2 608 900 425	585	1
2 608 900 426	585	1
2 608 900 427	585	1
2 608 900 428	585	1
2 608 900 429	585	1
2 608 900 430	585	1
2 608 900 431	585	1
2 608 900 432	585	1
2 608 900 433	585	1
2 608 900 434	585	1
2 608 900 435	585	1
2 608 900 436	585	1
2 608 900 437	585	1
2 608 900 438	585	1
2 608 900 439	585	1
2 608 900 440	585	1
2 608 900 441	585	1
2 608 900 442	585	1
2 608 900 443	585	1
2 608 900 444	585	1
2 608 900 445	586	1
2 608 900 446	586	1
2 608 900 447	586	1
2 608 900 448	586	1
2 608 900 449	585	1
2 608 900 450	585	1
2 608 900 451	588	1
2 608 900 452	588	1
2 608 900 453	588	1
2 608 900 454	589	1
2 608 900 455	589	1
2 608 900 456	589	1
2 608 900 457	589	1
2 608 900 458	589	1
2 608 900 459	589	1
2 608 900 460	589	1
2 608 900 461	589	1
2 608 900 462	589	1
2 608 900 463	589	1
2 608 900 464	589	1
2 608 900 465	589	1
2 608 900 466	589	1
2 608 900 467	589	1
2 608 900 468	589	1
2 608 900 469	589	1
2 608 900 470	589	1
2 608 900 471	589	1
2 608 900 472	589	1
2 608 900 473	589	1
2 608 900 474	589	1
2 608 900 475	589	1
2 608 900 476	589	1
2 608 900 477	589	1
2 608 900 478	589	1
2 608 900 479	589	1
2 608 900 480	589	1
2 608 900 481	589	1
2 608 900 482	589	1
2 608 900 483	589	1
2 608 900 484	589	1
2 608 900 485	589	1
2 608 900 486	589	1
2 608 900 487	589	1
2 608 900 488	589	1
2 608 900 489	590	1
2 608 900 490	590	1
2 608 900 491	599	1
2 608 900 492	599	1
2 608 900 493	599	1
2 608 900 494	599	1
2 608 900 495	600	1
2 608 900 496	600	1
2 608 900 497	600	1
2 608 900 498	600	1
2 608 900 499	600	1
2 608 900 500	600	1
2 608 900 501	600	1
2 608 900 502	600	1
2 608 900 503	601, 608	5
2 608 900 526	587, 591, 605	1
2 608 900 527	587, 591, 605	1
2 608 900 528	587, 591, 607	5
2 608 900 529	587, 591, 607	5
2 608 900 530	587, 591, 607	5
2 608 900 531	303	1
2 608 900 532	302	1
2 608 900 533	302	1
2 608 900 535	303	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 608 900 536	303	1
2 608 900 537	304	1
2 608 900 541	481	1
2 608 900 542	486	1
2 608 900 543	482	10
2 608 900 544	482	10
2 608 900 545	482	1
2 608 900 546	482	1
2 608 900 547	483	10
2 608 900 548	483	10
2 608 900 549	515	10
2 608 900 550	488	10
2 608 900 551	488	10
2 608 900 552	488	1
2 608 900 553	488	1
2 608 900 554	489	10
2 608 900 555	489	10
2 608 900 556	489	1
2 608 900 557	489	10
2 608 900 558	489	10
2 608 900 559	515	10
2 608 900 560	501	1
2 608 900 561	494	1
2 608 900 562	495	1
2 608 900 563	507	1
2 608 900 564	508	1
2 608 900 565	504	1
2 608 900 566	503	1
2 608 900 567	509	1
2 608 900 569	140	5
2 608 900 570	140	5
2 608 900 571	140	5
2 608 900 572	140	5
2 608 900 573	141	5
2 608 900 574	141	5
2 608 900 575	141	5
2 608 900 577	141	5
2 608 900 579	141	5
2 608 900 580	141	5
2 608 900 581	141	5
2 608 900 582	141	5
2 608 900 583	141	5
2 608 900 584	141	1
2 608 900 585	141	1
2 608 900 586	141	1
2 608 900 587	146	1
2 608 900 588	146	1
2 608 900 589	146	1
2 608 900 590	146	1
2 608 900 591	147	1
2 608 900 592	147	1
2 608 900 593	147	1
2 608 900 594	147	1
2 608 900 595	147	1
2 608 900 596	147	1
2 608 900 597	147	1
2 608 900 598	147	1
2 608 900 599	147	1
2 608 900 600	143	5
2 608 900 602	143	1
2 608 900 604	143	5
2 608 900 605	143	5
2 608 900 606	143	5
2 608 900 607	143	5
2 608 900 609	143	5
2 608 900 610	143	5
2 608 900 611	143	5
2 608 900 612	143	5
2 608 900 615	143	5
2 608 900 616	143	5
2 608 900 618	143	5
2 608 900 619	143	5
2 608 900 621	143	5
2 608 900 622	143	5
2 608 900 625	143	5
2 608 900 626	143	5
2 608 900 627	143	5
2 608 900 630	143	5
2 608 900 631	143	5
2 608 900 637	143	1
2 608 900 638	143	1
2 608 900 639	143	1
2 608 900 640	143	1
2 608 900 642	143	1
2 608 900 643	143	1
2 608 900 644	143	1
2 608 900 645	144	1
2 608 900 646	144	1
2 608 900 647	144	1
2 608 900 648	144	1
2 608 900 649	144	1
2 608 900 650	144	1
2 608 900 651	266	1
2 608 900 652	232	1
2 608 900 653	232	1
2 608 900 654	232	1
2 608 900 655	232	1
2 608 900 656	231	1
2 608 900 657	231	1
2 608 900 658	231	1
2 608 900 659	238	1
2 608 900 660	238	1
2 608 900 661	238	1
2 608 900 662	238	1
2 608 900 663	238	1
2 608 900 664	238	1
2 608 900 665	254	1
2 608 900 666	254	1
2 608 900 667	254	1
2 608 900 668	254	1
2 608 900 669	237	1
2 608 900 670	237	1
2 608 900 671	689	5
2 608 900 672	689	5
2 608 900 673	689	5
2 608 900 674	689	5
2 608 900 675	689	5
2 608 900 676	689	5
2 608 900 677	690	5
2 608 900 678	690	5
2 608 900 679	690	5
2 608 900 680	690	1
2 608 900 681	690	1
2 608 900 682	690	1
2 608 900 683	690	1
2 608 900 684	690	1
2 608 900 685	690	1
2 608 900 686	690	1
2 608 900 687	690	1
2 608 900 688	690	1
2 608 900 689	690	5
2 608 900 690	690	5
2 608 900 691	690	5
2 608 900 692	690	5
2 608 900 693	690	5
2 608 900 694	690	5
2 608 900 695	690	5
2 608 900 696	690	5
2 608 900 697	690	5
2 608 900 698	690	1
2 608 900 699	690	1
2 608 900 700	690	1
2 608 900 701	690	1
2 608 900 702	690	1
2 608 900 703	690	1
2 608 900 704	690	1
2 608 900 705	690	1
2 608 900 706	690	1
2 608 900 707	691	1
2 608 900 708	691	1
2 608 900 709	691	1
2 608 900 710	691	1
2 608 900 711	691	1
2 608 900 712	691	1
2 608 900 713	691	1
2 608 900 714	691	1
2 608 900 715	691	1
2 608 900 716	706	5
2 608 900 717	706	5
2 608 900 718	706	5
2 608 900 719	706	5
2 608 900 720	706	5
2 608 900 721	706	5
2 608 900 722	706	5
2 608 900 723	706	5
2 608 900 724	706	5
2 608 900 725	709	5
2 608 900 726	709	5
2 608 900 727	709	5
2 608 900 728	709	5
2 608 900 729	709	5
2 608 900 730	709	5
2 608 900 731	709	5
2 608 900 732	709	5
2 608 900 733	709	5
2 608 900 734	714	5
2 608 900 735	714	5
2 608 900 736	714	5
2 608 900 737	714	5
2 608 900 738	714	5
2 608 900 739	714	5
2 608 900 740	714	5
2 608 900 741	714	5
2 608 900 742	714	5
2 608 900 743	714	5
2 608 900 744	714	5
2 608 900 745	714	5
2 608 900 746	714	5
2 608 900 747	714	5
2 608 900 748	714	5
2 608 900 749	714	5
2 608 900 750	714	5
2 608 900 751	714	5
2 608 900 752	714	1
2 608 900 753	714	1
2 608 900 754	714	1
2 608 900 755	714	1
2 608 900 756	714	1
2 608 900 757	714	1
2 608 900 758	714	1
2 608 900 759	714	1
2 608 900 760	714	1
2 608 900 761	714	5
2 608 900 762	714	5
2 608 900 763	714	5
2 608 900 764	714	5
2 608 900 765	714	5
2 608 900 766	714	5
2 608 900 767	714	5
2 608 900 768	714	5
2 608 900 769	714	5
2 608 900 770	714	1
2 608 900 771	714	1
2 608 900 772	714	1
2 608 900 773	714	1
2 608 900 774	714	1
2 608 900 775	714	1
2 608 900 776	738	1
2 608 900 777	738	1
2 608 900 778	738	1
2 608 900 779	738	1
2 608 900 780	738	1
2 608 900 781	738	1
2 608 900 782	738	1
2 608 900 783	738	1
2 608 900 784	738	1
2 608 900 785	738	1
2 608 900 786	738	1
2 608 900 787	738	1
2 608 900 788	738	1
2 608 900 789	738	1
2 608 900 790	738	1
2 608 900 791	738	1
2 608 900 792	738	1
2 608 900 793	738	1
2 608 900 794	693	5
2 608 900 795	693	5
2 608 900 796	694	5
2 608 900 797	694	5
2 608 900 798	694	5
2 608 900 799	694	5
2 608 900 800	694	5
2 608 900 801	694	5
2 608 900 802	695	5
2 608 900 803	694	5
2 608 900 804	694	5
2 608 900 805	694	5
2 608 900 806	694	5

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 608 900 807	694	5
2 608 900 808	694	5
2 608 900 809	694	5
2 608 900 810	694	5
2 608 900 811	694	5
2 608 900 812	695	5
2 608 900 813	694	5
2 608 900 814	694	5
2 608 900 815	694	5
2 608 900 816	694	5
2 608 900 817	694	5
2 608 900 818	694	5
2 608 900 819	694	5
2 608 900 820	694	5
2 608 900 821	694	5
2 608 900 822	696	5
2 608 900 823	707	5
2 608 900 824	707	5
2 608 900 825	707	5
2 608 900 826	707	5
2 608 900 827	707	5
2 608 900 828	707	5
2 608 900 829	707	5
2 608 900 830	707	5
2 608 900 831	707	5
2 608 900 832	707	5
2 608 900 833	716	5
2 608 900 834	717	5
2 608 900 835	717	5
2 608 900 836	717	5
2 608 900 837	717	5
2 608 900 838	717	5
2 608 900 839	717	5
2 608 900 840	719	5
2 608 900 841	719	5
2 608 900 842	719	5
2 608 900 843	719	5
2 608 900 844	719	5
2 608 900 845	719	5
2 608 900 846	718	5
2 608 900 847	718	5
2 608 900 848	718	5
2 608 900 849	718	5
2 608 900 850	718	5
2 608 900 851	718	5
2 608 900 852	718	5
2 608 900 853	716	5
2 608 900 854	716	5
2 608 900 855	716	5
2 608 900 856	716	5
2 608 900 857	716	5
2 608 900 858	716	5
2 608 900 859	716	5
2 608 900 860	718	5
2 608 900 861	718	5
2 608 900 862	718	5
2 608 900 863	718	5
2 608 900 864	718	5
2 608 900 865	718	5
2 608 900 866	718	5
2 608 900 867	719	5
2 608 900 868	718	5
2 608 900 869	718	5
2 608 900 870	716	5
2 608 900 871	717	5
2 608 900 872	717	5
2 608 900 873	719	5
2 608 900 874	716	5
2 608 900 875	718	5
2 608 900 876	718	5
2 608 900 877	716	5
2 608 900 878	716	5
2 608 900 879	716	5
2 608 900 880	716	5
2 608 900 881	716	5
2 608 900 882	716	5
2 608 900 883	716	5
2 608 900 884	716	5
2 608 900 885	716	5
2 608 900 886	710	5
2 608 900 887	710	5
2 608 900 888	710	1
2 608 900 889	710	5
2 608 900 890	715	5
2 608 900 891	715	5
2 608 900 892	715	5
2 608 900 893	715	5
2 608 900 894	715	5
2 608 900 895	715	5
2 608 900 896	738	1
2 608 900 897	738	1
2 608 900 898	739	1
2 608 900 899	739	1
2 608 900 900	739	1
2 608 900 901	739	1
2 608 900 902	738	1
2 608 900 903	738	1
2 608 900 904	738	1
2 608 900 905	738	1
2 608 900 906	738	1
2 608 900 907	738	1
2 608 900 908	694	1
2 608 900 909	694	1
2 608 900 910	694	1
2 608 900 911	694	1
2 608 900 912	694	1
2 608 900 913	694	1
2 608 900 914	694	1
2 608 900 915	694	1
2 608 900 916	694	1
2 608 900 917	695	1
2 608 900 918	695	1
2 608 900 919	695	1
2 608 900 920	695	1
2 608 900 921	695	1
2 608 900 922	695	1
2 608 900 923	695	1
2 608 900 924	695	1
2 608 900 925	695	1
2 608 900 926	707	1
2 608 900 927	707	1
2 608 900 928	707	1
2 608 900 929	707	1
2 608 900 930	707	1
2 608 900 931	707	1
2 608 900 932	707	1
2 608 900 933	707	1
2 608 900 934	707	1
2 608 900 935	717	1
2 608 900 936	717	1
2 608 900 937	717	1
2 608 900 938	717	1
2 608 900 939	717	1
2 608 900 940	717	1
2 608 900 941	717	1
2 608 900 942	718	1
2 608 900 943	718	1
2 608 900 944	718	1
2 608 900 945	718	1
2 608 900 946	718	1
2 608 900 947	718	1
2 608 900 948	718	1
2 608 900 949	718	1
2 608 900 950	718	1
2 608 900 951	772	1
2 608 900 952	772	1
2 608 900 953	772	1
2 608 900 954	772	1
2 608 900 955	772	1
2 608 900 956	772	1
2 608 900 957	736	25
2 608 900 958	736	50
2 608 900 959	736	50
2 608 900 960	736	50
2 608 900 961	736	50
2 608 900 962	736	50
2 608 900 963	736	50
2 608 900 964	736	50
2 608 900 965	736	50
2 608 900 966	736	50
2 608 900 967	736	50
2 608 900 968	739	1
2 608 900 969	739	1
2 608 900 970	739	1
2 608 900 971	739	1
2 608 900 972	739	1
2 608 900 973	739	1
2 608 900 974	739	1
2 608 900 975	739	1
2 608 900 976	739	1
2 608 900 977	739	1
2 608 900 978	739	1
2 608 900 979	739	1
2 608 900 980	739	1
2 608 900 981	739	1
2 608 900 982	739	1
2 608 900 983	739	1
2 608 900 984	739	1
2 608 900 985	739	1
2 608 901 092	692	5
2 608 901 093	692	5
2 608 901 094	692	5
2 608 901 095	692	5
2 608 901 096	692	5
2 608 901 097	692	5
2 608 901 098	693	5
2 608 901 099	693	5
2 608 901 100	693	5
2 608 901 101	696	5
2 608 901 102	693	5
2 608 901 103	693	5
2 608 901 104	693	5
2 608 901 105	693	5
2 608 901 106	693	5
2 608 901 107	693	5
2 608 901 108	693	5
2 608 901 109	693	5
2 608 901 110	693	5
2 608 901 111	696	5
2 608 901 112	717	5
2 608 901 113	716	5
2 608 901 114	710	5
2 608 901 115	710	5
2 608 901 116	710	5
2 608 901 117	710	5
2 608 901 118	710	5
2 608 901 119	710	5
2 608 901 120	694	1
2 608 901 121	694	1
2 608 901 122	695	1
2 608 901 123	695	1
2 608 901 124	693	1
2 608 901 125	693	1
2 608 901 126	693	1
2 608 901 127	693	1
2 608 901 128	693	1
2 608 901 129	693	1
2 608 901 130	693	1
2 608 901 131	693	1
2 608 901 132	693	1
2 608 901 133	693	1
2 608 901 134	693	1
2 608 901 135	693	1
2 608 901 136	693	1
2 608 901 137	693	1
2 608 901 138	693	1
2 608 901 139	693	1
2 608 901 140	693	1
2 608 901 141	693	1
2 608 901 142	693	1
2 608 901 143	693	1
2 608 901 144	693	1
2 608 901 145	693	1
2 608 901 146	697	1
2 608 901 147	697	1
2 608 901 148	697	1
2 608 901 149	697	1
2 608 901 150	697	1
2 608 901 151	697	1
2 608 901 152	697	1
2 608 901 153	697	1
2 608 901 154	772	1
2 608 901 155	772	1
2 608 901 156	772	1
2 608 901 166	710	5
2 608 901 167	710	5
2 608 901 168	744	50
2 608 901 169	745	50

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 608 901 170	745	50
2 608 901 171	745	50
2 608 901 172	745	50
2 608 901 173	745	50
2 608 901 174	744	5
2 608 901 175	745	5
2 608 901 176	745	5
2 608 901 177	745	20
2 608 901 178	745	20
2 608 901 179	745	20
2 608 901 180	745	50
2 608 901 181	483	1
2 608 901 188	300	1
2 608 901 189	300	1
2 608 901 190	300	1
2 608 901 191	300	1
2 608 901 192	299	1
2 608 901 193	299	1
2 608 901 194	299	1
2 608 901 195	299	1
2 608 901 196	300	1
2 608 901 202	690	5
2 608 901 203	690	5
2 608 901 204	706	5
2 608 901 205	715	5
2 608 901 206	715	5
2 608 901 207	715	5
2 608 901 208	709	5
2 608 901 210	742	20
2 608 901 211	742	20
2 608 901 212	742	20
2 608 901 213	742	20
2 608 901 214	742	20
2 608 901 215	742	20
2 608 901 216	742	20
2 608 901 217	742	20
2 608 901 218	742	10
2 608 901 219	742	10
2 608 901 220	742	10
2 608 901 221	742	10
2 608 901 222	742	1
2 608 901 223	742	1
2 608 901 224	742	1
2 608 901 225	742	1
2 608 901 226	742	1
2 608 901 227	742	1
2 608 901 228	742	1
2 608 901 229	742	1
2 608 901 230	742	1
2 608 901 231	742	1
2 608 901 232	742	1
2 608 901 233	742	1
2 608 901 234	742	1
2 608 901 235	743	1
2 608 901 236	743	1
2 608 901 237	743	1
2 608 901 238	743	1
2 608 901 239	743	1
2 608 901 240	703	1
2 608 901 241	702	1
2 608 901 242	702	1
2 608 901 243	702	1
2 608 901 244	702	1
2 608 901 245	702	1
2 608 901 246	702	1
2 608 901 247	703	1
2 608 901 248	703	1
2 608 901 249	703	1
2 608 901 250	703	1
2 608 901 251	703	1
2 608 901 252	703	1
2 608 901 253	703	1
2 608 901 254	730	1
2 608 901 255	730	1
2 608 901 256	730	1
2 608 901 257	732	1
2 608 901 258	732	1
2 608 901 259	732	1
2 608 901 260	771	25
2 608 901 261	771	25
2 608 901 262	771	25
2 608 901 263	771	25
2 608 901 264	770	25
2 608 901 265	770	25
2 608 901 266	770	25
2 608 901 267	770	25
2 608 901 268	771	25
2 608 901 269	770	25
2 608 901 270	771	25
2 608 901 271	771	25
2 608 901 385	703	5
2 608 901 386	703	5
2 608 901 387	703	5
2 608 901 388	703	5
2 608 901 389	703	5
2 608 901 390	703	5
2 608 901 470	762	
2 608 901 471	762	
2 608 901 472	762	
2 608 901 473	762	
2 608 901 474	762	
2 608 901 475	762	
2 608 901 478 [i]	267	1
2 608 901 479 [i]	267	1
2 608 901 481	143	1
2 608 901 482	143	1
2 608 901 483	143	1
2 608 901 484	143	1
2 608 901 485	143	1
2 608 901 486	143	1
2 608 901 487	143	1
2 608 901 488	143	1
2 608 901 489	143	1
2 609 200 136	892	1
2 609 200 138	861	1
2 609 200 139	861	1
2 609 200 140	861	1
2 609 200 141	861	1
2 609 200 142	861	1
2 609 200 143	859	1
2 609 200 144	859	1
2 609 200 145	859	1
2 609 200 183	777	1
2 609 200 185	777	1
2 609 200 195	800	1
2 609 200 197	800	1
2 609 200 198	800	1
2 609 200 199	54, 801	1
2 609 200 200	882	1
2 609 200 201	882	1
2 609 200 202	882	1
2 609 200 203	882	1
2 609 200 204	883	1
2 609 200 205	883	1
2 609 200 206	883	1
2 609 200 207	883	1
2 609 200 208	883	1
2 609 200 209	883	1
2 609 200 210	883	1
2 609 200 211	884	1
2 609 200 212	884	1
2 609 200 213	884	1
2 609 200 214	884	1
2 609 200 215	884	1
2 609 200 216	884	1
2 609 200 217	884	1
2 609 200 218	883	1
2 609 200 219	883	1
2 609 200 220	883	1
2 609 200 221	883	1
2 609 200 222	883	1
2 609 200 223	884	1
2 609 200 224	885	1
2 609 200 225	885	1
2 609 200 226	885	1
2 609 200 227	885	1
2 609 200 228	885	1
2 609 200 229	883	1
2 609 200 230	883	1
2 609 200 231	883	1
2 609 200 232	883	1
2 609 200 233	883	1
2 609 200 234	884	1
2 609 200 235	884	1
2 609 200 236	884	1
2 609 200 237	884	1
2 609 200 238	884	1
2 609 200 239	884	1
2 609 200 240	884	1
2 609 200 241	884	1
2 609 200 242	884	1
2 609 200 243	884	1
2 609 200 249	886	1
2 609 200 250	791	1
2 609 200 251	791	1
2 609 200 252	791	1
2 609 200 253	791	1
2 609 200 255	791	1
2 609 200 291	883	1
2 609 200 292	885	1
2 609 200 306	958	1
2 609 200 307	958	1
2 609 200 308	958	1
2 609 200 312	862	1
2 609 390 034	619	1
2 609 390 035	620	1
2 609 390 036	620	1
2 609 390 038	611	1
2 609 390 103	104	5
2 609 390 308	291	1
2 609 390 310	291	1
2 609 390 311	292	1
2 609 390 314	293	1
2 609 390 380	294	1
2 609 390 389	292	1
2 609 390 391	292	1
2 609 390 392	922	1
2 609 390 393	922	1
2 609 390 394	201	1
2 609 390 576	200	1
2 609 390 586	619	1
2 609 390 587	619	1
2 609 390 588	619	1
2 609 390 589	619	1
2 609 390 590	619	1
2 609 390 591	619	1
2 609 390 592	619	1
2 610 039 536	169	5
2 610 039 538	169	5
2 610 039 539	170	5
2 610 039 540	170	5
2 610 039 542	169	5
2 610 039 544	169	5
2 610 039 551	169	5
2 610 039 554	169	5
2 610 039 555	170	5
2 610 039 556	170	5
2 610 039 557	169	5
2 610 039 558	169	5
2 610 039 559	169	5
2 610 039 560	169	5
2 610 039 561	169	5
2 610 039 562	169	5
2 610 039 563	174	5
2 610 039 564	169	5
2 610 039 565	169	5
2 610 039 566	170	5
2 610 039 567	169	5
2 610 039 568	169	5
2 610 039 569	169	5
2 610 039 571	170	5
2 610 039 572	169	5
2 610 039 573	169	5
2 610 039 574	170	5
2 610 039 575	169	5
2 610 039 576	169	5
2 610 039 578	169	5
2 610 039 580	169	5
2 610 039 581	169	5
2 610 039 582	169	5
2 610 039 583	169	5
2 610 039 584	169	5
2 610 039 585	169	5
2 610 039 586	169	5
2 610 039 587	169	5
2 610 039 593	169	5
2 610 039 594	169	5
2 610 039 595	169	5

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ
2 610 039 596	169	5
2 610 039 597	169	5
2 610 039 598	169	5
2 610 039 606	172	5
2 610 039 608	173	5
2 610 039 610	172	5
2 610 039 613	173	5
2 610 039 614	172	5
2 610 039 620	173	5
2 610 039 622	172	5
2 610 039 625	172	5
2 610 039 627	172	5
2 610 039 634	172	5
2 610 039 637	172	5
2 610 039 639	172	5
2 610 039 641	172	5
2 610 039 642	172	5
2 610 039 643	172	5
2 610 039 644	172	5
2 610 039 646	174	5
2 610 039 652	174	5
2 610 039 653	174	5
2 610 039 654	174	5
2 610 039 655	174	5
2 610 039 656	174	5
2 610 039 657	174	5
2 610 039 658	174	5
2 610 039 695	175	5
2 610 039 696	175	5
2 610 039 697	175	5
2 610 039 732	174	5
2 610 041 078	170	5
2 610 041 079	170	5
2 610 041 080	170	5
2 610 041 081	173	5
2 610 042 153	66	5
2 610 042 154	66	5
2 610 045 672	167	3
2 610 045 673	167	3
2 610 045 674	167	3
2 610 046 083	171	5
2 610 046 085	171	5
2 610 046 087	171	5
2 610 046 089	171	5
2 610 046 091	171	5
2 610 046 093	171	5
2 610 046 095	171	5
2 610 046 097	171	5
2 610 046 099	171	5
2 610 046 101	171	5
2 610 046 103	171	5
2 610 046 105	171	5
2 610 046 107	171	5
2 610 046 109	171	5
2 610 046 111	171	5
2 610 046 117	168	3
2 610 046 119	168	3
2 610 046 121	168	5
2 610 050 953	169	5
2 610 050 954	169	5
2 610 050 955	170	5
2 610 050 956	169	5

PART NUMBER	PAGE	MOQ
2 610 050 957	169	5
2 610 050 958	169	5
2 610 050 959	169	5
2 610 050 960	170	5
2 610 050 961	171	5
2 610 050 962	171	5
2 610 050 963	172	5
2 610 050 964	169	5
2 610 050 965	169	5
2 610 050 966	172	5
2 610 050 967	173	5
2 610 050 968	173	5
2 610 050 969	175	5
3 600 320 014	784	1
3 601 010 509	850	1
3 601 303 017	830	1
3 603 301 011	834	1
3 605 411 003	938	1
3 605 700 155	468	1
3 607 000 060	826	1
3 607 010 028	873	1
3 607 950 017	827, 831	1
3 608 550 503	190	5
3 608 550 504	190	5
3 608 550 505	190	5
3 608 601 006	840	1
3 608 604 000	703	1
3 608 604 001	703	1
3 608 610 000	704	1
3 608 635 000	874	1
3 608 635 002	874	1
3 608 641 001	468	1
3 608 641 002	468	1
3 608 641 008	468	1
3 608 641 013	468	1
3 609 201 038	797	1
3 609 201 039	799	1
F 00Y 145 188	127	1
F 00Y 145 189	127	1
F 00Y 145 190	127	1
F 00Y 145 191	127	1
F 00Y 145 192	127	1
F 00Y 145 193	127	1
F 00Y 145 194	127	1
F 00Y 145 195	127	1
F 00Y 145 196	127	1
F 00Y 145 197	127	1
F 00Y 145 198	127	1
F 00Y 145 199	127	1
F 00Y 145 200	127	1
F 00Y 145 201	127	1
F 00Y 145 202	127	1
F 00Y 145 203	128	5
F 00Y 145 204	128	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

BOSCH
Ordering and packaging control system.

The ordering and packaging control system makes it easier to order the right amount and find the packaging type at a glance.

Order quantities are rounded up to the minimum order quantity.



Order quantity PQ MOQ

Order quantities must be a multiple of the minimum order quantity: 3, 6, 9, etc.



Order quantity PQ MOQ MOQ

Example:

Step 1: The packaging type for each part number can be found on the product pages:



Step 2: An illustration of the corresponding packaging type and specifications about the type of suspension and form of the packaging can be found on the back cover.



P1p Watchbox with Euro hole

P2p Watchbox with other type of suspension

Step 3: What is the structure of a packaging type code?



1. There are six different material groups which are identified by the initial letter in the English packaging code:

Packaging made of paper, cardboard or corrugated board (**C**ardboard)
Plastic packaging (**P**lastic)
Combined plastic / cardboard packaging (**P**lastic and **C**ardboard)
Metal packaging (**M**etal)
Unpacked product (**U**npacked)
Wood packaging (**W**ood)

2. Each packaging has one of three different types of suspension:

0 without any type of suspension
1 with Euro hole
2 other type of suspension

3. In the six material groups, each form of packaging is identified by a lower case letter:

C Packaging made of paper, cardboard or corrugated board

a	Box	d	Sleeve	h	Tube
b	Folded carton	e	Hanger	k	Carton with sleeve
c	Pocket	f	Paper bag		

P Plastic packaging

a	Box	e	Hanger	n	Sleeve
b	Bag	f	Shrink-wrapped	p	Watchbox
c	Pouch	h	Tube		
d	Bag with tab card	k	Cassette		

PC Combined plastic / cardboard packaging

a	Blister	c	Shrink-wrapped carton
b	Folding blister	d	Tight Pack

M Metal packaging

a	Cassette	b	Aerosol

U Unpacked product
No form specifications

W Wood packaging
a Case

PACKAGING
That holds clear information.

PACKAGING MADE OF PAPER, CARDBOARD OR CORRUGATED BOARD (CARDBOARD)



C0a Box without any type of suspension
C1a Box with Euro hole
C2a Box with other type of suspension



C1b Folded carton with Euro hole



C1c Pocket with Euro hole



C1d Sleeve with Euro hole



C1e Hanger with Euro hole



C0h Tube without any type of suspension
C2h Tube with other type of suspension



C1k Carton with sleeve and Euro hole

PLASTIC PACKAGING (PLASTIC)



P0a Box without any type of suspension

P1a Box with Euro hole

P2a Box with other type of suspension





P0b Bag without any type of suspension

P1b Bag with Euro hole



P1c Pouch with Euro hole

P2c Pouch with other type of suspension



P1d Bag with tab card and Euro hole



P1e Hanger with Euro hole

P2e Hanger with other type of suspension



P0f Shrink-wrapped without any type of suspension

P1f Shrink-wrapped with Euro hole



P0h Tube without any type of suspension

P1h Tube with Euro hole



P1k Cassette with Euro hole



P0n Sleeve without any type of suspension





P1p Watchbox with Euro hole

P2p Watchbox with other type of suspension

COMBINED PLASTIC/CARDBOARD PACKAGING (PLASTIC AND CARDBOARD)



PC1a Blister with Euro hole



PC1b Folding blister with Euro hole



PC1c Shrink-wrapped carton with Euro hole



PC1d Tight Pack with Euro hole

METAL PACKAGING (METAL)



M1a Cassette with Euro hole

M0b Aerosol without any type of suspension

UNPACKED PRODUCT (UNPACKED)



U0 Without any type of suspension

WOOD PACKAGING (WOOD)



W0a Case without any type of suspension

TECHNICAL INFORMATION AND APPLICATIONS

MACHINES

EXPERT


Concrete Grinder


Drum Sander


Floor Sander


Multi delta sander


Orbital sander


Powerfile


Random Orbital Sander


Random Orbital Sander Dustbag


Hand Sanding


Petrol Saw


Marble Saw


Masonry Saw


Metal Saw


Jigsaw


Sabre Saw Noblade


Sabre Saw


Sabre Saw Corded


Multicutter Cordless


Multicutter


Dustextractor


Hammer Drill


Impact Drill


Impact Screwdriver


Screwdriver


Angle Grinder Big


Angle Grinder Small

MACHINES


Hand-held circular saw


Table saw


Vertical panel sizing saw


Hand dry cutters



CNC router


Joint cutter


Eibenstock concrete grinder



GTR 30 CE/GTR 18 V-LI


Tile cutting machine


Plunge saw


Pull-push saw


Mitre saw


Router


Angle grinder


Block saw


Concrete grinder


Polisher


Multi-router


Horizontal panel sizing saw


Mitre dry cutters


Table router


Petrol saw


Hilti concrete grinder



GTR 30 CE


Table saw

BENEFITS AND TECHNOLOGIES

EXPERT



Long Life



No Dust



High precision



Protection



High speed



Robust



3-in-1



Carbide Technology



Centering Geometry



Diamond Technology



Particle Control



Prisma Technology



Surface Structure



Tip Technology



Vibration Control

BENEFITS



For effortless cuts



Long lifetime



Quick cut



Precise drilling



Easy drilling



Powerful, rough cut



Deep cut



Test mark from Prüfgemein-schaft Mauerbohrer e.V.


Round cut, coarse


Tear-free cuts


Cutting with parallel guide


Material, thin and thick


Cleaning surfaces



Clean cut



Very long lifetime



Fast work progress



3 times longer lifetime



Heavy Duty



Effortless, fine cut



Very good surface quality


Specially for plunge cutting


Straight cut, fine


Accurate angled cut


Flexible blade (bi-metal) for flush cut


Fine result



Very clean cut



Clean cuts over the entire lifetime



Extra-high speed



Fast drilling



Tungsten carbide hinge & cantilever hinge cutter bits



No sticking



3 applications with one disc


Round cut, fine


Straight cut, coarse


Angled cut, 90°


Specially for curved cutting with sabre saw blades


Coarse result

FEATURES



microteQ



stabilteQ



Dura Technology



proteQtion



Cylindrical shank with wings



SDS-max shank



Power Grip System - 100% power transfer



Power-Change



SDS-pro



Prevents wear of the fastener


Knife blade


Basic depth stop



Very fine grit



Extra coarse grit



2x2 Tooth Geometry



Tooth spacing



Ground, extra-sharp teeth



Length / width of plunge-cutting saw blade



cleanteQ



ResisteQ



microteQ



Silent



Cylindrical shank



Hexagonal shank


2-cutter



SDS-plus



Impact Control



Tungsten carbide-tipped



Depth stop for segment saw blades with Ø 100 mm


Expert depth stop



Medium grit



RIFF grit (30)



Tooth spacing, reverse



Tooth spacing, progressive



RIFF grit 30



Length / width of RIFF plunge-cutting saw blade



proteQtion



Vibration Control



cleanteQ



Precise

SDS-plus shank

activeteq

5-cutter

Segment design

Extremely break-resistant

Carbide-tipped (bar)

Depth stop for segment saw blades with Ø 85 mm

Fine grit

Coarse grit

3D diamond technology

Extraclean tooth strip

No. of teeth per inch (TPI) and tooth spacing

For demolition and rescue work

Length / width of Scrapers

FEATURES



Length / width of universal joint cutter



Diameter of round saw blade



Tooth spacing



Delta plate


Sharp blade



Flexible backing


Cleaning grooves


Pressure equalisation


Pointed combination block side


Flap sanding wheel with fleece


Expansion wheel



Cooling


Spanner


Torx®


Tri-Wing®



Diameter of segment saw blade



Diameter of RIFF segment saw blade



Tooth spacing



Sanding plate


Sharp blade



Very flexible backing


Cleaning corners



Side reinforcement


Wet application


Fleece sanding wheel


Crimped wire = Fine result



Waterproof


Internal square


Phillips



Diameter of RIFF grout and mortar remover



Blade thickness



Tooth spacing


Do not drill with impact


Velcro-type fastening system


Cleaning edges


Working on the inside of pipes


Round combination block side



Solvent-free


Flap sanding wheel


Knotted wire = Coarse result

Pozidriv®

Slotted screw

Security Torx®

MATERIALS

EXPERT


Aluminium


Cast Iron


Concrete building block


Drywall board


Glass


Hard wood


Lime sand brick


Non-ferrous materials


Plastic


Poroton building block


Reinforced concrete


Soft stone


Solid surface composite


Stainless steel sheets


Tiles


Autoclaved aerated concrete


CFK, GFK


Concrete


Drywall


Glue


HPL – high pressure laminate


Mortar


Paint on wood


Plastic coated boards


Pressure treated lumber


Rooftile


Soft wood


Solid wood furniture boards


Steel


Wood with metal


Brick


Chipboard


Construction wood


Fiber cement board


Hard stone


Kitchen Countertop


Multiplex boards


Parquet


Plywood


PVC – vinyl solid laminate flooring

Rubber

Solid brick

Stainless steel

Steel sheets

WPC – wood with plastic composites

MATERIALS


Concrete


Tiles


Granite



Stainless steel



Brass & alloys


Softwood


Construction timber with nails and concrete residues


Abrasive panel materials coated on one or two sides


Pressed laminated wood, plywood


Laminate flooring, parquet


Plastics, epoxy


Fibre cement, suitable for Eternit©



Perspex


Rebar


Masonry



Aluminium



Metal


Sheet metals


Hardwood


Formwork boards



Panel materials, veneered laminate, thin chipboards


Fibre materials, MDF, OSB, MDF composite panels


High pressure laminate panels, suitable for Trespa©


Steel


Plasterboard


Glass


Natural stone


Marble


Hard and soft wood


Wood, hard and soft


Construction timber


Plasterboard on metal


Chipboard (raw), acoustic panels


Composite material


Wood core plywood


Porous concrete


Sandwich panels, laminated on one or two sides


Suitable for Corian©


Plastic

SAFETY


Wear protective glasses


Wear dust mask


Read Instruction Manual of Machine


Not allowed for lateral grinding


Do not use broken bits


Do not use for flamable products


Wet and dry application allowed


Do not use with hammer-/impact-mode


Wear ear protectors


Wear protective shoes


Holesaw always to be used with guided pilot drill bit


Do not use damaged disc


Don't use bent drill bits (for drill bits >= 300mm)


Live working prohibited


No pressure on tip


Use drill rig


Wear protective gloves


Read enclosed Instruction Manual


Wet use not permitted (dry use only)


Do not use damaged accessory


No drinking liquids


Wet application allowed


Do not use on drill stand



Place drill bit first on surface of workpiece, then start the drill